From: Haagenstad, Mark P
Sent: Monday, September 22, 2014 4:46 PM
To: Ryan.Flynn@state.nm.us; Jeff.Kendall@state.nm.us; tom.blaine@state.nm.us; John Kieling; steve.pullen@state.nm.us; Kliphuis, Trais, NMENV; Timothy.Hall@state.nm.us; siona.briley@state.nm.us; ricardo.maestas@state.nm.us; Gregory.Lauer@state.nm.us; steve.holmes@state.nm.us
Cc: Pete Maggiore; Silas DeRoma; Cummings, Lisa K; Nickless, David J; Bishop, M. Lee; Turner, Gene E; Armijo, Karen (CONTR); Wallace, Terry C; Mousseau, Jeffrey David; Cox, Daniel Ray; Torres, Enrique; Woitte, Deborah Kay; Johns-Hughes, Kathryn W; Clemmons, Steve; Allen, Don; George, Victoria A; Roberts, Kathryn Margaret; Brandt, Michael Thomas; Sharp-Geiger, Raeanna Racine; Dorries, Alison Marie; Grieggs, Tony; Bacigalupa, Gian A; Vigil-Holterman, Luciana R; Alexander, Rick A; Baumer, Andy; Martinez, Saundra; Sauer, Selena Z; Wood, Yvonne Barbara; Schreiber, Arleen Thorn; Maestas, Pamela Therese; Hargis, Kenneth Marshall; Diaz, Tammy; Juarez, Catherine L
Subject: Daily Technical Submission - September 22, 2014

Attached is the written daily technical submission for today. The Permittees are submitting this pursuant to: Section 19 of the May 19, 2014, *Administrative Order; the* July 10, 2014 letter from NMED regarding *Modification to May 19, 2014, Administrative Order*; and Section IX of the September 19, 2014, *LANL Nitrate Salt-Bearing Waste Container Isolation Plan, Revision 2*.

Please contact me if additional information would be helpful. Thank you.

Mark Haagenstad
Environmental Protection Division
Compliance and Permitting Group
Los Alamos National Laboratory
Office: (505) 665-2014
Mobile: (505) 699-1733

NMED / LANL Technical Summary

September 22, 2014

LANL Technical Update:

- **Location of Nitrate Salt-Bearing Wastes**
  - Remediated nitrate salt-bearing waste containers.
    - All containers remain in the 375 Permacon.
  - Unremediated nitrate salt-bearing waste containers.
    - All containers remain in the 231 Permacon.
- **Monitoring - Daily Temperature**
  - Temperatures remain below 90°F.
    - Previous day's daily temperature data attached.
- **Monitoring – Visual Inspections**
  - No abnormal conditions.
- **Additional measures currently underway**
  - As a conservative measure, LANL is currently conducting additional monitoring. This additional monitoring includes:
    - Container (SWB) 68685.
      - Continue daily head space gas (HSG) sample collection.
        - September 22, 2014 HSG data attached
          - H_2, CO, CO_2 and N_2O
        - LANL also continuing *solid phase micro-extraction.*
      - Hourly temperature measurements.
        - Previous day's hourly temperature data attached.
        - Temperatures remain below 90°F.
    - Container (SWB) SB50522.
      - Continue daily HSG sample collection.
        - September 22, 2014 HSG data attached
          - H_2, CO, CO_2 and N_2O
        - LANL also continuing *solid phase micro-extraction.*
      - Hourly temperature measurements.
        - Previous day's hourly temperature data attached.
        - Temperatures remain below 90°F.
    - Five (5) other SWB overpacks (containing 55-gallon drums of remediated nitrate salt-bearing waste).
      - Continue bi-weekly HSG sample collection.

        - LANL has conducted HSG sampling on each of the 55 SWBs that contain 55-gallon drums of remediated nitrate salt-bearing waste.

- **Anticipated Changes to Nitrate Salt-Bearing Waste Containers (e.g. movement, re-packaging).**

    - Currently, no further movements or re-packaging are planned.

Summary Chart - Requested Information / Pending Issues:

	Requested Information	Actionee	Status	Completion Date
1.	NMED contact / process for LANL to notify NMED under the Revised Isolation Plan (e.g., 24 hour notices).	NMED	---	Complete June 5, 2014
2.	Keep NMED informed on the status of on-going chemistry / analytical work.	LANL	---	Complete June 9, 2014
3.	On upcoming daily call, provide additional discussion on the potential for liquids in the 350 post-1991 cemented containers (including a discussion of the review of RTR tapes).	LANL	---	Complete July 6, 2014 (Discussion on call) July 18, 2014 (Meeting held)
4.	On upcoming call, provide additional discussion on why 231 and 375 Permacon fire suppression systems are not part of the LANL RCRA Hazardous Waste Facility Permit Contingency Plan.	LANL	---	Complete June 5, 2014
5.	Send copy of June 4, 2014 written daily submission to Trais Kliphuis. Also, include her on future daily submissions.	LANL	---	Complete June 5, 2014
6.	Provide LANL procedures and example records associated with post-1991 TA-55 cementation process discussed on June 6.	LANL	---	Complete July 3, 2014
7.	Provide information on numbers of containers in the post-1991 cemented waste streams from the TA-55 process discussed on June 6. This should include numbers regarding RTR status (RTR'd, meet WIPP criteria, requiring remediation).	LANL	---	Complete June 17, 2014 (Supplemental Info provided July 3)
8.	Provide RTR video and pre-screening information associated with those containers requiring remediation from the post-1991 cemented waste streams from the TA-55 process discussed on June 6.	LANL	---	Complete July 3, 2014
9.	Provide copy of CCP/LANL Interface Document.	LANL	---	Complete June 9, 2014
10.	Provide a list of the analytes for which LANL is sampling HSG (CO_2 and LFL analytes).	LANL	---	Complete June 11, 2014
11.	Discuss potential sampling of HSG for NO_x.	LANL	---	Complete June 16, 2014

12.	Follow-up with Tim Hall regarding LANL Hazardous Waste Facility Permit and procedures that LANL is developing for possible future sampling of empty parent containers and unremediated nitrate salt-bearing containers at LANL.	LANL	---	Complete Empty Parent June 16, 2014 Unremediated August 14, 2014 (Supplemental information discussed on sampling of parent containers) August 26, 2014 (Letter on applicability of LANL HWFP for opening waste containers)
13.	Respond to NMED email request for information associated with the nitrate salt-bearing parent and daughter waste containers. WIPP Recovery Daily Meeting Action List item #84 – NMED requested a copy of the LANL remediation records for waste stored in Panel 6 (Trais Kliphuis) – is a subset of the information in item 5 of this action.	LANL	In progress – remaining are portions of item 5	Partially Complete July 9, 2014 (Letter sent addressing items 1-4 and 6-9 of the email request) July 17, 2014 (Letter sent with updated spreadsheet) August 7, 2014 (First submittal in response to item 5) August 14, 2014 (- Letter sent addressing items 2 & 8 - Second submittal in response to item 5) August 18, 2014 (Third submittal in response to item 5) August 21, 2014 (Fourth submittal in response to item 5) August 27, 2014 (Fifth submittal in response to item 5 September 4, 2014 (Sixth submittal in response to item 5) September 9, 2014 (Seventh submittal in response to item 5) September 11, 2014 (Eighth submittal in response to item 5)

14.	NMED will review the Round Sheets (provided in June 11 summary) and inform LANL if these should be attachments to the Revised Plan, or if they fall under the provision in Section I of the Revised Isolation Plan and their identification during this technical call is sufficient.	NMED	NMED has reviewed Round Sheets – no comments / direction at this time. NMED will address any comments in their formal response to Revised Container Isolation Plan.	Complete June 23, 2014
15.	NMED has requested 'copies of any waste processing, treatment, characterization stop orders issued since Feb 14, 2014.'	LANL	---	Complete June 13, 2014 (Included w/ daily summary) June 16, 2014 (Discussed current TA-54 & WCRRF operations)
16.	NMED requested information on the location of drums 68327 and 68328. Request made June 14.	LANL	---	Complete June 14, 2014
17.	Update on LANL efforts – including LANL teams. (On June 20 call, LANL offered to schedule an update meeting).	LANL / NMED	---	Complete July 2, 2014
18.	Neutralizer use in association with container S855793 (parent of 68660 and 68685).	LANL	---	Complete June 25, 2014
19.	List of nitrate salt-bearing waste containers that LANL records indicate contain absorbed liquids with the same neutralizer, as discussed during June 25 technical call.	LANL	---	Information will be included in LANL response to NMED's August 26, 2014 letter.
20.	Schedule follow-on update on LANL efforts – including teams.	LANL / NMED	---	Complete August 14, 2014 (Meeting held)
21.	NMED requested information on document approval / review (as discussed on July 3 call).	LANL	---	Complete July 29, 2014
22.	What analyses will be conducted on samples taken from empty drums that previously contained nitrate salt-bearing waste.	LANL	---	Complete July 7, 2014
23.	NMED requested the following information on cemented waste containers generated from TA-55, that are currently stored above-ground at Area G: container id number; location; form (cans or monoliths); and type of concrete. Additionally, NMED requested information on pH adjustment during waste generation process, and information on anticipated pH of free liquids (and rationale).	LANL	---	Complete July 17, 2014 (Letter sent w/ information) July 18, 2014 (Meeting held)
24.	NMED requested the procedure for sampling empty parent drums that previously contained nitrate salt-bearing waste.	LANL	EP-AREAG-WO-DOP-1245 is included in Enclosure	Complete July 8, 2014

			1 to LANL's July 3, 2014 *Response to Request for Information on Management of Waste at LANL.*	
25.	NMED requested an additional discussion on a future technical call regarding CO_2, including data.	LANL	---	Complete August 14, 2014 (Meeting held)
26.	NMED requested additional discussion on CIN-01 waste containers and absorbent, including confirmation and extent of use.	LANL	---	Complete July 18, 2014 (Meeting held)
27.	NMED requested historic analytical information on pH of liquids associated with gypsum cemented waste.	LANL	---	Complete August 7, 2014
28.	NMED requested link to pdf of Actinide Quarterly edition (3rd Q 2008).	LANL	---	Complete July 21, 2014
29.	NMED requested a copy of lessons learned	LANL	---	Complete August 11, 2014
30.	NMED request regarding empty drum sampling presentation.	LANL	Presentation is a pre-decisional draft/working document not for external release	August 25, 2014
31.	Respond to NMED email request dated 8/12/2014 for information associated with the nitrate salt-bearing waste containers.	LANL	---	Complete September 11, 2014
32.	NMED request regarding technical presentation.	LANL	Presentation is a pre-decisional draft/working document not for external release	August 25, 2014
33.	NMED request regarding literature review of catalytic reactions.	LANL	Literature review is a pre-decisional draft/working document not for external release	August 25, 2014
34.	LANL requested to schedule a meeting with NMED on remediation planning and schedules.	LANL / NMED	In progress	
35.	Schedule a third update on LANL efforts – including teams.	LANL / NMED	In progress	
36.	NMED request regarding LANL Causal Analysis associated with processing of nitrate salt-bearing waste at WCRRF – when document is Final.	LANL	Document is currently Draft.	
37.	NMED requested a diagram illustrating the current locations within the 375 Permacon of	LANL	In progress	

	the 55 SWBs that contain the 57 remediated nitrate salt-bearing waste containers. NMED also requested a list of these 55 SWBs and the waste drums within each SWB (including the container numbers and waste stream type).			

Next Call: Tuesday, September 23, 2014

Remediated Nitrate Salt Container Headspace Gas Analysis Results

	68685				69553				69615				69616				SB50069				SB50452				SB50522			
Date	H_2 ppm	CO ppm	CO_2 ppm	N_2O ppm	H_2 ppm	CO ppm	CO_2 ppm	N_2O ppm	H_2 ppm	CO ppm	CO_2 ppm	N_2O ppm	H_2 ppm	CO ppm	CO_2 ppm	N_2O ppm	H_2 ppm	CO ppm	CO_2 ppm	N_2O ppm	H_2 ppm	CO ppm	CO_2 ppm	N_2O ppm	H_2 ppm	CO ppm	CO_2 ppm	N_2O ppm
09/20/14	127	1089	23460	7439																					7487	486	55543	925
09/21/14	123	1102	22597	7087																					7797	442	57549	943
09/22/14	71	627	15715	4880	138	590	22617	3347	55	214	5390	246	249	1162	31952	7150	348	1005	23096	3775	492	905	22883	4514	5902	443	52639	880

ATTACHMENT 2
Page 1 of 3

TA-54 AREA G TA-54-231 NITRATE SALT TRU WASTE CONTAINER DAILY TEMPERATURE DATA SHEET

6.[6] Date: From 9-15-14 to 9-21-14

	Monday 6.[6] Start Time: 0853	Tuesday 6.[6] Start Time: 0945	Wednesday 6.[6] Start Time: 1010	Thursday 6.[6] Start Time: 0955	Friday 6.[6] Start Time: 0938	Saturday 6.[6] Start Time: 0902	Sunday 6.[6] Start Time: 0843
TA-54-231							
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 7-29-15 File Number 101974	Brand: Fluke Model: 561 Cal. Due Date: 7/29/15 File Number 101974	Brand: Fluke Model: 561 Cal. Due Date: 7/29/15 File Number 101974	Brand: Fluke Model: 561 Cal. Due Date: 7/29/15 File Number 101974	Brand: Fluke Model: 561 Cal. Due Date: 7-29-15 File Number 101974	Brand: Fluke Model: 561 Cal. Due Date: 7-29-15 File Number 101974	Brand: Fluke Model: 561 Cal. Due Date: 7-29-15 File Number 101974
Ambient Temperature (6.[9])	63.5 °F	66.5 °F	65.8 °F	63.8 °F	64.8 °F	65.3 °F	65.0 °F
Container ID #	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
S818435	63.1	66.0	65.4	62.1	65.0	64.6	64.8
S802833	63.1	66.0	65.3	62.0	64.8	64.9	65.1
S801676	63.1	65.7	65.2	61.9	64.6	64.3	64.7
S816810	62.6	65.5	64.7	61.6	64.7	63.8	64.1
70069	62.3	65.3	64.5	61.5	64.1	63.5	64.0
S822844	62.5	65.6	65.0	62.1	64.6	63.7	64.1
S825879	62.8	65.5	65.1	62.1	65.0	64.0	64.4
S793724	62.7	65.4	64.9	62.0	64.9	64.0	64.4
S813545	62.6	65.1	64.6	61.5	64.4	63.7	64.4
S822713	63.3	65.6	65.3	62.6	65.5	64.5	64.9
S802739	63.5	65.9	65.2	62.4	65.2	64.3	64.9
69907	63.3	65.7	65.1	62.2	65.1	64.2	64.9
S804995	63.5	65.8	65.2	62.6	65.4	64.4	65.0
S816434	63.6	65.9	65.4	62.4	65.1	64.7	65.1

WORKING COPY
Z# 187066

ATTACHMENT 2
Page 2 of 3

6.[6] Date: From 9-15-14 to 9-21-14

Container ID #	Monday Temp (°F) (6.[10]/6.[11])	Tuesday Temp (°F) (6.[10]/6.[11])	Wednesday Temp (°F) (6.[10]/6.[11])	Thursday Temp (°F) (6.[10]/6.[11])	Friday Temp (°F) (6.[10]/6.[11])	Saturday Temp (°F) (6.[10]/6.[11])	Sunday Temp (°F) (6.[10]/6.[11])
TA-54-231 (continued)							
S805289	63.5	65.9	65.4	62.4	65.1	64.5	65.1
S862888	63.5	65.8	65.1	62.2	65.1	64.5	65.1
70072	63.4	65.7	65.2	62.5	65.3	64.4	65.0
S823184	63.8	65.9	65.4	62.9	65.4	64.8	65.1
S822599	63.4	65.9	65.3	62.8	65.8	64.4	65.0
69904	62.8	~~65.2~~ 65.4	64.9	61.9	64.9	64.0	64.4
S805051	62.7	~~65.4~~ 65.2	65.0	61.8	64.7	63.8	64.4
S864213	63.1	~~65.6~~ 65.4	64.8	61.9	64.9	64.1	64.5
S853714	63.2	~~66.0~~ 63.6	65.1	62.4	65.1	64.1	64.4
S803078	63.4	~~65.6~~ 66.0	65.4	62.7	65.5	64.4	64.6
S825878	63.3	~~65.7~~ 65.6	65.2	62.5	65.4	64.3	64.6
S823124	63.4	~~66.1~~ 66.7	65.3	62.6	65.4	64.5	64.7
S804948	63.9	~~66.1~~ 66.1	65.5	62.8	65.5	64.8	65.3
S813385	64.0	~~66.2~~ 66.1	65.6	63.2	65.8	64.9	65.4
S842446	64.3	66.2	65.9	63.1	65.9	65.1	65.6
Ambient Temperature (6.[14])	63.9 °F	66.7 °F	66.8 °F	63.7 °F	66.3 °F	64.7 °F	65.1 °F
End Time (6.[15])	0859	0958	1021	1010	0945	0909	0848
6.[15]	Operator: JR Operator: EC	Operator: [illegible] Operator: [illegible]	Operator: [illegible] Operator: [illegible]	Operator: [illegible] Operator: [illegible]	Operator: JR Operator: EC	Operator: JR Operator: EC	Operator: JR Operator: EC

ATTACHMENT 2
Page 3 of 3

6.[6] Date: From 9-15-14 to 9-21-14

6.[2] Comments:

N/A

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Jackie Romero	Jackie Romero	1870661	JR	9-15-14
Eloy D. Cordova	Eloy D. Cordova	1114188	EC	9-15-14
Josephine Duran	[signature]	151971	JD	9/16/14
Thomas Fuel	[signature]	236382	[initials]	9/16/14
Josephine Duran	[signature]	151971	JD	9/17/14
[illegible]	[signature]	236382	[initials]	9/17/14
Alfredo Aguilar	[signature]	293128	[initials]	9/18/14
Josephine Duran	[signature]	151971	JD	9/18/14
Jackie Romero	Jackie Romero	1870661	JR	9-19-14
Eloy D. Cordova	Eloy D. Cordova	1114188	EC	9-19-14
Jackie Romero	Jackie Romero	1870661	JR	9-20-14
Eloy D. Cordova	Eloy D. Cordova	1114188	EC	9-20-14
Jackie Romero	Jackie Romero	1870661	JR	9-21-14
Eloy D. Cordova	Eloy D. Cordova	1114188	EC	9-21-14

8.[2] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date
Kathryn Landrit	[signature]	171321	18	9-22-14

ATTACHMENT 3
Page 1 of 3

TA-54 AREA G TA-54-375 CELL 1 NITRATE SALT TRU WASTE CONTAINER DAILY TEMPERATURE DATA SHEET

6.[6] Date: From 9.15.14 to 9.21.14

	Monday 6.[6] Start Time: 0655	Tuesday 6.[6] Start Time: 1235	Wednesday 6.[6] Start Time: 1131	Thursday 6.[6] Start Time: 1332	Friday 6.[6] Start Time: 0731	Saturday 6.[6] Start Time: 0702	Sunday 6.[6] Start Time: 0703
TA-54-375 Cell 1							
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 6 12 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 12 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 12 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 12 15 File Number 101915
Ambient Temperature (6.[9])	59.6 °F	68.4 °F	64.9 °F	72.2 °F	59.9 °F	60.4 °F	62.1 °F
Container ID #	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
68685	59.0	69.4	63.7	72.9	59.7	60.2	61.5
68540	59.2	69.2	64.0	72.2	59.5	60.3	61.5
68553	59.5	69.0	64.1	72.3	59.5	60.6	61.8
69445	59.0	69.4	64.2	73.0	59.6	60.2	61.8
69618	59.3	68.3	63.8	71.8	59.7	60.4	61.4
69013	59.6	68.3	63.8	71.2	60.2	60.6	61.5
LASB50522	60.0	68.3	63.9	71.6	60.5	61.0	61.7
LASB50452	59.8	68.1	63.8	70.7	60.0	60.5	61.3
LASB50431	59.6	67.1	63.1	69.7	60.8	60.5	61.1
LASB50069	59.9	68.2	63.8	71.3	60.2	60.8	61.9
LASB50073	60.3	68.5	63.7	71.9	60.5	61.1	62.3
69636	59.8	68.2	63.7	72.1	60.1	60.3	61.0
69616	59.7	67.3	64.0	70.6	60.2	60.3	61.1
69417	59.6	68.7	64.1	72.3	60.1	60.2	61.1

ATTACHMENT 3
Page 2 of 3

6.[6] Date: From 9.15.14 to 9.21.14

Container ID #	Monday Temp (°F) (6.[10]/6.[11])	Tuesday Temp (°F) (6.[10]/6.[11])	Wednesday Temp (°F) (6.[10]/6.[11])	Thursday Temp (°F) (6.[10]/6.[11])	Friday Temp (°F) (6.[10]/6.[11])	Saturday Temp (°F) (6.[10]/6.[11])	Sunday Temp (°F) (6.[10]/6.[11])
TA-54-375 Cell 1 (continued)							
69620	59.9	68.5	63.8	71.5	60.3	60.4	61.4
69520	59.9	67.8	63.9	70.8	60.4	60.3	61.7
69641	60.1	68.2	63.6	71.5	60.5	60.7	61.6
69298	60.3	67.7	63.4	70.6	60.8	60.8	61.8
LASB02203	60.0	67.4	63.4	70.5	60.0	60.4	61.6
Ambient Temperature (6.[14])	59.8 °F	68.8 °F	64.9 °F	72.5 °F	60.1 °F	60.6 °F	62.4 °F
End Time (6.[15])	0700	1240	1135	1337	0737	0706	0707
6.[15]	Operator: EC Operator: JR	Operator: TA Operator: JC	Operator: TA Operator: WJ	Operator: TA Operator: JC	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: [illegible]

6.[2] Comments:

N/A

ATTACHMENT 3
Page 3 of 3

6.[6] Date: From 9.15.14 to 9.21.14

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Eloy J. Cordova	[signature]	114188	EC	9.15.14
Jackie Romero	Jackie Romero	1870661	JR	9-15-14
Tina Aguirre	[signature]	174977	TA	9-16-14
Jesse Chavez	[signature]	214578	JC	9-16-14
William Juarez	[signature]	201458	[illegible]	9-16-14
Tina Aguirre	[signature]	174977	TA	9-17-14
William Juarez	[signature]	201458	[illegible]	9-17-14
Tina Aguirre	[signature]	174977	TA	9-18-14
Jesse Chavez	[signature]	214578	JC	9-18-14
William Juarez	[signature]	201458	[illegible]	9-18-14
Eloy J. Cordova	[signature]	114188	EC	9.19.14
Jackie Romero	Jackie Romero	1187066	JR	9-19-14
Eloy J. Cordova	[signature]	114188	EC	9.20.14
Jackie Romero	Jackie Romero	1187066	JR	9-20-14
Eloy J. Cordova	[signature]	114188	EC	9.21.14
Juan Garcia	[signature]	169840	[illegible]	9-21-14

8.1[2] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date
[illegible]	[signature]	174371	[illegible]	9-22-14

ATTACHMENT 4
Page 1 of 3

TA-54 AREA G TA-54-375 CELL 2 NITRATE SALT TRU WASTE CONTAINER DAILY TEMPERATURE DATA SHEET

6.[6] Date: From 9-15-14 to 9-21-14

	Monday 6.[6] Start Time: 0812	Tuesday 6.[6] Start Time: 1244	Wednesday 6.[6] Start Time: 1335	Thursday 6.[6] Start Time: 1337	Friday 6.[6] Start Time: 0748	Saturday 6.[6] Start Time: 0812	Sunday 6.[6] Start Time: 0753
TA-54-375 Cell 2							
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101912	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101912	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101912	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101912	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101912	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101912	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101912
Ambient Temperature (6.[9])	60.4 °F	65.6 °F	63.6 °F	68.1 °F	60.4 °F	61.7 °F	61.6 °F
Container ID #	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
LASB02198	60.5	64.9	63.1	67.9	60.6	61.4	61.4
68638	60.2	65.9	63.2	69.3	60.3	61.2	61.2
69615	60.3	66.9	64.2	70.2	61.1	61.4	61.5
69635	61.0	67.0	64.4	70.7	61.0	62.0	62.1
69642	60.1	67.1	64.3	70.6	60.2	61.6	61.6
69630	60.5	66.8	64.7	70.4	60.5	61.8	61.6
69633	61.0	66.9	64.4	69.7	61.1	61.9	62.0
68430	60.3	66.1	64.0	69.2	60.6	61.6	61.5
68631	60.2	65.9	63.2	68.8	60.2	61.1	61.3
69634	60.6	64.2	63.1	67.2	60.7	62.2	61.4
68567	60.2	65.3	63.2	68.6	60.3	61.3	62.4
94227	60.3	65.0	63.1	68.5	60.4	61.5	61.6
LASB50442	9-15-14 ~~60.8~~ 61.3	65.9	63.6	69.2	60.9	61.9	62.1
69644	60.8	66.2	63.8	70.1	60.9	62.0	62.1
LASB50443	60.7	65.5	64.0	69.5	61.2	62.4	61.9
69638	60.8	66.7	64.1	69.4	60.8	61.9	62.1

ATTACHMENT 4
Page 2 of 3

6.[6] Date: From 9-15-14 to 9-21-14

Container ID #	Monday Temp (°F) (6.[10]/6.[11])	Tuesday Temp (°F) (6.[10]/6.[11])	Wednesday Temp (°F) (6.[10]/6.[11])	Thursday Temp (°F) (6.[10]/6.[11])	Friday Temp (°F) (6.[10]/6.[11])	Saturday Temp (°F) (6.[10]/6.[11])	Sunday Temp (°F) (6.[10]/6.[11])
TA-54-375 Cell 2 (continued)							
68624	60.6	66.3	64.2	69.1	60.9	61.8	62.1
68507	60.7	66.5	63.8	69.4	60.8	61.9	62.2
69568	60.5	66.0	64.0	69.0	60.6	61.7	61.7
69553	60.7	65.4	63.3	68.7	60.5	61.4	61.8
69598	60.6	65.7	63.5	68.2	60.7	62.0	61.9
LASB50559	60.5	65.4	63.2	68.7	60.4	61.7	61.9
69015	60.8	66.2	63.6	68.9	60.7	62.1	62.3
69639	61.1	66.6	64.0	69.1	61.0	62.3	62.3
69637	60.6	66.8	64.1	69.3	60.8	62.0	62.1
Ambient Temperature (6.[14])	60.9 °F	65.3 °F	63.4 °F	68.9 °F	60.7 °F	62.3 °F	61.8 °F
End Time (6.[15])	0823	1251	1341	1343	0755	0821	0800
6.[15]	Operator: JR Operator: EC	Operator: [illegible] Operator: JC	Operator: [illegible] Operator: WS	Operator: [illegible] Operator: JC	Operator: JR Operator: EC	Operator: JR Operator: EC	Operator: JR Operator: EC

6.[2] Comments:

N/A

ATTACHMENT 4
Page 3 of 3

6.[6] Date: From 9-15-14 to 9-21-14

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Jackie Romero	Jackie Romero	1187066	JR	9-15-14
Eloy D. Cordova		1114188	EC	9-15-14
Tina Aguirre		1749779	TA	9-16-14
Jesse Chavez		1214598	JC	9-16-14
William Juarez		1201458	WJ	9-16-14
Tina Aguirre		1749779	TA	9-17-14
William Juarez		1201458	WJ	9-17-14
Tina Aguirre		1749779	TA	9-18-14
Jesse Chavez		1214598	JC	9-18-14
William Juarez		1201458	WJ	9-18-14
Jackie Romero	Jackie Romero	1187066	JR	9-19-14
Eloy D. Cordova		1114188	EC	9-19-14
Jackie Romero	Jackie Romero	1187066	JR	9-20-14
Eloy D. Cordova		1114188	EC	9-20-14
Jackie Romero	Jackie Romero	1187066	JR	9-21-14
Eloy D. Cordova		1114188	EC	9-21-14

8.[12] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date
		177321	JB	9-22-14

ATTACHMENT 5
Page 1 of 2

TA-54 AREA G TA-54-375 CELL 3 NITRATE SALT TRU WASTE CONTAINER DAILY TEMPERATURE DATA SHEET

6.[6] Date: From 9.15.14 to 9.21.14

	Monday 6.[6] Start Time: 0703	Tuesday 6.[6] Start Time: 1247	Wednesday 6.[6] Start Time: 1327	Thursday 6.[6] Start Time: 1345	Friday 6.[6] Start Time: 0725	Saturday 6.[6] Start Time: 0658	Sunday 6.[6] Start Time: 0658
TA-54-375 Cell 3							
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101916	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101916	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101916	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101916	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101916	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101916	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101916
Ambient Temperature (6.[9])	59.1 °F	62.6 °F	65.7 °F	69.6 °F	59.5 °F	60.2 °F	63.3 °F
Container ID #	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
69519	59.9	66.7	64.2	69.0	60.4	61.2	62.6
69645	60.2	66.4	65.0	69.1	60.5	61.4	62.9
94068	60.5	66.7	64.8	69.2	60.6	61.4	62.9
93605	60.4	66.8	65.5	69.5	60.7	61.5	63.2
69548	60.2	67.1	65.3	69.7	60.7	61.4	63.1
69604	60.4	67.0	65.0	69.0	60.8	61.2	62.8
LASB50529	60.7	67.1	65.1	68.9	60.8	61.4	63.0
LASB50418	60.0	67.1	65.4	69.1	60.6	61.3	62.9
69036	59.6	67.5	65.1	70.2	60.0	60.7	62.6
LASB50451	59.9	67.4	65.4	69.7	60.4	61.1	62.8
69559	60.2	67.7	65.7	69.5	60.6	61.4	63.0
LASB50448	60.4	67.3	65.6	69.7	60.8	61.6	63.2
Ambient Temperature (6.[14])	59.5 °F	67.6 °F	66.3 °F	69.3 °F	59.8 °F	60.6 °F	62.7 °F
End Time (6.[15])	0706	1243	1331	1349	0729	0701	0701
6.[15]	Operator: EC Operator: JR	Operator: DA Operator: [illegible]	Operator: DA Operator: [illegible]	Operator: DA Operator: EC	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: [illegible]

ATTACHMENT 5
Page 2 of 2

6.[6] Date: From 9.15.14 to 9.21.14

6.[2] Comments:

N/A

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Eloy D. Cordova	[signature]	114188	EC	9.15.14
Jackie Romero	Jackie Romero	187066	JR	9-15-14
Tina Aguirre	[signature]	174977	[initials]	9-16-14
Jesse Chavez	[signature]	214578	JC	9-16-14
William Juarez	[signature]	201458	[initials]	9-16-14
Tina Aguirre	[signature]	174977	[initials]	9-17-14
William Juarez	[signature]	201458	[initials]	9-17-14
Tina Aguirre	[signature]	174977	[initials]	9-18-14
Jesse Chavez	[signature]	214578	JC	9-18-14
William Juarez	[signature]	201458	[initials]	9-18-14
Eloy D. Cordova	[signature]	114188	EC	~~9-18-14~~ 9.19.14
Jackie Romero	Jackie Romero	187066	JR	9-19-14
Eloy D. Cordova	[signature]	114188	EC	9.20.14
Jackie Romero	Jackie Romero	187066	JR	9-20-14
Eloy D. Cordova	[signature]	114188	EC	9.21.14
Juan Garcia	[signature]	169840	[initials]	9-21-14

8.1[2] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date
Kathryn Randall	[signature]	177324	14	9.22.14

ATTACHMENT 6
Page 1 of 3

TA-54 AREA G NITRATE SALT TRU WASTE CONTAINER HOURLY TEMPERATURE DATA SHEET

6.[6] Date: From 9.19.14 to 9.19.14 Location: ~~231~~ SC 9.19.14 Dome 375 Cell 1

	Start Time: 6.[6] 0629	Start Time: 6.[6] 0731	Start Time: 6.[6] 0840	Start Time: 6.[6] 0928	Start Time: 6.[6] 1030	Start Time: 6.[6] 1130	Start Time: 6.[6] 1235	Start Time: 6.[6] 1329	Start Time: 6.[6] 1431	Start Time: 6.[6] 1530	Start Time: 6.[6] 1629	Start Time: 6.[6] 1726	Start Time: 6.[6]	Start Time: 6.[6]
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Model: Cal. Due Date: File Number	Brand: Model: Cal. Due Date: File Number
Ambient Temperature (6.[9])	60.2 °F	59.9 °F	62.0 °F	63.2 °F	66.1 °F	68.0 °F	70.5 °F	73.1 °F	73.1 °F	74.0 °F	73.7 °F	73.1 °F	N.A °F	°F
Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
68685	60.0	59.7	61.4	62.5	65.6	68.3	71.2	73.3	74.4	74.8	74.5	74.1		
50522	60.5	60.3	61.6	62.4	64.2	66.9	69.0	71.2	71.8	72.7	72.8	72.4		
							NA							

WORKING COPY
Z# 114188
INITIAL EC DATE 9.19.14

ATTACHMENT 6
Page 2 of 3

6.[6] Date: From 9.19.14 to 9.19.14 Location: Dome 375 cell 1

Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
										N/A				
Ambient Temperature (6.[14])	60.2 °F	60.3 °F	621 °F	64.1 °F	65.8 °F	68.1 °F	70.6 °F	72.1 °F	72.9 °F	74.4 °F	73.7 °F	72.7 °F	°F	°F
End Time (6.[15])	0632	0733	0841	0929	1033	1132	1236	1330	1432	1531	1630	1727		
6.[15]	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: LB Operator: NS	Operator: Operator:	Operator: Operator:

ATTACHMENT 6
Page 3 of 3

6.[6] Date: From 9.19.14 to 9.19.14 Location: Dome 375 Cell 1

6.[2] Comments:

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Larry Brito	L Brito	114805	LB	9-19-14
Norman Sanchez	Norman Sanchez	184828	NS	9/19/14

Operator (print)	Signature	Z#	Initials	Date

8.1[2] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date

ATTACHMENT 6
Page 1 of 3

TA-54 AREA G NITRATE SALT TRU WASTE CONTAINER HOURLY TEMPERATURE DATA SHEET

6.[6] Date: From 091914 to 092014 Location: 375/231

	Start Time: 6.[6] 1825	Start Time: 6.[6] 1925	Start Time: 6.[6] 2025	Start Time: 6.[6] 2125	Start Time: 6.[6] 2225	Start Time: 6.[6] 2325	Start Time: 6.[6] 0025	Start Time: 6.[6] 0125	Start Time: 6.[6] 0225	Start Time: 6.[6] 0325	Start Time: 6.[6] 0425	Start Time: 6.[6] 0525	Start Time: 6.[6]	Start Time: 6.[6]
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 06/12/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 061215 File Number 101915	Brand: Model: Cal. Due Date: File Number	Brand: Model: Cal. Due Date: File Number
Ambient Temperature (6.[9])	72.5 °F	69.5 °F	68.6 °F	68.2 °F	67.4 °F	66.9 °F	65.1 °F	64.3 °F	63.4 °F	62.3 °F	62.3 °F	62.0 °F	°F	°F
Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
68685	72.8	69.7	67.9	67.2	66.7	66.1	64.7	63.9	63.2	61.6	61.9	61.6		
50522	70.9	67.5	67.2	66.7	65.7	65.1	64.5	63.7	63.2	61.7	61.7	61.5		

N

A

WORKING COPY
Z# 114188
INITIAL EG DATE 9.19.14

ATTACHMENT 6
Page 2 of 3

6.[6] Date: From 091914 to 092014 Location: 375/231

Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
Ambient Temperature (6.[14])	71.9 °F	69.0 °F	68.7 °F	68.5 °F	67.4 °F	66.8 °F	64.9 °F	64.1 °F	63.6 °F	62.6 °F	62.0 °F	61.9 °F	°F	°F
End Time (6.[15])	1826	1927	2027	2127	2228	2328	0028	0128	0228	0328	0428	0528		
6.[15]	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:	Operator: Operator:

N/A

N/A

ATTACHMENT 6
Page 3 of 3

6.[6] Date: From 091914 to 092014 Location: 375/231

6.[2] Comments: [illegible] 092014

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date	Operator (print)	Signature	Z#	Initials	Date
Joshualopez	[signature]	116548	[initials]	092014	NA				
Gera Espinoza	[signature]	120976	[initials]	092014					
NA									

8.1[2] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date

ATTACHMENT 6
Page 1 of 3

TA-54 AREA G NITRATE SALT TRU WASTE CONTAINER HOURLY TEMPERATURE DATA SHEET

6.[6] Date: From 9.20.14 to 9.20.14 Location: Dome 375 cell 1

	Start Time: 6.[6] 0632	Start Time: 6.[6] ~~0631~~ 0731	Start Time: 6.[6] 0830	Start Time: 6.[6] 0929	Start Time: 6.[6] 1029	Start Time: 6.[6] 1129	Start Time: 6.[6] 1229	Start Time: 6.[6] 1330	Start Time: 6.[6] 1429	Start Time: 6.[6] 1529	Start Time: 6.[6] 1629	Start Time: 6.[6] 1730	Start Time: 6.[6]	Start Time: 6.[6]
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6.12.15 File Number 101915	Brand: Model: Cal. Due Date: File Number	Brand: Model: Cal. Due Date: File Number
Ambient Temperature (6.[9])	60.8 °F	60.7 °F	62.6 °F	64.4 °F	66.9 °F	68.5 °F	70.7 °F	72.9 °F	73.9 °F	75.5 °F	75.2 °F	74.6 °F	°F	°F
Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
68685	60.6	60.4	61.9	62.8	66.0	69.1	71.1	74.0	75.9	76.7	77.0	76.7		
50522	60.8	60.9	62.2	62.7	64.9	67.3	69.5	71.3	73.1	74.7	73.9	73.9		

N/A

N/A

WORKING COPY
Z# 114188
INITIAL EC DATE 9.20.14

ATTACHMENT 6
Page 2 of 3

6.[6] Date: From 9.20.14 to 9.20.14 Location: Dome 375 cell 1

Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
									N/A					
Ambient Temperature (6.[14])	60.7 °F	60.6 °F	EC 9-20-14 ~~60.0~~ °F 63.0	64.4 °F	67.3 °F	68.8 °F	70.9 °F	73.0 °F	74.2 °F	75.2 °F	75.3 °F	75.0 °F	°F	°F
End Time (6.[15])	0633	0732	0831	0930	1030	1130	1230	1331	1431	1530	1630	1631		
6.[15]	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: [illegible]	Operator: EC Operator: JR	Operator: EC Operator: [illegible]	Operator: EC Operator: [illegible]	Operator: EC Operator: JR	Operator: EC Operator: [illegible]	Operator: EC Operator: [illegible]	Operator: EC Operator: JR	Operator: EC Operator: [illegible]	Operator: Operator:	Operator: Operator:

ATTACHMENT 6

Page 3 of 3

6.[6] Date: From 9.20.14 to 9.20.14 Location: Dome 375 cell 1

6.[2] Comments:

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Eloy D. Cordova	[signature]	114188	EC	9.20.14
Jackie Romero	[signature]	187066	JR	9-20-14
Juan Garcia	[signature]	169840	[initials]	9-20-14
NA				

Operator (print)	Signature	Z#	Initials	Date
NA				

8.1[2] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date

ATTACHMENT 6
Page 1 of 3

TA-54 AREA G NITRATE SALT TRU WASTE CONTAINER HOURLY TEMPERATURE DATA SHEET

6.[6] Date: From 9-2014 to 9-21-14 Location: Dome 375 Cell 1

	Start Time: 6.[6] 1830	Start Time: 6.[6] 1931	Start Time: 6.[6] 2033	Start Time: 6.[6] 2130	Start Time: 6.[6] 2229	Start Time: 6.[6] 2330	Start Time: 6.[6] 0030	Start Time: 6.[6] 0130	Start Time: 6.[6] 0228	Start Time: 6.[6] 0331	Start Time: 6.[6] 0429	Start Time: 6.[6] 0528	Start Time: 6.[6]	Start Time: 6.[6]
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6/2/15 File Number 101915	Brand: Model: Cal. Due Date: File Number	Brand: Model: Cal. Due Date: File Number
Ambient Temperature (6.[9])	72.0 °F	70.2 °F	69.5 °F	68.0 °F	67.7 °F	67.0 °F	66.8 °F	65.3 °F	64.6 °F	63.9 °F	63.7 °F	63.0 °F	°F	°F
Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
68685	72.4	70.9	69.4	68.0	67.0	65.9	65.0	64.3	63.7	63.2	62.7	62.2		
50522	70.7	69.3	67.4	66.3	65.7	65.2	64.5	63.9	63.6	63.0	62.8	63.7		

WORKING COPY
Z# 114188
INITIAL EC DATE 9-2014

ATTACHMENT 6
Page 2 of 3

6.[6] Date: From 9-20-14 to 9-21-14 Location: Dome 375 Cell 1

Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
							NA							NA	
Ambient Temperature (6.[14])	71.6 °F	71.1 °F	69.4 °F	68.0 °F	67.8 °F	66.9 °F	65.9 °F	65.9 °F	64.7 °F	64.0 °F	63.6 °F	63.1 °F	°F	°F
End Time (6.[15])	1831	1932	2033	2131	2230	2331	0031	0132	0229	0332	0430	0529		
6.[15]	Operator: EC Operator: DA	Operator: EC Operator: DA	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: DA Operator: JP	Operator: Operator:	Operator: Operator:

ATTACHMENT 6
Page 3 of 3

6.[6] Date: From 9.20.14 to 9.21.14 Location: Dome 375 Cell 1

6.[2] Comments: None

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Tina Aguirre	Tina Aguirre	1249784		9-21-14
Joshua Lopez	Joshua Lopez	116588	for	09/21/14

8.1[2] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date

ATTACHMENT 6
Page 1 of 3

TA-54 AREA G NITRATE SALT TRU WASTE CONTAINER HOURLY TEMPERATURE DATA SHEET

6.[6] Date: From 9.21.14 to 9.21.14 Location: Dome 375 cell 1

	Start Time: 6.[6] 0630	Start Time: 6.[6] 0730	Start Time: 6.[6] 0824	Start Time: 6.[6] 0930	Start Time: 6.[6] 1030	Start Time: 6.[6] 1130	Start Time: 6.[6] 1228	Start Time: 6.[6] 1329	Start Time: 6.[6] 1429	Start Time: 6.[6] 1528	Start Time: 6.[6] 1629	Start Time: 6.[6] 1728	Start Time: 6.[6]	Start Time: 6.[6]
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6 1 2 15 File Number 101915	Brand: Model: Cal. Due Date: File Number	Brand: Model: Cal. Due Date: File Number
Ambient Temperature (6.[9])	62.3 °F	61.8 °F	62.3 °F	65.4 °F	67.5 °F	68.9 °F	70.2 °F	71.6 °F	72.2 °F	73.0 °F	72.3 °F	71.3 °F	N/A °F	°F
Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
68685	61.7	61.3	61.4	63.8	67.0	69.1	71.3	72.4	73.6	74.1	72.9	72.1		
50522	62.0	61.8	61.7	63.4	65.5	67.1	68.6	70.0	71.4	71.9	71.1	70.2		

N/A

WORKING COPY
Z# 114188
INITIAL EC DATE 9.21.14

ATTACHMENT 6
Page 2 of 3

6.[6] Date: From 9.21.14 to 9.21.14 Location: Dome 375 Cell 1

Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
Ambient Temperature (6.[14])	62.5 °F	61.8 °F	62.3 °F	65.3 °F	67.5 °F	69.0 °F	70.4 °F	71.8 °F	72.8 °F	EC 9.21.14 ~~70.3~~ 72.9 °F	72.2 °F	71.1 °F	°F	°F
End Time (6.[15])	0632	0731	0824	0931	1031	EC 9.21.14 ~~1031~~ 1131	1229	1330	1430	1529	1630	1729		
6.[15]	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: [illegible]	Operator: EC Operator: [illegible]	Operator: EC Operator: JR	Operator: EC Operator: [illegible]	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: EC Operator: JR	Operator: Operator:	Operator: Operator:

N/A

ATTACHMENT 6

Page 3 of 3

6.[6] Date: From 9-21-14 to 9-21-14 Location: Dome 375 Cell 1

6.[2] Comments:

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Eloy2 Cordova	[signature]	114188	EC	9-21-14
Jackie Romero	[signature]	187066	JR	9-21-14
Juan Garcia	[signature]	169840	[initials]	9-21-14
	NA			

Operator (print)	Signature	Z#	Initials	Date
	NA			

8.1[2] Reviewed by:

SQM or designee (print)	Signature	Z#	Initials	Date

ATTACHMENT 6
Page 1 of 3

TA-54 AREA G NITRATE SALT TRU WASTE CONTAINER HOURLY TEMPERATURE DATA SHEET

6.[6] Date: From 9.21.14 to 9.22.14 Location: Dome 375 Cell 1

	Start Time: 6.[6] 1830	Start Time: 6.[6] 1931	Start Time: 6.[6] 2030	Start Time: 6.[6] 2133	Start Time: 6.[6] 2231	Start Time: 6.[6] 2330	Start Time: 6.[6] 0029	Start Time: 6.[6] 0130	Start Time: 6.[6] 0229	Start Time: 6.[6] 0330	Start Time: 6.[6] 0430	Start Time: 6.[6] 0430 9/22/14	Start Time: 6.[6]	Start Time: 6.[6]
Calibrated Infrared Thermometer (6.[7])	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Fluke Model: 561 Cal. Due Date: 6-12-15 File Number 101915	Brand: Model: Cal. Due Date: File Number	Brand: Model: Cal. Due Date: File Number
Ambient Temperature (6.[9])	69.6 °F	68.2 °F	67.4 °F	66.8 °F	66.0 °F	65.6 °F	64.9 °F	64.9 °F	64.5 °F	63.9 °F	63.6 °F	63.1 °F	°F	°F
Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
68685	70.1	68.8	67.3	65.8	65.4	65.5	64.3	63.9	63.3	62.7	62.6	62.4		
50522	68.4	66.7	65.9	65.1	64.8	64.3	64.0	63.6	63.2	62.8	62.7	62.6		
						N/A							N/A	N/A

WORKING COPY
Z# 114188
INITIAL EC DATE 9.21.14

ATTACHMENT 6
Page 2 of 3

6.[6] Date: From 9.21.14 to 9.22.14 Location: Dome 375 Cell 1

Container ID # (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])	Temp (°F) (6.[10]/6.[11])
				N/A									N/A	N/A
Ambient Temperature (6.[14])	69.5 °F	68.3 °F	67.5 °F	66.6 °F	66.1 °F	65.7 °F	64.9 °F	64.7 °F	64.3 °F	63.9 °F	63.7 °F	63.5 °F	°F	°F
End Time (6.[15])	1831	1932	2031	2134	2232	2331	0030	0131	0230	0331	0431	~~0431~~ TB 9/22/14 0531		
6.[15]	Operator: [illegible] Operator: TR	Operator: [illegible] Operator: TR	Operator: [illegible] Operator: TR	Operator: [illegible] Operator: TR	Operator: [illegible] Operator: TR	Operator: [illegible] Operator: TR	Operator: TR Operator: [illegible]	Operator: TR Operator: [illegible]	Operator: TR Operator: [illegible]	Operator: TR Operator: [illegible]	Operator: TR Operator: [illegible]	Operator: TR Operator: [illegible]	Operator: Operator:	Operator: Operator:

ATTACHMENT 6
Page 3 of 3

6.[6] Date: From 9.21.14 to 9.22.14 Location: Dam 375 Cell 1

6.[2] Comments:

No further Interviews 19 9.22.14 N/A

6.[19] Performed by:

Operator (print)	Signature	Z#	Initials	Date
Gary Mauer	[signature]	226225	[initials]	9-21-14
Timmy Romero	[signature]	234253	TR	9-22-14

N/A

Operator (print)	Signature	Z#	Initials	Date

N/A

8.[12] Reviewed by:

SOM or designee (print)	Signature	Z#	Initials	Date
Kathryn Lindel	[signature]	17 Bar	19	9-22-14