

GROUND WATER DISCHARGE PERMIT RENEWAL
Village of Bosque Farms Sludge Disposal Facility, DP-1244

I. INTRODUCTION

The New Mexico Environment Department (NMED) issues this Discharge Permit Renewal (Discharge Permit), DP-1244, to the Village of Bosque Farms (permittee) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978 §§74-6-1 through 74-6-17, and the New Mexico Water Quality Control Commission (WQCC) Regulations, 20.6.2 NMAC.

NMED's purpose in issuing this Discharge Permit, and in imposing the requirements and conditions specified herein, is to control the discharge of water contaminants from the Village of Bosque Farms Sludge Disposal Facility (facility) into ground and surface water, so as to protect ground and surface water for present and potential future use as domestic and agricultural water supply and other uses and protect public health. In issuing this Discharge Permit, NMED has determined that the requirements of Subsection C of 20.6.2.3109 NMAC have been met.

The activities which produce the discharge, the location of the discharge, and the quantity, quality and flow characteristics of the discharge are briefly described as follows:

Up to 17,500 gallons per day (gpd) of liquid, semi-solid and solid domestic wastewater treatment facility sludge is discharged to twelve 14 to 17-acre disposal cells on a rotational basis. The sludge is transported to the facility by tanker truck, emptied into a sludge nurse tank, and injected into the ground using a sludge injection vehicle.

The discharge contains water contaminants or toxic pollutants which may be elevated above the standards of Section 20.6.2.3103 NMAC. The facility is located approximately 4.75 miles southwest of the intersection of NM-6 and Dalies Road, approximately 9 miles southwest of Los Lunas in the Nicolas de Chavez Grant, in Section 17 (projected), T06N, R01E, Valencia County. Ground water most likely to be affected is at a depth of approximately 400 feet and has a total dissolved solids concentration of approximately 150 milligrams per liter.

The original Discharge Permit was issued on June 28, 1999 and subsequently renewed on September 19, 2005. The permittee's application consists of the materials submitted by Molzen-Corbin & Associates on behalf of the permittee dated February 9, 2010 and materials contained in the administrative record prior to issuance of this Discharge Permit. The discharge shall be managed in accordance with all conditions and requirements of this Discharge Permit.

Pursuant to Section 20.6.2.3109 NMAC, NMED reserves the right to require a Discharge Permit Modification in the event NMED determines that the requirements of 20.6.2 NMAC are being or may be violated or the standards of Section 20.6.2.3103 NMAC are being or may be violated. This may include a determination that structural controls and/or management practices approved under this Discharge Permit are not protective of ground water quality, and that more stringent requirements to protect and/or remediate ground water quality may be required by NMED. These requirements may include: expanding surface disposal areas; ceasing discharge to surface disposal areas, changing waste management practices; expanding monitoring requirements; installing an advanced treatment system; and/or implementing abatement of water pollution.

Issuance of this Discharge Permit does not relieve the permittee of the responsibility to comply with the WQA, WQCC Regulations, and any other applicable federal, state and/or local laws and regulations, such as zoning requirements and nuisance ordinances.

The following abbreviations may be used in this Discharge Permit:

| Abbreviation | Explanation | Abbreviation | Explanation |
|------------------|-----------------------------------------------|--------------------|----------------------------------|
| BOD ₅ | biochemical oxygen demand (5-day) | NO ₃ -N | nitrate-nitrogen |
| CFR | Code of Federal Regulations | NTU | nephelometric turbidity units |
| CFU | colony forming units | SDDS | Surface Disposal Data Sheet |
| Cl | chloride | TDS | total dissolved solids |
| EPA | United States Environmental Protection Agency | TKN | total Kjeldahl nitrogen |
| Mg/kg | Milligrams per kilogram | | |
| mg/L | milligrams per liter | TPH | total petroleum hydrocarbons |
| mL | milliliters | TSS | total suspended solids |
| NMAC | New Mexico Administrative Code | total nitrogen | TKN+NO ₃ -N |
| NMED | New Mexico Environment Department | WQCC | Water Quality Control Commission |
| NMSA | New Mexico Statutes Annotated | | |

II. FINDINGS

In issuing this Discharge Permit, NMED finds:

1. The permittee is discharging effluent or leachate from the facility so that such effluent or leachate may move directly or indirectly into ground water within the meaning of Section 20.6.2.3104 NMAC.
2. The permittee is discharging effluent or leachate from the facility so that such effluent or leachate may move into ground water of the State of New Mexico which has an existing concentration of 10,000 milligrams per liter or less of total dissolved solids within the meaning of Subsection A of 20.6.2.3101 NMAC.
3. The discharge from the facility is not subject to any of the exemptions of Section 20.6.2.3105 NMAC.

III. CONDITIONS

The following conditions shall be complied with by the permittee and are enforceable by NMED. The permittee is authorized to discharge water contaminants subject to the following conditions:

OPERATIONAL PLAN

| # | Terms and Conditions |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. | The permittee shall implement the following operational plan to ensure compliance with Title 20, Chapter 6, Parts 1 and 2 NMAC. [20.6.2.3106.C NMAC, 20.6.2.3107 NMAC] |
| 2. | The permittee shall operate in a manner such that standards and requirements of Sections 20.6.2.3101 NMAC and 20.6.2.3103 NMAC are not violated. [20.6.2.3103 NMAC] |
| 3. | <p>The permittee is authorized to discharge the following waste type:</p> <p>Up to 17,500 gpd of liquid, semi-solid and solid domestic wastewater treatment facility sludge is discharged to twelve 14 to 17-acre disposal cells on a rotational basis. The sludge is transported to the facility by tanker truck, emptied into a sludge nurse tank, and injected into the ground using a sludge injection vehicle.</p> <p>Waste types that are not specifically authorized to be received by this Discharge Permit shall not be received at the facility. [20.6.2.3104 NMAC]</p> |
| 4. | The permittee shall maintain fences around the entire disposal facility to prevent unrestricted access. A minimum of a three-strand barbed wire fence and locked gate shall surround the facility. The permittee shall maintain a chain link fence and locked gate around the sludge nurse tank. [20.6.2.3109 NMAC] |
| 5. | <p>Within 90 days of the effective date of this Discharge Permit (by date), the permittee shall post and maintain the following signs at the following locations:</p> <p>Signs in both English and Spanish that state: "Notice: Waste Disposal Area - KEEP OUT" and "Aviso: Área de Disposición - NO ENTAR" posted at the facility entrance and every 500 feet along the facility boundary.</p> <p>A sign with the name of the facility's contact person, office phone number of the contact person, emergency contact phone number for the facility, and physical location of facility including township, range, and section(s) posted at the entrance gate.</p> <p>A sign on the nurse tank with the name of the tank contents and labeled "Not Potable Water" and "el agua no es potable."</p> <p>A sign to identify each cell by number and the waste type authorized to be discharged in the cell. All signs shall be weatherproof and posted at the boundary of the cells to facilitate a rotational disposal schedule as required in conditions below.</p> <p>All signs shall remain legible for the term of this Discharge Permit. [20.6.2.3109 NMAC]</p> |

| | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6. | The permittee shall inspect the facility weekly and collect any residual solid waste (trash) on the facility site. The collected materials shall be disposed of in a manner consistent with all local, state and federal regulations. [20.6.2.3109 NMAC] |
| 7. | The permittee shall not discharge liquid wastes during periods of precipitation or when surface soils are frozen or saturated. Wastes may be stored in tanker trucks or the nurse tank during these periods. [20.6.2.3109 NMAC] |
| 8. | The permittee shall apply liquid, semi-solids and solid domestic wastewater treatment facility sludge to twelve 14 to 17-acre disposal cells on a rotational basis. The sludge shall be evenly distributed throughout the individual cells in use. Ponding of liquid sludge shall be minimized. Treatment, storage and disposal of sludge shall be in accordance with requirements set forth in 40 CFR Part 503. [20.6.2.3104 NMAC] |
| 9. | The amount of total nitrogen applied from domestic wastewater treatment facility sludge shall not exceed 200 pounds per acre per year. [20.6.2.3109 NMAC] |
| 10. | The permittee shall monitor the facility's stormwater retention ponds for the presence of standing liquid after every precipitation event. Should standing liquid be noted in the facility's stormwater retention ponds, it shall be removed as soon as practicable to minimize the potential for movement to ground water and disposed of in accordance with all local, state and federal regulations. [20.6.2.3109 NMAC] |

MONITORING, REPORTING, AND OTHER REQUIREMENTS

| # | Terms and Conditions |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11. | The permittee shall conduct the monitoring, reporting, and other requirements listed below. [20.6.2.3107 NMAC] |
| 12. | METHODOLOGY - Unless otherwise approved in writing by NMED, the permittee shall conduct sampling and analysis in accordance with the most recent edition of the following documents: a) American Public Health Association, Standard Methods for the Examination of Water and Wastewater (18 th , 19 th or current) b) U.S. Environmental Protection Agency, Methods for Chemical Analysis of Water and Waste c) U.S. Geological Survey, Techniques for Water Resources Investigations of the U.S. Geological Survey d) American Society for Testing and Materials, Annual Book of ASTM Standards, Part 31. Water e) Federal Register, latest methods published for monitoring pursuant to Resources Conservation Recovery Act regulations f) U.S. Geological Survey, et al., National Handbook of Recommended Methods for |

| | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | <p>Water Data Acquisition</p> <p>g) Methods of Soil Analysis: Part 1. Physical and Mineralogical Methods; Part 2. Microbiological and Biochemical Properties; and Part 3. Chemical Methods, American Society of Agronomy.</p> <p>[20.6.2.3107.B NMAC]</p> |
| 13. | <p>The permittee shall submit semi-annual monitoring reports to NMED by the 1st of February and August each year.</p> <p>Semi-annual monitoring shall be performed during the following periods: January 1st through June 30th (first half) – report due by August 1st; and July 1st through December 31st (second half) – report due by February 1st.</p> <p>Monitoring requirements detailed in this Discharge Permit are summarized on the sheet titled <i>Summary of Required Actions, Monitoring and Reporting</i>. [20.6.2.3107 NMAC]</p> |
| 14. | <p>The permittee shall create a manifest for each load of sludge transported to the sludge disposal facility. The manifest shall record the following information:</p> <p style="padding-left: 40px;">name of transport driver date of receipt volume of sludge in load</p> <p>Copies of each manifest created during the reporting period shall be submitted with the semi-annual monitoring report. [20.6.2.3107 NMAC]</p> |
| 15. | <p>The permittee shall measure and record the volume and dry weight of domestic wastewater treatment facility sludge discharged to the surface disposal cells each month by tracking the volume of the loads received and the percent total solids as determined by sampling each type of sludge (i.e., solid, semisolid, liquid). Records of the volume and dry weight of the sludge discharged shall be submitted to NMED in the semi-annual monitoring reports. [20.6.2.3107 NMAC]</p> |
| 16. | <p>The permittee shall sample each sludge type (solid, semi-solid and liquid) transported to the surface disposal facility on a monthly basis and analyze the sample(s) for percent total solids (%TS). Samples shall be properly prepared, preserved, transported and analyzed in accordance with the methods authorized in this Discharge Permit. Analytical results, reported as %TS for each sludge type, shall be submitted to NMED in the semi-annual monitoring reports. [20.6.2.3107 NMAC]</p> |
| 17. | <p>The permittee shall sample each sludge type (solid, semi-solid and liquid) transported to the surface disposal facility on a quarterly basis and analyze the samples for TKN and NO₃-N. Samples shall be properly prepared, preserved, transported and analyzed in accordance with the methods authorized in this Discharge Permit. Analytical results,</p> |

| | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | reported as mg/kg for TKN and NO ₃ -N (dry weight basis), shall be submitted to NMED in the semi-annual monitoring reports. [20.6.2.3107 NMAC] |
| 18. | The permittee shall complete a SDDS (copy enclosed) to document the amount of nitrogen applied to each surface disposal cell, each month. A SDDS shall be completed for each sludge type (solid, semi-solid and liquid) associated with each disposal cell, and shall reflect the nitrogen concentration from the quarterly sludge analysis and the total number of dry tons discharged each month. Nitrogen content shall not be adjusted to account for volatilization or mineralization processes. The SDDS, or a statement that no surface disposal occurred within the specific cells, shall be submitted to NMED in the semi-annual monitoring reports. [20.6.2.3107 NMAC] |

CONTINGENCY PLAN

| # | Terms and Conditions |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 19. | In the event that ground water standards are violated during the term of this Discharge Permit, upon closure of the facility or during the implementation of post-closure requirements, the permittee shall submit a corrective action plan that proposes measures to mitigate damage from the discharge including, at a minimum, source control measures and an implementation schedule to NMED. The permittee may be required to abate water pollution pursuant to Sections 20.6.2.4000 through 20.6.2.4115 NMAC, if the corrective action plan will not result in compliance with the standards and requirements set forth in Section 20.6.2.4103 NMAC within 180 days of confirmation of ground water contamination. [20.6.2.1203 NMAC, 20.6.2.4105.A(8) NMAC] |
| 20. | In the event of a spill or release that is not authorized under this Discharge Permit, the permittee shall initiate the notifications and corrective actions as required in Section 20.6.2.1203 NMAC. The permittee shall take immediate corrective action to contain and remove or mitigate the damage caused by the discharge. Within 24 hours after discovery of the discharge, the permittee shall verbally notify NMED and provide the information required by Paragraph (1) of Subsection A of 20.6.2.1203 NMAC. Within seven days of discovering the discharge, the permittee shall submit a written report to NMED verifying the oral notification and providing any additional information or changes. The permittee shall submit a corrective action report within 15 days after discovery of the discharge. [20.6.2.1203 NMAC] |
| 21. | In the event that a SDDS shows that the amount of nitrogen applied annually to any cell exceeds 200 pounds per acre per year, the permittee shall submit a corrective action plan for the reduction of nitrogen loading to the sludge disposal area to NMED for approval. The corrective action plan shall be implemented within 30 days of NMED approval. [20.6.2.3107.A(10) NMAC] |
| 22. | In the event that the sludge disposal area is saturated, frozen or covered with snow, sludge |

| | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | shall not be discharged to the surface disposal area. Should the adverse conditions persist beyond the sludge storage capacity of the wastewater treatment facility, the permittee shall obtain NMED approval for a temporary alternative. [20.6.2.3107.A(10) NMAC] |
| 23. | In the event NMED or the permittee identifies any other failures of the discharge plan or system not specifically noted herein, NMED may require the permittee to develop for NMED approval contingency plans and schedules to cope with the failures. [20.6.2.3107.A(10) NMAC] |

CLOSURE PLAN

| # | Terms and Conditions |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 24. | <p>Upon closure of the facility, the permittee shall perform the following closure measures:</p> <ul style="list-style-type: none"> a) Pump out any sludge contained in the sludge nurse tank and discharge it by subsurface injection to the disposal area. b) Allow evaporation of all stormwater collected in the stormwater retention ponds and then re-grade the ponds with clean fill to blend with the surface topography. c) Backfill the cells with clean fill (as necessary) and contour to provide for positive stormwater drainage. d) Re-vegetate the cells and disturbed areas at the facility by establishing a vegetative cover equal to 70% of the native perennial vegetative cover consisting of at least three native plant species including at least one grass, but not including noxious weeds. The permittee shall maintain the vegetative cover through two consecutive growing seasons. e) Following final grading and re-seeding of the facility, the permittee shall maintain the perimeter fencing and security gate for a minimum of three years to prevent unauthorized access. f) Submit proof to NMED that all closure activities set forth for the facility under 40 CFR 503 have been completed. <p>When all closure and post-closure requirements have been met, the permittee may request to terminate the Discharge Permit. [20.6.2.3107.A(11) NMAC]</p> |

GENERAL TERMS AND CONDITIONS

| # | Terms and Conditions |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 25. | <p>RECORD KEEPING - The permittee shall maintain at its facility a written record of all data and information related to field measurements, sampling, and analysis conducted pursuant to this Discharge Permit. The following information shall be recorded and shall be made available to NMED upon request:</p> <ul style="list-style-type: none"> a) The dates, exact place and times of sampling or field measurements; |

| | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | <ul style="list-style-type: none"> b) The name and job title of the individuals who performed each sample collection or field measurement; c) The date of the analysis of each sample; d) The name and address of the laboratory and the name and job title of the person that performed the analysis of each sample; e) The analytical technique or method used to analyze each sample or take each field measurement; f) The results of each analysis or field measurement, including raw data; g) The results of any split sampling, spikes or repeat sampling; and h) A description of the quality assurance and quality control procedures used. <p>[20.6.2.3107.A NMAC]</p> |
| 26. | <p>RECORD KEEPING - The permittee shall maintain a written record of any spills, seeps, and/or leaks of effluent, and of leachate and/or process fluids not authorized by this Discharge Permit. [20.6.2.3107.A NMAC]</p> |
| 27. | <p>RECORD KEEPING - The permittee shall maintain a written record of the operation, maintenance, and repair of all facilities/equipment used to treat, store or dispose of wastewater; to measure flow rates, to monitor water quality, or to collect other data required by this Discharge Permit. This record shall include repair, replacement or calibration of any monitoring equipment and repair or replacement of any equipment used in the permittee's waste or wastewater treatment and disposal system. [20.6.2.3107.A NMAC]</p> |
| 28. | <p>RECORD KEEPING - The permittee shall maintain a written record of the amount of wastewater, effluent, leachate or other wastes discharged pursuant to this Discharge Permit. [20.6.2.3107.A NMAC]</p> |
| 29. | <p>RECORD KEEPING - The permittee shall retain records of all monitoring information, including all calibration and maintenance records, copies of all reports required by this Discharge Permit, and records of all data used to complete the application for this Discharge Permit for a period of at least five years from the date of the sample collection, measurement, report or application. This period may be extended by request of the Secretary at any time. [20.6.2.3107.A NMAC]</p> |
| 30. | <p>INSPECTION and ENTRY - The permittee shall allow the Secretary or an authorized representative, upon the presentation of credentials, to:</p> <ul style="list-style-type: none"> a) Enter at regular business hours or at other reasonable times upon the permittee's premises or other location where records must be kept under the conditions of this Discharge Permit, or under any federal or WQCC regulation. b) Inspect and copy, during regular business hours or at other reasonable times, any records required to be kept under the conditions of this Discharge Permit, or under any federal or WQCC regulation. c) Inspect, at regular business hours or at other reasonable times, any facility, equipment (including monitoring and control equipment or treatment works), practices or |

| | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | <p>operations regulated or required under this Discharge Permit, or under any federal or WQCC regulation.</p> <p>d) Sample or monitor, at reasonable times for the purpose of assuring compliance with this Discharge Permit or as otherwise authorized by the WQA, any effluent, water contaminant, or receiving water at any location before or after discharge. [20.6.2.3107.D NMAC, 74-6-9(B) & (E) WQA]</p> |
| 31. | <p>INSPECTION and ENTRY - Nothing in this Discharge Permit shall be construed as limiting in any way the inspection and entry authority of NMED under the WQA, the WQCC Regulations, or any other applicable law or regulation. [20.6.2.3107 NMAC, 74-6-9(B) & (E) WQA]</p> |
| 32. | <p>DUTY to PROVIDE INFORMATION - The permittee shall furnish to NMED, within a reasonable time, any documents or other information which it may request to determine whether cause exists for modifying, terminating and/or renewing this Discharge Permit or to determine compliance with this Discharge Permit. The permittee shall also furnish to NMED, upon request, copies of documents required to be kept by this Discharge Permit. [20.6.2.3107.D NMAC, 74-6-9(B) & (E) WQA]</p> |
| 33. | <p>SPILLS, LEAKS, and OTHER UNAUTHORIZED DISCHARGES - This Discharge Permit authorizes only those discharges specified herein. Any unauthorized discharges violate Section 20.6.2.3104 NMAC and must be reported to NMED and remediated as required by Section 20.6.2.1203 NMAC. [20.6.2.1203 NMAC]</p> |
| 34. | <p>MODIFICATIONS and/or AMENDMENTS - The permittee shall notify NMED of any changes to the permittee's wastewater treatment and disposal system, including any changes in the wastewater flow rate or the volume of wastewater storage, or of any other changes to operations or processes that would result in any significant change in the discharge of water contaminants. The permittee shall obtain NMED's approval, as a modification to this Discharge Permit pursuant to Subsections E, F, or G of 20.6.2.3109 NMAC, prior to any increase in the quantity discharged, or any increase in the concentration of water contaminants discharged, above those levels approved in this Discharge Permit. [20.6.2.3107.C NMAC]</p> |
| 35. | <p>PLANS and SPECIFICATIONS - The permittee shall file plans and specifications with NMED for the construction of a wastewater system and for proposed changes that will change substantially the quantity or quality of the discharge from the system. The permittee shall file plans and specifications prior to the commencement of construction. Changes to the wastewater system having a minor effect on the character of the discharge shall be reported as of January 1 and June 30 of each year to NMED. [20.6.2.1202 NMAC]</p> |
| 36. | <p>CIVIL PENALTIES – Any violation of the requirements and conditions of this Discharge Permit, including any failure to allow NMED staff to enter and inspect records or facilities, or any refusal or failure to provide NMED with records or information, may</p> |

| | |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | <p>subject the permittee to a civil enforcement action. Pursuant to WQA 74-6-10(A) and (B), such action may include a compliance order requiring compliance immediately or in a specified time, assessing a civil penalty, modifying or terminating the Discharge Permit, or any combination of the foregoing; or an action in district court seeking injunctive relief, civil penalties, or both. Pursuant to WQA 74-6-10(C) and 74-6-10.1, civil penalties of up to \$15,000 per day of noncompliance may be assessed for each violation of the WQA 74-6-5, the WQCC Regulations, or this Discharge Permit, and civil penalties of up to \$10,000 per day of noncompliance may be assessed for each violation of any other provision of the WQA, or any regulation, standard, or order adopted pursuant to such other provision. In any action to enforce this Discharge Permit, the permittee waives any objection to the admissibility as evidence of any data generated pursuant to this Discharge Permit. [74-6-10 WQA, 74-6-10.1 WQA]</p> |
| <p>37.</p> | <p>CRIMINAL PENALTIES – Any person who knowingly violates or knowingly causes or allows another person to:</p> <ol style="list-style-type: none"> 1) make any false material statement, representation, certification or omission of material fact in an application, record, report, plan or other document filed, submitted or required to be maintained under the WQA; 2) falsify, tamper with or render inaccurate any monitoring device, method or record required to be maintained under the WQA; or 3) fail to monitor, sample or report as required by a permit issued pursuant to a state or federal law or regulation, is subject to felony charges and shall be sentenced in accordance with the provisions of Section 31-18-15 NMSA 1978. <p>[74-6-10.2(A-F) WQA]</p> |
| <p>38.</p> | <p>COMPLIANCE WITH OTHER LAWS - Nothing in this Discharge Permit shall be construed in any way as relieving the permittee of the obligation to comply with all applicable federal, state, and local laws, regulations, permits or orders. [20.6.2 NMAC]</p> |
| <p>39.</p> | <p>RIGHT to APPEAL - The permittee may file a petition for review before the WQCC on this Discharge Permit. Such petition shall be in writing to the WQCC within thirty (30) days of the receipt of this Discharge Permit. Unless a timely petition for review is made, the decision of NMED shall be final and not subject to judicial review. [74-6-5(O) WQA]</p> |
| <p>40.</p> | <p>TRANSFER of DISCHARGE PERMIT - Prior to the transfer of any ownership, control, or possession of this permitted facility or any portion thereof, the permittee shall notify the proposed transferee in writing of the existence of this Discharge Permit and include a copy of this Discharge Permit with the notice. The permittee shall deliver or send by certified mail to NMED a copy of the notification and proof that such notification has been received by the proposed transferee. [20.6.2.3111 NMAC]</p> |
| <p>41.</p> | <p>TERM - Pursuant to WQA 74-6-5(I) and Subsection H of 20.6.2.3109 NMAC, the term of this Discharge Permit is five years from its effective date. To renew this Discharge Permit, the permittee must submit an application for renewal at least 180 days before the termination date. [20.6.2.3109.H NMAC, 74-6-5(I) WQA]</p> |

| | |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 42. | Payment of permit fees is due at the time of Discharge Permit approval. Permit fees shall be paid in a single payment or shall be paid in equal installments on a yearly basis over the term of the Discharge Permit. Single payments shall be remitted to NMED no later than 30 days after the Discharge Permit effective date. Initial installment payments shall be remitted to NMED no later than 30 days after the Discharge Permit effective date; subsequent installment payments shall be remitted to NMED no later than the anniversary of the Discharge Permit effective date. An approved Discharge Permit shall be suspended or terminated if the facility fails to remit an installment payment by its due date. [20.6.2.3114.F NMAC, 74-6-5(K) WQA] |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

EFFECTIVE DATE: effective date

EXPIRATION DATE: expiration date

WILLIAM C. OLSON
Chief, Ground Water Quality Bureau
New Mexico Environment Department

draft