



# New Mexico Environment Department

PROTECTING OUR ENVIRONMENT, PRESERVING THE ENCHANTMENT

## Drinking Water Bureau

This checklist is to be used by applicants to determine whether their application for a public water system project is complete. The items below are considered essential. Not all items will apply to all projects. The symbol “✓” is used to denote that the item was present. The symbol “☒” is used to denote that the item was either absent or insufficiently addressed. Incomplete applications will not be reviewed. Application requirements are stated in the drinking water regulations at 20.7.10.201 NMAC, <http://www.nmcpr.state.nm.us/NMAC/parts/title20/20.007.0010.htm>.

Name of Water System, NM35TBD00		<b>Received:</b> 00/00/2015
	Completed application form, available at <a href="http://www.nmenv.state.nm.us/dwb/construction/NMAC 20.7.10.201.A">http://www.nmenv.state.nm.us/dwb/construction/NMAC 20.7.10.201.A</a>	
	Plans, sealed by a professional engineer registered in New Mexico <a href="#">NMAC 20.7.10.201.B(1)</a>	
	Specifications, sealed by a professional engineer registered in New Mexico <a href="#">NMAC 20.7.10.201.B(1)</a>	
	Engineering design summary <a href="#">NMAC 20.7.10.201.B(2)</a>	
	Disinfection plan, including sampling for bacteria meeting AWWA standards <a href="#">NMAC 20.7.10.201.B(3)</a>	
	Other information requested by the department <a href="#">NMAC 20.7.10.201.B(4)</a>	
-----	Capacity demonstration (Appendix A of the application (Page 3 of 3))	
	<ul style="list-style-type: none"> <li>• Technical capacity</li> <li>• Managerial capacity</li> <li>• Financial capacity</li> </ul>	
	<a href="#">NMAC 20.7.10.201.C</a>	
	Storage tank – description of an adequate foundation <a href="#">NMAC 20.7.10.201.D(1)</a>	
	Hydrants or blow-offs for flushing or cleaning the distribution system <a href="#">NMAC 20.7.10.201.D(2)</a>	
	Appropriate State Engineer Office permit <a href="#">NMAC 20.7.10.201.E(1)</a>	
	Results of sampling for regulated and secondary contaminants <a href="#">NMAC 20.7.10.201.E(2)</a>	
	Contaminant inventory <a href="#">Ground water – NMAC 20.7.10.201.F</a> <a href="#">Surface water – NMAC 20.7.10.201.G</a>	
✓	The application is complete.	
☒	The application is incomplete and will not be reviewed.	
<b>COMMENTS:</b>		