



SUSANA MARTINEZ
Governor

JOHN A. SANCHEZ
Lieutenant Governor

NEW MEXICO
ENVIRONMENT DEPARTMENT

Ground Water Quality Bureau

Harold Runnels Building
1190 St. Francis Drive
P.O. Box 5469, Santa Fe, NM 87502-5469
Phone (505) 827-2918 Fax (505) 827-2965
www.nmenv.state.nm.us



RYAN FLYNN
Cabinet Secretary-Designate

BUTCH TONGATE
Deputy Secretary

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

September 6, 2013

Don Van Dam, Owner
Van Dam Dairy
PO Box 269
Portales, NM 88130

RE: Discharge Permit Renewal and Modification, DP-537, Van Dam Dairy

Dear Mr. Van Dam:

The New Mexico Environment Department (NMED) issues the enclosed Discharge Permit Renewal and Modification, DP-537, to Don Van Dam (permittee) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978 §§74-6-1 through 74-6-17, and the New Mexico Water Quality Control Commission (WQCC) Regulations, 20.6.2 and 20.6.6 NMAC.

The Discharge Permit contains requirements that shall be complied with by the permittee and are enforceable by NMED pursuant to Sections 20.6.2.3104 and 20.6.6.8 NMAC, WQA, and NMSA 1978 §74-6-5 and §74-6-10. The discharge shall be managed in accordance with all applicable requirements of the Dairy Rule and this Discharge Permit. Issuance of this Discharge Permit does not relieve the permittee of the responsibility to comply with the WQA, WQCC Regulations, and any other applicable federal, state and/or local laws and regulations, such as zoning requirements and nuisance ordinances.

You will be invoiced under separate cover for \$230.00 (one-tenth of the applicable permit fee). This fee is due by August 1, 2014, and annually thereafter until expiration or termination of the Discharge Permit. If you wish to avoid annual payments, you may pay the remaining permit fee balance of \$1,150.00 in full upon receipt of the invoice mentioned above.


Don Van Dam, DP-537
September 6, 2013
Page 2 of 2

Pursuant to Subsection I of NMSA 1978 § 74-6-5, the term of this Discharge Permit shall be for the fixed term of five years. The term of this Discharge Permit will end on September 6, 2018.

Pursuant to Subsection A of 20.6.6.10 NMAC, you are required to submit an application for renewal or renewal/modification to NMED one year prior to the end of the Discharge Permit term.

If you have any questions, please contact Naomi Davidson at (505) 827-2936 or Kim Kirby, Acting Agricultural Waste Team Leader, at (505) 222-9523. Thank you for your cooperation during this Discharge Permit review.

Sincerely,



Jerry Schoeppner, Chief
Ground Water Quality Bureau

JS:ND

Encs: Discharge Permit Renewal and Modification, DP-537

cc: Agricultural Waste Team Leader, NMED-GWQB (permit)
Bill Chavez, District Manager, NMED District I (permit – electronic copy)
NMED Clovis Field Office (permit)
John Romero, Office of the State Engineer (permit – electronic copy)
Kendall Bates, Rabobank, National Association, Special Assets Management, 45 East
River Park Place West, Suite 507, Fresno, CA 93720-1565 (permit)

**GROUND WATER DISCHARGE PERMIT - RENEWAL AND MODIFICATION
EXISTING DAIRY FACILITY with a LAND APPLICATION AREA
Van Dam Dairy, DP-537**

I. INTRODUCTION AND SUMMARY

The New Mexico Environment Department (NMED) issues this Discharge Permit Renewal and Modification (Discharge Permit), DP-537, to Don Van Dam (permittee) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978, §§ 74-6-1 through 74-6-17, and the New Mexico Water Quality Control Commission (WQCC) Regulations, 20.6.2 and 20.6.6 NMAC.

NMED's purpose in issuing this Discharge Permit is to control the discharge of water contaminants from the Van Dam Dairy (dairy facility) for the protection of ground water and those segments of surface water gaining from ground water inflow, for present and potential future use as domestic and agricultural water supply and other uses, and to protect public health.

The activities which produce the discharge, the location of the discharge, and the quantity, quality and flow characteristics of the discharge are briefly described as follows:

A maximum daily discharge volume of 35,463 gallons per day (gpd) of wastewater may be discharged from the production area. Wastewater from the parlor flows to a concrete sump, then is pumped to a clay-lined combination wastewater/stormwater impoundment for storage prior to being land applied by center irrigation pivot and flood irrigation to up to 366 acres of irrigated cropland under cultivation. The dairy facility is proposing to construct a new screen solids separator and a new synthetically lined combination wastewater/stormwater impoundment to replace the clay-lined impoundment. The modification consists of increasing the land application area from 325 to 366 acres, and a change in the location of the discharge which includes the addition of a synthetically lined combination wastewater/stormwater impoundment and the addition of field LMU-6. The discharge contains water contaminants or toxic pollutants which may be elevated above the standards of Section 20.6.2.3103 NMAC.

The dairy facility is located at 1526 South RR 7, approximately three miles east of Portales, in Sections 5 and 8, Township 02S, Range 35E, Roosevelt County. Ground water most likely to be affected is at a depth of approximately 109 feet and had a pre-discharge total dissolved solids concentration of approximately 500 milligrams per liter.

The original Discharge Permit was issued on October 7, 1988, and subsequently renewed and modified on September 8, 1995, renewed on November 23, 1998, and renewed and modified on December 8, 2004. The application consists of the materials submitted by the permittee dated July 1, 2009, and materials contained in the administrative record associated with issuance of this Discharge Permit. The discharge shall be managed in accordance with all applicable requirements of the Dairy Rule (20.6.6 NMAC) and this Discharge Permit.

Issuance of this Discharge Permit does not relieve the permittee of the responsibility to comply with the WQA, WQCC Regulations, and any other applicable federal, state and/or local laws and regulations, such as zoning requirements and nuisance ordinances.

The following acronyms and abbreviations may be used in this Discharge Permit:

Abbreviation	Explanation	Abbreviation	Explanation
Cl	chloride	NO ₃ -N	nitrate-nitrogen
gpd	gallons per day	S	Sulfur
LADS	land application data sheet(s)	SO ₄	Sulfate
mg/L	milligrams per liter	TDS	total dissolved solids
NMAC	New Mexico Administrative Code	TKN	total Kjeldahl nitrogen
NMED	New Mexico Environment Department	WQA	New Mexico Water Quality Act
NMP	Nutrient management plan	WQCC	Water Quality Control Commission
NMSA	New Mexico Statutes Annotated		

II. FINDINGS

In issuing this Discharge Permit, NMED finds:

1. The permittee is discharging from a facility that meets the definition of “dairy facility” and is subject to the Dairy Rule (20.6.6 NMAC). This dairy facility meets the definition of “existing dairy facility”.
2. The permittee is discharging effluent or leachate from the dairy facility that may move directly or indirectly into ground water within the meaning of Section 20.6.2.3104 NMAC.
3. The permittee is discharging effluent or leachate from the dairy facility that may move into ground water of the State of New Mexico which has an existing concentration of 10,000 milligrams per liter or less of total dissolved solids within the meaning of Subsection A of 20.6.2.3101 NMAC.
4. The discharge from the dairy facility is not subject to any of the exemptions of Section 20.6.2.3105 NMAC.
5. The Discharge Permit for this facility last issued on December 28, 2004 (before the effective date of the Dairy Rule of December 31, 2011) required the wastewater impoundment system to have the capacity to store the volume of wastewater discharged at the maximum daily discharge volume, for a minimum of 60 days, plus stormwater runoff and direct precipitation generated from the facility, while preserving two feet of freeboard.

6. The dairy facility was existing as of the effective date of the Dairy Rule (December 31, 2011) and measures the volume of wastewater discharged to a wastewater impoundment(s) using a totalizing flow meter installed on the discharge line(s) from all wastewater sources to the wastewater impoundment(s).
7. This Discharge Permit contains requirements associated with the following potential contaminant sources as identified in the application and the administrative record as of the effective date of this Discharge Permit:
 - a) Combination Wastewater/Stormwater Impoundments
 - i. **Clay-Lined Impoundment** - authorized for use by this Discharge Permit; proposed to be replaced by the Synthetically Lined impoundment.
 - ii. **Synthetically Lined Impoundment** - authorized for use by this Discharge Permit.
 - b) Fields within the Land Application Area
 - i. **LMU-1** - authorized for use by this Discharge Permit.
 - ii. **LMU-2** - authorized for use by this Discharge Permit.
 - iii. **LMU-3** - authorized for use by this Discharge Permit.
 - iv. **LMU-4** - authorized for use by this Discharge Permit.
 - v. **LMU-5** - authorized for use by this Discharge Permit.
 - vi. **LMU-6** - authorized for use by this Discharge Permit.

III. APPLICABLE RULES

Sections 20.6.2.3000 through 20.6.2.3114 NMAC and Part 20.6.6 NMAC (Dairy Rule) apply to discharges specific to dairy facilities and their operations.

IV. DISCHARGE PERMIT REQUIREMENTS

The permittee is authorized to discharge water contaminants pursuant to this Discharge Permit which contains requirements authorized or specified by the Dairy Rule. The permittee shall comply with the Dairy Rule and this Discharge Permit, which are enforceable by NMED. The permittee is authorized to discharge water contaminants subject to the following requirements:

AUTHORIZATION TO DISCHARGE

1. The permittee is authorized to discharge up to 35,463 gpd of wastewater from the production area. Wastewater from the parlor flows to a concrete sump, then is pumped to a clay-lined combination wastewater/stormwater impoundment for storage prior to being land applied by center irrigation pivot and flood irrigation to up to 366 acres of irrigated cropland under cultivation. The dairy facility is proposing to construct a new screen solids separator and a new synthetically lined combination wastewater/stormwater impoundment to replace the clay-lined impoundment. The modification consists of

increasing the land application area from 325 to 366 acres, and a change in the location of the discharge which includes the addition of a synthetically lined combination wastewater/stormwater impoundment and the addition of field LMU-6.

2. The permittee is authorized to use the following impoundments for the following purposes in accordance with Subsection B of 20.6.6.20 NMAC.
 - a) **Clay Lined Impoundment** – authorized to receive wastewater and stormwater for storage prior to land application until completion of the synthetically lined impoundment. This impoundment exists as of the effective date of this Discharge Permit and is clay lined. This impoundment was expanded and lined with clay in April 1988. The clay-lined impoundment is proposed to be replaced by a new synthetically lined impoundment.
 - b) **Synthetically Lined Impoundment** – authorized to receive wastewater and stormwater for storage prior to land application. This impoundment is proposed for construction.

3. The permittee is authorized to apply wastewater and stormwater to all fields within the land application area in accordance with Subsections B, C and I of 20.6.6.21 NMAC. The land application area consists of the following fields for a total land application area of 373 acres.
 - a) **LMU-1** – consists of 126 acres; applied by center pivot. This field was authorized by the last Discharge Permit issued prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater/stormwater and has received wastewater/stormwater as of the effective date of this Discharge Permit. This field is located northeast of the production area.
 - b) **LMU-2** – consists of seven acres; applied by flood irrigation. This field was authorized by the last Discharge Permit issued prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater/stormwater and has received wastewater/stormwater as of the effective date of this Discharge Permit. This field is located west of the production area. This field was 14 acres but will be reduced to seven acres when the proposed synthetically lined impoundment is constructed.
 - c) **LMU-3** – consists of 126 acres; applied by center pivot. This field was authorized by the last Discharge Permit issued prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater/stormwater and has received wastewater/stormwater as of the effective date of this Discharge Permit. This field is located west of the production area.
 - d) **LMU-4** – consists of 28 acres; applied by center pivot. This field was authorized by the last Discharge Permit issued prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater/stormwater and has received wastewater/stormwater as of the effective date of this Discharge Permit. This field is located south of the production area and west of the house.
 - e) **LMU-5** – consists of 19 acres; applied by flood irrigation. This field was authorized by the last Discharge Permit issued prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater/stormwater and has

received wastewater/stormwater as of the effective date of this Discharge Permit. This field is located southeast of the production area and east of the house.

- f) **LMU-6** – consists of 60 acres; applied by center pivot. This field has not received wastewater/stormwater as of the effective date of this Discharge Permit. This field is located southwest of the production area.

DAIRY RULE TRANSITION REQUIREMENTS

4. The permittee shall have 90 days from the effective date of this Discharge Permit (**by December 5, 2013**) to submit all the necessary information to comply with Sections 20.6.6.10 through 20.6.6.13 NMAC, in accordance with Subsection D of 20.6.6.35 NMAC. The permittee shall submit the necessary information by completing the application form for Renewal and/or Modification located at the following address:
- <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-dairies.htm>

The following sections of the application form for renewal and/or modification shall be completed, and the form shall be signed by the permittee and notarized prior to submission.

- a) Introduction – *Applicant’s Signature and Notary Certification only*
- b) Part I.A
- c) Part II.A.1
- d) Part II.A.2(a) and (b)
- e) Part II.B.1 through 7
- f) Part II.C
- g) Part II.D.2
- h) Part II.D.3(a) and (b)
- i) Part II.E.1 and 3
- j) Part II.F
- k) Part IV.B

ENGINEERING AND SURVEYING REQUIREMENTS

5. The permittee shall comply with the requirements of Section 20.6.6.17 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.17 NMAC.
6. The permittee shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<u>Impoundment Plans and Specifications:</u> Submit updated construction plans and specifications for		20.6.6.17.C(1)

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
	installation of an impoundment(s) to replace the clay-lined impoundment in accordance with Paragraph (1) of Subsection C of 20.6.6.17 NMAC.	December 5, 2013	NMAC
B.	<u>Manure Solids Separation Plans and Specifications – New Wastewater System:</u> Submit plans and specifications for manure solids separation as a component of the newly designed wastewater storage system to achieve compliance with Subsection F of 20.6.6.20 NMAC	December 5, 2013	20.6.6.17.C(4) NMAC
C.	<u>Flow Metering Plans:</u> To achieve compliance with Subsection J of 20.6.6.20 NMAC, submit a description of the location and installation/construction information for a flow meter(s) to measure the following: <ul style="list-style-type: none"> the volume of wastewater discharged from the wastewater storage impoundment to each field in the land application area 	December 5, 2013	20.6.6.17.C(7) NMAC

OPERATIONAL REQUIREMENTS

- The permittee shall comply with the requirements of Sections 20.6.6.20 and 20.6.6.21 NMAC, and shall submit to NMED all information or documentation required by the applicable portions of Sections 20.6.6.20 and 20.6.6.21 NMAC.
- The permittee shall provide written notice to NMED regarding any changes to the presence of lactating cows and/or the status of wastewater discharges at the facility in accordance with Subsection A of 20.6.6.20 NMAC (summarized in the table below).

Activity	Notification of Estimated Date	Verification of Actual Date
Removal of Lactating Cows	Not required	Within 30 days of removal
Reintroduction of Lactating Cows	Not required	Within 30 days of reintroduction
Cessation of wastewater discharge	Not required	Within 30 days of cessation of discharge
Recommencement of Discharge	Minimum 30 days prior to recommencement	Within 30 days of recommencement

- The permittee shall install and use the following flow meter(s) in accordance with Subsections J, K, L and N of 20.6.6.20 NMAC, and Subsections G and H of 20.6.6.21 NMAC.

- a) **LMU Flow Meter** – to be located on the discharge line from the impoundment to the land application area to measure the volume of wastewater discharged from the Clay Lined Impoundment, and the Synthetically Lined Impoundment upon its completion, to each field in the land application area.

Confirmation of flow meter installation shall be completed in accordance with Subsection J of 20.6.6.20 NMAC.

10. Pursuant to Subsection D of 20.6.6.35 NMAC, the permittee shall have 90 days from the effective date of this Discharge Permit (**by December 5, 2013**) to submit documentation in accordance with Subsection M of 20.6.6.20 NMAC to demonstrate that the existing flow meter(s) meets the requirements of Subsection M of 20.6.6.20 NMAC.
11. The permittee is authorized to use the following existing flow meter(s) provided that the requirements of Subsection M of 20.6.6.20 NMAC have been met.
 - a) **Wastewater Flow Meter** – located on the line that transfers wastewater from the sump to the impoundment to measure the volume of wastewater discharged from the production area to the clay-lined impoundment, and the synthetically lined impoundment upon its completion.
12. The permittee is authorized, pursuant to Subsection S of 20.6.6.20 NMAC, to land apply manure solids and composted material to the land application area. Manure solids and composted material shall be applied in accordance with the Nutrient Management Plan (NMP) required by Subsection I of 20.6.6.21 NMAC.
13. The permittee is authorized to blend wastewater with fresh irrigation water for land application using any of the methods provided in Subsection D of 20.6.6.21 NMAC. Fresh water may be added to a wastewater impoundment prior to land application in accordance with Subsection D of 20.6.6.21 NMAC.
14. The permittee shall remove crops from the following fields within the land application area using the following methods in accordance with Subsection I and J of 20.6.6.21 NMAC. Crops may be grazed prior to and between mechanical harvests, however, nitrogen removal credit shall not be taken for grazing activities unless a grazing plan is developed and submitted in accordance with Subsections I and J of 20.6.6.21 NMAC.
 - a) **LMU-1** – crops shall be harvested mechanically.
 - b) **LMU-2** – crops shall be harvested mechanically.
 - c) **LMU-3** – crops shall be harvested mechanically.
 - d) **LMU-4** – crops shall be harvested mechanically.
 - e) **LMU-5** – crops shall be harvested mechanically.
 - f) **LMU-6** – crops shall be harvested mechanically.

The permittee shall submit an application for Discharge Permit Modification to NMED for any proposed changes to the method(s) of crop removal for any field within the land application area as required by Subsection K of 20.6.6.21 NMAC.

15. The permittee shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<p><u>Impoundment Construction or Improvement:</u></p> <p>i) Complete construction of a new or improvements to an existing impoundment to achieve compliance with the Dairy Rule, in accordance with construction plans and specifications, and supporting design calculations.</p> <p>ii) Submit the Construction Certification Report verifying construction pursuant to Subsection C of 20.6.6.17 NMAC.</p>	<p>September 6, 2014</p> <p>Within 90 days of completed impoundment construction.</p>	20.6.6.20.E NMAC
B.	<p><u>Manure Solids Separator Installation – New System:</u></p> <p>i) Complete construction of a manure solids separator associated with the new wastewater storage system.</p> <p>ii) Submit confirmation of solids separator construction.</p>	Prior to discharging to the new system.	20.6.6.20.F NMAC
C.	<p><u>Flow Meter Installation:</u></p> <p>i) Complete installation of flow meter(s).</p> <p>ii) Submit confirmation of installation.</p>	<p>February 3, 2014</p> <p>March 5, 2014</p>	20.6.6.20.J NMAC
D.	<p><u>Scaled Map of Dairy Facility – Updates:</u></p> <p>Following completion of any additions or changes to the dairy facility which affect the items listed in Subsection U of 20.6.6.20 NMAC, the permittee shall update and resubmit the facility map.</p>	Within 90 days of any addition or change.	20.6.6.20.V NMAC
E.	<p><u>Nutrient Management Plan:</u></p> <p>Develop and submit annual updates to the NMP.</p>	Annually: May 1	20.6.6.21.I NMAC
F.	<p><u>Backflow Prevention:</u></p> <p>i) Complete installation of backflow prevention methods or devices.</p> <p>ii) Submit confirmation of installation.</p>	<p>December 5, 2013</p> <p>March 5, 2014</p>	20.6.6.21.M NMAC
G.	<p><u>Backflow Prevention by Reduced Pressure Principle Backflow Prevention Assembly – Inspection and Maintenance:</u></p> <p>Submit copies of inspection and maintenance records and test results for each RP device, should the device be used to satisfy the requirements of Subsection M of 20.6.6.21</p>	Annually: May 1	20.6.6.21.N NMAC

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
	satisfy the requirements of Subsection M of 20.6.6.21 NMAC.		

GROUND WATER MONITORING REQUIREMENTS

16. The permittee shall comply with the requirements of Section 20.6.6.23 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.23 NMAC.
17. Monitoring wells shall be constructed and completed in accordance with Subsection D of 20.6.6.23 NMAC.
18. Monitoring wells shall be permanently identified in accordance with Subsection C of 20.6.6.23 NMAC.
19. Pursuant to Subsection D of 20.6.6.35 NMAC, the permittee shall have 90 days from the effective date of this Discharge Permit (**by December 5, 2013**) to submit the information required by Paragraph (6) of Subsection A of 20.6.6.23 NMAC to verify that monitoring wells in existence as of the effective date of this Discharge Permit and prior to the effective date of the Dairy Rule (December 31, 2011) are appropriate for continued use for ground water monitoring.

The permittee is authorized to use the following monitoring well(s) provided that the requirements of Paragraph (6) of Subsection A of 20.6.6.23 NMAC are met.

- a) **MW-2**, hydrologically downgradient of the Clay-Lined Impoundment; located southeast of the Clay-Lined Impoundment.
20. The permittee shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<p><u>Ground Water Monitoring – New Combination Wastewater/Stormwater Impoundments:</u></p> <p>Install the following monitoring wells within 75 feet hydrologically downgradient of the top inside edge of each new combination impoundment:</p> <p>i) MW-9, hydrologically downgradient of the Synthetically Lined Impoundment.</p>	<p>Prior to discharging wastewater to or collecting stormwater in the impoundment or within 120</p>	<p>20.6.6.23.A(2) NMAC</p>

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
		days of impoundment completion, <u>whichever occurs first.</u>	
B.	<p><u>Ground Water Monitoring – Existing Land Application Area:</u></p> <p>Install the following monitoring wells within 50 feet hydrologically downgradient of the downgradient boundary of <u>existing</u> fields within the land application area:</p> <ul style="list-style-type: none"> i) MW-4, hydrologically downgradient of LMU-1. ii) MW-5, hydrologically downgradient of LMU-2. iii) MW-6, hydrologically downgradient of LMU-3 and LMU-4. iv) MW-7, hydrologically downgradient of LMU-5. 	January 4, 2014	20.6.6.23.A(4) (a) and (b) NMAC
C.	<p><u>Ground Water Monitoring – New Land Application Area:</u></p> <p>Install the following monitoring wells within 50 feet hydrologically downgradient of the downgradient boundary of <u>new</u> fields within the land application area:</p> <ul style="list-style-type: none"> i) MW-8, hydrologically downgradient of LMU-6. 	Prior to applying wastewater or stormwater to the field.	20.6.6.23.A(4) (b) NMAC
D.	<p><u>Ground Water Monitoring – Upgradient:</u></p> <p>Install a monitoring well, MW-3, hydrologically upgradient of all contamination sources at the dairy facility.</p>	January 4, 2014	20.6.6.23.A(5) NMAC
E.	<p><u>Ground Water Sampling and Reporting – Routine:</u></p> <p>Collect and analyze ground water samples quarterly from all monitoring wells identified in this Discharge Permit. Sampling shall be performed and results submitted in accordance with Subsection F of 20.6.6.23 NMAC.</p>	Quarterly	20.6.6.23.G
F.	<p><u>Ground Water Sampling – New Monitoring Wells:</u></p> <p>Collect ground water samples from monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i>. Sampling shall be performed in accordance with Subsection F of 20.6.6.23 NMAC using the monitoring wells required to be installed in the following locations:</p> <ul style="list-style-type: none"> i) MW-3, hydrologically upgradient of all contamination sources at the dairy facility. ii) MW-4, hydrologically downgradient of LMU-1. iii) MW-5, hydrologically downgradient of LMU-2. iv) MW-6, hydrologically downgradient of LMU-3 and LMU-4. v) MW-7, hydrologically downgradient of LMU-5. 	February 3, 2014	20.6.6.23.H NMAC

G.	<p><u>Ground Water Sampling – New Monitoring Wells for New Fields:</u></p> <p>Collect ground water samples from monitoring wells required to be installed <i>within the term of the Discharge Permit</i>, (i.e., installed prior to land application on a newly activated field). Sampling shall be performed in accordance with Subsection F of 20.6.6.23 NMAC using the monitoring wells required to be installed in the following locations:</p> <p>i) MW-8, hydrologically downgradient of LMU-6.</p>	<p>Within 30 days of well completion.</p>	<p>20.6.6.23.H NMAC</p>
H.	<p><u>Ground Water Sampling – New Monitoring Wells for New Impoundments:</u></p> <p>Collect ground water samples from monitoring wells required to be installed <i>within the term of the Discharge Permit</i>, (i.e., associated with the newly constructed impoundments). Sampling shall be performed in accordance with Subsection F of 20.6.6.23 NMAC using the monitoring wells required to be installed in the following locations:</p> <p>i) MW-9, hydrologically downgradient of the Synthetically Lined Impoundment.</p>	<p>Within 30 days of well completion.</p>	<p>20.6.6.23.H NMAC</p>
I.	<p><u>Monitoring Well Survey and Ground Water Flow Determination:</u></p> <p>Survey monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i> to a USGS benchmark.</p> <p>Survey monitoring wells required to be installed <i>within the term of the Discharge Permit</i> to a USGS benchmark.</p>	<p>February 3, 2014</p> <p>Upon well completion, to be included in the well completion report.</p>	<p>20.6.6.23.I NMAC</p>
J.	<p><u>Monitoring Well Completion Report:</u></p> <p>Submit a monitoring well completion report for monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i>. The report shall include information from all monitoring wells.</p>	<p>March 5, 2014</p>	<p>20.6.6.23.J NMAC</p>
K.	<p><u>Monitoring Well Completion Report – Monitoring Wells for New Fields:</u></p> <p>Submit a monitoring well completion report for monitoring wells required to be installed <i>within the term of the Discharge Permit</i> (i.e., installed prior to land application on a newly activated field). The report shall include information from all monitoring wells.</p>	<p>Within 60 days of well completion.</p>	<p>20.6.6.23.J NMAC</p>
L.	<p><u>Monitoring Well Completion Report – Monitoring Wells for New Impoundments:</u></p> <p>Submit a monitoring well completion report for monitoring wells required to be installed <i>within the term of the Discharge Permit</i> (i.e., associated with the newly constructed impoundments). The report shall include information from</p>	<p>Within 60 days of well completion.</p>	<p>20.6.6.23.J NMAC</p>

	all monitoring wells.		
M.	<u>Ground Water Elevation Contour Maps:</u> Develop and submit ground water elevation contour maps on a quarterly basis using data collected from all monitoring wells used for ground water monitoring at the dairy facility.	Quarterly	20.6.6.23.L NMAC

MONITORING REQUIREMENTS

21. The permittee shall comply with the requirements of Sections 20.6.6.24 and 20.6.6.25 NMAC, and shall submit to NMED all information or documentation required by the applicable portions of Sections 20.6.6.24 and 20.6.6.25 NMAC.
22. The permittee shall submit monitoring reports to NMED on a quarterly schedule that contain monitoring data and information collected pursuant to the Dairy Rule and submitted in accordance with Subsection A of 20.6.6.24 NMAC.

Quarterly monitoring reports shall be submitted according to the following schedule:

- January 1 through March 31 (first quarter) – report due by **May 1**
- April 1 through June 30 (second quarter) – report due by **August 1**
- July 1 through September 30 (third quarter) – report due by **November 1**
- October 1 through December 31 (fourth quarter) – report due by **February 1**

23. The permittee shall perform the following monitoring and submit to NMED the required documentation in monitoring reports as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<u>Wastewater Volume Measurement and Reporting:</u> Using a flow meter(s) installed on the discharge line(s), measure the volume of all wastewater discharged to the impoundment(s) authorized to contain wastewater. Submit the information.	Quarterly	20.6.6.24.C NMAC
B.	<u>Flow Meter Field Calibration:</u> Perform flow meter field calibrations annually and submit a flow meter field calibration report.	Annually: May 1	20.6.6.24.E NMAC
C.	<u>Volume of Wastewater and Wastewater/Stormwater Land Applied – Measurement and Reporting:</u> Measure the volume of all wastewater discharges to each field within the land application area using a flow meter(s) and submit the information.	Quarterly	20.6.6.25.A NMAC
D.	<u>Wastewater to be Land Applied – Sampling and Reporting:</u> The permittee shall collect a representative wastewater	Quarterly	20.6.6.25.C

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
	sample (consisting of eight subsamples) from each wastewater or combination wastewater/stormwater impoundment. Analyze each representative wastewater sample on a quarterly basis and submit results.		NMAC
E.	<u>Manure Solids – Nitrogen Content:</u> Should a permittee choose to use actual nitrogen content values of on-site manure solids for the purpose of applying to the land application area, the permittee shall collect and analyze samples annually, and submit results.	Quarterly	20.6.6.25.D NMAC
F.	<u>Irrigation Water – Sampling, Volume Applied and Reporting:</u> Collect and analyze fresh irrigation water samples on an annual basis from each irrigation well associated with the land application area. Estimate the annual volume of irrigation water applied to each field from each well. Submit estimated volumes and analytical results.	Annually: May 1	20.6.6.25.E NMAC
G.	<u>Fertilizer Application Reporting:</u> Maintain and submit a log of all additional fertilizer applied to each field within the land application area.	Quarterly	20.6.6.25.F NMAC
H.	<u>Land Application Data Sheets:</u> Complete and submit land application data sheets (LADS) for each field within the land application area.	Quarterly	20.6.6.25.G NMAC
I.	<u>Crop Yield Documentation:</u> Submit crop yield documentation and plant and harvest dates of each crop grown.	Quarterly	20.6.6.25.H NMAC
J.	<u>Nitrogen Concentration of Harvested Crop:</u> Determine the percent total nitrogen and dry matter of each harvested crop and submit results.	Quarterly	20.6.6.25.I NMAC
K.	<u>Nitrogen Removal Summary of Harvested Crop:</u> Develop and submit a nitrogen removal summary for each crop grown on each field within the land application area.	Quarterly	20.6.6.25.J NMAC
L.	<u>Soil Sampling – Initial Event in a Discharge Permit Term:</u> Collect and analyze <u>initial</u> soil samples from each field in the land application area for the first soil sampling event during the first year following the effective date of this Discharge Permit. Submit the results.	May 1, 2014	20.6.6.25.K NMAC
M.	<u>Soil Sampling – Routine:</u> Collect and analyze <u>routine</u> soil samples annually from each	Annually:	20.6.6.25.L

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
	field in the land application area beginning the year following the initial sampling event. Submit the results.	May 1	NMAC

CONTINGENCY REQUIREMENTS

24. The permittee shall comply with the requirements of Section 20.6.6.27 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.27 NMAC.

CLOSURE REQUIREMENTS

25. The permittee shall comply with the requirements of Section 20.6.6.30 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.30 NMAC.
26. Only upon written notification by certified mail from NMED, shall the permittee abandon the following well(s) previously used for monitoring in accordance with Subsection C of 20.6.6.30 NMAC. The permittee is not required to perform routine ground water sampling from the following well(s); however, NMED may collect ground water samples from the well(s) pursuant to Subsection D of 20.6.2.3107 NMAC.
- a) **MW-1** – located near the southwest corner of the corrals.

The well abandonment report shall be submitted to NMED within 60 days of completion of well plugging activities.

27. Following completion of the Synthetically Lined Impoundment, the permittee shall complete closure of the following impoundment(s) in accordance with Paragraph (2) of Subsection A of 20.6.6.30 NMAC.
- a) **Clay Lined Impoundment** – located south of the corrals and north of LMU-4.

GENERAL REQUIREMENTS

28. The permittee shall operate in a manner such that standards and requirements of Sections 20.6.2.3101 and 20.6.2.3103 NMAC are not violated.
29. The permittee shall retain required records for a minimum period of 10 years from the date of sample collection, measurement, report or application in accordance with Section 20.6.6.33 NMAC.
30. Transfer of a Discharge Permit for a dairy facility shall be completed in accordance with Section 20.6.6.34 NMAC.

31. To renew this Discharge Permit, the permittee shall submit an application for renewal, renewal and modification, or renewal for closure at least one year prior to the expiration date of the Discharge Permit in accordance with Section 20.6.6.10 NMAC.
32. In accordance with Subsection A of 20.6.6.9 NMAC, the permittee shall remit a permit fee payment equal to one-tenth of the applicable permit fee from Table 1 of Section 20.6.2.3114 NMAC on the first occurrence of August 1 after the effective date of the Discharge Permit, and annually thereafter until expiration or termination of the Discharge Permit.

V. ADDITIONAL CONDITIONS

In addition to the requirements of 20.6.6 NMAC, the permittee shall comply with the following conditions as authorized by Subsection H of 20.6.6.10 NMAC pursuant to Section 74-6-5 WQA. A hearing may be requested on additional conditions in accordance with Section 20.6.6.15 NMAC.

1. This Discharge Permit does not contain additional conditions.

VI. PERMIT ISSUANCE

Pursuant to WQA 74-6-5(I), the term of this Discharge Permit shall be for the fixed term of five years from the effective date of the Discharge Permit.

Issued by: New Mexico Environment Department

Effective Date: **September 6, 2013**

Expiration Date: **September 6, 2018**



JERRY SCHOEPPNER
Chief, Ground Water Quality Bureau
New Mexico Environment Department