DP-1136



Enviro Compliance Services, Inc.
Office: (505) 762-9674 Fax: (505) 762-3749
Providing Management Assistance for Environmental Compliance Since 1981

Title: Heritage Dairy Overall Site Layout	DP-1136	
Date: 2/27/07	DWG/Doc Ref Not to Scale	Sheet No 1/1

GW

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 09/02/09 @ 0 °C
Reporting Date: 09/15/09
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: PORTALES, NM

Sampling Date: 09/01/09 @ 13:00
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/03/09	09/10/09	09/10/09	09/02/09
Time Analysis Batch Started:		9:00	9:45	8:30	10:15
AN15082-1	MW 1A	650	130	0.3	13.6
AN15082-2	MW 2	520	95	0.2	5.3
AN15082-3	MW 3	580	100	0.3	2.0
AN15082-4	MW 4	470	80	0.2	4.8
AN15082-5	PWRS	2,710	360	200	0.48
Date Analysis Batch Finished:		09/04/09	09/10/09	09/10/09	09/02/09
Time Analysis Batch Finished:		15:00	12:45	17:15	17:40
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1000	50	5.05	1.0734
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	101	107
Hi - Low Limits %		90 - 110	95 - 105	85 - 115	85 - 115
% Extraction Accuracy		N/A	98	88	104
Relative Percent Difference		1	0	5	2
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl⁻	351.4	353.3

This report meets NELAC T104704437-08A-TX

Mario Rodriguez, Director.

09-25-09
Date

GW

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

SEP 15 2009

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 07/15/09 @ 0 °C
Reporting Date: 07/28/09
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: PORTALES, NM

Sampling Date: 07/14/09 @ 14:45
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/20/09	07/16/09	07/20/09	07/20/09
Time Analysis Batch Started:		11:00	9:45	10:30	10:30
AN14862-1	MW 1A	625	140	< 0.2 *	13.9
AN14862-2	MW 2	575	95	< 0.2 *	2.7
AN14862-3	MW 3	450	105	0.2	9.5
AN14862-4	MW 4	1,055	80	< 0.2 *	4.7
Date Analysis Batch Finished:		07/21/09	07/16/09	07/21/09	07/20/09
Time Analysis Batch Finished:		12:30	14:00	15:10	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1000	50	5.09	1.0285
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	102	103
Hi - Low Limits		90 - 110	95 - 105	85 - 115	85 - 115
% Extraction Accuracy		N/A	103	90	99
Relative Percent Difference		2	0	2	4
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl	351.4	353.3

* Less than the LOQ (Limit of Quantitation).
This report meets NELAC T104704437-08A-TX

07/28/09

Mario Rodriguez, Director.

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 04/08/09 @ 4 °C
Reporting Date: 04/20/09
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: PORTALES, NM

Sampling Date: 04/07/09 @ 13:10
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/09/09	04/11/09	04/14/09	04/13/09
Time Analysis Batch Started:		16:30	17:00	10:30	9:30
AN14459-1	MW 1A	600	130	0.5	15.0
AN14459-2	MW 2	495	100	0.5	6.9
AN14459-3	MW 3	530	100	0.3	7.3
AN14459-4	MW 4	440	80	< 0.2 *	3.9
AN14459-5	PWRS	2,565	300	315	0.08
Date Analysis Batch Finished:		04/10/09	04/11/09	04/15/09	04/13/09
Time Analysis Batch Finished:		17:00	21:00	17:20	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		992	50	5.12	1.0027
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		99	100	102	100
% Extraction Accuracy		N/A	101	90	90
Relative Percent Difference		5	0	3	0
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.
This report meets NELAC T104704437-08A-TX

Mario Rodriguez

Mario Rodriguez, Director.

04/20/09

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 01/19/09 @ 0 °C
Reporting Date: 01/27/09
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: PORTALES, NM

Sampling Date: 01/16/09 @ 11:00
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		01/20/09	01/22/09	01/27/09	01/26/09
Time Analysis Batch Started:		10:50	10:00	9:30	11:00
AN14126-1	MW 1A	660	135	< 0.2 *	12.7
AN14126-2	MW 2	540	100	< 0.2 *	5.4
AN14126-3	MW 3	590	105	< 0.2 *	5.4
AN14126-4	MW 4	460	85	< 0.2 *	2.9
Date Analysis Batch Finished:		01/21/09	01/22/09	01/27/09	01/26/09
Time Analysis Batch Finished:		15:50	17:25	17:00	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1016	50	4.67	1.0060
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		102	100	93	101
% Extraction Accuracy		N/A	100	104	102
Relative Percent Difference		2	0	1	8
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.
This report meets NELAC T104704437-08A-TX

Mario Rodriguez
Mario Rodriguez, Director

01-27-09
Date

DP-1136

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 12/29/07
Reporting Date: 01/10/08
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: CLOVIS, NM

Sampling Date: 12/28/07
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		01/03/08	01/02/08	01/08/08	01/02/08
Time Analysis Batch Started:		9:30	13:25	8:45	10:00
AL12573-1	MW 1A	580	140	< 0.2 *	9.7
AL12573-2	MW 2	520	115	< 0.2 *	4.6
AL12573-3	MW 3	600	115	< 0.2 *	11.6
AL12573-4	MW 4	440	95	< 0.2 *	2.8
Date Analysis Batch Finished:		01/04/08	01/02/08	01/09/08	01/02/08
Time Analysis Batch Finished:		14:30	15:45	15:25	15:50
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		980	50	5.05	0.3153
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		98	100	101	105
% Extraction Accuracy		N/A	100	101	103
Relative Percent Difference		1	0	4	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

01/10/08

Mario Rodriguez, Director.

Date

DP-1136

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER
AUG 09 2006
BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 06/28/06
Reporting Date: 07/10/06
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: CLOVIS, NM

Sampling Date: 06/26/06
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: RG
Analyzed By: RG, TE

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		06/28/06	06/29/06	07/06/06	06/29/06
Time Analysis Batch Started:		14:00	8:45	11:00	12:43
AK10647-1	MW 1	535	95	< 0.2 *	2.6
AK10647-2	MW 2	560	90	< 0.2 *	2.2
AK10647-3	MW 3	890	155	1.3	36.6
Date Analysis Batch Finished:		06/29/06	06/29/06	07/07/06	06/29/06
Time Analysis Batch Finished:		11:21	10:45	12:00	14:54
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1012	50	5.46	0.3195
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		101	100	109	107
% Extraction Accuracy		N/A	101	111	103
Relative Percent Difference		1	3	4	0

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez
Mario Rodriguez, Director.

07-10-06
Date

Highest GW, MW-3
Lagoon Clay-lined Combo

WW

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 09/02/09 @ 0 °C
Reporting Date: 09/15/09
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: PORTALES, NM

Sampling Date: 09/01/09 @ 13:00
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/03/09	09/10/09	09/10/09	09/02/09
Time Analysis Batch Started:		9:00	9:45	8:30	10:15
AN15082-1	MW 1A	650	130	0.3	13.6
AN15082-2	MW 2	520	95	0.2	5.3
AN15082-3	MW 3	580	100	0.3	2.0
AN15082-4	MW 4	470	80	0.2	4.8
AN15082-5	PWRS	2,710	360	200	0.48
Date Analysis Batch Finished:		09/04/09	09/10/09	09/10/09	09/02/09
Time Analysis Batch Finished:		15:00	12:45	17:15	17:40
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1000	50	5.05	1.0734
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	101	107
Hi - Low Limits %		90 - 110	95 - 105	85 - 115	85 - 115
% Extraction Accuracy		N/A	98	88	104
Relative Percent Difference		1	0	5	2
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl⁻	351.4	353.3

This report meets NELAC T104704437-08A-TX

Mario Rodriguez, Director.

09-25-09
Date

WW

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 04/08/09 @ 4 °C
Reporting Date: 04/20/09
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: PORTALES, NM

Sampling Date: 04/07/09 @ 13:10
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/09/09	04/11/09	04/14/09	04/13/09
Time Analysis Batch Started:		16:30	17:00	10:30	9:30
AN14459-1	MW 1A	600	130	0.5	15.0
AN14459-2	MW 2	495	100	0.5	6.9
AN14459-3	MW 3	530	100	0.3	7.3
AN14459-4	MW 4	440	80	< 0.2 *	3.9
AN14459-5	PWRS	2,565	300	315	0.08
Date Analysis Batch Finished:		04/10/09	04/11/09	04/15/09	04/13/09
Time Analysis Batch Finished:		17:00	21:00	17:20	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		992	50	5.12	1.0027
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		99	100	102	100
% Extraction Accuracy		N/A	101	90	90
Relative Percent Difference		5	0	3	0
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.
This report meets NELAC T104704437-08A-TX

Mario Rodriguez

04/20/09

Mario Rodriguez, Director. Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 03/22/07
Reporting Date: 04/11/07
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: CLOVIS, NM

Sampling Date: 03/20/07
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		03/27/07	03/26/07	04/09/07	04/06/07
Time Analysis Batch Started:		13:30	11:30	8:40	9:30
AL11606-1	MW 1A	740	130	< 0.2 *	9.7
AL11606-2	MW 2	625	125	< 0.2 *	4.5
AL11606-3	MW 3	920	150	< 0.2 *	18.7
AL11606-4	MW 4	555	100	< 0.2 *	2.8
AL11606-5	PWRS	3,540	370	300	0.28
Date Analysis Batch Finished:		03/28/07	03/26/07	04/09/07	04/06/07
Time Analysis Batch Finished:		17:00	15:10	17:00	15:25
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1014	51	4.43	0.2892
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		101	102	105	96
% Extraction Accuracy		N/A	102	93	97
Relative Percent Difference		3	0	5	1

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

04/11/07

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 01/04/07
Reporting Date: 01/17/07
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: CLOVIS, NM

Sampling Date: 01/02/07
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		01/09/07	01/08/07	01/15/07	01/10/07
Time Analysis Batch Started:		10:00	10:10	9:15	10:30
AK11334-1	MW 1	550	90	< 0.2 *	3.4
AK11334-2	MW 2	590	100	< 0.2 *	3.5
AK11334-3	MW 3	745	95	< 0.2 *	21.1
AK11334-4	PWRS	4,580	530	300	0.12
Date Analysis Batch Finished:		01/11/07	01/08/07	01/16/07	01/10/07
Time Analysis Batch Finished:		15:40	17:25	15:30	16:50
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1018	50	4.48	0.4854
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		102	100	90	97
% Extraction Accuracy		N/A	94	101	105
Relative Percent Difference		6	3	7	3

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez
Mario Rodriguez, Director.

01-17-07
Date

DP-1136

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 09/17/05
Reporting Date: 10/03/05
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: CLOVIS, NM

Sampling Date: 09/15/05
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/21/05	09/20/05	09/29/05	09/29/05
Time Analysis Batch Started:		9:40	9:30	13:20	11:45
AJ9614-1	MW 1	510	85	< 0.2 *	3.6
AJ9614-2	MW 2	555	95	< 0.2 *	3.5
AJ9614-3	PWRS	3100	260	155	0.10
Date Analysis Batch Finished:		09/22/05	09/20/05	09/30/05	09/29/05
Time Analysis Batch Finished:		12:01	14:50	11:22	15:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		980	49	4.91	0.5063
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		98	98	98	101
% Extraction Accuracy		N/A	95	96	107
Relative Percent Difference		5	0	0	1

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez
Mario Rodriguez, Director

10-05-05
Date

Revised.

Lowest WW

DP-1136

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 04/06/06
Reporting Date: 04/18/06
Project Number: DP-1136
Project Name: HERITAGE DAIRY
Project Location: CLOVIS, NM

Sampling Date: 04/05/06
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, TE

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/10/06	04/06/06	04/17/06	04/13/06
Time Analysis Batch Started:		10:05	10:25	9:40	8:20
AK10347-1	MW 1	450	85	< 0.2 *	2.1
AK10347-2	MW 2	510	135	< 0.2 *	4.1
AK10347-3	PWRS	4,035	700	415	0.06
Date Analysis Batch Finished:		04/11/06	04/06/06	04/18/06	04/13/06
Time Analysis Batch Finished:		11:30	14:05	11:25	12:45
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		994	51	4.98	0.3073
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		99	102	100	102
% Extraction Accuracy		N/A	96	92	102
Relative Percent Difference		2	0	2	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

4-18-06
Date

Highest WW