

Enviro Compliance Services, Inc.
Office: (505) 762-9674 Fax: (505) 762-3749
Providing Management Assistance for Environmental Compliance Since 1981

Title: Mickey's Dairy Facility Layout		DP-1233
Date: 7/01/2005	DWG/Doc Ref Not to Scale	Sheet No 1/1

MAY 20 2009
GROUND WATER BUREAU
DP-1233

DP-1233

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

MAY 2 0 2009

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 04/03/09 @ 0° C
Reporting Date: 04/18/09
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 04/01/09 @ 09:00
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/06/09	04/11/09	04/14/09	04/13/09
Time Analysis Batch Started:		10:20	17:00	8:30	9:30
AN14431-1	MW 1	1,225	120	0.7	5.3
AN14431-2	MW 2	1,335	100	0.8	2.6
Date Analysis Batch Finished:		04/08/09	04/11/09	04/14/09	04/13/09
Time Analysis Batch Finished:		17:25	21:00	16:45	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1026	50	5.11	1.0027
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		103	100	102	100
% Extraction Accuracy		N/A	101	96	90
Relative Percent Difference		1	0	2	0
METHODS: EPA 600/4-79-020,		160.1	SM4500B-Cl	351.4	353.3

*Less than the Minimum Detection Limit.
This report meets NELAC T104704437-08A-TX

Mario Rodriguez

Mario Rodriguez, Director.

04-18-09
Date

DP-1233

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

NOV - 5 2008

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 10/04/08 @ 1° C
Reporting Date: 10/20/08
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 10/02/08 @ 13:15
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		10/06/08	10/13/08	10/16/08	10/17/08
Time Analysis Batch Started:		15:00	13:30	9:00	15:45
AM13722-1	MW 1	1,180	125	0.9	3.3
AM13722-2	MW 2	1,980	180	1.7	2.6
Date Analysis Batch Finished:		10/07/08	10/13/08	10/16/08	10/17/08
Time Analysis Batch Finished:		17:25	17:00	17:25	17:10
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		968	50	4.75	0.7834
True Value QC		1000	50	5.00	0.7500
% Instrument Accuracy		97	100	95	104
% Extraction Accuracy		N/A	101	89	90
Relative Percent Difference		1	0	3	0

METHODS: EPA 600/4-79-020,	160.1	SM4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez
Mario Rodriguez, Director.

10-20-08
Date

DP-1233

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

JUN 16 2008

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 04/24/08 @ 3 °C
Reporting Date: 05/26/08
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 04/23/08 @ 11:40
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: ED
Analyzed By: SN, ED

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/28/08	05/06/08	04/29/08	05/02/08
Time Analysis Batch Started:		11:15	9:00	9:00	14:00
AM12993-1	MW 1	905	85	< 0.2 *	3.7
AM12993-2	MW 2	1,890	185	1.6	1.4
Date Analysis Batch Finished:		04/29/08	05/06/08	05/01/08	05/02/08
Time Analysis Batch Finished:		16:00	14:10	11:00	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		996	50	5.25	0.9834
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	105	98
% Extraction Accuracy		N/A	98	99	104
Relative Percent Difference		1	1	5	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl^-	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

05-29-08

Date

DP-1233

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

JUL 30 2008

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 06/07/08 @ 1° C
Reporting Date: 07/12/08
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 06/05/08 @ 11:00
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		06/12/08	06/19/08	06/16/08	06/19/08
Time Analysis Batch Started:		8:10	14:55	10:30	10:00
AM13172-1	MW 1	840	80	< 0.2 *	3.2
AM13172-2	MW 2	1,875	220	1.6	4.1
AM13172-3	PWRS	2,540	780	70	0.12
Date Analysis Batch Finished:		06/13/08	06/19/08	06/17/08	06/19/08
Time Analysis Batch Finished:		16:00	17:10	10:30	14:20
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1002	50	5.13	1.0473
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	103	105
% Extraction Accuracy		N/A	100	91	94
Relative Percent Difference		0	0	6	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

07-12-08
Date

DP-1233

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 01/09/08
Reporting Date: 01/19/08
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 01/07/08
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: RG
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		01/14/08	01/17/08	01/14/08	01/15/08
Time Analysis Batch Started:		8:00	10:35	8:40	10:00
AM12611-1	MW 1	1,120	105	0.3	4.4
AM12611-2	MW 2	430	20	< 0.2 *	0.3
AM12611-3	PWRS	2,160	350	125	0.09
Date Analysis Batch Finished:		01/15/08	01/17/08	01/15/08	01/15/08
Time Analysis Batch Finished:		13:45	14:30	12:25	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1002	51	5.12	1.0923
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	102	102	109
% Extraction Accuracy		N/A	104	94	98
Relative Percent Difference		1	2	3	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

01-19-08
Date

DP-1233

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 07/21/07
Reporting Date: 08/02/07
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 07/19/07
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/26/07	07/30/07	07/30/07	07/25/07
Time Analysis Batch Started:		8:30	9:45	13:30	11:00
AL12035-1	MW 1	1,125	105	0.4	5.7
AL12035-2	MW 2	1,020	90	1.1	1.8
AL12035-3	PWRS	2,810	510	60	0.11
Date Analysis Batch Finished:		07/27/07	07/30/07	07/31/07	07/25/07
Time Analysis Batch Finished:		15:30	11:30	17:20	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		980	50	4.78	0.3350
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		98	100	96	112
% Extraction Accuracy		N/A	96	97	95
Relative Percent Difference		1	3	1	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

lowest TKN

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

08-02-07
Date

DP-1233

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 07/26/06
Reporting Date: 08/03/06
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 07/25/06
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, TE

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/27/06	07/27/06	08/01/06	07/31/06
Time Analysis Batch Started:		10:33	13:09	9:48	12:30
AK10766-1	MW 1	1,120	80	< 0.2 *	4.1
AK10766-2	MW 2	760	65	< 0.2 *	3.0
AK10766-3	PWRS	3,265	470	145	0.09
Date Analysis Batch Finished:		07/28/06	07/27/06	08/01/06	07/31/06
Time Analysis Batch Finished:		9:24	14:28	16:35	15:20
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		984	51	4.93	0.5027
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		98	102	99	101
% Extraction Accuracy		N/A	101	102	103
Relative Percent Difference		1	0	2	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

8-03-06
Date

DP-1233

Recd 10-18 JS

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 07/07/05
Reporting Date: 07/18/05
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 07/05/05
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, CW

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/11/05	07/13/05	07/14/05	07/12/05
Time Analysis Batch Started:		10:00	15:10	10:30	11:00
AJ9311-1	MW 1	1,005	90	0.3	5.10
AJ9311-2	MW 2	1,180	110	0.9	40.2
Date Analysis Batch Finished:		07/12/05	07/13/05	07/15/05	07/12/05
Time Analysis Batch Finished:		10:40	16:40	15:25	14:45
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		978	51	4.99	0.9908
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	102	100	99
% Extraction Accuracy		N/A	101	93	104
Relative Percent Difference		0	3	4	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl^-	351.4	353.3

highest NO_3-N

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

07-20-05
Date

MW 2 downgradient of old lagoons

JUL 28 2005 DP-1233

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 05/21/05
Reporting Date: 05/26/05
Project Number: DP-1233
Project Name: MICKEY'S DAIRY
Project Location: ALBUQUERQUE, NM

Sampling Date: 05/20/05
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, CW

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		05/25/05	05/25/05	05/26/05	05/25/05
Time Analysis Batch Started:		12:00	13:00	10:00	13:55
AJ9145-1	MW 1	1,150	95	0.6	5.10
AJ9145-2	MW 2	1,200	110	1.1	21.40
AJ9145-3	PWRS	2,320	310	240	0.14
Date Analysis Batch Finished:		05/26/05	05/25/05	05/26/05	05/25/05
Time Analysis Batch Finished:		10:00	13:50	16:00	15:07
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1012	51	5.10	0.2831
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		101	102	102	94
% Extraction Accuracy		N/A	101	97	110
Relative Percent Difference		3	0	1	2
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

highest TKN

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

05-26-05
Date