

Enviro Compliance Services, Inc.

Office: (505) 762-9674 Fax: (505) 762-3749

Providing Management Assistance for Environmental Compliance Since 1981

Title: Sky Country Farms Overall Site Layout		DP-1250
Date: 9/12/2005	DWG/Doc Ref Scale 1"= 875'	Sheet No 1/1

DP-1250

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002563**

LABORATORY REPORT

Report Date: 09/15/2009 02:56 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Laboratory Manager

Project ID: DP-526
Project Title: SKY COUNTRY DAIRY
Sample ID: MW 2 MONITOR WELL
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 09/09/2009 12:50 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 09/07/2009 08:10 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 402081
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	3.4	mg/L	0.10	EPA 353.2	9/10/2009 11:03AM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	SM 4500-NH3 C (20th Ed)	9/14/2009	RR
Chloride, Cl	31	mg/L	1.0	EPA 325.2	9/10/2009 1:46PM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	488	mg/L	20	SM 2540 C (20th Ed.)	9/10/2009 3:01PM	MD

RL = Reporting Limit | ND = Not Detected at RL

DP-125

GROUND WATER

SEP 23 2009

BUREAU

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL002562

LABORATORY REPORT

Report Date: 09/15/2009 02:55 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Laboratory Manager

Project ID: DP-526
Project Title: SKY COUNTRY DAIRY
Sample ID: MW1 MONITOR WELL
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 09/09/2009 12:50 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 09/07/2009 09:45 am
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 402081
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	11	mg/L	0.10	EPA 353.2	9/10/2009 11:02AM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	SM 4500-NH3 C (20th Ed)	9/14/2009	RR
Chloride, Cl	17	mg/L	1.0	EPA 325.2	9/10/2009 1:45PM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	412	mg/L	20	SM 2540 C (20th Ed.)	9/10/2009 3:01PM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002564**

LABORATORY REPORT

Report Date: 09/15/2009 02:56 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-526
Project Title: SKY COUNTRY DAIRY
Sample ID: MW 3 MONITOR WELL
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 09/09/2009 12:50 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 09/07/2009 09:00 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 402081
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	16	mg/L	0.10	EPA 353.2	9/10/2009 11:03AM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	SM 4500-NH3 C (20th Ed)	9/14/2009	RR
Chloride, Cl	72	mg/L	1.0	EPA 325.2	9/10/2009 1:47PM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	728	mg/L	20	SM 2540 C (20th Ed.)	9/10/2009 3:01PM	MD

RL = Reporting Limit | ND = Not Detected at RL

09-1250

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002565**

LABORATORY REPORT

Report Date: 09/15/2009 02:56 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Laboratory Manager

Project ID: DP-526
Project Title: SKY COUNTRY DAIRY
Sample ID: PWRS EFFLUENT
Client Name: SKY COUNTRY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 09/09/2009 12:50 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 09/07/2009 08:20 am
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 402081
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	9/10/2009 11:04AM	LF
Total Kjeldahl Nitrogen, TKN	300	mg/L	38	SM 4500-NH3 C (20th Ed)	9/14/2009	RR
Chloride, Cl	220	mg/L	10	EPA 325.2	9/10/2009 1:48PM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	1730	mg/L	100	SM 2540 C (20th Ed.)	9/10/2009 3:01PM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001653**

LABORATORY REPORT

Report Date: 05/21/2009 08:56 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: SKY COUNTRY DAIRY
Project Title: DP-1250
Sample ID: MW 1
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 01:15 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	9.2	mg/L	0.10	EPA 353.2	5/20/2009 10:59AM	LF
Chloride, Cl	15	mg/L	1.0	EPA 325.2	5/20/2009 9:45AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	520	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MD

RL = Reporting Limit | ND = Not Detected at RL

DP-1250

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001654**

LABORATORY REPORT

Report Date: 05/21/2009 08:56 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: 27367
ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: SKY COUNTRY DAIRY
Project Title: DP-1250
Sample ID: MW 2
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 11:45 am
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	3.4	mg/L	0.10	EPA 353.2	5/20/2009 11:04AM	LF
Chloride, Cl	30	mg/L	1.0	EPA 325.2	5/20/2009 9:49AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	378	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001655**

LABORATORY REPORT

Report Date: 05/21/2009 08:57 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: SKY COUNTRY DAIRY
Project Title: DP-1250
Sample ID: MW 3
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 12:30 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	14	mg/L	0.10	EPA 353.2	5/20/2009 11:07AM	LF
Chloride, Cl	50	mg/L	1.0	EPA 325.2	5/20/2009 9:56AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	582	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MD

RL = Reporting Limit | ND = Not Detected at RL

DP-1250

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001656**

LABORATORY REPORT

Report Date: 05/21/2009 08:57 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: SKY COUNTRY DAIRY
Project Title: DP-1250
Sample ID: PWRS
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 11:00 am
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	5/20/2009 11:08AM	LF
Chloride, Cl	220	mg/L	10	EPA 325.2	5/20/2009 9:57AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	450	mg/L	36	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	3990	mg/L	100	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000772**

LABORATORY REPORT

Report Date: 02/20/2009 02:39 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-1250
Project Title: SKY COUNTRY DAIRY
Sample ID: MW1 MONITOR WELL
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 11:55 pm
Name of Sampler: MIKE DOLAN

Location:

Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	10	mg/L	0.10	EPA 353.2	2/17/2009 9:50AM	LF
Chloride, Cl	18	mg/L	1.0	EPA 325.2	2/17/2009 9:56AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	440	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	M

RL = Reporting Limit | ND = Not Detected at RL

C-04762

Servi-Tech Laboratories

CHAIN-OF-CUSTODY / ANALYTICAL REQUEST DOCUMENT

1602 Parkwest Drive
Hastings, NE 68901

1816 East Wyatt Earp
Dodge City, KS 67801

6921 South Bell
Amarillo, TX 79109

800-557-7509

Required Client Information: **Section A**

Company:

Addre EnviroCompliance Services, Inc.
564 SR 523
Clovis, NM 88101-1023
Ph: 575-762-9674
Fax: 575-762-3749
Phone

Required Client Information: **Section B**

Report To:

Report & Inv to:
Cathy Wyant, ECS, Inc.
Project Name & Number:
Sky Country Farms
DP-1250

Page: 1 of 1

Client Information (Check quote/contract):
Requested Due Date: *TAT:

* Turn around times less than 14 days subject to laboratory and contractual obligations and may result in a Rush Turnaround Surcharge.

Turn Around Time (TAT) in calendar days.

To Be Completed by Servi-Tech and Client **Section C**

Quote Reference:
Project Manager:
Project #:
Profile #:

Section D **Required** Client Information:

SAMPLE ID

Sample IDs MUST BE UNIQUE

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
OTHER WATER	AQ
ENV. SOIL	SL
SOLID WASTE	SW
AG SOIL	AS
FEED	FD
FERTILIZER	FT
PLANT	PT
OTHER	OT

Requested Analysis or Package: TDS, Cl, TKN, NO3

ITEM#	(Lab Use Only) LAB#	SAMPLE ID	MATRIX CODE	DATE COLLECTED (mm / dd / yy)	TIME COLLECTED (hh: mm a/p)	#Containers	Preservatives: Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	TDS	Cl	TKN	NO3	Remarks
1		MW 1 [illegible] well	AQ	10-16-08	4:00p.		✓	✓				✓	✓	✓	✓		
2		MW 2	AQ		2:15p.		✓	✓				✓	✓	✓	✓		
3		MW 3	AQ		3:15p.		✓	✓				✓	✓	✓	✓		
4		PWRS Wastewater-Lagoon Slurry	AQ		2:25p.		✓	✓				✓	✓	✓	✓		
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	

Lab Use Only Paid
Sample Acceptable Yes No
Comments: CSX
Container: U B N S H O
Temp: I °C Date/Initial:

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE signed: (MM / DD / YY)

Relinquished By / Company	Date	Time	Accepted By / Company	Date	Time

DP-1250

LEGENDS

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000773**

LABORATORY REPORT

Report Date: 02/20/2009 02:39 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-1250
Project Title: SKY COUNTRY DAIRY
Sample ID: MW2 MONITOR WELL
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 11:00 am
Name of Sampler: MIKE DOLAN

Location:

Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	3.1	mg/L	0.10	EPA 353.2	2/17/2009 9:53AM	LF
Chloride, Cl	30	mg/L	1.0	EPA 325.2	2/17/2009 9:59AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	11	mg/L	6	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	550	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	M

RL = Reporting Limit

UP-1250

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000774**

LABORATORY REPORT

Report Date: 02/20/2009 02:40 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-1250
Project Title: SKY COUNTRY DAIRY
Sample ID: MW 3 MONITORING WELL
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 12:00 pm
Name of Sampler: MIKE DOLAN

Location:

Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	20	mg/L	0.10	EPA 353.2	2/17/2009 9:54AM	LF
Chloride, Cl	83	mg/L	1.0	EPA 325.2	2/17/2009 10:00AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	892	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000775**

LABORATORY REPORT

Report Date: 02/20/2009 02:41 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-1250
Project Title: SKY COUNTRY DAIRY
Sample ID: PWRS WASTEWATER
Client Name: SKY COUNTRY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 11:15 am
Name of Sampler: MIKE DOLAN

Location:

Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	2/17/2009 9:55AM	LF
Chloride, Cl	210	mg/L	10	EPA 325.2	2/17/2009 10:01AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	460	mg/L	37	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	414	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	MD

RL = Reporting Limit | ND = Not Detected at RL

DP-1250

C-04780

Servi-Tech Laboratories

CHAIN-OF-CUSTODY / ANALYTICAL REQUEST DOCUMENT

1602 Parkwest Drive
Hastings, NE 68901

1816 East Wyatt Earp
Dodge City, KS 67801

6921 South Bell
Amarillo, TX 79109

800-557-7509

Required Client Information: **Section A**

Company:

Address: EnviroCompliance Services, Inc.
564 SR 523
Clovis, NM 88101-1023
Ph: 575-762-9674
Fax: 575-762-3749

Phone:

Required Client Information: **Section B**

Report To:

Report & Inv to:
Cathy Wyant, ECS, Inc.
Project Name & Number:
Midway Dairy
DP-932

Page: of

Client Information (Check quote/contract):

Requested Due Date: *TAT:

* Turn around times less than 14 days subject to laboratory and contractual obligations and may result in a Rush Turnaround Surcharge.

Turn Around Time (TAT) in calendar days.

To Be Completed by Servi-Tech and Client **Section C**

Quote Reference:

Project Manager:

Project #:

Profile #:

Section D **Required** Client Information:

SAMPLE ID

Sample IDs MUST BE UNIQUE

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
OTHER WATER	AQ
ENV. SOIL	SL
SOLID WASTE	SW
AG SOIL	AS
FEED	FD
FERTILIZER	FT
PLANT	PT
OTHER	OT

ITEM#	(Lab Use Only) LAB#	SAMPLE ID	MATRIX CODE	DATE COLLECTED (mm / dd / yy)	TIME COLLECTED (hh: mm a/p)	#Containers	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Requested Analysis or Package:	Remarks
1				2-10-09	3:00 p.									
2					4:00p.									
3					1:30p									
4					2:5p.									
5					2:30p.									
6														
7														
8														
9														
10														
11														
12														

Preservatives

Lab Use Only Paid

Sample Acceptable Yes No

Comments: CSX

Container: U B N S H O

Temp: I °C Date/Initial:

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER: DATE signed: (MM / DD / YY)

Relinquished By / Company	Date	Time	Accepted By / Company	Date	Time

LEGENDS

Servi-Tech Laboratories
6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000156**

LABORATORY REPORT

Report Date: 10/29/2008 02:30 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-1250
Project Title: SKY COUNTRY DAIRY
Sample ID: MW 1
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 04:00 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	10	mg/L	0.10	EPA 353.2	10/22/2008 1:40PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	10/29/2008	RR
Chloride, Cl	16	mg/L	1.0	EPA 325.2	10/22/2008 1:57PM	LF
Total Dissolved Solids, TDS	380	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

DP-1250

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories
6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000157**

LABORATORY REPORT

Report Date: 10/29/2008 02:31 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-1250
Project Title: SKY COUNTRY DAIRY
Sample ID: MW 2
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 02:15 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	3.9	mg/L	0.10	EPA 353.2	10/22/2008 1:41PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	10/29/2008	RR
Chloride, Cl	31	mg/L	1.0	EPA 325.2	10/22/2008 1:59PM	LF
Total Dissolved Solids, TDS	500	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000158**

LABORATORY REPORT

Report Date: 10/31/2008 03:28 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-1250
Project Title: SKY COUNTRY DAIRY
Sample ID: MW 3
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 03:15 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	20	mg/L	0.10	EPA 353.2	10/22/2008 1:45PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	10/30/2008	RR
Chloride, Cl	68	mg/L	1.0	EPA 325.2	10/22/2008 2:03PM	LF
Total Dissolved Solids, TDS	722	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000159**

LABORATORY REPORT

Report Date: 10/31/2008 03:28 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-1250
Project Title: SKY COUNTRY DAIRY
Sample ID: PWRS
Client Name: SKY COUNTRY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 02:25 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	10/22/2008 1:48PM	LF
Total Kjeldahl Nitrogen, TKN	330	mg/L	38	EPA 351.3	10/30/2008	RR
Chloride, Cl	260	mg/L	10	EPA 325.2	10/22/2008 2:07PM	LF
Total Dissolved Solids, TDS	3070	mg/L	100	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002247**

LABORATORY REPORT

Report Date: 08/25/2008 02:50 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: SKY COUNTRY DAIRY
Project Title: DP-1250
Sample ID: PWRS
Client Name: SKY COUNTRY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 08/07/2008 04:10 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/06/2008 02:30 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401152
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	0.31	mg/L	0.10	EPA 353.2	8/11/2008 1:24PM	LF
Total Kjeldahl Nitrogen, TKN	400	mg/L	40	EPA 351.3	8/19/2008	RR
Chloride, Cl	260	mg/L	10	EPA 325.2	8/11/2008 2:27PM	LF
Total Dissolved Solids, TDS	3160	mg/L	50	SM 2540 C (20th Ed.)	8/22/2008	KC

RL = Reporting Limit

DP-1250

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002246**

LABORATORY REPORT

Report Date: 08/25/2008 02:50 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: SKY COUNTRY DAIRY
Project Title: DP-1250
Sample ID: MW 3
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/07/2008 04:10 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/06/2008 03:10 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401152
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	18	mg/L	0.10	EPA 353.2	8/11/2008 1:12PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	8/19/2008	RR
Chloride, Cl	59	mg/L	1.0	EPA 325.2	8/11/2008 2:26PM	LF
Total Dissolved Solids, TDS	790	mg/L	20	SM 2540 C (20th Ed.)	8/22/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002245**

LABORATORY REPORT

Report Date: 08/25/2008 02:50 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: SKY COUNTRY DAIRY
Project Title: DP-1250
Sample ID: MW 2
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/07/2008 04:10 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/06/2008 02:15 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401152
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	3.5	mg/L	0.10	EPA 353.2	8/11/2008 1:09PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	8/15/2008	RR
Chloride, Cl	30	mg/L	1.0	EPA 325.2	8/11/2008 2:22PM	LF
Total Dissolved Solids, TDS	524	mg/L	20	SM 2540 C (20th Ed.)	8/22/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

DP-1250

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002244**

LABORATORY REPORT

Report Date: 08/25/2008 02:49 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: SKY COUNTRY DAIRY
Project Title: DP-1250
Sample ID: MW 1
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/07/2008 04:10 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/06/2008 04:00 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 401152
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	5.9	mg/L	0.10	EPA 353.2	8/11/2008 1:06PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	8/15/2008	RR
Chloride, Cl	12	mg/L	1.0	EPA 325.2	8/11/2008 2:13PM	LF
Total Dissolved Solids, TDS	396	mg/L	20	SM 2540 C (20th Ed.)	8/22/2008	KC

DP 1250

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**001466**

LABORATORY REPORT

Report Date: 08/22/2007 05:27 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: SKY COUNTRY FARMS
Project Title: 10-1-07
Sample ID: MW 3
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/01/2007 09:00 am
Name of Submitter: MICHAEL DOLAN
Date/Time Sampled: 07/30/2007 03:20 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 400523
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	23	mg/L	1.0	EPA 353.2	8/1/2007 2:34PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	8/2/2007	RR
Chloride, Cl	77	mg/L	1.0	EPA 325.2	8/22/2007 11:53AM	LF
Total Dissolved Solids, TDS	704	mg/L	20	SM 2540 C (20th Ed.)	8/6/2007	KC

DP-1250

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**001464**

LABORATORY REPORT

Report Date: 08/22/2007 05:27 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: SKY COUNTRY FARMS
Project Title: 10-1-07
Sample ID: MW 1
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/01/2007 09:00 am
Name of Submitter: MICHAEL DOLAN
Date/Time Sampled: 07/30/2007 04:00 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 400523
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	13	mg/L	0.10	EPA 353.2	8/1/2007 2:24PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	8/2/2007	RR
Chloride, Cl	18	mg/L	1.0	EPA 325.2	8/22/2007 11:49AM	LF
Total Dissolved Solids, TDS	450	mg/L	20	SM 2540 C (20th Ed.)	8/6/2007	KC

DP-1250

Upgradient MW associated with highest NO_3-N reported

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**001467**

LABORATORY REPORT

Report Date: 08/22/2007 05:28 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: SKY COUNTRY FARMS
Project Title: 10-1-07
Sample ID: PWRS
Client Name: SKY COUNTRY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 08/01/2007 09:00 am
Name of Submitter: MICHAEL DOLAN
Date/Time Sampled: 07/30/2007 02:00 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 400523
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	8.0	mg/L	0.10	EPA 353.2	8/1/2007 2:27PM	LF
Total Kjeldahl Nitrogen, TKN	510	mg/L	14	EPA 351.3	8/2/2007	RR
Chloride, Cl	190	mg/L	10	EPA 325.2	8/22/2007 11:54AM	LF
Total Dissolved Solids, TDS	4660	mg/L	200	SM 2540 C (20th Ed.)	8/7/2007	KC

RL = Reporting Limit

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**001466**

LABORATORY REPORT

Report Date: 08/22/2007 05:27 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: SKY COUNTRY FARMS
Project Title: 10-1-07
Sample ID: MW 3
Client Name: SKY COUNTRY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/01/2007 09:00 am
Name of Submitter: MICHAEL DOLAN
Date/Time Sampled: 07/30/2007 03:20 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 400523
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	23	mg/L	1.0	EPA 353.2	8/1/2007 2:34PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	8/2/2007	RR
Chloride, Cl	77	mg/L	1.0	EPA 325.2	8/22/2007 11:53AM	LF
Total Dissolved Solids, TDS	704	mg/L	20	SM 2540 C (20th Ed.)	8/6/2007	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002565**

LABORATORY REPORT

Report Date: 09/15/2009 02:56 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: ~~DP-526~~
Project Title: SKY COUNTRY DAIRY
Sample ID: PWRS EFFLUENT
Client Name: SKY COUNTRY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 09/09/2009 12:50 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 09/07/2009 08:20 am
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 402081
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	9/10/2009 11:04AM	LF
Total Kjeldahl Nitrogen, TKN	300	mg/L	38	SM 4500-NH3 C (20th Ed)	9/14/2009	RR
Chloride, Cl	220	mg/L	10	EPA 325.2	9/10/2009 1:48PM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	1730	mg/L	100	SM 2540 C (20th Ed.)	9/10/2009 3:01PM	MD

Low TKN

DP-1250

RL = Reporting Limit | ND = Not Detected at RL