DP-1268



WCL/DOC. REF 1cm = 132'	SHEET No	REVISIONS	TITLE Just Fine Dairy Overall Site Layout	EnviroCompliance Services, Inc.

EXHIBIT L.1

DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

NOV 1 3 2008

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 09/13/08 @ 1° C
Reporting Date: 10/12/08
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 09/11/08 @ 10:20
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/16/08	09/22/08	09/25/08	09/25/08
Time Analysis Batch Started:		16:35	15:15	8:45	10:30
AM13626-1	MW 1	520	35	< 0.2 *	1.5
AM13626-2	MW 2	740	70	< 0.2 *	2.3
AM13626-3	MW 3	615	65	< 0.2 *	1.8
Date Analysis Batch Finished:		09/18/08	09/22/08	09/26/08	09/25/08
Time Analysis Batch Finished:		17:25	17:25	15:00	16:45
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		996	50	4.79	0.9255
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	96	93
% Extraction Accuracy		N/A	101	93	90
Relative Percent Difference		1	0	6	2

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

10/12/08

Mario Rodriguez, Director.

Date

DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 05/31/08 @ 1° C
Reporting Date: 06/11/08
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 05/29/08 @ 10:00
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		06/03/08	06/09/08	06/05/08	06/10/08
Time Analysis Batch Started:		11:30	11:50	8:40	12:10
AM13130-1	MW 1	390	45	0.3	1.6
AM13130-2	MW 2	735	80	< 0.2 *	1.8
AM13130-3	MW 3	510	60	< 0.2 *	1.3
Date Analysis Batch Finished:		06/04/08	06/09/08	06/06/08	06/10/08
Time Analysis Batch Finished:		10:50	12:20	16:55	17:20
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		998	50	5.03	1.0294
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	101	103
% Extraction Accuracy		N/A	100	90	85
Relative Percent Difference		4	0	0	2
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

06-11-08

Date

DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

MAY 12 2008

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 04/16/08 @ 0° C
Reporting Date: 04/29/08
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 04/15/08 @ 10:00
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/21/08	04/24/08	04/24/08	04/22/08
Time Analysis Batch Started:		10:50	10:10	8:45	13:30
AM12962-1	MW 1	380	40	0.4	1.5
AM12962-2	MW 2	705	80	0.5	2.8
AM12962-3	MW 3	620	75	< 0.2 *	2.7
Date Analysis Batch Finished:		04/22/08	04/24/08	04/24/08	04/22/08
Time Analysis Batch Finished:		10:45	14:00	16:40	17:25
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		992	50	5.62	1.0337
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		99	100	112	103
% Extraction Accuracy		N/A	97	90	107
Relative Percent Difference		0	0	2	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

04-29-08
Date

DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 01/03/08
Reporting Date: 01/19/08
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 01/02/08
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		01/08/08	01/08/08	01/10/08	01/04/08
Time Analysis Batch Started:		14:45	10:30	14:30	7:45
AM12588-1	MW 1	395	40	0.2	2.1
AM12588-2	MW 2	680	70	0.4	2.9
AM12588-3	MW 3	520	55	< 0.2 *	2.2
Date Analysis Batch Finished:		01/09/08	01/08/08	01/11/08	01/04/08
Time Analysis Batch Finished:		16:35	14:00	15:45	11:45
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		986	50	5.20	0.4616
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		99	100	104	92
% Extraction Accuracy		N/A	102	95	107
Relative Percent Difference		2	0	3	1

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

01-19-08

Date

DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 03/13/04
Reporting Date: 03/23/04
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 03/11/04
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: LR, CW

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		03/18/04	03/18/04	03/22/04	03/18/04
Time Analysis Batch Started:		13:00	15:50	9:45	9:00
AI7287-1	MW 1	420	41	< 0.2 *	1.7
AI7287-2	MW 2	610	65	< 0.2 *	3.4
AI7287-3	MW 3	440	42	0.2	2.0
AI7287-4	PWRS	1445	2900	257	0.40
Date Analysis Batch Finished:		03/19/04	03/18/04	03/22/04	03/18/04
Time Analysis Batch Finished:		14:50	17:20	17:45	16:25
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		946	51	4.94	0.9223
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		95	102	99	92
% Extraction Accuracy		N/A	99	98	90
Relative Percent Difference		1	2	6	3

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl^-	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez
Mario Rodriguez, Director.

03-23-04
Date

DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock, Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 09/01/03
Reporting Date: 09/15/03
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 08/30/03
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: MJ, CL.

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/03/03	09/12/03	09/10/03	09/11/03
Time Analysis Batch Started:		15:15	9:30	8:10	8:30
AH6640-1	MW 1	405	35	< 0.2 *	0.94
AH6640-2	MW 2	740	95	< 0.2 *	3.4
AH6640-3	MW 3	595	64	< 0.2 *	0.91
AH6640-4	PWRS	15375	150	452	0.09
Date Analysis Batch Finished:		09/04/03	09/12/03	09/10/03	09/11/03
Time Analysis Batch Finished:		10:05	11:30	15:30	12:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		946	51	4.98	0.4999
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		95	102	100	100
% Extraction Accuracy		N/A	101	94	98
Relative Percent Difference		4	3	1	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

09/15/03

Date

5-1-03 Report
Lab Results
DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 04/11/03
Reporting Date: 04/25/03
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 04/09/03
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: MJ, BS

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/15/03	04/25/03	04/23/03	04/24/03
Time Analysis Batch Started:		12:30	16:25	12:00	10:45
AH6084-1	MW 1	435	40	< 0.2 *	0.70
AH6084-2	MW 2	725	82	0.3	2.5
AH6084-3	MW 3	580	70	0.3	0.89
AH6084-4	PWRS	13100	5400	1144	0.25
Date Analysis Batch Finished:		04/16/03	04/25/03	04/23/03	04/24/03
Time Analysis Batch Finished:		9:30	18:45	17:00	17:40
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		966	50	5.19	0.4832
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		97	100	104	97
% Extraction Accuracy		N/A	103	110	108
Relative Percent Difference		2	3	6	10
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

04/25/03

Mario Rodriguez, Director.

Date

DP-1268

Advanced Analysis & Laboratory Services

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 10/09/01
Reporting Date: 10/22/02
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 10/08/01
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: MJ, NW

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		10/14/02	10/21/02	10/15/02	10/11/02
Time Analysis Batch Started:		9:45	14:30	8:45	15:00
AG5417-1	MW 1	430	42	0.3	1.2
AG5417-2	MW 2	730	93	0.6	0.5
AG5417-3	MW 3	610	73	0.6	1.5
AG5417-4	PWRS	27150	6400	748	0.2
Date Analysis Batch Finished:		10/15/02	10/21/02	10/15/02	10/11/02
Time Analysis Batch Finished:		11:53	17:00	14:40	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		908	51	5.19	0.5314
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		91	102	104	106
% Extraction Accuracy		N/A	101	99	108
Relative Percent Difference		1	0	3	0

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl⁻	351.4	353.3

Mario Rodriguez

Mario Rodriguez, Chemist

10/22/02

Date

DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

AUG 2 3 2007

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 07/13/07
Reporting Date: 07/23/07
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 07/11/07
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/16/07	07/19/07	07/17/07	07/17/07
Time Analysis Batch Started:		13:00	13:00	11:30	11:00
AL11996-1	MW 1	420	40	< 0.2 *	2.3
AL11996-2	MW 2	735	70	< 0.2 *	3.6
AL11996-3	MW 3	505	50	< 0.2 *	2.2
Date Analysis Batch Finished:		07/17/07	07/19/07	07/19/07	07/17/07
Time Analysis Batch Finished:		17:27	16:45	15:40	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1000	50	4.99	0.5012
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		100	100	100	100
% Extraction Accuracy		N/A	101	101	92
Relative Percent Difference		1	0	3	3

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

07-23-07

Date

5-1-03 Report
Lab Results
DP-1268

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 04/11/03
Reporting Date: 04/25/03
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 04/09/03
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: MJ, BS

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/15/03	04/25/03	04/23/03	04/24/03
Time Analysis Batch Started:		12:30	16:25	12:00	10:45
AH6084-1	MW 1	435	40	< 0.2 *	0.70
AH6084-2	MW 2	725	82	0.3	2.5
AH6084-3	MW 3	580	70	0.3	0.89
AH6084-4	PWRS	13100	5400	1144	0.25
Date Analysis Batch Finished:		04/16/03	04/25/03	04/23/03	04/24/03
Time Analysis Batch Finished:		9:30	18:45	17:00	17:40
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		966	50	5.19	0.4832
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		97	100	104	97
% Extraction Accuracy		N/A	103	110	108
Relative Percent Difference		2	3	6	10
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

04/25/03

Mario Rodriguez, Director.

Date

DP-1268

Advanced Analysis & Laboratory Services

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

NOV 28 2001
GROUND WATER BUREAU

Receiving Date: 10/25/01
Reporting Date: 11/07/01
Project Number: DP-1268
Project Name: JUST FINE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 10/24/01
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RH, GV, BC

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
ANALYSIS DATE:		10/29/01	10/26/01	11/02/01	10/29/01
AF4208-1	MW 1	440	44	< 0.2 *	1.8
AF4208-2	PWRS	3900	300	219	4.0
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		980	50	4.76	0.3153
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		99	100	95	105
% Extraction Accuracy		N/A	101	93	92
Relative Percent Difference		3	3	16	2
METHODS: EPA 600/4-79-020,		160.1	4500B	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez, Chemist

11/07/01
Date