DP-1302



Enviro Compliance Services, Inc.

Office: (505) 762-9674 Fax: (505) 762-3749

Providing Management Assistance for Environmental Compliance Since 1981

Title: New Direction Dairy Overall Site Layout		DP-1302
Date: 10/10/03	DWG/Doc Ref Not to Scale	Sheet No 1/1

EXHIBIT L.1.

Recent GW

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 02/20/09 @ 4° C
Reporting Date: 02/28/09
Project Number: DP-1302
Project Name: BOS DAIRY NORTH
Project Location: LOVINGTON, NM

Sampling Date: 02/14/09 @ 10:00
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		02/23/09	02/20/09	02/24/09	02/27/09
Time Analysis Batch Started:		10:30	14:50	9:30	10:30
AN14262-1	MW 2	375	30	0.4	1.0
AN14262-2	MW 3	420	35	0.3	0.02
AN14262-3	PWRS	3,700	530	250	0.12
Date Analysis Batch Finished:		02/24/09	02/20/09	02/25/09	02/27/09
Time Analysis Batch Finished:		13:30	17:20	17:00	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1014	50	4.91	1.0416
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		101	100	98	104
% Extraction Accuracy		N/A	99	99	103
Relative Percent Difference		2	0	4	1
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl	351.4	353.3

This report meets NELAC T104704437-08A-TX

Mario Rodriguez
Mario Rodriguez, Director

02-28-09
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 09/13/08 @ 1° C
Reporting Date: 10/12/08
Project Number: DP-1302
Project Name: BOS DAIRY NORTH
Project Location: LOVINGTON, NM

Sampling Date: 09/11/08 @ 7:45
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/16/08	09/22/08	09/25/08	09/16/08
Time Analysis Batch Started:		16:35	15:15	8:45	9:00
AM13625-1	MW 1	815	175	< 0.2 *	8.1
AM13625-2	MW 2	385	35	< 0.2 *	1.1
AM13625-3	MW 3	400	35	< 0.2 *	0.01
AM13625-4	PWRS	5,000	725	95	0.16
Date Analysis Batch Finished:		09/18/08	09/22/08	09/25/08	09/16/08
Time Analysis Batch Finished:		17:25	17:25	15:00	12:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		996	50	4.79	0.4833
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		100	100	96	97
% Extraction Accuracy		N/A	101	93	90
Relative Percent Difference		1	0	6	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Miimum Detection Limit.

Mario Rodriguez

10/12/08

Mario Rodriguez, Director

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 01/03/08
Reporting Date: 01/19/08
Project Number: DP-1302
Project Name: NEW DIRECTION DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 01/02/08
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		01/08/08	01/08/08	01/10/08	01/04/08
Time Analysis Batch Started:		14:45	10:30	14:30	7:45
AM12590-1	MW 1	860	170	0.4	11.1
AM12590-2	MW 2	410	50	0.3	1.8
AM12590-3	MW 3	430	45	< 0.2 *	0.01
Date Analysis Batch Finished:		01/09/08	01/08/08	01/11/08	01/04/08
Time Analysis Batch Finished:		16:35	14:00	15:45	11:45
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		986	50	5.20	0.4616
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		99	100	104	92
% Extraction Accuracy		N/A	102	95	107
Relative Percent Difference		2	0	3	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

01-19-08

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 10/25/12
Reporting Date: 10/31/07
Project Number: DP-1302
Project Name: NEW DIRECTION DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 10/23/07
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: RG
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		10/29/07	10/30/07	10/29/07	10/26/07
Time Analysis Batch Started:		10:45	9:00	13:00	13:00
AL12365-1	MW 1	860	165	0.3	10.9
AL12365-2	MW 2	400	55	< 0.2 *	1.3
AL12365-3	MW 3	405	50	0.2	< 0.01 *
AL12365-4	PWRS	5,050	1,150	275	0.38
Date Analysis Batch Finished:		10/30/07	10/30/07	10/30/07	10/26/07
Time Analysis Batch Finished:		11:15	12:00	16:15	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		978	50	5.12	1.0407
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	100	102	104
% Extraction Accuracy		N/A	100	98	96
Relative Percent Difference		1	0	3	3

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

10-31-07
Date

Recent WW

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 02/20/09 @ 4° C
Reporting Date: 02/28/09
Project Number: DP-1302
Project Name: BOS DAIRY NORTH
Project Location: LOVINGTON, NM

Sampling Date: 02/14/09 @ 10:00
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		02/23/09	02/20/09	02/24/09	02/27/09
Time Analysis Batch Started:		10:30	14:50	9:30	10:30
AN14262-1	MW 2	375	30	0.4	1.0
AN14262-2	MW 3	420	35	0.3	0.02
AN14262-3	PWRS	3,700	530	250	0.12
Date Analysis Batch Finished:		02/24/09	02/20/09	02/25/09	02/27/09
Time Analysis Batch Finished:		13:30	17:20	17:00	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1014	50	4.91	1.0416
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		101	100	98	104
% Extraction Accuracy		N/A	99	99	103
Relative Percent Difference		2	0	4	1
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl⁻	351.4	353.3

This report meets NELAC T104704437-08A-TX

Mario Rodriguez

Mario Rodriguez, Director

02-28-09
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 09/13/08 @ 1° C
Reporting Date: 10/12/08
Project Number: DP-1302
Project Name: BOS DAIRY NORTH
Project Location: LOVINGTON, NM

Sampling Date: 09/11/08 @ 7:45
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/16/08	09/22/08	09/25/08	09/16/08
Time Analysis Batch Started:		16:35	15:15	8:45	9:00
AM13625-1	MW 1	815	175	< 0.2 *	8.1
AM13625-2	MW 2	385	35	< 0.2 *	1.1
AM13625-3	MW 3	400	35	< 0.2 *	0.01
AM13625-4	PWRS	5,000	725	95	0.16
Date Analysis Batch Finished:		09/18/08	09/22/08	09/25/08	09/16/08
Time Analysis Batch Finished:		17:25	17:25	15:00	12:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		996	50	4.79	0.4833
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		100	100	96	97
% Extraction Accuracy		N/A	101	93	90
Relative Percent Difference		1	0	6	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Miimum Detection Limit.

Mario Rodriguez

10/12/08

Mario Rodriguez, Director.

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 10/25/12
Reporting Date: 10/31/07
Project Number: DP-1302
Project Name: NEW DIRECTION DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 10/23/07
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: RG
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		10/29/07	10/30/07	10/29/07	10/26/07
Time Analysis Batch Started:		10:45	9:00	13:00	13:00
AL12365-1	MW 1	860	165	0.3	10.9
AL12365-2	MW 2	400	55	< 0.2 *	1.3
AL12365-3	MW 3	405	50	0.2	< 0.01 *
AL12365-4	PWRS	5,050	1,150	275	0.38
Date Analysis Batch Finished:		10/30/07	10/30/07	10/30/07	10/26/07
Time Analysis Batch Finished:		11:15	12:00	16:15	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		978	50	5.12	1.0407
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	100	102	104
% Extraction Accuracy		N/A	100	98	96
Relative Percent Difference		1	0	3	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

10-31-07

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 04/06/12
Reporting Date: 04/23/07
Project Number: DP-1302
Project Name: NEW DIRECTION DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 04/04/07
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/10/07	04/19/07	04/16/07	04/19/07
Time Analysis Batch Started:		14:30	10:00	8:40	10:30
AL11676-1	MW1	870	175	< 0.2 *	9.9
AL11676-2	MW2	440	55	< 0.2 *	1.2
AL11676-3	MW 3	445	55	< 0.2 *	0.03
AL11676-4	PWRS	3,500	460	290	0.06
Date Analysis Batch Finished:		04/12/07	04/19/07	04/17/07	04/19/07
Time Analysis Batch Finished:		10:55	15:30	14:45	16:50
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		976	50	5.61	1.0914
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	100	112	109
% Extraction Accuracy		N/A	100	103	106
Relative Percent Difference		0	0	5	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

04/23/07

Date

DP-1302

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 09/13/08 @ 1° C
Reporting Date: 10/12/08
Project Number: DP-1302
Project Name: BOS DAIRY NORTH
Project Location: LOVINGTON, NM

Sampling Date: 09/11/08 @ 7:45
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/16/08	09/22/08	09/25/08	09/16/08
Time Analysis Batch Started:		16:35	15:15	8:45	9:00
AM13625-1	MW 1	815	175	< 0.2 *	8.1
AM13625-2	MW 2	385	35	< 0.2 *	1.1
AM13625-3	MW 3	400	35	< 0.2 *	0.01
AM13625-4	PWRS	5,000	725	95	0.16
Date Analysis Batch Finished:		09/18/08	09/22/08	09/25/08	09/16/08
Time Analysis Batch Finished:		17:25	17:25	15:00	12:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		996	50	4.79	0.4833
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		100	100	96	97
% Extraction Accuracy		N/A	101	93	90
Relative Percent Difference		1	0	6	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl^-	351.4	353.3

*Less than the Miimum Detection Limit.

Mario Rodriguez

10/12/08

Mario Rodriguez, Director

Date

Forest WW

DP-1302

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 04/11/03
Reporting Date: 04/25/03
Project Number: DP-1302
Project Name: NEW DIRECTION DAIRY
Project Location: LOVINGTON, NM 88260

Sampling Date: 04/09/03
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: BS, MJ

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		04/15/03	04/25/03	04/23/03	04/24/03
Time Analysis Batch Started:		12:30	16:25	12:00	10:45
AH6085-1	MW1	950	200	0.7	8.0
AH6085-2	MW2	425	38	< 0.2 *	1.0
AH6085-3	MW 3	455	40	< 0.2 *	0.02
AH6085-4	PWRS	2140	320	378	0.11
Date Analysis Batch Finished:		04/16/03	04/25/03	04/23/03	04/24/03
Time Analysis Batch Finished:		9:30	18:45	17:00	17:40
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		966	50	5.19	0.4832
True Value QC		1000	50	5.00	0.5
% Instrument Accuracy		97	100	104	97
% Extraction Accuracy		N/A	103	110	108
Relative Percent Difference		2	3	6	10
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

04/25/03

Mario Rodriguez, Chemist

Date

Highest WW

DP-1302

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 01/03/08
Reporting Date: 01/19/08
Project Number: DP-1302
Project Name: NEW DIRECTION DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 01/02/08
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		01/08/08	01/08/08	01/10/08	01/04/08
Time Analysis Batch Started:		14:45	10:30	14:30	7:45
AM12590-1	MW 1	860	170	0.4	11.1
AM12590-2	MW 2	410	50	0.3	1.8
AM12590-3	MW 3	430	45	< 0.2 *	0.01
Date Analysis Batch Finished:		01/09/08	01/08/08	01/11/08	01/04/08
Time Analysis Batch Finished:		16:35	14:00	15:45	11:45
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		986	50	5.20	0.4616
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		99	100	104	92
% Extraction Accuracy		N/A	102	95	107
Relative Percent Difference		2	0	3	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

01-19-08
Date

Highest GW MW-2
Lagoon

DP-1302

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 07/13/12
Reporting Date: 07/23/07
Project Number: DP-1302
Project Name: NEW DIRECTION DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 07/11/07
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/16/07	07/19/07	07/17/07	07/17/07
Time Analysis Batch Started:		13:00	13:00	11:30	11:00
AL11997-1	MW 1	835	140	< 0.2 *	11.7
AL11997-2	MW 2	410	55	< 0.2 *	1.7
AL11997-3	MW 3	395	35	< 0.2 *	0.04
Date Analysis Batch Finished:		07/17/07	07/19/07	07/19/07	07/17/07
Time Analysis Batch Finished:		17:27	16:45	15:40	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1000	50	4.99	0.5012
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		100	100	100	100
% Extraction Accuracy		N/A	101	101	92
Relative Percent Difference		1	0	3	3

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

07-23-07
Date

Highest GW, MW-1 upgradient