

DP-1350

Water and Agricultural Testing Lab

New Mexico State University

Box 30003

Las Cruces, NM 88003

(505) 646-4422

Page 1 of 2

Report # 0802071343

Date: 02/07/08

GROUND WATER

ANALYTICAL REPORT

FEB 27 2008

To: Loma Parda Dairy . 267-5901
 P.O. Box 306
 Derry, NM 87933

BUREAU

Purchase Order #

Below are the results for submitted sample(s).

(MDL=Method detection limit)

Sample I.D. AC04234

Sample Description: MW #1

Sample collection date: 01/18/08

Sample collection time: 09:00

Submittal date: 01/18/08

Submittal time: 14:02

WSS# Request ID No.

Collector: HERMAN ORTI

Sample Purpose: Compliance

Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	107.2	mg/L	1.7	02/05/08	CAW
Total Dissolved Solids	SM 2540C	1116	mg/L	27	01/24/08	BJH
Nitrate/nitrite as N	353.2	10.94	mg/L	0.03	02/01/08	CAW
Water Kjeldahl Nitrogen	351.2	0.5	mg/L	0.5	02/06/08	BJH

Sample I.D. AC04235

Sample Description: MW #2

Sample collection date: 01/18/08

Sample collection time: 09:00

Submittal date: 01/18/08

Submittal time: 14:02

WSS# Request ID No.

Collector: HERMAN ORTI

Sample Purpose: Compliance

Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	104.5	mg/L	1.7	02/05/08	CAW
Total Dissolved Solids	SM 2540C	1110	mg/L	27	01/31/08	BJH
Nitrate/nitrite as N	353.2	10.62	mg/L	0.03	02/01/08	CAW
Water Kjeldahl Nitrogen	351.2	0.5	mg/L	0.5	02/06/08	BJH

2-29-08

DP-1350
Sarah

HERMAN E. ORTIZ
ATTORNEY AT LAW
P.O. BOX 75
GARFIELD, NM 87936
TEL/FAX: (575) 267-5901

GROUND WATER

FEB 27 2008

BUREAU

FACSIMILE TRANSMITTAL SHEET

TO: NMEID	FROM: Rita
ATTN: Ms. Magan	DATE: 02/26/08
FAX NUMBER: (575) 827-2965	CC:
RE: Loma Parda Dairy	TOTAL NO. OF PAGES INCLUDING COVER: 3

- URGENT
 FOR REVIEW
 PLEASE COMMENT
 PLEASE REPLY
 PLEASE RECYCLE

NOTES:

Attached herewith is the Analytical Report. Thank you.

This transmission sheet and the documents accompanying it contain confidential information, which is legally privileged. The information is intended only for the use of the recipient named above. If you have received this facsimile transmission in error, please notify us by telephone to arrange for the return of the original and any accompanying documents to us. You are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents hereof is strictly prohibited.

Page 2 of 2
Report #0802071343

Sample I.D. AC04236

Sample Description: MW #3

Sample collection date: 01/18/08

Sample collection time: 09:00

Submittal date: 01/18/08

Submittal time: 14:02

WSS# Request ID No.

Collector: HERMAN ORTI

Sample Purpose: Compliance

Sampling Information: Grab

GROUND WATER

FEB 27 2008

BUREAU

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	186.3	mg/L	1.7	02/05/08	CAW
Total Dissolved Solids	SM 2540C	2594	mg/L	27	01/31/08	BJH
Nitrate/nitrite as N	353.2	14.79	mg/L	0.03	02/01/08	CAW
Water Kjeldahl Nitrogen	351.2	1.3	mg/L	0.5	02/06/08	BJH

Sample I.D. AC04237

Sample Description: Lagoon

Sample collection date: 01/18/08

Sample collection time: 09:00

Submittal date: 01/18/08

Submittal time: 14:02

WSS# Request ID No.

Collector: HERMAN ORTI

Sample Purpose: Compliance

Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	384.7	mg/L	1.7	02/05/08	CAW
Total Dissolved Solids	SM 2540C	3542	mg/L	27	01/31/08	BJH
Nitrate/nitrite as N	353.2	0.26	mg/L	0.03	02/01/08	CAW
Water Kjeldahl Nitrogen	351.2	158.4	mg/L	0.5	02/06/08	BJH

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.

Respectfully submitted,


Laboratory Manager
(505) 646-4422

DP-1350
Sarah

DP-1350

HERMAN E. ORTIZ
ATTORNEY AT LAW
P.O. BOX 75
GARFIELD, NM 87936
TEL/FAX: (505) 267-5901

GROUND WATER

OCT 05 2007

BUREAU

FACSIMILE TRANSMITTAL SHEET

TO: NMEID	FROM: Rita
ATTN: Ms. Magan	DATE: 10/04/07
FAX NUMBER: (505) 827-2965	CC:
RE: Loma Parda Dairy	TOTAL NO. OF PAGES INCLUDING COVER: 3

- URGENT
 FOR REVIEW
 PLEASE COMMENT
 PLEASE REPLY
 PLEASE RECYCLE

NOTES:

Attached herewith is the Analytical Report. Thank you.

This transmission sheet and the documents accompanying it contain confidential information, which is legally privileged. The information is intended only for the use of the recipient named above. If you have received this facsimile transmission in error, please notify us by telephone to arrange for the return of the original and any accompanying documents to us. You are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents hereof is strictly prohibited.

DP-1350

Soil **W**ater and **A**gricultural **T**esting **L**ab
New Mexico State University
BOX 30003
Las Cruces, NM 88003
(505) 646-4422

Page 1 of 2
 Report # 070921556

Date: 09/21/07

ANALYTICAL REPORT

To: Loma Parda Dairy
 P.O. Box 306
 Derry, NM 87933

267-5901

Purchase Order #

Below are the results for submitted sample(s).

(MDL= Method detection limit)

Sample I.D. AC00619

Sample Description: MW #1 Loma Parda Dairy
 Sample collection date: 09/10/07 Sample collection time: 10:00
 Submittal date: 09/10/07 Submittal time: 16:14
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	119.1	mg/L	1.7	09/19/07	CAW
Total Dissolved Solids	SM 2540C	1091	mg/L	27	09/11/07	BJH
Nitrate/nitrite as N	353.2	8.92	mg/L	0.03	09/12/07	CAW
Water Kjeldahl Nitrogen	351.2	Not detected	mg/L	0.5	09/19/07	CAW

Sample I.D. AC00620

Sample Description: MW #2 Loma Parda Dairy
 Sample collection date: 09/10/07 Sample collection time: 10:00
 Submittal date: 09/10/07 Submittal time: 16:14
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	75.45	mg/L	1.7	09/19/07	CAW
Total Dissolved Solids	SM 2540C	851	mg/L	27	09/11/07	BJH
Nitrate/nitrite as N	353.2	6.77	mg/L	0.03	09/12/07	CAW
Water Kjeldahl Nitrogen	351.2	Not detected	mg/L	0.5	09/19/07	CAW

Sample I.D. AC00621


Sample Description: MW #3 Loma Parda Dairy
Sample collection date: 09/10/07 Sample collection time: 10:00
Submittal date: 09/10/07 Submittal time: 16:14
WSS# Request ID No. Collector: HERMAN ORTI
Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CLD	153.3	mg/L	1.7	09/19/07	CAW
Total Dissolved Solids	SM 2540C	2188	mg/L	27	09/11/07	BJH
Nitrate/nitrite as N	353.2	13.14	mg/L	0.03	09/12/07	CAW
Water Kjeldahl Nitrogen	351.2	0.6	mg/L	0.5	09/19/07	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.

Respectfully submitted,


Laboratory Manager
(505) 646-4422

Soil **W**ater and **A**gricultural **T**esting **Lab**
New Mexico State University
BOX 30003
Las Cruces, NM 88003
(505)646-4422

Page 1 of 2
 Report # 0707100943

Date: 07/10/07

ANALYTICAL REPORT

To: Loma Parda Dairy
 P.O. Box 306
 Derry, NM 87933

267-5901

Purchase Order #

Below are the results for submitted sample(s).

(MDL=Method detection limit)

Sample I.D. AB97509

Sample Description: MW #1 Loma Parda Dairy
 Sample collection date: 06/19/07 Sample collection time: 09:00
 Submittal date: 06/19/07 Submittal time: 13:52
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	107.8	mg/L	1.7	06/25/07	CAW
Total Dissolved Solids	SM 2540C	1028	mg/L	27	06/27/07	BJH
Nitrate/nitrite as N	353.2	10.49	mg/L	0.03	07/02/07	CAW
Water Kjeldahl Nitrogen	351.2	1.74	mg/L	0.5	07/03/07	CAW

Sample I.D. AB97510

Sample Description: MW #2 Loma Parda Dairy
 Sample collection date: 06/19/07 Sample collection time: 09:00
 Submittal date: 06/19/07 Submittal time: 13:52
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	109.6	mg/L	1.7	06/25/07	CAW
Total Dissolved Solids	SM 2540C	1011	mg/L	27	06/27/07	BJH
Nitrate/nitrite as N	353.2	10.40	mg/L	0.03	07/02/07	CAW
Water Kjeldahl Nitrogen	351.2	3.04	mg/L	0.5	07/03/07	CAW

7-19-07
DP-1350

DP-1350

HERMAN E. ORTIZ
ATTORNEY AT LAW
P.O. BOX 75
GARFIELD, NM 87936
TEL / FAX: (505) 267-5901

RECEIVED
JUL 18 2007
BY: _____

FACSIMILE TRANSMITTAL SHEET

TO: NMEID	FROM: Rita
ATTN: Ms. Magan Sarah	DATE: 07/18/07
FAX NUMBER: (505) 827-2965	CC:
RE: Loma Parda Dairy	TOTAL NO. OF PAGES INCLUDING COVER: 3

- URGENT
 FOR REVIEW
 PLEASE COMMENT
 PLEASE REPLY
 PLEASE RECYCLE

NOTES:

Attached herewith is the Analytical Report. Thank you.

This transmission sheet and the documents accompanying it contain confidential information, which is legally privileged. The information is intended only for the use of the recipient named above. If you have received this facsimile transmission in error, please notify us by telephone to arrange for the return of the original and any accompanying documents to us. You are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents hereof is strictly prohibited.

Page 2 of 2
Report #

Sample I.D. AB94558

D704021412

Sample Description: MW #3

Sample collection date: 03/16/07

Sample collection time: 09:30

Submittal date: 03/16/07

Submittal time: 13:41

WSS# Request ID No.

Collector: HERMAN ORTI

Sample Purpose: Compliance

Sampling Information: Grab

DP-1350

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	254.6	mg/L	1.7	03/19/07	CAW
Total Dissolved Solids	SM 2540C	2855	mg/L	27	03/27/07	BJH
Nitrate/nitrite as N	353.2	3.16	mg/L	0.03	03/19/07	CAW
Water Kjeldahl Nitrogen	351.2	10.7	mg/L	0.2	03/27/07	CAW

Sample I.D. AB94559

Sample Description: Lagoon

Sample collection date: 03/16/07

Sample collection time: 09:30

Submittal date: 03/16/07

Submittal time: 13:41

WSS# Request ID No.

Collector: HERMAN ORTI

Sample Purpose: Compliance


Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	401.7	mg/L	1.7	03/19/07	CAW
Total Dissolved Solids	SM 2540C	3647	mg/L	27	03/27/07	BJH
Nitrate/nitrite as N	353.2	0.16	mg/L	0.03	03/19/07	CAW
Water Kjeldahl Nitrogen	351.2	122.9	mg/L	0.2	03/27/07	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.

Respectfully submitted,



Laboratory Manager

(505) 646-4422

Water and Agricultural Testing Lab
 New Mexico State University
 BOX 30003
 Las Cruces, NM 88003
 (505) 646-4422

Page 1 of 2
 Report # 0704021412

Date: 04/02/07

ANALYTICAL REPORT

To: Loma Parda Dairy 267-5901
 P.O. Box 306
 Derry, NM 87933

Purchase Order #

Below are the results for submitted sample(s).

(MDL=Method detection limit)

Sample I.D. AB94556

Sample Description: MW #1
 Sample collection date: 03/16/07 Sample collection time: 09:30
 Submittal date: 03/16/07 Submittal time: 13:41
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	96.9	mg/L	1.7	03/19/07	CAW
Total Dissolved Solids	SM 2540C	1032	mg/L	27	03/27/07	BJH
Nitrate/nitrite as N	353.2	12.21	mg/L	0.03	03/19/07	CAW
Water Kjeldahl Nitrogen	351.2	1.1	mg/L	0.2	03/27/07	CAW

Sample I.D. AB94557

Sample Description: MW #2
 Sample collection date: 03/16/07 Sample collection time: 09:30
 Submittal date: 03/16/07 Submittal time: 13:41
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	92.5	mg/L	1.7	03/19/07	CAW
Total Dissolved Solids	SM 2540C	1022	mg/L	27	03/27/07	BJH
Nitrate/nitrite as N	353.2	11.90	mg/L	0.03	03/19/07	CAW
Water Kjeldahl Nitrogen	351.2	1.1	mg/L	0.2	03/27/07	CAW

Sample I.D. AB97511

Sample Description: MW #3 Loma Parda Dairy
 Sample collection date: 06/19/07 Sample collection time: 09:00
 Submittal date: 06/19/07 Submittal time: 13:52
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	328.1	mg/L	1.7	06/25/07	CAW
Total Dissolved Solids	SM 2540C	2926	mg/L	27	06/27/07	BJH
Nitrate/nitrite as N	353.2	0.45	mg/L	0.03	07/02/07	CAW
Water Kjeldahl Nitrogen	351.2	8.12	mg/L	0.5	07/03/07	CAW


Sample I.D. AB97512

Sample Description: Lagoon Loma Parda Dairy
 Sample collection date: 06/19/07 Sample collection time: 09:00
 Submittal date: 06/19/07 Submittal time: 13:52
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	161.8	mg/L	1.7	06/25/07	CAW
Total Dissolved Solids	SM 2540C	2021	mg/L	27	06/27/07	BJH
Nitrate/nitrite as N	353.2	0.04	mg/L	0.03	07/02/07	CAW
Water Kjeldahl Nitrogen	351.2	321.52	mg/L	0.5	07/03/07	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.
 Respectfully submitted,


 Laboratory Manager
 (505) 646-4422

1-10-07

DP-1350

**HERMAN E. ORTIZ
ATTORNEY AT LAW**

P.O. BOX 75
GARFIELD, NM 87936
TEL / FAX: (505) 267-5901

GROUND WATER

DP1350

APR 10 2007

BUREAU

FACSIMILE TRANSMITTAL SHEET

TO: NMEID	FROM: Rita
ATTN: Ms. Magan	DATE: 04/10/07
FAX NUMBER: (505) 827-2965	CC:
RE: Loma Parda Dairy	TOTAL NO. OF PAGES INCLUDING COVER: 3

- URGENT
 FOR REVIEW
 PLEASE COMMENT
 PLEASE REPLY
 PLEASE RECYCLE

NOTES:

Attached herewith is the Analytical Report.

Will you please email Mr. Ortiz at lomaparda@zianet.com with your new email address. Thank you.

GROUND WATER

APR 10 2007

BUREAU

This transmission sheet and the documents accompanying it contain confidential information, which is legally privileged. The information is intended only for the use of the recipient named above. If you have received this facsimile transmission in error, please notify us by telephone to arrange for the return of the original and any accompanying documents to us. You are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents hereof is strictly prohibited.

DP-1350

Sample I.D. AB89934

Sample Description: MW #3
 Sample collection date: 10/17/06
 Submittal date: 10/17/06
 WSS# Request ID No.
 Sample Purpose: Compliance

Sample collection time: 10:00
 Submittal time: 13:49
 Collector: H. ORTIZ
 Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	277.2	mg/L	1.7	10/18/06	CAW
Total Dissolved Solids	SM 2540C	2708	mg/L	27	10/31/06	BJH
Nitrate/nitrite as N	353.2	0.06	mg/L	0.03	11/09/06	CAW
Water Kjeldahl Nitrogen	351.2	10.44	mg/L	0.2	11/02/06	CAW

Sample I.D. AB89935


Sample Description: Lagoon
 Sample collection date: 10/17/06
 Submittal date: 10/17/06
 WSS# Request ID No.
 Sample Purpose: Compliance

Sample collection time: 10:00
 Submittal time: 13:49
 Collector: H. ORTIZ
 Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	372.0	mg/L	1.7	10/18/06	CAW
Total Dissolved Solids	SM 2540C	3124	mg/L	27	10/31/06	BJH
Nitrate/nitrite as N	353.2	0.14	mg/L	0.03	11/09/06	CAW
Water Kjeldahl Nitrogen	351.2	78.71	mg/L	0.2	11/02/06	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.
 Respectfully submitted,


 Laboratory Manager
 (505) 646-4422

Soil Water and Air Testing Lab
New Mexico State University
BOX 30003
Las Cruces, NM 88003
(505) 646-4422

Page 1 of 2
Report # 050428

Date: 04/28/05

ANALYTICAL REPORT

To: Loma Parda Dairy
P.O. Box 306
Derry, NM 87933

267-5901

Purchase Order #

Below are the results for submitted sample(s).

(MDL=Method detection limit)

Sample I.D. AB70837

Sample Description: Monitoring Well #1

Sample collection date: 04/19/05

Submittal date: 04/19/05

WSS# Request ID No.

Sample Purpose: Compliance

Sample collection time: 09:00

Submittal time: 14:53

Collector: HERMAN ORTI

Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CLD	248.4				
Total Dissolved Solids	160.2	1922	mg/L	0.5	04/25/05	CAW
Nitrate/nitrite as N	353.2	16.44	mg/L	1	04/20/05	BJH
Water Kjeldahl Nitrogen	351.2	2.4	mg/L	0.05	04/27/05	CAW
				0.1	04/26/05	CAW

Sample I.D. AB70838

Sample Description: Monitoring Well #2

Sample collection date: 04/19/05

Submittal date: 04/19/05

WSS# Request ID No.

Sample Purpose: Compliance

Sample collection time: 09:00

Submittal time: 14:53

Collector: HERMAN ORTI

Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CLD	235.6				
Total Dissolved Solids	160.2	1868	mg/L	0.5	04/25/05	CAW
Nitrate/nitrite as N	353.2	16.39	mg/L	1	04/20/05	BJH
Water Kjeldahl Nitrogen	351.2	2.4	mg/L	0.05	04/27/05	CAW
				0.1	04/26/05	CAW

DP-1350

Page 2 of 3
Report # 0611151430

1350

Sample I.D. AB89934

Sample Description: MW #3

Sample collection date: 10/17/06 Sample collection time: 10:00

Submittal date: 10/17/06 Submittal time: 13:49

WSS# Request ID No. Collector: H. ORTIZ

Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	277.2	mg/L	1.7	10/18/06	CAW
Total Dissolved Solids	SM 2540C	2708	mg/L	27	10/31/06	BJH
Nitrate/nitrite as N	353.2	0.06	mg/L	0.03	11/09/06	CAW
Water Kjeldahl Nitrogen	351.2	10.44	mg/L	0.2	11/02/06	CAW

Sample I.D. AB89935

Sample Description: Lagoon

Sample collection date: 10/17/06 Sample collection time: 10:00

Submittal date: 10/17/06 Submittal time: 13:49

WSS# Request ID No. Collector: H. ORTIZ


Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	372.0	mg/L	1.7	10/18/06	CAW
Total Dissolved Solids	SM 2540C	3124	mg/L	27	10/31/06	BJH
Nitrate/nitrite as N	353.2	0.14	mg/L	0.03	11/09/06	CAW
Water Kjeldahl Nitrogen	351.2	78.71	mg/L	0.2	11/02/06	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.

Respectfully submitted,



Laboratory Manager
(505) 646-4422

DP-1350

Page 2 of 2
Report # 0707100943

Sample I.D. AB97511

Sample Description: MW #3 Loma Parda Dairy
 Sample collection date: 06/19/07 Sample collection time: 09:00
 Submittal date: 06/19/07 Submittal time: 13:52
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

1350

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CL_D	328.1	mg/L	1.7	06/25/07	CAW
Total Dissolved Solids	SM 2540C	2926	mg/L	27	06/27/07	BJH
Nitrate/nitrite as N	353.2	0.45	mg/L	0.03	07/02/07	CAW
Water Kjeldahl Nitrogen	351.2	8.12	mg/L	0.5	07/03/07	CAW


Sample I.D. AB97512

Sample Description: Lagoon Loma Parda Dairy
 Sample collection date: 06/19/07 Sample collection time: 09:00
 Submittal date: 06/19/07 Submittal time: 13:52
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CL_D	161.8	mg/L	1.7	06/25/07	CAW
Total Dissolved Solids	SM 2540C	2021	mg/L	27	06/27/07	BJH
Nitrate/nitrite as N	353.2	0.04	mg/L	0.03	07/02/07	CAW
Water Kjeldahl Nitrogen	351.2	321.52	mg/L	0.5	07/03/07	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.
 Respectfully submitted,


 Laboratory Manager
 (505) 646-4422

Sample I.D. AC04236

Sample Description: MW #3

Sample collection date: 01/18/08

Submittal date: 01/18/08

WSS# Request ID No.

Sample Purpose: Compliance

Sample collection time: 09:00

Submittal time: 14:02

Collector: HERMAN ORTI

Sampling Information: Grab

GROUND WATER

FEB 27 2008

BUREAU

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	186.3	mg/L	1.7	02/05/08	CAW
Total Dissolved Solids	SM 2540C	2594	mg/L	27	01/31/08	BJH
Nitrate/nitrite as N	353.2	14.79	mg/L	0.03	02/01/08	CAW
Water Kjeldahl Nitrogen	351.2	1.3	mg/L	0.5	02/06/08	BJH

Sample I.D. AC04237

Sample Description: Lagoon

Sample collection date: 01/18/08

Submittal date: 01/18/08

WSS# Request ID No.

Sample Purpose: Compliance

Sample collection time: 09:00

Submittal time: 14:02

Collector: HERMAN ORTI

Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	384.7	mg/L	1.7	02/05/08	CAW
Total Dissolved Solids	SM 2540C	3542	mg/L	27	01/31/08	BJH
Nitrate/nitrite as N	353.2	0.26	mg/L	0.03	02/01/08	CAW
Water Kjeldahl Nitrogen	351.2	158.4	mg/L	0.5	02/06/08	BJH

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.

Respectfully submitted,


Laboratory Manager
(505) 646-4422

Sample I.D. AB97511

Sample Description: MW #3 Loma Parda Dairy
 Sample collection date: 06/19/07 Sample collection time: 09:00
 Submittal date: 06/19/07 Submittal time: 13:52
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CL D	328.1	mg/L	1.7	06/25/07	CAW
Total Dissolved Solids	SM 2540C	2926	mg/L	27	06/27/07	BJH
Nitrate/nitrite as N	353.2	0.45	mg/L	0.03	07/02/07	CAW
Water Kjeldahl Nitrogen	351.2	8.12	mg/L	0.5	07/03/07	CAW


Sample I.D. AB97512

Sample Description: Lagoon Loma Parda Dairy
 Sample collection date: 06/19/07 Sample collection time: 09:00
 Submittal date: 06/19/07 Submittal time: 13:52
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CL D	161.8	mg/L	1.7	06/25/07	CAW
Total Dissolved Solids	SM 2540C	2021	mg/L	27	06/27/07	BJH
Nitrate/nitrite as N	353.2	0.04	mg/L	0.03	07/02/07	CAW
Water Kjeldahl Nitrogen	351.2	321.52	mg/L	0.5	07/03/07	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.
 Respectfully submitted,



Laboratory Manager

(505) 646-4422

2
DP-1350

Sample I.D. AB94558

D704021412

Sample Description: MW #3
 Sample collection date: 03/16/07 Sample collection time: 09:30
 Submittal date: 03/16/07 Submittal time: 13:41
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CL_D	254.6	mg/L	1.7	03/19/07	CAW
Total Dissolved Solids	SM 2540C	2855	mg/L	27	03/27/07	BJH
Nitrate/nitrite as N	353.2	3.16	mg/L	0.03	03/19/07	CAW
Water Kjeldahl Nitrogen	351.2	10.7	mg/L	0.2	03/27/07	CAW


Sample I.D. AB94559

Sample Description: Lagoon
 Sample collection date: 03/16/07 Sample collection time: 09:30
 Submittal date: 03/16/07 Submittal time: 13:41
 WSS# Request ID No. Collector: HERMAN ORTI
 Sample Purpose: Compliance Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-CL_D	401.7	mg/L	1.7	03/19/07	CAW
Total Dissolved Solids	SM 2540C	3647	mg/L	27	03/27/07	BJH
Nitrate/nitrite as N	353.2	0.16	mg/L	0.03	03/19/07	CAW
Water Kjeldahl Nitrogen	351.2	122.9	mg/L	0.2	03/27/07	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.
 Respectfully submitted,


 Laboratory Manager
 (505) 646-4422

DP-1350

Page 2 of 2

Report # 0611151430

Sample I.D. AB89934

Sample Description: MW #3
 Sample collection date: 10/17/06
 Submittal date: 10/17/06
 WSS# Request ID No.
 Sample Purpose: Compliance

Sample collection time: 10:00
 Submittal time: 13:49
 Collector: H. ORTIZ
 Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	277.2	mg/L	1.7	10/18/06	CAW
Total Dissolved Solids	SM 2540C	2708	mg/L	27	10/31/06	BJH
Nitrate/nitrite as N	353.2	0.06	mg/L	0.03	11/09/06	CAW
Water Kjeldahl Nitrogen	351.2	10.44	mg/L	0.2	11/02/06	CAW

Sample I.D. AB89935


Sample Description: Lagoon
 Sample collection date: 10/17/06
 Submittal date: 10/17/06
 WSS# Request ID No.
 Sample Purpose: Compliance

Sample collection time: 10:00
 Submittal time: 13:49
 Collector: H. ORTIZ
 Sampling Information: Grab

Element	Method	Result	Units	MDL	Date of Analysis	Analyst
Chloride by Autoanalyzer	4500-Cl_D	372.0	mg/L	1.7	10/18/06	CAW
Total Dissolved Solids	SM 2540C	3124	mg/L	27	10/31/06	BJH
Nitrate/nitrite as N	353.2	0.14	mg/L	0.03	11/09/06	CAW
Water Kjeldahl Nitrogen	351.2	78.71	mg/L	0.2	11/02/06	CAW

Results relate only to the items tested. This report shall not be reproduced except in full, without the written approval of the laboratory. This laboratory is accredited by the American Association for Laboratory Accreditation (A2LA) and the results shown in this report have been determined in accordance with the laboratory's terms of accreditation unless stated otherwise in the report. Those tests not presently accredited are noted by a hyphen.

Please advise should you have questions concerning these data.
 Respectfully submitted,


 Laboratory Manager
 (505) 646-4422