Abo Dairy, 2004



Home
Fresh water pipeline
Effluent water pipeline
Berm
Dairy supply meter
Sump

1000 Ft

DP-290

DP-296

ARSA ARS ANALYTICAL LLC
4301 Masthead NE | Albuquerque, New Mexico 87109 505.344.3777 | 505.345.8964

GROUND WATER

DEC 18 2009

BUREAU

TRES HERMANOS DAIRY LLC
attn JERICHO SANCHEZ
PO BOX 186
BOSQUE NM 87006

Explanation of codes	
E	Result is Estimated
H	Analyzed Out of Hold Time
N	Tentatively Identified Compound
S	Subcontracted
U	Concentration is below MDL
J	Concentration between MDL and RDL
1-9	See Footnote

STANDARD

ARS Analytical, LLC

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: TRES HERMANOS DAIRY LLC
Project:
Order: 09110021 CHECK Receipt: 11-02-09

FOR Elvin J. Chavez: President of ARS Analytical, LLC

Sample: MONITOR #1 Collected: 11-02-09 10:30:00 By: JS
Matrix: G

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09110021-001A		EPA 300.0 Anions by IC					By:	SRM		
W091036	WC.2009.2619.10	16887-00-6	Chloride	23.0	mg/L	10	0.05		11-03-09	11-03-09
W091036	WC.2009.2619.10	14797-55-8	Nitrate, as N	19.0	mg/L	10	0.05		11-03-09	11-03-09
09110021-001A		SM 2540C					By:	JLE		
WTDS-09-157	WC.2009.2624.13	10-33-3	Total Dissolved Solids	517	mg/L	1	10		11-06-09	11-09-09
09110021-001B		SM 4500-N & NH3B,C					By:	MAP		
W091067	WC.2009.2694.14	7727-37-9	Kjeldahl Nitrogen, Total	ND	mg/L	1	0.2		11-16-09	11-16-09

Sample: MONITOR #2 Collected: 11-02-09 10:00:00 By: JS
Matrix: G

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09110021-002A		EPA 300.0 Anions by IC					By:	SRM		
W091036	WC.2009.2619.12	16887-00-6	Chloride	9.79	mg/L	10	0.05		11-03-09	11-03-09
W091036	WC.2009.2619.12	14797-55-8	Nitrate, as N	4.73	mg/L	10	0.05		11-03-09	11-03-09
09110021-002A		SM 2540C					By:	JLE		
WTDS-09-157	WC.2009.2624.14	10-33-3	Total Dissolved Solids	421	mg/L	1	10		11-06-09	11-09-09
09110021-002B		SM 4500-N & NH3B,C					By:	MAP		
W091067	WC.2009.2694.15	7727-37-9	Kjeldahl Nitrogen, Total	ND	mg/L	1	0.2		11-16-09	11-16-09

DP-290
STANDARD

ARS Analytical, LLC

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **TRES HERMANOS DAIRY LLC**

Project:

Order: **09110021** **CHECK** Receipt: **11-02-09**

Sample: ***MONITOR #3*** Collected: *11-02-09 10:15:00* By: *JS*

Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09110021-003A		**EPA 300.0 Anions by IC**					By:	SRM		
W091036	WC.2009.2819.16	16887-00-6	Chloride	17.0	mg/L	10	0.05		11-03-09	11-03-09
W091036	WC.2009.2819.16	14797-55-8	Nitrate, as N	26.1	mg/L	10	0.05		11-03-09	11-03-09
09110021-003A		**SM 2540C**					By:	JLE		
WTDS-09-157	WC.2009.2824.11	10-33-3	Total Dissolved Solids	748	mg/L	1	10		11-06-09	11-09-09
09110021-003B		**SM 4500-N & NH3B,C**					By:	MAP		
W091067	WC.2009.2894.16	7727-37-9	Kjeldahl Nitrogen, Total	ND	mg/L	1	0.2		11-16-09	11-16-09

Sample: ***LAGOON*** Collected: *11-02-09 10:45:00* By: *JS*

Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09110021-004A		**EPA 300.0 Anions by IC**					By:	SRM		
W091036	WC.2009.2819.17	16887-00-6	Chloride	18.1	mg/L	10	0.05		11-03-09	11-03-09
W091036	WC.2009.2819.17	14797-55-8	Nitrate, as N	ND	mg/L	10	0.05		11-03-09	11-03-09
09110021-004A		**SM 2540C**					By:	JLE		
WTDS-09-157	WC.2009.2824.4	10-33-3	Total Dissolved Solids	16300	mg/L	20	10		11-06-09	11-09-09
09110021-004B		**SM 4500-N & NH3B,C**					By:	MAP		
W091067	WC.2009.2894.17	7727-37-9	Kjeldahl Nitrogen, Total	1060	mg/L	625	0.2		11-16-09	11-16-09

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or footnotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.

Report Date: 11/17/2009 2:34:08 PM

GROUND WATER
DP-290
AUG 27 2009
BUREAU

ARS ANALYTICAL, LLC
4301 Masthead NE | Albuquerque, New Mexico 87109 505.344.3777 | 505.345.8964

Explanation of codes	
B	*Analyte Detected in Method Blank*
E	*Result is Estimated*
H	*Analyzed Out of Hold Time*
N	*Tentatively Identified Compound*
S	*Subcontracted*
1-9	*See Footnote*

TRES HERMANOS DAIRY LLC
attn JERICHO SANCHEZ
PO BOX 186
BOSQUE NM 87006

STANDARD

ARS Analytical, LLC

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: TRES HERMANOS DAIRY LLC
Project:
Order: 09070507 CHECK Receipt: 07-17-09

for Melanie Garcia
Elvin J. Chavez: President of ARS Analytical, LLC

Sample: ***MONITOR #1*** Collected: *07-17-09 11:30:00* By: *HB*
Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09070507-001A		**EPA 300.0 Anions by IC**					By:	SRM		
W09609	WC.2009.1813.24	16887-00-6	Chloride	22.5	mg/L	10	0.05		07-17-09	07-17-09
W09609	WC.2009.1813.24	14797-65-0	Nitrate, as N	20.7	mg/L	10	0.05		07-17-09	07-17-09
09070507-001A		**SM 2540C**					By:	JLE		
WTDS-09-106	WC.2009.1833.12	10-33-3	Total Dissolved Solids	524	mg/L	1	10		07-22-09	07-23-09
09070507-001B		**SM 4500-N & NH3B,C**					By:	MAP		
W09657	WC.2009.1897.13	7727-37-9	Kjeldahl Nitrogen, Total	ND	mg/L	1	0.2		07-31-09	07-31-09

Sample: ***MONITOR #2*** Collected: *07-17-09 11:00:00* By: *HB*
Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09070507-002A		**EPA 300.0 Anions by IC**					By:	SRM		
W09609	WC.2009.1813.21	16887-00-6	Chloride	11.6	mg/L	10	0.05		07-17-09	07-17-09
W09609	WC.2009.1813.21	14797-65-0	Nitrate, as N	5.00	mg/L	10	0.05		07-17-09	07-17-09
09070507-002A		**SM 2540C**					By:	JLE		
WTDS-09-106	WC.2009.1833.14	10-33-3	Total Dissolved Solids	427	mg/L	1	10		07-22-09	07-23-09
09070507-002B		**SM 4500-N & NH3B,C**					By:	MAP		
W09657	WC.2009.1897.14	7727-37-9	Kjeldahl Nitrogen, Total	ND	mg/L	1	0.2		07-31-09	07-31-09

Report Date: 8/3/2009 10:12:45 AM

STANDARD

GROUND WATER

DP-290

AUG 2 0 2009

BUREAU

ARS Analytical, LLC

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

ent: **TRES HERMANOS DAIRY LLC**

ject:

der: **09070507** **CHECK** Receipt: **07-17-09**

mple: ***MONITOR #3*** Collected: *07-17-09 12:00:00* By: *HB*

trix: ***G***

Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
070507-003A		**EPA 300.0 Anions by IC**					By:	SRM		
9609	WC.2009.1813.22	16887-00-6	Chloride	16.4	mg/L	10	0.05		07-17-09	07-17-09
9609	WC.2009.1813.22	14797-65-0	Nitrate, as N	26.9	mg/L	10	0.05		07-17-09	07-17-09
070507-003A		**SM 2540C**					By:	JLE		
DS-09-106	WC.2009.1833.9	10-33-3	Total Dissolved Solids	768	mg/L	1	10		07-22-09	07-23-09
070507-003B		**SM 4500-N & NH3B,C**					By:	MAP		
9657	WC.2009.1897.15	7727-37-9	Kjeldahl Nitrogen, Total	0.3	mg/L	1	0.2		07-31-09	07-31-09

mple: ***LAGOON*** Collected: *07-17-09 10:30:00* By: *HB*

trix: ***G***

Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
070507-004A		**EPA 300.0 Anions by IC**					By:	SRM		
9624	WC.2009.1879.12	16887-00-6	Chloride	5690	mg/L	500	0.05		07-22-09	07-22-09
9624	WC.2009.1886.1	14797-65-0	Nitrate, as N	ND	mg/L	50	0.05	H	07-22-09	07-22-09
070507-004A		**SM 2540C**					By:	JLE		
DS-09-106	WC.2009.1833.4	10-33-3	Total Dissolved Solids	26000	mg/L	20	10		07-22-09	07-23-09
070507-004B		**SM 4500-N & NH3B,C**					By:	MAP		
9657	WC.2009.1897.16	7727-37-9	Kjeldahl Nitrogen, Total	2260	mg/L	1250	0.2		07-31-09	07-31-09

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or foonotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.

DP-290

ASSAIGAI ANALYTICAL LABORATORIES, INC.
4301 Masthead NE • Albuquerque, New Mexico 87109 • (505) 345-8964 • FAX (505) 345-7259

GROUND WATER

MAY 11 2009

BUREAU

TRES HERMANOS DAIRY LLC
attn: **JERICHO SANCHEZ**
PO BOX 186
BOSQUE **NM 87006**

Explanation of codes	
B	*Analyte Detected in Method Blank*
E	*Result is Estimated*
H	*Analyzed Out of Hold Time*
N	*Tentatively Identified Compound*
S	*Subcontracted*
1-9	*See Footnote*

STANDARD

Assaigai Analytical Laboratories, Inc.

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **TRES HERMANOS DAIRY LLC**
Project:
Order: **09040444** **CHECK** Receipt: **04-16-09**

Tamara Pacheco for
William P. Biava: President of Assaigai Analytical Laboratories, Inc.

Sample: ***MONITOR #1*** Collected: *04-16-09 11:30:00* By: *JS*
Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09040444-001A		**EPA 300.0 Anions by IC**					By:	SRM		
W09337	WC.2009.1022.11	16887-00-6	Chloride	51.1	mg/L	10	0.05		04-17-09	04-17-09
W09337	WC.2009.1022.11	14797-65-0	Nitrate, as N	19.5	mg/L	10	0.05		04-17-09	04-17-09
09040444-001A		**SM 2540C**					By:	JLE		
WTDS-09-055	WC.2009.965.9	10-33-3	Total Dissolved Solids	522	mg/L	1	10		04-17-09	04-20-09
09040444-001B		**SM 4500-N & NH3B,C**					By:	FAS		
W09368	WC.2009.1057.4	7727-37-9	Kjeldahl Nitrogen, Total	ND	mg/L	1	0.2	1	04-28-09	04-29-09

Sample: ***MONITOR #2*** Collected: *04-16-09 11:00:00* By: *JS*
Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09040444-002A		**EPA 300.0 Anions by IC**					By:	SRM		
W09337	WC.2009.1022.12	16887-00-6	Chloride	10.2	mg/L	10	0.05		04-17-09	04-17-09
W09337	WC.2009.1022.12	14797-65-0	Nitrate, as N	4.72	mg/L	10	0.05		04-17-09	04-17-09
09040444-002A		**SM 2540C**					By:	JLE		
WTDS-09-055	WC.2009.965.10	10-33-3	Total Dissolved Solids	421	mg/L	1	10		04-17-09	04-20-09
09040444-002B		**SM 4500-N & NH3B,C**					By:	FAS		
W09368	WC.2009.1057.7	7727-37-9	Kjeldahl Nitrogen, Total	0.2	mg/L	1	0.2	1	04-28-09	04-29-09

Report Date: *4/29/2009 4:49:59 PM*

REPRODUCTION OF THIS REPORT IN LESS THAN FULL REQUIRES THE WRITTEN CONSENT OF AAL.
THIS REPORT MAY NOT BE USED IN ANY MANNER BY THE CLIENT OR ANY OTHER THIRD PARTY TO CLAIM PRODUCT ENDORSEMENT BY THE NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM.

ASSAIGAI LABS Fax:5053457259 Apr 30 2009 12:07 P.02

DP-290

GROUND WATER STANDARD

MAY 11 2009

BUREAU

Assaigai Analytical Laboratories, Inc.

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **TRES HERMANOS DAIRY LLC**

Project:

Order: **09040444** **CHECK** Receipt: **04-16-09**

Sample: ***MONITOR #3*** Collected: *04-16-09 12:00:00* By: *JS*

Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09040444-003A		**EPA 300.0 Anions by IC**					By:	SRM		
W09337	WC.2009.1022.15	16887-00-6	Chloride	16.3	mg/L	10	0.05		04-17-09	04-17-09
W09337	WC.2009.1022.15	14797-65-0	Nitrate, as N	23.9	mg/L	10	0.05		04-17-09	04-17-09
09040444-003A		**SM 2540C**					By:	JLE		
WTDS-09-056	WC.2009.965.7	10-33-3	Total Dissolved Solids	742	mg/L	1	10		04-17-09	04-20-09
09040444-003B		**SM 4500-N & NH3B,C**					By:	FAS		
W09368	WC.2009.1057.6	7727-37-9	Kjeldahl Nitrogen, Total	ND	mg/L	1	0.2	1	04-28-09	04-29-09

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or footnotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.

1 The MS/MSD was outside of QA/QC criteria due to matrix interference. The LCS was within QA/QC criteria, demonstrating accuracy for the method.

Report Date: *4/29/2009 4:49:59 PM*

ASSAIGAI LABS Fax:5053457259 Apr 30 2009 17:07 P.03

DP-290

ASSAIGAI ANALYTICAL LABORATORIES, INC.

4301 Masthead NE • Albuquerque, New Mexico 87109 • (505) 345-8964 • FAX (505) 345-7259

RECEIVED
FEB 16 2009
BY:

TRES HERMANOS DAIRY LLC
attn: JERICHO SANCHEZ
PO BOX 186
BOSQUE NM 87006

Explanation of codes	
B	*Analyte Detected in Method Blank*
E	*Result is Estimated*
H	*Analyzed Out of Hold Time*
N	*Tentatively Identified Compound*
S	*Subcontracted*
1-9	*See Footnote*

STANDARD

Assaigai Analytical Laboratories, Inc.

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: TRES HERMANOS DAIRY LLC
Project:
Order: 09010526 CREDIT Receipt: 01-21-09

for *William P. Biava: President of Assaigai Analytical Laboratories, Inc.*

Sample: *MONITOR WELL #1* Collected: *01-21-09 11:00:00* By: *JS*
Matrix: *G*

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09010526-001A		**EPA 160.1 Total Dissolved Solids**						By: JLE		
WTDS-09-011	WC.2009.225.15	10-33-3	Total Dissolved Solids	550	mg/L	1	10		01-23-09	01-26-09
09010526-001A		**EPA 300.0 Anions by IC**						By: SRM		
W09054	WC.2009.291.10	16887-00-6	Chloride	23.1	mg/L	10	0.05		01-21-09	01-22-09
W09054	WC.2009.291.10	14797-65-0	Nitrate, as N	22.4	mg/L	10	0.05		01-21-09	01-22-09
09010526-001B		**SM 4500-N & NH3B,C**						By: CRC		
W09090	WC.2009.321.16	7727-37-9	Kjeldahl Nitrogen, Total	0.2	mg/L	1	0.2		02-03-09	02-04-09

Sample: *MONITOR WELL #2* Collected: *01-21-09 10:00:00* By: *JS*
Matrix: *G*

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
09010526-002A		**EPA 160.1 Total Dissolved Solids**						By: JLE		
WTDS-09-011	WC.2009.225.16	10-33-3	Total Dissolved Solids	426	mg/L	1	10		01-23-09	01-26-09
09010526-002A		**EPA 300.0 Anions by IC**						By: SRM		
W09054	WC.2009.291.12	16887-00-6	Chloride	10.0	mg/L	10	0.05		01-21-09	01-22-09
W09054	WC.2009.291.12	14797-65-0	Nitrate, as N	5.11	mg/L	10	0.05		01-21-09	01-22-09
09010526-002B		**SM 4500-N & NH3B,C**						By: CRC		
W09090	WC.2009.321.17	7727-37-9	Kjeldahl Nitrogen, Total	ND	mg/L	1	0.2		02-03-09	02-04-09

Report Date: *2/4/2009 4:50:16 PM*

REPRODUCTION OF THIS REPORT IN LESS THAN FULL REQUIRES THE WRITTEN CONSENT OF AAL.
THIS REPORT MAY NOT BE USED IN ANY MANNER BY THE CLIENT OR ANY OTHER THIRD PARTY TO CLAIM
PRODUCT ENDORSEMENT BY THE NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM.

STANDARD

DP-290

Assaigai Analytical Laboratories, Inc.

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

ient: **TRES HERMANOS DAIRY LLC**

oject:

rder: **09010526** **CREDIT** Receipt: **01-21-09**

ample: ***MONITOR WELL #3*** Collected: *01-21-09 10:30:00* By: *JS*

atrix: ***G***

C Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
)010526-003A		**EPA 160.1 Total Dissolved Solids**					By:	JLE		
TDS-09-011	WC.2009.225.13	10-33-3	Total Dissolved Solids	759	mg/L	1	10		01-23-09	01-26-09
)010526-003A		**EPA 300.0 Anions by IC**					By:	SRM		
09054	WC.2009.291.16	16887-00-6	Chloride	10.8	mg/L	10	0.05		01-21-09	01-22-09
09054	WC.2009.291.16	14797-65-0	Nitrate, as N	17.5	mg/L	10	0.05		01-21-09	01-22-09
)010526-003B		**SM 4500-N & NH3B,C**					By:	CRC		
09090	WC.2009.321.18	7727-37-9	Kjeldahl Nitrogen, Total	0.2	mg/L	1	0.2		02-03-09	02-04-09

ample: ***LAGOON*** Collected: *01-21-09 11:15:00* By: *JS*

atrix: ***G***

C Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
)010526-004A		**EPA 160.1 Total Dissolved Solids**					By:	JLE		
TDS-09-011	WC.2009.225.4	10-33-3	Total Dissolved Solids	8860	mg/L	1	10		01-23-09	01-26-09
)010526-004A		**EPA 300.0 Anions by IC**					By:	SRM		
09054	WC.2009.291.17	16887-00-6	Chloride	1960	mg/L	100	0.05		01-21-09	01-22-09
09054	WC.2009.328.1	14797-65-0	Nitrate, as N	2.29	mg/L	10	0.05		01-21-09	01-22-09
)010526-004B		**SM 4500-N & NH3B,C**					By:	CRC		
09095	WC.2009.326.13	7727-37-9	Kjeldahl Nitrogen, Total	1570	mg/L	1250	0.2		02-04-09	02-04-09

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or foonotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.

STANDARD

DP-290

Assaigai Analytical Laboratories, Inc.

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **TRES HERNEVOS DAIRY LLC**

Project:

Order: **0707400** **CHECK** Receipt: **07-12-07**

Sample: ***MONITOR 3*** Collected: *07-12-07 9:00:00* By: *JS*

Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
0707400-0003A		**EPA 300.0 Anions by IC**						By: JJK		
W07539	WC.2007.1815.20	16887-00-6	Chloride	18.9	mg/L	5	0.05		07-13-07	07-17-07
W07539	WC.2007.1815.20	14797-65-0	Nitrate, as N	30.6	mg/L	5	0.05		07-13-07	07-17-07
0707400-0003A		**SM 4500-N & NH3B,C**						By: ECC		
W07572	WC.2007.1889.17	7727-37-9	Kjeldahl Nitrogen, Total	0.6	mg/L	1	0.2		07-25-07	07-25-07
0707400-0003B		**EPA 160.1 Total Dissolved Solids**						By: MJN		
WTDS-07-076	WC.2007.1792.8	10-33-3	Total Dissolved Solids	796	mg/L	1	10		07-13-07	07-16-07

Sample: ***LAGOON*** Collected: *07-12-07 9:15:00* By: *JS*

Matrix: ***G***

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
0707400-0004A		**EPA 300.0 Anions by IC**						By: JJK		
W07539	WC.2007.1815.34	16887-00-6	Chloride	4400	mg/L	400	0.05		07-13-07	07-18-07
W07539	WC.2007.1815.22	14797-65-0	Nitrate, as N	ND	mg/L	20	0.05		07-13-07	07-17-07
0707400-0004A		**SM 4500-N & NH3B,C**						By: ECC		
W07572	WC.2007.1889.18	7727-37-9	Kjeldahl Nitrogen, Total	3030	mg/L	1250	0.2		07-25-07	07-25-07
0707400-0004B		**EPA 160.1 Total Dissolved Solids**						By: MJN		
WTDS-07-076	WC.2007.1792.6	10-33-3	Total Dissolved Solids	20700	mg/L	1	10		07-13-07	07-16-07

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or footnotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.

DP-290

ASSAIGAI
ANALYTICAL LABORATORIES, INC. • 7300 Jefferson, N.E. • Albuquerque, New Mexico 87109
3711 Admiral, Suite C • El Paso, Texas 79925

Received: 01/29/93

REPORT

Results by Sample

Work Order # 93-01-280

SAMPLE ID MONITOR WELL #1 FRACTION 01C TEST CODE WNO3 NAME Nitrate as (N) in water

Date & Time Collected 01/29/93 08:55:00 Category WATER

PARAMETER	RESULT	LIMIT	D_F	DATE_ANAL
Nitrate	65.0	0.10	5.0	02/08/93

Notes and Definitions for this Report:

EXTRACTED
ANALYST TP
UNITS mg/L
BATCH_ID WNO3-049
COMMENTS N/A

Member: American Council of Independent Laboratories, Inc.

THIS REPORT MUST NOT BE USED IN ANY MANNER BY THE CLIENT OR ANY OTHER THIRD PARTY TO CLAIM PRODUCT ENDORSEMENT BY THE NATIONAL LABORATORY VOLUNTARY ACCREDITATION PROGRAM OR ANY OTHER AGENCY OF THE UNITED STATES GOVERNMENT.

NVLAP

ASSAIGAI
ANALYTICAL LABORATORIES, INC. • 7300 Jefferson, N.E. • Albuquerque, New Mexico 87109
3711 Admiral, Suite C • El Paso, Texas 79925

Received: 01/29/93

REPORT

Work Order # 93-01-280

Results by Sample

SAMPLE ID MONITOR WELL #1 FRACTION 01C TEST CODE WTKN NAME Tot Kjeldahl Nitrogen/H2O
Date & Time Collected 01/29/93 08:55:00 Category WATER

PARAMETER	RESULT	LIMIT	D_F	DATE_ANAL
Total Kjeldahl Nitrogen	ND	0.10	1.0	02/02/93

Notes and Definitions for this Report:

EXTRACTED
ANALYST TP
UNITS mg/L
BATCH_ID WTKN-032
COMMENTS N/A

Member: American Council of Independent Laboratories, Inc.

THIS REPORT MUST NOT BE USED IN ANY MANNER BY THE CLIENT OR ANY OTHER THIRD PARTY TO CLAIM PRODUCT ENDORSEMENT BY THE NATIONAL LABORATORY VOLUNTARY ACCREDITATION PROGRAM OR ANY OTHER AGENCY OF THE UNITED STATES GOVERNMENT.

NVLAP

ASSAIGAI
ANALYTICAL LABORATORIES, INC. • 7300 Jefferson, N.E. • Albuquerque, New Mexico 87109
3711 Admiral, Suite C • El Paso, Texas 79925

Received: 01/29/93

REPORT

Work Order # 93-01-280

Results by Sample

SAMPLE ID MONITOR WELL #1 FRACTION 01B TEST CODE TDS NAME Tot Dis. solids(TDS)/water
Date & Time Collected 01/29/93 08:55:00 Category WATER

PARAMETER	RESULT	LIMIT	D_F	DATE_ANAL
Total Dissolved Solids	698.0	1.0	N/A	02/03/93

Notes and Definitions for this Report:

EXTRACTED
ANALYST TP
UNITS mg/L
BATCH_ID WTDS-038
COMMENTS N/A

Member: American Council of Independent Laboratories, Inc.

THIS REPORT MUST NOT BE USED IN ANY MANNER BY THE CLIENT OR ANY OTHER THIRD PARTY TO CLAIM PRODUCT ENDORSEMENT BY THE NATIONAL LABORATORY VOLUNTARY ACCREDITATION PROGRAM OR ANY OTHER AGENCY OF THE UNITED STATES GOVERNMENT.

NVLAP

ASSAIGAI
ANALYTICAL LABORATORIES, INC. • 7300 Jefferson, N.E. • Albuquerque, New Mexico 87109
3711 Admiral, Suite C • El Paso, Texas 79925

Received: 01/29/93

REPORT

Work Order # 93-01-280

Results by Sample

SAMPLE ID MONITOR WELL #1 FRACTION 01A TEST CODE WCL NAME Chloride in water

Date & Time Collected 01/29/93 08:55:00 Category WATER

PARAMETER	RESULT	LIMIT	D_F	DATE_ANAL
Chloride	34.0	1.0	N/A	02/04/93

Notes and Definitions for this Report:

EXTRACTED
ANALYST TP
UNITS mg/L
BATCH_ID WCL-027
COMMENTS N/A

Member: American Council of Independent Laboratories, Inc.

THIS REPORT MUST NOT BE USED IN ANY MANNER BY THE CLIENT OR ANY OTHER THIRD PARTY TO CLAIM PRODUCT ENDORSEMENT BY THE NATIONAL LABORATORY VOLUNTARY ACCREDITATION PROGRAM OR ANY OTHER AGENCY OF THE UNITED STATES GOVERNMENT.

NVLAP