762

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

SEP 09 2009

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 07/22/09 @ 1 °C
Reporting Date: 07/28/09
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 07/21/09 @ 13:30
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/23/09	07/24/09	07/23/09	07/22/09
Time Analysis Batch Started:		9:40	16:25	8:40	11:00
AN14899-1	MW5HL	450	55	< 0.2 *	2.1
AN14899-2	MW6HL	1,130	265	0.6	30.6
AN14899-3	MW7HL	805	120	0.3	14.7
AN14899-4	MW8HL	655	145	< 0.2 *	4.1
Date Analysis Batch Finished:		07/24/09	07/24/09	07/23/09	07/22/09
Time Analysis Batch Finished:		12:30	18:40	17:00	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1002	51	5.16	1.0664
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	102	103	107
Hi - Low Limits %		90 - 110	95 - 105	85 - 115	85 - 115
% Extraction Accuracy		N/A	102	97	100
Relative Percent Difference		1	1	2	1
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl	351.4	353.3

*Less than the LOQ (Limit of Quantitation).
This report meets NELAC T104704437-08A-TX

Mario Rodriguez, Director.

07-29-09
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 07/10/09 @ 0° C
Reporting Date: 07/18/09
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 07/08/09 @ 11:40
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: mr
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/13/09	07/16/09	07/16/09	07/16/09
Time Analysis Batch Started:		10:50	9:45	8:40	11:10
AN14841-1	MW 4 HL	595	75	0.2	2.9
Date Analysis Batch Finished:		07/14/09	07/16/09	07/14/09	07/16/09
Time Analysis Batch Finished:		13:00	14:00	17:10	18:15
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1004	50	4.85	0.9762
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	97	98
Hi - Low Limits %		90 - 110	95 - 105	85 - 115	85 - 115
% Extraction Accuracy		N/A	103	93	95
Relative Percent Difference		1	0	1	10
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl	351.4	353.3

This report meets NELAC T104704437-08A-TX

Mario Rodriguez, Director.

07-18-09
Date

762

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 02/20/09 @ 4° C
Reporting Date: 02/28/09
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 02/18/09 @ 08:30
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		02/23/09	02/27/09	02/26/09	02/27/09
Time Analysis Batch Started:		10:30	15:50	08:40	10:30
AN14265-1	MW 4	460	60	< 0.2 *	3.3
AN14265-2	MW 5 HL	415	45	< 0.2 *	1.9
AN14265-3	MW 6 HL	945	190	0.6	14.6
AN14265-4	MW 7 HL	740	100	0.3	11.9
AN14265-5	MW 8 HL	615	115	< 0.2 *	5.2
AN14265-6	PWRS	1,220	1,650	180	0.13
Date Analysis Batch Finished:		02/24/09	02/27/09	02/26/09	02/27/09
Time Analysis Batch Finished:		13:30	17:25	16:35	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1014	50	4.98	1.0416
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		101	100	100	104
% Extraction Accuracy		N/A	100	90	103
Relative Percent Difference		2	0	2	1
METHODS: EPA 600/4-79-020,		SM2540 C	SM4500B-Cl⁻	351.4	353.3

This report meets NELAC T104704437-08A-TX

Mario Rodriguez, Director

02-28-09
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

FEB 05 2009

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 11/07/08 @ 1° C
Reporting Date: 11/17/08
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 11/05/08 @ 11:10
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		11/10/08	11/07/08	11/10/08	11/07/08
Time Analysis Batch Started:		10:50	11:40	8:30	11:00
AM13855-1	MW 4	490	85	0.6	2.4
AM13855-2	PWRS	6,940	1,050	75	0.06
Date Analysis Batch Finished:		11/11/08	11/07/08	11/11/08	11/07/08
Time Analysis Batch Finished:		12:25	13:15	11:00	15:50
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1006	50	5.10	0.5110
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		101	100	102	102
% Extraction Accuracy		N/A	102	87	92
Relative Percent Difference		1	0	2	8
METHODS: EPA 600/4-79-020,		160.1	SM4500B-Cl⁻	351.4	353.3

Mario Rodriguez
Mario Rodriguez, Director.

11-17-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 11/06/08 @ 2° C
Reporting Date: 11/17/08
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 11/05/08 @ 10:00
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: ED
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		11/10/08	11/07/08	11/10/08	11/07/08
Time Analysis Batch Started:		10:50	11:40	8:30	11:00
AM13850-1	MW - 5HL	395	45	0.3	1.3
AM13850-2	MW - 7HL	845	110	0.4	6.8
Date Analysis Batch Finished:		11/11/08	11/07/08	11/11/08	11/07/08
Time Analysis Batch Finished:		12:25	13:15	11:00	15:50
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1006	50	5.10	0.5110
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		101	100	102	102
% Extraction Accuracy		N/A	102	87	92
Relative Percent Difference		1	0	2	8
METHODS: EPA 600/4-79-020,		160.1	SM4500B-Cl	351.4	353.3

Mario Rodriguez
Mario Rodriguez, Director.

11-17-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 12/02/08 @ 0° C
Reporting Date: 12/11/08
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 11/28/08 @ 16:45
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: ED
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		11/24/08	12/09/08	12/04/08	12/08/08
Time Analysis Batch Started:		10:05	11:20	9:00	13:30
AM13942-1	MW 6	1,065	225	< 0.2 *	29.1
Date Analysis Batch Finished:		11/25/08	12/09/08	12/04/08	12/08/08
Time Analysis Batch Finished:		9:00	14:20	15:40	15:55
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		982	50	4.97	1.1087
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	100	99	111
% Extraction Accuracy		N/A	101	1	100
Relative Percent Difference		0	0	2	2
METHODS: EPA 600/4-79-020,		160.1	SM4500B-Cl	351.4	353.3

Mario Rodriguez

Mario Rodriguez, Director

12-11-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 10/29/08 @ 1° C
Reporting Date: 11/06/08
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 10/28/08 @ 12:30
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		10/31/08	11/03/08	11/03/08	10/29/08
Time Analysis Batch Started:		16:30	11:06	10:30	14:30
AM13826-1	MW 8 Initial	680	140	< 0.2 *	2.7
Date Analysis Batch Finished:		11/03/08	11/03/08	11/03/08	10/29/08
Time Analysis Batch Finished:		12:30	12:15	17:25	16:50
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		994	50	5.11	0.789
True Value QC		1000	50	5.00	0.7500
% Instrument Accuracy		99	100	102	105
% Extraction Accuracy		N/A	102	96	101
Relative Percent Difference		1	0	2	5
METHODS: EPA 600/4-79-020,		160.1	SM4500B-Cl⁻	351.4	353.3

Mario Rodriguez, Director.

11-06-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock, Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER
JAN 07 2009
BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (575) 762-9674
FAX: (575) 762-3749

Receiving Date: 12/23/08 @ 1° C
Reporting Date: 01/06/09
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 12/18/08 @ 14:00
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: ED
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		12/23/08	12/29/08	12/30/08	01/06/09
Time Analysis Batch Started:		12:30	11:05	8:45	9:00
AM14029-1	MW - 6HL	1,080	235	0.8	26.5
AM14029-2	MW - 7HL	720	115	0.4	18.4
Date Analysis Batch Finished:		12/24/08	12/29/08	12/30/08	01/06/09
Time Analysis Batch Finished:		12:35	12:20	16:30	14:20
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		976	50	4.85	0.5052
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		98	100	97	101
% Extraction Accuracy		N/A	99	89	109
Relative Percent Difference		0	0	4	0
METHODS: EPA 600/4-79-020,		160.1	SM4500B-Cl-	351.4	353.3

Mario Rodriguez, Director.

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 09/18/08 @ 1° C
Reporting Date: 10/12/08
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: HOBBS, NM

Sampling Date: 09/15/08 @ 14:30
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: ED
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		09/19/08	09/30/08	09/30/08	09/25/08
Time Analysis Batch Started:		15:30	11:00	8:35	10:30
AM13648-1	MW 4	570	85	0.4	2.2
AM13648-2	PWRS	7,860	980	95	0.04
Date Analysis Batch Finished:		09/23/08	09/30/08	09/30/08	09/25/08
Time Analysis Batch Finished:		9:00	14:40	17:30	16:45
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		994	50	4.65	0.9255
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		100	100	93	93
% Extraction Accuracy		N/A	101	89	90
Relative Percent Difference		1	0	1	2

METHODS: EPA 600/4-79-020,	160.1	4500B-Cl	351.4	353.3

Mario Rodriguez

Mario Rodriguez, Director.

10-12-08

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 05/31/08 @ 1° C
Reporting Date: 06/18/08
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: HOBBS, NM

Sampling Date: 05/30/08 @ 13:10
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: ED, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		06/05/08	06/10/08	06/12/08	06/10/08
Time Analysis Batch Started:		9:30	10:50	8:40	12:10
AM13132-1	MW 4	475	65	0.5	3.7
AM13132-2	PWRS	4,235	660	525	0.18
Date Analysis Batch Finished:		06/06/08	06/10/08	06/12/08	06/10/08
Time Analysis Batch Finished:		17:15	12:00	17:20	17:20
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		984	50	5.04	1.0294
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	100	101	103
% Extraction Accuracy		N/A	100	90	85
Relative Percent Difference		0	0	6	2
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

Mario Rodriguez

Mario Rodriguez, Director.

06/18/08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

MAR 1 0 2008

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 01/03/08
Reporting Date: 01/19/08
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: HOBBS, NM

Sampling Date: 01/02/08
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		01/08/08	01/08/08	01/10/08	01/04/08
Time Analysis Batch Started:		14:45	10:30	14:30	7:45
AM12589-1	MW 4	520	80	0.3	3.1
AM12589-2	PWRS	5,825	860	920	0.19
Date Analysis Batch Finished:		01/09/08	01/08/08	01/11/08	01/04/08
Time Analysis Batch Finished:		16:35	14:00	15:45	11:45
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		986	50	5.20	0.4616
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		99	100	104	92
% Extraction Accuracy		N/A	102	95	107
Relative Percent Difference		2	0	3	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl-	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

01-19-08
Date

Advanced Analysis & Laboratory Services

5601 19th Street ✱ Lubbock, Texas 79407 ✱ P. O. Box 16652 ✱ Lubbock, Texas 79490
Tel: (806) 796-2805 ✱ Fax: (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE. 88101-3231
CLOVIS, NM
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 04/21/00
Reporting Date: 05/07/00
Project Number: DP-762
Project Name: HIGH LONESOME DAIRY
Project Location: NOT GIVEN

Sampling Date: 04/19/00
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: MR, RH

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Cl (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
ANALYSIS DATE:		04/24/00	05/06/00	05/03/00	04/27/00
AE2576-1	MW 1,N	N/A	N/A	69.6	62.7
AE2576-2	MW 1,N	1470	130	N/A	N/A
AE2576-3	MW 2,S	N/A	N/A	16.8	96.4
AE2576-4	MW 2,S	1940	290	N/A	N/A
AE2576-5	MW 3,S	N/A	N/A	0.28	5.1
AE2576-6	MW 3,S	830	210	N/A	N/A
AE2576-7	PWRS	N/A	N/A	471.0	< 0.01 *
AE2576-8	PWRS	3380	350	N/A	N/A
Quality Control		.988	50.0	4.92	0.4705
True Value QC		1000	50.0	5.00	0.5000
% IA		99	100	96	94
% EA		N/A	100	108	106
Relative Percent Difference		1	0	6	10
METHODS: EPA 600/4-79-020,		160.1	4500B	351.4	353.3

* Less than the MDL.

Mario Rodriguez
Mario Rodriguez, Chemist

05/07/00
Date

Clay-lined lagoon

PLEASE NOTE: Liability and Damages. A A's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by A A within 30 days after completion of the applicable service. In no event shall A A be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by A A, regardless of whether such claim is based upon any of the above stated reasons or otherwise.



Section 8 & 9
T 17S; R 38E

DP-762

Enviro Compliance Services, Inc.
Office: (505) 762-9674 Fax: (505) 762-3749
Providing Management Assistance for Environmental Compliance Since 1981

Title: High Lonesome Dairy Site Map	DP-762	
Date: 11/06/2008	DWG/Doc Ref Scale 1"= 775'	Sheet No 1/1