

Enviro Compliance
Services, Inc.
Office: (505) 762-9674 Fax: (505) 762-3749
Providing Management Assistance for Environmental Compliance Since 1981

Title: Anderson Dairy Overall Site		DP-826
Date: 4/1/2004	DWG/Doc Ref	Sheet No 1/1

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002411**

LABORATORY REPORT

Report Date: 09/04/2009 04:31 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Sean H. Jenkins
QA Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: MW 2
Client Name: ANDERSON DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/25/2009 02:00 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/22/2009 08:30 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 402048
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	10	mg/L	0.10	EPA 353.2	8/26/2009 1:07PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	SM 4500-NH3 C (20th Ed)	8/31/2009	RR
Chloride, Cl	130	mg/L	10	EPA 325.2	8/26/2009 9:49AM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	1150	mg/L	20	SM 2540 C (20th Ed.)	8/31/2009 10:04AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002412**

LABORATORY REPORT

Report Date: 09/04/2009 04:32 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Sean H. Jenkins
QA Manager

Project ID: DP-826	**Date/Time Received:** 08/25/2009 02:00 pm	**Location:**
Project Title: ANDERSON DAIRY	**Name of Submitter:** NATIVE 7 INC	
Sample ID: MW 5	**Date/Time Sampled:** 08/22/2009 10:15 am	**Invoice No:** 402048
Client Name: ANDERSON DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	11	mg/L	0.10	EPA 353.2	8/26/2009 1:10PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	SM 4500-NH3 C (20th Ed)	8/31/2009	RR
Chloride, Cl	130	mg/L	10	EPA 325.2	8/26/2009 9:52AM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	1070	mg/L	20	SM 2540 C (20th Ed.)	8/31/2009 10:04AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.032

Lab #: A-2009NL**002413**

LABORATORY REPORT

Report Date: 09/04/2009 04:32 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Sean H. Jenkins
QA Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: PWRS
Client Name: ANDERSON DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 08/25/2009 02:00 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/22/2009 09:30 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 402048
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	8/26/2009 1:11PM	LF
Total Kjeldahl Nitrogen, TKN	880	mg/L	50	SM 4500-NH3 C (20th Ed)	8/31/2009	RR
Chloride, Cl	3300	mg/L	100	EPA 325.2	8/26/2009 9:54AM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	24300	mg/L	200	SM 2540 C (20th Ed.)	8/31/2009 10:04AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001650**

LABORATORY REPORT

Report Date: 05/21/2009 08:55 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: ANDERSON DAIRY
Project Title: DP-826
Sample ID: MW 2
Client Name: ANDERSON DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 08:30 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	10	mg/L	0.10	EPA 353.2	5/20/2009 10:56AM	LF
Chloride, Cl	130	mg/L	10	EPA 325.2	5/20/2009 9:52AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	1120	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001651**

LABORATORY REPORT

Report Date: 05/21/2009 08:55 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Laboratory Manager

Project ID: ANDERSON DAIRY	**Date/Time Received:** 05/18/2009 10:00 am	**Location:**
Project Title: DP-826	**Name of Submitter:** NATIVE 7 INC	
Sample ID: MW 4	**Date/Time Sampled:** 05/14/2009 09:30 am	**Invoice No:** 401816
Client Name: ANDERSON DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	11	mg/L	0.10	EPA 353.2	5/20/2009 10:57AM	LF
Chloride, Cl	130	mg/L	10	EPA 325.2	5/20/2009 9:54AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	6	mg/L	6	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	1100	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MD

RL = Reporting Limit

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001652**

LABORATORY REPORT

Report Date: 05/21/2009 08:56 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: ANDERSON DAIRY	**Date/Time Received:** 05/18/2009 10:00 am	**Location:**
Project Title: DP-826	**Name of Submitter:** NATIVE 7 INC	
Sample ID: MW 5	**Date/Time Sampled:** 05/14/2009 10:20 am	**Invoice No:** 401816
Client Name: ANDERSON DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	10	mg/L	0.10	EPA 353.2	5/20/2009 10:58AM	LF
Chloride, Cl	130	mg/L	10	EPA 325.2	5/20/2009 9:55AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	1010	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000778**

LABORATORY REPORT

Report Date: 02/20/2009 03:04 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: MW 5 MONITORING WELL
Client Name: ANDERSON DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 10:00 am
Name of Sampler: MIKE DOLAN

Location:
Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	9.8	mg/L	0.10	EPA 353.2	2/17/2009 9:58AM	LF
Chloride, Cl	140	mg/L	10	EPA 325.2	2/17/2009 10:27AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	2/18/2009	RP
Total Dissolved Solids, TDS	1070	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	I.

DP-826

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000779**

LABORATORY REPORT

Report Date: 02/20/2009 03:04 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: PWRS WATEWATER
Client Name: ANDERSON DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 09:10 am
Name of Sampler: MIKE DOLAN

Location:
Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	0.31	mg/L	0.10	EPA 353.2	2/17/2009 10:18AM	LF
Chloride, Cl	2000	mg/L	100	EPA 325.2	2/17/2009 10:28AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	990	mg/L	35	EPA 351.3	2/18/2009	RP
Total Dissolved Solids, TDS	16900	mg/L	200	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	M

RL = Reporting Limit

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000777**

LABORATORY REPORT

Report Date: 02/20/2009 03:04 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: MW 4 MONITORING WELL
Client Name: ANDERSON DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 09:00 am
Name of Sampler: MIKE DOLAN

Location:
Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	11	mg/L	0.10	EPA 353.2	2/17/2009 9:57AM	LF
Chloride, Cl	140	mg/L	10	EPA 325.2	2/17/2009 10:26AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	2/18/2009	RP
Total Dissolved Solids, TDS	1190	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	I.

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000776**

LABORATORY REPORT

Report Date: 02/20/2009 03:03 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Laboratory Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: MW 2 MONITORING WELL
Client Name: ANDERSON DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 08:20 am
Name of Sampler: MIKE DOLAN

Location:
Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	10	mg/L	0.10	EPA 353.2	2/17/2009 9:56AM	LF
Chloride, Cl	140	mg/L	10	EPA 325.2	2/17/2009 10:25AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	4	EPA 351.3	2/18/2009	RP
Total Dissolved Solids, TDS	1170	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	L

DP-826

RL = Reporting Limit | ND = Not Detected at RL

GROUND WATER

DEC 15 2008

BUREAU

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000148**

LABORATORY REPORT

Report Date: 10/29/2008 02:28 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: MW 2
Client Name: ANDERSON DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 09:00 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	11	mg/L	0.10	EPA 353.2	10/22/2008 1:30PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	10/29/2008	RR
Chloride, Cl	130	mg/L	10	EPA 325.2	10/22/2008 1:46PM	LF
Total Dissolved Solids, TDS	1120	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

826-dp

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000149**

LABORATORY REPORT

Report Date: 10/29/2008 02:28 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: MW 4
Client Name: ANDERSON DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 09:45 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	12	mg/L	0.10	EPA 353.2	10/22/2008 1:33PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	10/29/2008	RR
Chloride, Cl	130	mg/L	10	EPA 325.2	10/22/2008 2:00PM	LF
Total Dissolved Solids, TDS	1160	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000150**

LABORATORY REPORT

Report Date: 10/29/2008 02:29 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: MW 5
Client Name: ANDERSON DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 10:30 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	10	mg/L	0.10	EPA 353.2	10/22/2008 1:34PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	10/29/2008	RR
Chloride, Cl	130	mg/L	10	EPA 325.2	10/22/2008 2:01PM	LF
Total Dissolved Solids, TDS	1050	mg/L	20	SM 2540 C (20th Ed.)	10/29/2008	KC

DP-826

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**000329**

LABORATORY REPORT

Report Date: 03/13/2007 10:26 am

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: DP-826
Project Title:
Sample ID: PWRS
Client Name: Anderson Dairy
Subject: Wastewater Lab Analysis

Date/Time Received: 03/01/2007 01:30 pm
Name of Submitter: BEN CARTY
Date/Time Sampled: 02/27/2007 01:55 pm
Name of Sampler: BEN CARTY

Location:
Invoice No: 400289
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	0.16	mg/L	0.1	EPA 353.2	3/2/2007 11:43AM	LF
Chloride, Cl	1900	mg/L	40	EPA 300.0	3/5/2007 11:36PM	SH
Total Dissolved Solids, TDS	16400	mg/L	200	SM 2540 C (20th Ed.)	3/8/2007	KC
Total Kjeldahl Nitrogen, TKN	360	mg/L	5	EPA 351.3	3/5/2007	KC

RL = Reporting Limit

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**000328**

LABORATORY REPORT

Report Date: 03/13/2007 10:26 am

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: DP-826	**Date/Time Received:** 03/01/2007 01:30 pm	**Location:**
Project Title:	**Name of Submitter:** BEN CARTY	
Sample ID: MW5	**Date/Time Sampled:** 02/27/2007 03:30 pm	**Invoice No:** 400289
Client Name: Anderson Dairy	**Name of Sampler:** BEN CARTY	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	9.76	mg/L	0.1	EPA 353.2	3/2/2007 11:42AM	LF
Chloride, Cl	140	mg/L	4	EPA 300.0	3/5/2007 11:19PM	SH
Total Dissolved Solids, TDS	987	mg/L	10	SM 2540 C (20th Ed.)	3/8/2007	KC
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	3/5/2007	KC

RL = Reporting Limit | ND = Not Detected at RL

GROUND WATER

APR 1 6 2007

BUREAU

Servi-Tech Laboratories
6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**000326**

LABORATORY REPORT

Report Date: 03/13/2007 10:25 am

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: DP-826
Project Title:
Sample ID: MW2
Client Name: Anderson Dairy
Subject: Monitoring Well Lab Analysis

Date/Time Received: 03/01/2007 01:30 pm
Name of Submitter: BEN CARTY
Date/Time Sampled: 02/27/2007 01:35 pm
Name of Sampler: BEN CARTY

Location:
Invoice No: 400289
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	10.4	mg/L	0.1	EPA 353.2	3/2/2007 11:40AM	LF
Chloride, Cl	140	mg/L	4	EPA 300.0	3/8/2007 9:21PM	SH
Total Dissolved Solids, TDS	951	mg/L	10	SM 2540 C (20th Ed.)	3/8/2007	KC
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	3/5/2007	KC

DP-826

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories
6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**000327**

LABORATORY REPORT

Report Date: 03/13/2007 10:25 am

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: DP-826
Project Title:
Sample ID: MW4
Client Name: Anderson Dairy
Subject: Monitoring Well Lab Analysis

Date/Time Received: 03/01/2007 01:30 pm
Name of Submitter: BEN CARTY
Date/Time Sampled: 02/27/2007 02:45 pm
Name of Sampler: BEN CARTY

Location:
Invoice No: 400289
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	11.2	mg/L	0.1	EPA 353.2	3/2/2007 11:41AM	LF
Chloride, Cl	160	mg/L	4	EPA 300.0	3/8/2007 10:13PM	SH
Total Dissolved Solids, TDS	1070	mg/L	10	SM 2540 C (20th Ed.)	3/8/2007	KC
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	3/5/2007	KC

RL = Reporting Limit | ND = Not Detected at RL

DP-826

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

GROUND WATER

APR 03 2006

BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 03/18/06
Reporting Date: 03/27/06
Project Number: DP-826
Project Name: ANDERSON DAIRY
Project Location: ROOSEVELT COUNTY, NM

Sampling Date: 03/17/06
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, TE

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		03/20/06	03/21/06	03/24/06	03/21/06
Time Analysis Batch Started:		12:55	11:00	14:45	14:00
AK10262-1	MW 2	1,100	175	0.2	11.0
AK10262-2	MW 5	920	155	0.2	9.3
AK10262-3	PWRS	12,835	1,825	1,200	0.04
Date Analysis Batch Finished:		03/21/06	03/21/06	03/25/06	03/21/06
Time Analysis Batch Finished:		10:00	15:25	11:30	16:45
Blank		< 1	> 1	< 0.2	< 0.01
Quality Control		984	50	5.05	0.5342
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		98	100	101	107
% Extraction Accuracy		N/A	99	91	106
Relative Percent Difference		0	1	10	1
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

Mario Rodriguez, Director

3-27-06
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

Recd 9-29-05

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 08/07/05
Reporting Date: 08/17/05
Project Number: DP-826
Project Name: ANDERSON DAIRY
Project Location: ROOSEVELT COUNTY, NM

Sampling Date: 08/02/05
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: RG, CW

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		08/08/05	08/08/05	08/11/05	08/09/05
Time Analysis Batch Started:		13:00	14:00	8:45	10:00
AJ9424-1	MW 2	1155	150	< 0.2 *	12.0
AJ9424-2	MW 4	1005	140	< 0.2 *	13.8
AJ9424-3	MW 5	540	75	< 0.2 *	6.8
AJ9424-4	PWRS	8900	1800	545	0.47
Date Analysis Batch Finished:		08/09/05	08/08/05	08/11/05	08/09/05
Time Analysis Batch Finished:		14:30	15:15	16:00	14:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		982	51	4.87	0.5183
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		98	102	97	104
% Extraction Accuracy		N/A	99	95	94
Relative Percent Difference		2	0	2	0
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez, Director

08-17-05
Date

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL000703

LABORATORY REPORT

Report Date: 03/06/2008 10:16 am

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: DP-826
Project Title: ANDERSON DAIRY
Sample ID: PWRS
Client Name: ANDERSON DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 02/15/2008 08:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 02/14/2008 09:45 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 400821
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	2/15/2008 2:15PM	LF
Total Kjeldahl Nitrogen, TKN	1100	mg/L	34	EPA 351.3	2/19/2008	RR
Chloride, Cl	1500	mg/L	10	EPA 325.2	2/15/2008 1:53PM	LF
Total Dissolved Solids, TDS	15500	mg/L	500	SM 2540 C (20th Ed.)	2/26/2008	KC

DP-826
Recent Wastewater
TKN Analysis

RL = Reporting Limit | ND = Not Detected at RL