5401 W. Pinson Drive



1,000'
500'
Scale

■ = PWRS Sampling Location

N

Enviro Compliance Services, Inc.

Office: (505) 762-9674 Fax: (505) 762-3749

Providing Management Assistance for Environmental Compliance Since 1981

Title: Tee Vee Dairy Site Map	DP-909
Date: 10/21/2008	Sheet No 1/1

DP-707

Recent GW

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 10/25/08 @ 2 °C
Reporting Date: 11/03/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 10/24/08 @ 10:30
Sample Type: WASTE H_2O, WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		10/29/08	10/28/08	10/30/08	10/30/08
Time Analysis Batch Started:		16:05	10:00	8:40	14:30
AM13811-1	MW 3	535	80	< 0.2 *	2.4
AM13811-2	MW 4	800	95	0.3	11.8
AM13811-3	MW 5	435	45	< 0.2 *	1.9
AM13811-4	PWRS	1,530	280	40	0.03
Date Analysis Batch Finished:		10/31/08	10/28/08	10/31/08	10/30/08
Time Analysis Batch Finished:		15:20	14:00	11:30	17:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		998	50	5.23	0.7887
True Value QC		1000	50	5.00	0.7500
% Instrument Accuracy		100	100	105	105
% Extraction Accuracy		N/A	101	94	107
Relative Percent Difference		2	0	3	1
METHODS: EPA 600/4-79-020,		160.1	SM4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

11-03-08

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 08/09/08 @ 5 °C
Reporting Date: 08/25/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 08/07/08 @ 15:45
Sample Type: WASTE H_2O, WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		08/12/08	08/19/08	08/21/08	08/19/08
Time Analysis Batch Started:		11:00	10:45	9:00	10:30
AM13440-1	MW 3	515	80	< 0.2 *	3.4
AM13440-2	MW 4	985	125	1.0	8.7
AM13440-3	MW 5	435	60	0.5	3.0
AM13440-4	PWRS	1,130	220	15	0.06
Date Analysis Batch Finished:		08/14/08	08/19/08	08/21/08	08/19/08
Time Analysis Batch Finished:		10:35	12:50	17:35	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		988	50	5.19	0.9857
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		99	100	104	99
% Extraction Accuracy		N/A	104	104	100
Relative Percent Difference		2	0	2	4
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

08-27-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 05/19/08 @ 1 °C
Reporting Date: 05/30/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 05/16/08 @ 14:40
Sample Type: WASTE H_2O, WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		05/22/08	05/27/08	05/27/08	05/29/08
Time Analysis Batch Started:		13:00	10:55	9:00	8:50
AM13083-1	MW 2	530	55	< 0.2 *	9.0
AM13083-2	MW 3	520	75	< 0.2 *	3.1
AM13083-3	MW 4	940	120	0.3	4.8
AM13083-4	MW 5	390	40	< 0.2 *	1.9
AM13083-5	PWRS	1,320	230	30	0.18
Date Analysis Batch Finished:		05/23/08	05/27/08	05/27/08	05/29/08
Time Analysis Batch Finished:		11:48	16:00	18:00	16:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		976	51	4.80	0.9867
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	102	96	99
% Extraction Accuracy		N/A	96	89	106
Relative Percent Difference		1	0	3	2
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

05-30-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 02/23/08
Reporting Date: 03/07/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 02/20/08
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		02/26/08	03/03/08	02/27/08	03/03/08
Time Analysis Batch Started:		15:10	10:50	14:00	15:00
AM12740-1	MW 2	630	65	0.6	14.6
AM12740-2	MW 3	520	75	< 0.2 *	8.5
AM12740-3	MW 4	1,600	110	< 0.2 *	3.0
AM12740-4	MW 5	440	45	< 0.2 *	1.3
AM12740-5	PWRS	1,245	130	50	0.10
Date Analysis Batch Finished:		02/27/08	03/03/08	02/28/08	03/03/08
Time Analysis Batch Finished:		17:00	12:20	12:08	17:15
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1016	47	4.89	0.3028
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		102	94	98	101
% Extraction Accuracy		N/A	105	88	99
Relative Percent Difference		1	0	10	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

03-07-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 11/09/07
Reporting Date: 11/14/07
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 11/07/07
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: RG
Analyzed By: RG, SN

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		11/12/07	11/12/07	11/12/07	11/09/07
Time Analysis Batch Started:		10:20	13:30	9:00	13:00
AL12425-1	MW 2	515	60	0.3	7.3
AL12425-2	MW 3	520	80	< 0.2 *	2.7
AL12425-3	MW 4	830	115	0.6	15.9
AL12425-4	MW 5	430	50	< 0.2 *	1.7
AL12425-5	PWRS	240	430	70	0.04
Date Analysis Batch Finished:		11/13/07	11/12/07	11/12/07	11/09/07
Time Analysis Batch Finished:		10:30	15:45	17:00	17:00
Blank		< 1	< 1	< 0.21	< 0.01
Quality Control		982	50	5.02	0.4988
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		98	100	100	100
% Extraction Accuracy		N/A	102	98	110
Relative Percent Difference		2	3	2	5
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

11-14-07
Date

Recent WW

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 10/25/08 @ 2 °C
Reporting Date: 11/03/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 10/24/08 @ 10:30
Sample Type: WASTE H_2O, WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		10/29/08	10/28/08	10/30/08	10/30/08
Time Analysis Batch Started:		16:05	10:00	8:40	14:30
AM13811-1	MW 3	535	80	< 0.2 *	2.4
AM13811-2	MW 4	800	95	0.3	11.8
AM13811-3	MW 5	435	45	< 0.2 *	1.9
AM13811-4	PWRS	1,530	280	40	0.03
Date Analysis Batch Finished:		10/31/08	10/28/08	10/31/08	10/30/08
Time Analysis Batch Finished:		15:20	14:00	11:30	17:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		998	50	5.23	0.7887
True Value QC		1000	50	5.00	0.7500
% Instrument Accuracy		100	100	105	105
% Extraction Accuracy		N/A	101	94	107
Relative Percent Difference		2	0	3	1
METHODS: EPA 600/4-79-020,		160.1	SM4500B-Cl^-	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

11-03-08

Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 08/09/08 @ 5 °C
Reporting Date: 08/25/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 08/07/08 @ 15:45
Sample Type: WASTE H_2O, WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		08/12/08	08/19/08	08/21/08	08/19/08
Time Analysis Batch Started:		11:00	10:45	9:00	10:30
AM13440-1	MW 3	515	80	< 0.2 *	3.4
AM13440-2	MW 4	985	125	1.0	8.7
AM13440-3	MW 5	435	60	0.5	3.0
AM13440-4	PWRS	1,130	220	15	0.06
Date Analysis Batch Finished:		08/14/08	08/19/08	08/21/08	08/19/08
Time Analysis Batch Finished:		10:35	12:50	17:35	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		988	50	5.19	0.9857
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		99	100	104	99
% Extraction Accuracy		N/A	104	104	100
Relative Percent Difference		2	0	2	4
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

08-27-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 05/19/08 @ 1 °C
Reporting Date: 05/30/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 05/16/08 @ 14:40
Sample Type: WASTE H_2O, WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		05/22/08	05/27/08	05/27/08	05/29/08
Time Analysis Batch Started:		13:00	10:55	9:00	8:50
AM13083-1	MW 2	530	55	< 0.2 *	9.0
AM13083-2	MW 3	520	75	< 0.2 *	3.1
AM13083-3	MW 4	940	120	0.3	4.8
AM13083-4	MW 5	390	40	< 0.2 *	1.9
AM13083-5	PWRS	1,320	230	30	0.18
Date Analysis Batch Finished:		05/23/08	05/27/08	05/27/08	05/29/08
Time Analysis Batch Finished:		11:48	16:00	18:00	16:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		976	51	4.80	0.9867
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	102	96	99
% Extraction Accuracy		N/A	96	89	106
Relative Percent Difference		1	0	3	2
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

05-30-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 02/23/08
Reporting Date: 03/07/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 02/20/08
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		02/26/08	03/03/08	02/27/08	03/03/08
Time Analysis Batch Started:		15:10	10:50	14:00	15:00
AM12740-1	MW 2	630	65	0.6	14.6
AM12740-2	MW 3	520	75	< 0.2 *	8.5
AM12740-3	MW 4	1,600	110	< 0.2 *	3.0
AM12740-4	MW 5	440	45	< 0.2 *	1.3
AM12740-5	PWRS	1,245	130	50	0.10
Date Analysis Batch Finished:		02/27/08	03/03/08	02/28/08	03/03/08
Time Analysis Batch Finished:		17:00	12:20	12:08	17:15
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1016	47	4.89	0.3028
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		102	94	98	101
% Extraction Accuracy		N/A	105	88	99
Relative Percent Difference		1	0	10	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

03-07-08
Date

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 11/09/07
Reporting Date: 11/14/07
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 11/07/07
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: RG
Analyzed By: RG, SN

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		11/12/07	11/12/07	11/12/07	11/09/07
Time Analysis Batch Started:		10:20	13:30	9:00	13:00
AL12425-1	MW 2	515	60	0.3	7.3
AL12425-2	MW 3	520	80	< 0.2 *	2.7
AL12425-3	MW 4	830	115	0.6	15.9
AL12425-4	MW 5	430	50	< 0.2 *	1.7
AL12425-5	PWRS	240	430	70	0.04
Date Analysis Batch Finished:		11/13/07	11/12/07	11/12/07	11/09/07
Time Analysis Batch Finished:		10:30	15:45	17:00	17:00
Blank		< 1	< 1	< 0.21	< 0.01
Quality Control		982	50	5.02	0.4988
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		98	100	100	100
% Extraction Accuracy		N/A	102	98	110
Relative Percent Difference		2	3	2	5
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

11-14-07
Date

DP-101

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

RECEIVED
SEP 29 2006
BUREAU

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 08/11/06
Reporting Date: 08/21/06
Project Number: DP-909
Project Name: WEST STAR RANCH
Project Location: HOBBS, NM

Sampling Date: 08/10/06
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: MW
Analyzed By: RG, MW

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		08/15/06	08/17/06	08/15/06	08/17/06
Time Analysis Batch Started:		8:30	15:45	13:30	9:00
AK10837-1	MW 2	625	70	0.4	8.2
AK10837-2	MW 3	505	80	< 0.2 *	2.9
AK10837-3	PWRS	1,535	230	1.0	0.42
Date Analysis Batch Finished:		08/16/06	08/17/06	08/16/06	08/17/06
Time Analysis Batch Finished:		9:38	17:00	17:48	11:40
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		984	51	4.90	1.0637
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		98	102	98	106
% Extraction Accuracy		N/A	104	100	108
Relative Percent Difference		0	0	3	4
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl^-	351.4	353.3

Mario Rodriguez
Mario Rodriguez, Director.

8-21-06
Date

Forest WW

DP-909

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 11/09/07
Reporting Date: 11/14/07
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 11/07/07
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: RG
Analyzed By: RG, SN

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		11/12/07	11/12/07	11/12/07	11/09/07
Time Analysis Batch Started:		10:20	13:30	9:00	13:00
AL12425-1	MW 2	515	60	0.3	7.3
AL12425-2	MW 3	520	80	< 0.2 *	2.7
AL12425-3	MW 4	830	115	0.6	15.9
AL12425-4	MW 5	430	50	< 0.2 *	1.7
AL12425-5	PWRS	240	430	70	0.04
Date Analysis Batch Finished:		11/13/07	11/12/07	11/12/07	11/09/07
Time Analysis Batch Finished:		10:30	15:45	17:00	17:00
Blank		< 1	< 1	< 0.21	< 0.01
Quality Control		982	50	5.02	0.4988
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		98	100	100	100
% Extraction Accuracy		N/A	102	98	110
Relative Percent Difference		2	3	2	5
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez
Mario Rodriguez, Director.

11-14-07
Date

Highest WW

DP-909

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 07/14/07
Reporting Date: 07/25/07
Project Number: DP-909
Project Name: WEST STAR RANCH
Project Location: HOBBS, NM

Sampling Date: 07/12/07
Sample Type: WELL H_2O, WASTE H_2O
Sample Condition: COOL & INTACT
Sample Received By: SN
Analyzed By: RG, SN

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		07/16/07	07/19/07	07/19/07	07/17/07
Time Analysis Batch Started:		13:00	13:00	9:00	11:00
AL12002-1	MW 2	585	70	0.9	7.6
AL12002-2	MW 3	535	80	< 0.2 *	3.1
AL12002-3	MW 4	725	100	0.8	22.6
AL12002-4	MW 5	440	50	< 0.2 *	1.6
AL12002-5	PWRS	2,490	530	25	0.93
Date Analysis Batch Finished:		07/17/07	07/19/07	07/20/07	07/17/07
Time Analysis Batch Finished:		17:27	16:45	16:20	17:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1000	50	5.45	0.5012
True Value QC		1000	50	5.00	0.5000
% Instrument Accuracy		100	100	109	100
% Extraction Accuracy		N/A	101	98	92
Relative Percent Difference		1	0	2	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl^-	351.4	353.3

Mario Rodriguez
Mario Rodriguez, Director.

07-26-07
Date

Highest GW. MW-4

DP-101

JUL 07 2003

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 05/17/03
Reporting Date: 05/30/03
Project Number: DP-909
Project Name: WEST STAR RANCH
Project Location: HOBBS, NM

Sampling Date: 05/15/03
Sample Type: WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: MJ, BS

LAB NUMBER	SAMPLE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		05/20/03	05/19/03	05/20/03	05/22/03
Time Analysis Batch Started:		12:40	9:30	11:30	11:00
AH6253-1	MW 1	575	64	1.1	8.0
AH6253-2	MW 2	570	76	0.5	7.9
AH6253-3	MW 3	495	76	< 0.2 *	2.4
Date Analysis Batch Finished:		05/21/03	05/19/03	05/20/03	05/22/03
Time Analysis Batch Finished:		14:30	12:30	16:20	16:00
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1006	51	4.52	0.3378
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		101	102	90	113
% Extraction Accuracy		N/A	105	97	93
Relative Percent Difference		3	5	4	0
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

* Less than the Minimum Detection Limit.

Mario Rodriguez

Mario Rodriguez, Director.

05/30/03
Date

Highest GW: MW-1

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 02/23/08
Reporting Date: 03/07/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 02/20/08
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		02/26/08	03/03/08	02/27/08	03/03/08
Time Analysis Batch Started:		15:10	10:50	14:00	15:00
AM12740-1	MW 2	630	65	0.6	14.6
AM12740-2	MW 3	520	75	< 0.2 *	8.5
AM12740-3	MW 4	1,600	110	< 0.2 *	3.0
AM12740-4	MW 5	440	45	< 0.2 *	1.3
AM12740-5	PWRS	1,245	130	50	0.10
Date Analysis Batch Finished:		02/27/08	03/03/08	02/28/08	03/03/08
Time Analysis Batch Finished:		17:00	12:20	12:08	17:15
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1016	47	4.89	0.3028
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		102	94	98	101
% Extraction Accuracy		N/A	105	88	99
Relative Percent Difference		1	0	10	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez
Mario Rodriguez, Director.

03-07-08
Date

Highest GW - MW-2

DP-101

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 02/23/08
Reporting Date: 03/07/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 02/20/08
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		02/26/08	03/03/08	02/27/08	03/03/08
Time Analysis Batch Started:		15:10	10:50	14:00	15:00
AM12740-1	MW 2	630	65	0.6	14.6
AM12740-2	MW 3	520	75	< 0.2 *	8.5
AM12740-3	MW 4	1,600	110	< 0.2 *	3.0
AM12740-4	MW 5	440	45	< 0.2 *	1.3
AM12740-5	PWRS	1,245	130	50	0.10
Date Analysis Batch Finished:		02/27/08	03/03/08	02/28/08	03/03/08
Time Analysis Batch Finished:		17:00	12:20	12:08	17:15
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		1016	47	4.89	0.3028
True Value QC		1000	50	5.00	0.3000
% Instrument Accuracy		102	94	98	101
% Extraction Accuracy		N/A	105	88	99
Relative Percent Difference		1	0	10	3
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl⁻	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez
Mario Rodriguez, Director.

03-07-08
Date

Highest GW-MW-3

DP-909

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 08/09/08 @ 5 °C
Reporting Date: 08/25/08
Project Number: DP-909
Project Name: TEE VEE DAIRY
Project Location: LOVINGTON, NM

Sampling Date: 08/07/08 @ 15:45
Sample Type: WASTE H_2O, WELL H_2O
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN, ED

LAB NUMBER	SOURCE ID	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:		08/12/08	08/19/08	08/21/08	08/19/08
Time Analysis Batch Started:		11:00	10:45	9:00	10:30
AM13440-1	MW 3	515	80	< 0.2 *	3.4
AM13440-2	MW 4	985	125	1.0	8.7
AM13440-3	MW 5	435	60	0.5	3.0
AM13440-4	PWRS	1,130	220	15	0.06
Date Analysis Batch Finished:		08/14/08	08/19/08	08/21/08	08/19/08
Time Analysis Batch Finished:		10:35	12:50	17:35	16:30
Blank		< 1	< 1	< 0.2	< 0.01
Quality Control		988	50	5.19	0.9857
True Value QC		1000	50	5.00	1.0000
% Instrument Accuracy		99	100	104	99
% Extraction Accuracy		N/A	104	104	100
Relative Percent Difference		2	0	2	4
METHODS: EPA 600/4-79-020,		160.1	4500B-Cl^-	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director.

08-27-08
Date

Highest GW, MW-5