DP-932



Enviro Compliance Services, Inc.
Office: (505) 762-9674 Fax: (505) 762-3749
Providing Management Assistance for Environmental Compliance Since 1981

Title: Midway Dairy DP-932
Overall Site Layout

Date: 9/8/2006

DWG/Doc Ref: Not to Scale

Sheet No: 1/1

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002417**

LABORATORY REPORT

Report Date: 09/04/2009 04:33 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Sean H. Jenkins
QA Manager

Project ID: DP-932
Project Title: MIDWAY DAIRY
Sample ID: MW 1
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/25/2009 02:00 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/22/2009 01:15 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 402048
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	16	mg/L	0.10	EPA 353.2	8/26/2009 1:14PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	SM 4500-NH3 C (20th Ed)	8/31/2009	RR
Chloride, Cl	20	mg/L	1.0	EPA 325.2	8/26/2009 9:37AM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	416	mg/L	20	SM 2540 C (20th Ed.)	8/31/2009 10:04AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002418**

LABORATORY REPORT

Report Date: 09/04/2009 04:33 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Sean H. Jenkins
QA Manager

Project ID: DP-932
Project Title: MIDWAY DAIRY
Sample ID: MW 2
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/25/2009 02:00 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/22/2009 01:50 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 402048
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.2	mg/L	0.10	EPA 353.2	8/26/2009 1:15PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	SM 4500-NH3 C (20th Ed)	8/31/2009	RR
Chloride, Cl	6.6	mg/L	1.0	EPA 325.2	8/26/2009 9:38AM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	316	mg/L	20	SM 2540 C (20th Ed.)	8/31/2009 10:04AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002419**

LABORATORY REPORT

Report Date: 09/04/2009 04:33 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Sean H. Jenkins
QA Manager

Project ID: DP-932	**Date/Time Received:** 08/25/2009 02:00 pm	**Location:**
Project Title: MIDWAY DAIRY	**Name of Submitter:** NATIVE 7 INC	
Sample ID: MW 3	**Date/Time Sampled:** 08/22/2009 11:30 am	**Invoice No:** 402048
Client Name: MIDWAY DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.6	mg/L	0.10	EPA 353.2	8/26/2009 1:16PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	SM 4500-NH3 C (20th Ed)	8/31/2009	RR
Chloride, Cl	7.6	mg/L	1.0	EPA 325.2	8/26/2009 9:40AM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	316	mg/L	20	SM 2540 C (20th Ed.)	8/31/2009 10:04AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002420**

LABORATORY REPORT

Report Date: 09/04/2009 04:34 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Sean H. Jenkins
QA Manager

Project ID: DP-932	**Date/Time Received:** 08/25/2009 02:00 pm	**Location:**
Project Title: MIDWAY DAIRY	**Name of Submitter:** NATIVE 7 INC	
Sample ID: MW 4	**Date/Time Sampled:** 08/22/2009 12:20 pm	**Invoice No:** 402048
Client Name: MIDWAY DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	7.2	mg/L	0.10	EPA 353.2	8/26/2009 1:17PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	7	SM 4500-NH3 C (20th Ed)	8/31/2009	RR
Chloride, Cl	19	mg/L	1.0	EPA 325.2	8/26/2009 9:41AM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	422	mg/L	20	SM 2540 C (20th Ed.)	8/31/2009 10:04AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**002421**

LABORATORY REPORT

Report Date: 09/04/2009 04:34 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Sean H. Jenkins
QA Manager

Project ID: DP-932
Project Title: MIDWAY DAIRY
Sample ID: PWRS
Client Name: MIDWAY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 08/25/2009 02:00 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/22/2009 12:30 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 402048
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	8/26/2009 1:21PM	LF
Total Kjeldahl Nitrogen, TKN	490	mg/L	50	SM 4500-NH3 C (20th Ed)	8/31/2009	RR
Chloride, Cl	360	mg/L	10	EPA 325.2	8/26/2009 9:46AM	LF
Non-Accredited Tests						
Total Dissolved Solids, TDS	4560	mg/L	200	SM 2540 C (20th Ed.)	8/31/2009 10:04AM	MD

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001645**

LABORATORY REPORT

Report Date: 05/21/2009 08:53 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 1
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 03:20 pm to 05/14/2009 03:30 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	27	mg/L	0.10	EPA 353.2	5/20/2009 10:48AM	LF
Chloride, Cl	30	mg/L	1.0	EPA 325.2	5/20/2009 9:32AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	518	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MP

RL = Reporting Limit | ND = Not Detected at RL

C- 04779

Servi-Tech Laboratories

CHAIN-OF-CUSTODY / ANALYTICAL REQUEST DOCUMENT

1602 Parkwest Drive, Hastings, NE 68901 | 1816 East Wyatt Earp, Dodge City, KS 67801 | 6921 South Bell, Amarillo, TX 79109 | **800-557-7509**

Required Client Information: **Section A**

Company:

Address: EnviroCompliance Services, Inc.
564 SR 523
Clovis, NM 88101-1023
Ph: 575-762-9674
Fax: 575-762-3749

Phone:

Required Client Information: **Section B**

Report To:

Report & Inv to:
Cathy Wyant, ECS, Inc.
Project Name & Number:
Sky Country Farms
DP-1250

Page: 1 of 1

Client Information (Check quote/contract):

Requested Due Date: *TAT:

* Turn around times less than 14 days subject to laboratory and contractual obligations and may result in a Rush Turnaround Surcharge.

Turn Around Time (TAT) in calendar days.

To Be Completed by Servi-Tech and Client **Section C**

Quote Reference:

Project Manager:

Project #:

Profile #:

Requested Analysis or Package:

Section D

Required Client Information:

SAMPLE ID

Sample IDs MUST BE UNIQUE

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
OTHER WATER	AQ
ENV. SOIL	SL
SOLID WASTE	SW
AG SOIL	AS
FEED	FD
FERTILIZER	FT
PLANT	PT
OTHER	OT

ITEM#	(Lab Use Only) LAB#	SAMPLE ID	MATRIX CODE	DATE COLLECTED mm / dd / yy	TIME COLLECTED hh: mm a/p	#Containers	Preservatives: Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Remarks
1				2-10-09	12:55p.								
2					1:00p								
3					12:00p.								
4					11:15A.								
5													
6													
7													
8													
9													
10													
11													
12													

Lab Use Only

Sample Acceptable Yes No

Comments: CSX

Container: U B N S H O

Temp: I °C Date/Initial:

Paid

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE signed: (MM / DD / YY)

Relinquished By / Company	Date	Time	Accepted By / Company	Date	Time

LEGENDS

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001646**

LABORATORY REPORT

Report Date: 05/21/2009 08:53 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 2
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 04:10 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.4	mg/L	0.10	EPA 353.2	5/20/2009 10:49AM	LF
Chloride, Cl	13	mg/L	1.0	EPA 325.2	5/20/2009 9:37AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	274	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MP

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001647**

LABORATORY REPORT

Report Date: 05/21/2009 08:53 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 3
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 01:35 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.7	mg/L	0.10	EPA 353.2	5/20/2009 10:53AM	LF
Chloride, Cl	8.2	mg/L	1.0	EPA 325.2	5/20/2009 9:38AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	310	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MF

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001648**

LABORATORY REPORT

Report Date: 05/21/2009 08:54 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 4
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 02:10 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	13	mg/L	0.10	EPA 353.2	5/20/2009 10:54AM	LF
Chloride, Cl	16	mg/L	1.0	EPA 325.2	5/20/2009 9:39AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	384	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MF

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001649**

LABORATORY REPORT

Report Date: 05/21/2009 08:54 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: PWRS
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 02:30 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	5/20/2009 10:55AM	LF
Chloride, Cl	340	mg/L	10	EPA 325.2	5/20/2009 9:40AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	740	mg/L	39	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	3260	mg/L	100	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MF

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000780**

LABORATORY REPORT

Report Date: 02/20/2009 03:06 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-932	**Date/Time Received:** 02/12/2009	**Location:**
Project Title: MIDWAY DAIRY	**Name of Submitter:** MIKE DOLAN	
Sample ID: MW 1 MONITORING WELL	**Date/Time Sampled:** 02/10/2009 03:20 pm	**Invoice No:** 401571
Client Name: MIDWAY DAIRY	**Name of Sampler:** MIKE DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	19	mg/L	0.10	EPA 353.2	2/17/2009 10:19AM	LF
Chloride, Cl	24	mg/L	1.0	EPA 325.2	2/17/2009 10:07AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	310	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	MF

RL = Reporting Limit | ND = Not Detected at RL

MIDWAY DAIRY
43241 US 70
Portales, NM 88130

Certified Mail No. 7008 2810 0000 7246 2762

June 19, 2009

GROUND WATER

SEP 23 2009

BUREAU

Shawna Clark
Ground Water Quality Bureau
NMED
PO Box 5469
Santa Fe, NM 87502-5469

Ref: DP-932, April 1, 2009; July 1, 2009 Monitoring Reports

ENTERED

Dear Ms. Clark:

Mike Dolan of Native-7, Inc., took monitor well and PWRS samples along with monitor well levels as follows:

	2-10-09	5-14-09
MW 1	194.98'	195.77'
MW 2	190.80'	192.00'
MW 3	Grab	Grab
MW 4	192.50'	193.62'

If you have any questions regarding these reports, please contact Cathy Wyant, EnviroCompliance Services, Inc., (575) 762-9674.

Sincerely,

Tom Teune

Tom Teune

Attachments: LADS
Site Map
Parlor Discharge, Lagoon Pumping, and Chemical Fertilizer Logs
"Grazing-N: A Nitrogen Balance for Grazing Dairy Heifers and Dry Cows," Victor E. Cabrera, Ph.D.
Laboratory Reports, Monitor Wells and PWRS Samples, 2 Sets

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000781**

LABORATORY REPORT

Report Date: 02/20/2009 03:07 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-932	**Date/Time Received:** 02/12/2009	**Location:**
Project Title: MIDWAY DAIRY	**Name of Submitter:** MIKE DOLAN	
Sample ID: MW 2 MONITORING WELL	**Date/Time Sampled:** 02/10/2009 04:00 pm	**Invoice No:** 401571
Client Name: MIDWAY DAIRY	**Name of Sampler:** MIKE DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.4	mg/L	0.10	EPA 353.2	2/17/2009 10:20AM	LF
Chloride, Cl	7.3	mg/L	1.0	EPA 325.2	2/17/2009 10:08AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	6	mg/L	5	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	306	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	MP

RL = Reporting Limit

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000782**

LABORATORY REPORT

Report Date: 02/20/2009 03:08 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-932	**Date/Time Received:** 02/12/2009	**Location:**
Project Title: MIDWAY DAIRY	**Name of Submitter:** MIKE DOLAN	
Sample ID: MW 3 MONITORING WELL	**Date/Time Sampled:** 02/10/2009 01:30 pm	**Invoice No:** 401571
Client Name: MIDWAY DAIRY	**Name of Sampler:** MIKE DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.5	mg/L	0.10	EPA 353.2	2/17/2009 10:22AM	LF
Chloride, Cl	8.9	mg/L	1.0	EPA 325.2	2/17/2009 10:10AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	266	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	MP

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000783**

LABORATORY REPORT

Report Date: 02/20/2009 03:10 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation #
T104704264-09
TV

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-932
Project Title: MIDWAY DAIRY
Sample ID: MW 4 MONITORING WELL
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 02:15 pm
Name of Sampler: MIKE DOLAN

Location:
Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	6.9	mg/L	0.10	EPA 353.2	2/17/2009 10:25AM	LF
Chloride, Cl	12	mg/L	1.0	EPA 325.2	2/17/2009 10:14AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	8	mg/L	5	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	472	mg/L	20	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	M[illegible]

RL = Reporting Limit

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000784**

LABORATORY REPORT

Report Date: 02/20/2009 03:11 pm

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Laboratory Manager

Project ID: DP-932
Project Title: MIDWAY DAIRY
Sample ID: PWRS WASTEWATER
Client Name: MIDWAY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 02/12/2009
Name of Submitter: MIKE DOLAN
Date/Time Sampled: 02/10/2009 02:30 pm
Name of Sampler: MIKE DOLAN

Location:
Invoice No: 401571
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	2/17/2009 10:26AM	LF
Chloride, Cl	360	mg/L	10	EPA 325.2	2/17/2009 10:15AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	650	mg/L	35	EPA 351.3	2/18/2009	RR
Total Dissolved Solids, TDS	4740	mg/L	200	SM 2540 C (20th Ed.)	2/16/2009 10:08AM	MD

RL = Reporting Limit | ND = Not Detected at RL

C- 04761

Servi-Tech Laboratories

CHAIN-OF-CUSTODY / ANALYTICAL REQUEST DOCUMENT

1602 Parkwest Drive
Hastings, NE 68901

1816 East Wyatt Earp
Dodge City, KS 67801

6921 South Bell
Amarillo, TX 79109

800-557-7509

Required Client Information: **Section A**

Company:

Address: EnviroCompliance Services, Inc.
564 SR 523
Clovis, NM 88101-1023
Ph: 575-762-9674
Fax: 575-762-3749

Phone:

Required Client Information: **Section B**

Report To:

Report & Inv to:
Cathy Wyant, ECS, Inc.
Project Name & Number:
Midway Dairy
DP-932

Page: 1 of 1

Client Information (Check quote/contract):

Requested Due Date: *TAT:

* Turn around times less than 14 days subject to laboratory and contractual obligations and may result in a Rush Turnaround Surcharge.

Turn Around Time (TAT) in calendar days.

To Be Completed by Servi-Tech and Client **Section C**

Quote Reference:

Project Manager:

Project #:

Profile #:

Requested Analysis or Package:

Section D

Required Client Information:

SAMPLE ID

Sample IDs MUST BE UNIQUE

(Lab Use Only) LAB#

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
OTHER WATER	AQ
ENV. SOIL	SL
SOLID WASTE	SW
AG SOIL	AS
FEED	FD
FERTILIZER	FT
PLANT	PT
OTHER	OT

Sample ID	Sample Name	MATRIX CODE	DATE COLLECTED (mm / dd / yy)	TIME COLLECTED (hh: mm a/p)	#Containers	Preservatives: Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	TDS	Cl	TKN	NO_3	Remarks
MW 1	[illegible]	AQ	10-16-08	12:35p.		✓	✓					✓	✓	✓	✓	
MW 2	[illegible]	AQ		1:15p.		✓	✓					✓	✓	✓	✓	
MW 3		AQ		11:00A.		✓	✓					✓	✓	✓	✓	
MW 4		AQ		11:40A.		✓	✓					✓	✓	✓	✓	
PWRS	~~Lagoon Slurry~~ Lagoon water	AQ		11:50A.		✓	✓					✓		✓		

Use Only Paid

ple Acceptable Yes No

ments: CSX

ainer: U B N S H O

: I °C Date/Initial:

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Michael Dolan

SIGNATURE of SAMPLER: Michael Dolan

DATE signed: (MM / DD / YY) 10-16-08

Relinquished By / Company	Date	Time	Accepted By / Company	Date	Time
Native 7 Inc.	10-20	4:30p	[illegible]	[illegible]	[illegible]

LEGENDS

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000155**

LABORATORY REPORT

Report Date: 10/29/2008 02:30 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-932	**Date/Time Received:** 10/21/2008 01:15 pm	**Location:**
Project Title: MIDWAY DAIRY	**Name of Submitter:** NATIVE 7 INC	
Sample ID: PWRS	**Date/Time Sampled:** 10/16/2008 11:50 am	**Invoice No:** 401317
Client Name: MIDWAY DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Wastewater Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	0.14	mg/L	0.10	EPA 353.2	10/22/2008 1:43PM	LF
Total Kjeldahl Nitrogen, TKN	350	mg/L	37	EPA 351.3	10/29/2008	RR
Chloride, Cl	530	mg/L	10	EPA 325.2	10/22/2008 1:56PM	LF
Total Dissolved Solids, TDS	4120	mg/L	200	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit

DP-932

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000151**

LABORATORY REPORT

Report Date: 10/29/2008 02:29 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Todd Whatley
Laboratory Manager

Project ID: DP-932
Project Title: MIDWAY DAIRY
Sample ID: MW 1
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 12:35 pm
Name of Sampler: MICHAEL DOLAN

Location:

Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	11	mg/L	0.10	EPA 353.2	10/22/2008 1:35PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	10/29/2008	RR
Chloride, Cl	16	mg/L	1.0	EPA 325.2	10/22/2008 1:52PM	LF
Total Dissolved Solids, TDS	370	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000152**

LABORATORY REPORT

Report Date: 10/29/2008 02:29 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-932
Project Title: MIDWAY DAIRY
Sample ID: MW 2
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 01:15 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.8	mg/L	0.10	EPA 353.2	10/22/2008 1:36PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	10/29/2008	RR
Chloride, Cl	7.0	mg/L	1.0	EPA 325.2	10/22/2008 1:53PM	LF
Total Dissolved Solids, TDS	312	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000153**

LABORATORY REPORT

Report Date: 10/29/2008 02:29 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-932	**Date/Time Received:** 10/21/2008 01:15 pm	**Location:**
Project Title: MIDWAY DAIRY	**Name of Submitter:** NATIVE 7 INC	
Sample ID: MW 3	**Date/Time Sampled:** 10/16/2008 11:00 am	**Invoice No:** 401317
Client Name: MIDWAY DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Monitoring Well Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.6	mg/L	0.10	EPA 353.2	10/22/2008 1:37PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	10/29/2008	RR
Chloride, Cl	8.8	mg/L	1.0	EPA 325.2	10/22/2008 1:54PM	LF
Total Dissolved Solids, TDS	290	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**000154**

LABORATORY REPORT

Report Date: 10/29/2008 02:30 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd Whatley
Laboratory Manager

Project ID: DP-932
Project Title: MIDWAY DAIRY
Sample ID: MW 4
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 10/21/2008 01:15 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 10/16/2008 11:40 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401317
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	11	mg/L	0.10	EPA 353.2	10/22/2008 1:38PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	10	EPA 351.3	10/29/2008	RR
Chloride, Cl	14	mg/L	1.0	EPA 325.2	10/22/2008 1:55PM	LF
Total Dissolved Solids, TDS	376	mg/L	20	SM 2540 C (20th Ed.)	10/27/2008 8:31AM	KC

RL = Reporting Limit | ND = Not Detected at RL

GROUND WATER

MAR 12 2009

BUREAU

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002239**

LABORATORY REPORT

Report Date: 08/16/2008 12:23 pm

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 1
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/07/2008 04:10 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/06/2008 12:15 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401152
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	13	mg/L	0.10	EPA 353.2	8/11/2008 1:02PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	7	EPA 351.3	8/15/2008	RR
Chloride, Cl	17	mg/L	1.0	EPA 325.2	8/11/2008 2:08PM	LF
Total Dissolved Solids, TDS	410	mg/L	20	SM 2540 C (20th Ed.)	8/15/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002240**

LABORATORY REPORT

Report Date: 08/16/2008 12:24 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 2
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/07/2008 04:10 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/06/2008 01:20 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401152
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.1	mg/L	0.10	EPA 353.2	8/11/2008 1:03PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	8/15/2008	RR
Chloride, Cl	5.6	mg/L	1.0	EPA 325.2	8/11/2008 2:09PM	LF
Total Dissolved Solids, TDS	286	mg/L	20	SM 2540 C (20th Ed.)	8/15/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002241**

LABORATORY REPORT

Report Date: 08/16/2008 12:24 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 3
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/07/2008 04:10 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/06/2008 10:45 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401152
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.6	mg/L	0.10	EPA 353.2	8/11/2008 1:03PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	8/15/2008	RR
Chloride, Cl	8.0	mg/L	1.0	EPA 325.2	8/11/2008 2:10PM	LF
Total Dissolved Solids, TDS	288	mg/L	20	SM 2540 C (20th Ed.)	8/15/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002242**

LABORATORY REPORT

Report Date: 08/16/2008 12:24 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 4
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 08/07/2008 04:10 pm
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 08/06/2008 11:30 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401152
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	9.2	mg/L	0.10	EPA 353.2	8/11/2008 1:04PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	8/15/2008	RR
Chloride, Cl	16	mg/L	1.0	EPA 325.2	8/11/2008 2:11PM	LF
Total Dissolved Solids, TDS	406	mg/L	20	SM 2540 C (20th Ed.)	8/15/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**002243**

LABORATORY REPORT

Report Date: 08/25/2008 02:48 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY	**Date/Time Received:** 08/07/2008 04:10 pm	**Location:**
Project Title: DP-932	**Name of Submitter:** NATIVE 7 INC	
Sample ID: PWRS	**Date/Time Sampled:** 08/06/2008 12:30 pm	**Invoice No:** 401152
Client Name: MIDWAY DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Wastewater Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	8/11/2008 1:23PM	LF
Total Kjeldahl Nitrogen, TKN	280	mg/L	25	EPA 351.3	8/15/2008	RR
Chloride, Cl	200	mg/L	10	EPA 325.2	8/11/2008 2:12PM	LF
Total Dissolved Solids, TDS	2580	mg/L	50	SM 2540 C (20th Ed.)	8/22/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

C-04748

Servi-Tech Laboratories

CHAIN-OF-CUSTODY / ANALYTICAL REQUEST DOCUMENT

1602 Parkwest Drive
Hastings, NE 68901

1816 East Wyatt Earp
Dodge City, KS 67801

6921 South Bell
Amarillo, TX 79109

800-557-7509

Required Client Information: **Section A**

Company:

Address:

EnviroCompliance Services, Inc.
564 SR 523
Clovis, NM 88101-1023
Ph: 575-762-9674
Fax: 575-762-3749

Phone:

Required Client Information: **Section B**

Report To:

Report & Inv to:
Cathy Wyant, ECS, Inc.
Project Name & Number:
Midway Dairy
DP-932

Page: 1 of 1

Client Information (Check quote/contract):

Requested Due Date:

*TAT:

* Turn around times less than 14 days subject to laboratory and contractual obligations and may result in a Rush Turnaround Surcharge.

Turn Around Time (TAT) in calendar days.

To Be Completed by Servi-Tech and Client **Section C**

Quote Reference:

Project Manager:

Project #:

Profile #:

Requested Analysis or Package:

Section D

Required Client Information:

SAMPLE ID

Sample IDs MUST BE UNIQUE

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
OTHER WATER	AQ
ENV. SOIL	SL
SOLID WASTE	SW
AG SOIL	AS
FEED	FD
FERTILIZER	FT
PLANT	PT
OTHER	OT

ITEM#	(Lab Use Only) LAB#	MATRIX CODE	DATE COLLECTED mm / dd / yy	TIME COLLECTED hh: mm a/p	#Containers	Preservatives: Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Remarks
1	[illegible]		8-6-08	12:15p.								
2	[illegible]			1:20p.								
3	[illegible]			10:45A.								
4	[illegible]			11:30A.								
5	[illegible]			12:30p.								
6												
7												
8												
9												
10												
11												
12												

Lab Use Only

Paid

Sample Acceptable Yes No

Comments: CSX

Container: U B N S H O

Temp: [illegible] °C Date/Initial:

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE signed: (MM / DD / YY)

Relinquished By / Company	Date	Time	Accepted By / Company	Date	Time

LEGENDS

GROUND WATER

JUL 30 2008

BUREAU

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**001435**

LABORATORY REPORT

Report Date: 05/27/2008 03:33 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 1
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/15/2008 09:40 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/12/2008 01:00 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 400996
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	23	mg/L	1.0	EPA 353.2	5/16/2008 1:40PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	7	EPA 351.3	5/19/2008	RR
Chloride, Cl	28	mg/L	1.0	EPA 325.2	5/16/2008 1:38PM	LF
Total Dissolved Solids, TDS	462	mg/L	20	SM 2540 C (20th Ed.)	5/23/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

08.01.08

MIDWAY DAIRY
43241 US 70
Portales, NM 88130

GROUND WATER

JUL 30 2008

BUREAU

Certified Mail No. 7006 3450 0003 7402 3136

July 22, 2008

Shawna Clark
Ground Water Quality Bureau
NMED
PO Box 26110
Santa Fe, NM 87502

Ref: DP-932, July 1, 2008 Monitoring Report

Dear Ms. Clark:

Mike Dolan of Native-7, Inc., took monitor well and PWRS samples along with monitor well levels as follows:

May 12, 2008		June 11, 2008, Confirmation Sample
MW 1	197.2'	197.3'
MW 2	195.7'	
MW 3	Grab	
MW 4	Could Not Get Reading	

If you have any questions regarding this report, please contact Cathy Wyant, EnviroCompliance Services, Inc., (575) 762-9674.

Sincerely,

Tom Teune

Tom Teune

Attachments: Laboratory Reports, Monitor Wells and PWRS Samples
Analytical Results for Confirmation Sample on MW 1
Overall Site Layout

GROUND WATER

JUL 30 2008

BUREAU

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**001436**

LABORATORY REPORT

Report Date: 05/27/2008 03:34 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 2
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/15/2008 09:40 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/12/2008 01:45 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 400996
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.2	mg/L	0.10	EPA 353.2	5/16/2008 1:37PM	LF
Total Kjeldahl Nitrogen, TKN	6	mg/L	6	EPA 351.3	5/19/2008	RR
Chloride, Cl	6.2	mg/L	1.0	EPA 325.2	5/16/2008 1:41PM	LF
Total Dissolved Solids, TDS	278	mg/L	20	SM 2540 C (20th Ed.)	5/23/2008	KC

RL = Reporting Limit

GROUND WATER

JUL 30 2008

BUREAU

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**001437**

LABORATORY REPORT

Report Date: 05/27/2008 03:34 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 3
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/15/2008 09:40 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/12/2008 11:30 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 400996
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	1.5	mg/L	0.10	EPA 353.2	5/16/2008 1:38PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	5/19/2008	RR
Chloride, Cl	8.2	mg/L	1.0	EPA 325.2	5/16/2008 1:42PM	LF
Total Dissolved Solids, TDS	300	mg/L	20	SM 2540 C (20th Ed.)	5/23/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**001438**

LABORATORY REPORT

Report Date: 05/27/2008 03:34 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 4
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/15/2008 09:40 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/12/2008 12:10 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 400996
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	9.1	mg/L	0.10	EPA 353.2	5/16/2008 1:39PM	LF
Total Kjeldahl Nitrogen, TKN	ND	mg/L	6	EPA 351.3	5/19/2008	RR
Chloride, Cl	14	mg/L	1.0	EPA 325.2	5/16/2008 1:43PM	LF
Total Dissolved Solids, TDS	362	mg/L	20	SM 2540 C (20th Ed.)	5/23/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2008NL**001439**

LABORATORY REPORT

Report Date: 05/27/2008 03:34 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: PWRS
Client Name: MIDWAY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 05/15/2008 09:40 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/12/2008 12:25 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 400996
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	0.13	mg/L	0.10	EPA 353.2	5/16/2008 1:42PM	LF
Total Kjeldahl Nitrogen, TKN	520	mg/L	50	EPA 351.3	5/19/2008	RR
Chloride, Cl	270	mg/L	10	EPA 325.2	5/16/2008 1:45PM	LF
Total Dissolved Solids, TDS	3280	mg/L	200	SM 2540 C (20th Ed.)	5/23/2008	KC

RL = Reporting Limit

Advanced Analysis, Inc.

5601 19th Street Lubbock, Texas 79407 P.O. Box 16652 Lubbock,Texas 79490
Tel: (806) 796-2805 Fax : (806) 796-2825

ANALYTICAL RESULTS FOR
ENVIROCOMPLIANCE SERVICES, INC.
ATTN: CHET WYANT
212 TUCKER AVE.
CLOVIS, NM 88101-3231
PHONE: (505) 762-9674
FAX: (505) 762-3749

Receiving Date: 06/13/08 @ 1° C
Reporting Date: 07/16/06
Project Number: DP-932
Project Name: MIDWAY DAIRY
Project Location: PORTALES, NM

Sampling Date: 06/11/08 @ 15:00
Sample Type: GROUNDWATER
Sample Condition: COOL & INTACT
Sample Received By: MR
Analyzed By: SN,ED

LAB NUMBER	TDS (mg/L)	Chlorides (mg/L)	TKN (mg/L)	NO_3-NO_2-N (mg/L)
Date Analysis Batch Started:	06/17/08	06/19/08	06/30/08	07/11/08
Time Analysis Batch Started:	16:25	14:55	9:10	15:00
AM13197-1 MW 1	405	25	< 0.2 *	20.4
Date Analysis Batch Finished:	06/18/08	06/19/08	07/01/08	07/11/08
Time Analysis Batch Finished:	16:40	17:10	10:35	18:10
Blank	< 1	< 1	< 0..2	< 0.01
Quality Control	980	50	4.90	1.0012
True Value QC	1000	50	5.00	1.0000
% Instrument Accuracy	98	100	98	100
% Extraction Accuracy	N/A	100	107	101
Relative Percent Difference	1	0	2	4
METHODS: EPA 600/4-79-020,	160.1	4500B-Cl^-	351.4	353.3

*Less than the Minimum Detection Limit.

Mario Rodriguez, Director

07-17-08
Date

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2007NL**001488**

LABORATORY REPORT

Report Date: 08/22/2007 05:36 pm

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: 10-1-07
Sample ID: PWRS
Client Name: MIDWAY DAIRY
Subject: Wastewater Lab Analysis

Date/Time Received: 08/01/2007 09:00 am
Name of Submitter: MICHAEL DOLAN
Date/Time Sampled: 07/31/2007 09:15 am
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 400523
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	8/1/2007 2:59PM	LF
Total Kjeldahl Nitrogen, TKN	250	mg/L	24	EPA 351.3	8/3/2007	RR
Chloride, Cl	190	mg/L	10	EPA 325.2	8/22/2007 12:44PM	LF
Total Dissolved Solids, TDS	2150	mg/L	100	SM 2540 C (20th Ed.)	8/6/2007	KC

Sample Acceptability Criteria

The sample did not meet the temperature preservation requirement of 4 ± 2 °C upon receipt by the laboratory.

DP-932

L = Reporting Limit | ND = Not Detected at RL

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.

Lab #: A-2008NL**000696**

LABORATORY REPORT

Report Date: 03/06/2008 10:14 am

Send To: ENVIRO COMPLIANCE SERVICES INC
27367 CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Steve Harrold
Laboratory Manager

Project ID: DP-932	**Date/Time Received:** 02/15/2008 08:00 am	**Location:**
Project Title: MIDWAY DAIRY	**Name of Submitter:** NATIVE 7 INC	
Sample ID: PWRS	**Date/Time Sampled:** 02/14/2008 12:40 pm	**Invoice No:** 400821
Client Name: MIDWAY DAIRY	**Name of Sampler:** MICHAEL DOLAN	**P.O. #:**
Subject: Wastewater Lab Analysis		**Depth:**
		Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
Nitrate+Nitrite Nitrogen, NO3+NO2-N	ND	mg/L	0.10	EPA 353.2	2/15/2008 1:48PM	LF
Total Kjeldahl Nitrogen, TKN	790	mg/L	37	EPA 351.3	2/19/2008	RR
Chloride, Cl	360	mg/L	10	EPA 325.2	2/15/2008 1:37PM	LF
Total Dissolved Solids, TDS	5450	mg/L	500	SM 2540 C (20th Ed.)	2/26/2008	KC

RL = Reporting Limit | ND = Not Detected at RL

DP-932

Servi-Tech Laboratories

6921 S. Bell • Amarillo, TX 79109
www.servitechlabs.com

Phone: 806.677.0093 • 800.557.7509 • **Fax:** 806.677.0329

Lab #: A-2009NL**001645**

LABORATORY REPORT

Report Date: 05/21/2009 08:53 am

ACCREDITED IN ACCORDANCE WITH nelac

Accreditation # T104704264-09 TV

Send To: 27367 ENVIRO COMPLIANCE SERVICES INC
CHET WYANT
564 SR 523
CLOVIS, NM 88101-1023

Todd D. Whatley
Laboratory Manager

Project ID: MIDWAY DAIRY
Project Title: DP-932
Sample ID: MW 1
Client Name: MIDWAY DAIRY
Subject: Monitoring Well Lab Analysis

Date/Time Received: 05/18/2009 10:00 am
Name of Submitter: NATIVE 7 INC
Date/Time Sampled: 05/14/2009 03:20 pm to 05/14/2009 03:30 pm
Name of Sampler: MICHAEL DOLAN

Location:
Invoice No: 401816
P.O. #:
Depth:
Flow Rate:

Analysis	Result	Unit	RL	Method	Analysis Date/Time	Tech
NELAP Accredited Tests						
Nitrate+Nitrite Nitrogen, NO3+NO2-N	27	mg/L	0.10	EPA 353.2	5/20/2009 10:48AM	LF
Chloride, Cl	30	mg/L	1.0	EPA 325.2	5/20/2009 9:32AM	LF
Non-Accredited Tests						
Total Kjeldahl Nitrogen, TKN	ND	mg/L	5	EPA 351.3	5/20/2009	RR
Total Dissolved Solids, TDS	518	mg/L	20	SM 2540 C (20th Ed.)	5/19/2009 8:21AM	MR

RL = Reporting Limit | ND = Not Detected at RL

DP-932