



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
1206	<p>North I-25 Corridor Reclamation and Reuse System</p> <p>John M. Stomp III, Water Resources Engineering & Planning Division Manager North I-25 Corridor Reclamation & Reuse System Albuquerque-Bernalillo County Water Utility Authority PO Box 1923 Albuquerque, NM 87103</p>	Albuquerque	Bernalillo	<p>North I-25 Corridor Reclamation and Reuse System, John M. Stomp III, Water Resources, Engineering, and Planning Division Manager, proposes to renew and modify the Discharge Permit for the discharge of up to 8.13 million gallons per day of treated industrial wastewater blended with treated river water for irrigation. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 9200 Jefferson NE, Albuquerque, in Section 8, T11N, R03E, Bernalillo County. Ground water beneath the site is at a depth of approximately 143.5 feet and has a total dissolved solids concentration of approximately 303-707 milligrams per liter.</p>	Naomi Davidson
682	<p>Johnson's Mobile Home Park #1</p> <p>Steve Calkins Managing Member Johnson's MHP #1 PO Box 641071 El Paso, TX 79905</p>	Las Cruces	Doña Ana	<p>Johnson's Mobile Home Park #1, Steve Calkins, Managing Member, proposes to renew the Discharge Permit for the discharge of up to 13,309 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 5993 Las Alturas Drive, Las Cruces, in Section 3, T24S, R02E, Doña Ana County. Ground water beneath the site is at a depth of approximately 117 feet and has a total dissolved solids concentration of approximately 250 milligrams per liter.</p>	Gerald Knutson
1735	<p>Sonoma Ranch Golf Course</p> <p>George Rawson, Partner Sonoma Ranch Golf Course 141 Roadrunner Parkway Suite 222</p>	Las Cruces	Doña Ana	<p>Sonoma Ranch Golf Course, George Rawson, Partner, proposes to discharge up to 1,320,000 gallons per day of reclaimed domestic wastewater from the City of Las Cruces East Mesa Water Reclamation Facility for irrigation of a golf course. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1274 Golf Course Road, Las Cruces, in Section 4, T23S, R02E, Doña Ana County. Ground water beneath the site is at a</p>	Robert George



	Las Cruces, NM 88011			depth of approximately 430 feet and has a total dissolved solids concentration of approximately 1968 milligrams per liter.	
258	Artesia Wastewater Treatment Plant Robert Forrest Infrastructure Director Artesia-WWTP 1702 N. Haldeman Rd. Artesia, NM 88210	Artesia	Eddy	Artesia Wastewater Treatment Plant, Robert Forrest, Infrastructure Director, proposes to renew and modify the Discharge Permit for the discharge of up to 3,000,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1702 N Haldeman Road, Artesia, in Sections 2, 7, and 8, T17S, R26E, Sections 6 and 24, T17S, R25E, Eddy County. Ground water beneath the site is at a depth of approximately 9-11 feet and has a total dissolved solids concentration of approximately 2,000 milligrams per liter.	Naomi Davidson
375	Artesia Country Club Glenn McFarden Vice President Artesia Country Club PO Box 1305 Artesia, NM 88210	Artesia	Eddy	Artesia Country Club, Glenn McFarden, Vice President, proposes to renew the Discharge Permit for the discharge of up to 180,000 gallons per day of reclaimed domestic wastewater for irrigation of turf. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 26th Street and Richey Avenue, Artesia, in Section 12, T17S, R25E, Eddy County. Ground water beneath the site is at a depth of approximately 165 feet and has a total dissolved solids concentration of approximately 614 milligrams per liter.	Naomi Davidson
831	Waste Isolation Pilot Plant David Moody, Manager Waste Isolation Pilot Plant US Dept.of Energy Carlsbad Field Office PO Box 3090 Carlsbad, NM 88221	Carlsbad	Eddy	Waste Isolation Pilot Plant, David Moody, Manager, proposes to modify the Discharge Permit for the discharge of up to 2,752,831 gallons per day of salt contaminated storm water to a synthetically lined impoundment. Potential contaminants from this type of discharge include total dissolved solids, chloride and sulfate. The facility is located approximately 33 miles East/Southeast of Carlsbad, in Sections 20, 21, 28, and 29, T22S, R31E, Eddy County. Ground water beneath the site is at a depth of approximately 164 feet and has a total dissolved solids concentration of approximately 3,400 milligrams per liter.	Clint Marshall
1681	HB Potash LLC Robert P. Jornayvaz III,	Carlsbad	Eddy	HB Potash LLC, Robert P. Jornayvaz III, CEO, proposes to discharge up to 4,608,000 gallons per day of mine water from a potash mine to an evaporation pond and injection well	Lawrence Shore



	<p>CEO HB Potash LLC 700 17th St. Suite 1700 Denver, CO 80202</p>			<p>system. Potential contaminants from this type of discharge include chloride and total dissolved solids. The facility is located at 1996 Potash Mines Road, Carlsbad, in Sections 21, 22, 23, 26, 27, 28, 29, 32, 33, 34, 35, and 36, T19S, R30E; Section 31, T19S, R31E; Sections 13, 14, 15, 22, 23, 24, 25, 26, 27, 34, and 35, T20S, R29E; Sections 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 16, 17, 18, 19, 20, 21, 24, 25, 28, 29, 30, 33, 34, and 36, T20S, R30E; Sections 6 and 7, T20, R31E; and Sections 1, 2, 3, 11, and 12, T21S, R29E; Eddy County. Ground water beneath the site is at a depth of approximately 207 - 271 feet and has a total dissolved solids concentration of approximately 2,300-150,000 milligrams per liter.</p>	
1741	<p>Mesquite SWD Inc, Big Eddy SWD No. 1</p> <p>Kay Havenor, Agent Mesquite SWD Inc. Big Eddy SWD No. 1 200 W. First St. Suite 747 Roswell, NM 88201</p>	Carlsbad	Eddy	<p>Mesquite SWD Inc, Big Eddy SWD No. 1, Kay Havenor, Agent, proposes to discharge up to 1,210,000 gallons per day of potash mine waste as a Class I UIC well. Potential contaminants from this type of discharge include chloride, total dissolved solids and sulfate. The facility is located in Section 3, T20S, R31E, Eddy County. Ground water beneath the site is at a depth of approximately 130 feet and has an unknown total dissolved solids concentration.</p>	Lawrence Shore
1100	<p>Kokopelli Mesa Subdivision Wastewater Treatment Facility</p> <p>Bob Williams, General Manager Kokopelli Mesa Subdivision Wastewater Treatment Facility Rui Inc. PO Box 1256 Alto, NM 88312</p>	Alto	Lincoln	<p>Kokopelli Mesa Subdivision Wastewater Treatment Facility, Bob Williams, General Manager, proposes to renew the Discharge Permit for the discharge of up to 8,520 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1200 High Mesa Road, Alto, in Section 35, T10S, R13E, Lincoln County. Ground water beneath the site is at a depth of approximately 72.16 feet and has a total dissolved solids concentration of approximately 1215 milligrams per liter.</p>	Naomi Davidson
398	<p>Eileen Acres Service Corporation</p> <p>James Wimberly President Eileen Acres Service Corp.</p>	Alamogordo	Otero	<p>Eileen Acres Service Corporation, James Wimberly, President, proposes to renew the Discharge Permit for the discharge of up to 41,310 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 212 Alamo,</p>	Jennifer Fullam



	PO Box 100 Alto, NM 88312			Alamogordo, in Section 33, T15S, R10E, Otero County. Ground water beneath the site is at a depth of approximately 230 feet and has a total dissolved solids concentration of approximately 2,000 milligrams per liter.	
667	H and R Westra Dairy Roger Westra, Managing Partner H and R Westra Dairy 1551 S RR 10 Portales, NM 88130	Portales	Roosevelt	H and R Westra Dairy, Roger Westra, Managing Partner, proposes to renew the Discharge Permit for the discharge of up to 20,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1551 S RR 10, Portales, in Sections 21 and 29, T02S, R35E, Roosevelt County. Ground water beneath the site is at a depth of approximately 48-67 feet and has a total dissolved solids concentration of approximately 850 milligrams per liter.	Shawna Clark
1737	Village of Floyd Water Treatment System James Whitecotton, Mayor Village of Floyd Water Treatment System PO Box 69 Floyd, NM 88118	Floyd	Roosevelt	Village of Floyd Water Treatment System, James Whitecotton, Mayor, proposes to discharge up to 16,700 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include total dissolved solids. The facility is located at 1564 NM 267, Floyd, in Section 15, T01S, R32E, Roosevelt County. Ground water beneath the site is at a depth of approximately 80-85 feet and has a total dissolved solids concentration of approximately 789 milligrams per liter.	Robert George
410	Sunrise Springs Resort Megan Hill, Owner Sunrise Springs Resort 242 Los Pinos Rd. Santa Fe, NM 87507	Santa Fe	Santa Fe	Sunrise Springs Resort, Megan Hill, Owner, proposes to renew the Discharge Permit for the discharge of up to 12,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 242 Los Pinos Road Santa Fe, in Section 28, T16N, R08E, Santa Fe County. Ground water beneath the site is at a depth of approximately 13.8 feet and has a total dissolved solids concentration of approximately 441 milligrams per liter.	Brad Reid
1390	La Tienda at Eldorado Steve Ewers, Member La Tienda at Eldorado 4 Sunlit Dr. W	Santa Fe	Santa Fe	La Tienda at Eldorado, Steve Ewers, Member, proposes to renew the Discharge Permit for the discharge of up to 6,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located	Rebecca Cook



	Santa Fe, NM 87508			at 7 Caliente Road, Santa Fe, in the Canada de Los Alamos Land Grant, at latitude 35 degrees, 32 minutes, 14.24 seconds north and longitude 105 degrees, 53 minutes, 27.09 seconds west, Santa Fe County. Ground water beneath the site is at a depth of approximately 74 feet and has a total dissolved solids concentration of approximately 279 milligrams per liter.	
1747	Santa Fe County Judicial Complex Construction Site Joseph Gutierrez, Director Santa Fe County Judicial Complex Construction Site PO Box 276 Santa Fe, NM 87501	Santa Fe	Santa Fe	Santa Fe County Judicial Complex Construction Site, Joseph Gutierrez, Director, proposes to discharge up to 90,000 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen and organic compounds. The facility is located at 327 Sandoval St, Santa Fe, in Section 24, T17N, R09E, and Section 35, T17N, R07E, Santa Fe County. Ground water beneath the site is at a depth of approximately 3.5 feet and has a total dissolved solids concentration of approximately 224 to 812 milligrams per liter.	John Rebar, Jr.

Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>