



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
1080	Woodlands Subdivision CJ Mead, President Woodlands Subdivision PO Box 3366 Edgewood, NM 87015	Tijeras	Bernalillo	Woodlands Subdivision, CJ Mead, President, proposes to renew the Discharge Permit for the discharge of up to 31,800 gallons per day of domestic to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at Lot 80, Meadowland Court Rd, in Tijeras, Section 10, T10N, R06E, Bernalillo County. Ground water beneath the site is at a depth of approximately 320 feet and has a total dissolved solids concentration of approximately 700 milligrams per liter.	Steven Pedro
915	Organ Water and Sewer Association George LaRose, Operator Organ-WWTF PO Box 2433 Las Cruces, NM 88004	Organ	Dona Ana	Organ Water and Sewer Association, George LaRose, Operator, proposes to renew the Discharge Permit for the discharge of up to 31,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located in Organ, Section 2, T22S, R03E, Doña Ana County. Ground water beneath the site is at a depth of approximately 40-110 feet and has a total dissolved solids concentration of approximately 900 milligrams per liter.	Melanie Sanchez
1152	Cervantes Enterprises Inc. Dino Cervantes General Manager Cervantes Enterprises Inc. PO Box 158 La Mesa, NM 88044	Vado	Dona Ana	Cervantes Enterprises Inc, Dino Cervantes, General Manager, proposes to renew the Discharge Permit for the discharge of up to 9,123 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 9972 South Hwy 478, Vado, in Section 18, T25S, R03E, Doña Ana County. Ground water beneath the site is at a depth of approximately 7 feet and has a total dissolved solids concentration of approximately 1840 milligrams per liter.	Steven Pedro
383	Freeport McMoRan Tyrone Inc. Richard Mohr, President	Tyrone	Grant	Freeport McMoRan Tyrone Inc, Richard Mohr, President, proposes to renew the Discharge Permit for the discharge of up to 16,488,000 gallons per day of acidic leach solution at a copper mine facility. Potential contaminants from this type of	Clint Marshall



	Freeport McMoRan Tyrone Inc. Box 571 Tyrone, NM 88065			discharge include total dissolved solids, sulfate, and metals. The facility is located at Hwy 90 South Tyrone Mine Road, Tyrone, in Section 24, T19S, R15W, Grant County. Ground water beneath the site is at a depth of approximately 430 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	
455	Freeport McMoRan Tyrone Inc. Richard Mohr, President Freeport McMoRan Tyrone Inc. Box 571 Tyrone, NM 88065	Tyrone	Grant	Freeport McMoRan Tyrone Inc, Richard Mohr, President, proposes to renew the Discharge Permit for the discharge of up to 10,800,000 gallons per day of acidic leach solution at a copper mine facility. Potential contaminants from this type of discharge include total dissolved solids, sulfate, and metals. The facility is located at Hwy 90 South Tyrone Mine Road, Tyrone, Sections 22, 23, 25, 26, and 27, T19S, R15W, Grant County. Ground water beneath the site is at a depth of approximately 0-500 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Clint Marshall
670	Freeport McMoRan Tyrone Inc. Richard Mohr, President Freeport McMoRan Tyrone Inc. Box 571 Tyrone, NM 88065	Tyrone	Grant	Freeport McMoran Tyrone Ice, Richard Mohr, President, proposes to renew the Discharge Permit for the discharge of up to 7,200,000 gallons per day of acidic leach solution at a copper mine facility. Potential contaminants from this type of discharge include total dissolved solids, sulfate, and metals. The facility is located at Hwy 90 South Tyrone Mine Road, Tyrone, in Sections 23 and 26, T19S, R15W, Grant County. Ground water beneath the site is at a depth of approximately 0 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Clint Marshall
1403	Cobre Mining Company James Humphrey Manager Cobre Mining Co. Freeport McMoRan PO Box 7 Hurley, NM 88043	Hanover	Grant	Cobre Mining Company, James Humphrey, Manager, proposes to renew the Discharge Permit for the discharge of up to 89,107 gallons per day of seepage water from mine waste and mine ore stockpiles. Potential contaminants from this type of discharge include total dissolved solids, sulfate, and manganese. The facility is located at 303 Fierro Rd, Hanover, in Sections 3, 4, 5, 8, 9, 10, 15, 16, 17, 22, 26, and 27, T17S, R12W, Grant County. Ground water beneath the site is at a depth of approximately 5-880 feet and has a total dissolved solids concentration of approximately 300 milligrams per liter.	Lawrence Shore
595	Back Nine Dairy	Portales	Roosevelt	Back Nine Dairy, Art Schaap, Owner, proposes to renew the Discharge Permit for the discharge of up to 10,000 gallons	Kathie Deal



	Art Schaap, Owner Back Nine Dairy 650 CR O Clovis, NM 88101			per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1051 Roosevelt Road O, Portales, in Section 28, T02S, R35E, Roosevelt County. Ground water beneath the site is at a depth of approximately 58-85 feet and has a total dissolved solids concentration of approximately 1,300 milligrams per liter.	
1154	Saltridge Dairy Art Schaap, Owner Saltridge Dairy 650 Curry Road O Clovis, NM 88101	Portales	Roosevelt	Saltridge Dairy, Art Schaap, Owner, proposes to renew the Discharge Permit for the discharge of up to 30,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1437 NM 88, Portales, in Sections 27 and 28, T02S, R36E, Roosevelt County. Ground water beneath the site is at a depth of approximately 72 feet and has a total dissolved solids concentration of approximately 1,240 milligrams per liter.	Shawna Clark
140	Vista Verde Memorial Park James Laidler, Area Manager Vista Verde Memorial Park 4310 Sara Rd. Rio Rancho, NM 87124	Rio Rancho	Sandoval	Vista Verde Memorial Park, James Laidler, Area Manager, proposes to renew the Discharge Permit for the discharge of up to 55,000 gallons per day of reclaimed domestic wastewater for irrigation of turf and up to 1,085 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds and organic compounds. The facility is located at 4310 Sara Road, Rio Rancho, in Section 23, T11N, R03E, Sandoval County. Ground water beneath the site is at a depth of approximately 280 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Robert George
75	Bishop's Lodge Howard Huang, Vice President Bishop's Lodge Value Enhancement Fund II LLC 3340 Peachtree Rd., NE Atlanta, GA 30326	Santa Fe	Santa Fe	Bishop's Lodge, Howard Huang, Vice President, proposes to renew the Discharge Permit for the discharge of up to 50,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1297 Bishop's Lodge Rd, Santa Fe, in Sections 5 and 6, T17N, R10E, Santa Fe County. Ground water beneath the site is at a depth of approximately 23 feet and has a total dissolved solids concentration of approximately 300	Brad Reid



				milligrams per liter.	
532	<p>Rancheros de Santa Fe Campground</p> <p>Thomas Brimacombe Owner Rancheros de SF Campground 736 Old Las Vegas HWY Santa Fe, NM 87505</p>	Santa Fe	Santa Fe	<p>Rancheros de Santa Fe Campground, Thomas Brimacombe, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 6,800 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 736 Old Las Vegas Highway, Santa Fe in Section 10, T15N, R10E, Santa Fe County. Ground water beneath the site is at a depth of approximately 65 feet and has a total dissolved solids concentration of approximately 700 milligrams per liter.</p>	John Hall
1078	<p>Lamy Town Center Wastewater System</p> <p>Robert Sarr, Manager Lamy Town Center Wastewater System SFS Land Holdings LLC #4 La Tusa St. Santa Fe, NM 87505</p>	Lamy	Santa Fe	<p>Lamy Town Center Wastewater System, Robert Sarr, Manager, proposes to renew and modify the Discharge Permit for the discharge of up to 2,001 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at within the boundaries of SFS Railway wye off County Road 33, Lamy, in Section 33, T15N, R10E, Santa Fe County. Ground water beneath the site is at a depth of approximately 22.51 feet and has a total dissolved solids concentration of approximately 450 milligrams per liter.</p>	Steven Pedro
1254	<p>New Mexico Department of Game and Fish</p> <p>Carlos Gonzales, Procurement Manager NM Dept. of Game & Fish PO Box 25112 Santa Fe, NM 87504</p>	Santa Fe	Santa Fe	<p>New Mexico Department of Game and Fish, Carlos Gonzales, Procurement Manager, proposes to renew the Discharge Permit for the discharge of up to 4,140 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at One Wildlife Way, Santa Fe, in Sections 27, T17N, R08E, Santa Fe County. Ground water beneath the site is at a depth of approximately 320 feet and has a total dissolved solids concentration of approximately 150 milligrams per liter.</p>	Jennifer Fullam
1383	<p>Village of Taos Ski Valley Sludge Disposal Site</p> <p>Bruce Kelly, Village Administrator Village of Taos Ski Valley Sludge Disposal Site</p>	Taos	Taos	<p>Village of Taos Ski Valley Sludge Disposal Site, Bruce Kelly, Village Administrator, proposes to renew and modify the Discharge Permit for the discharge of up to 3,700 gallons per day of domestic wastewater sludge to a disposal site. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located west of Taos in Section 15, T26N, R11E, Taos County. Ground water</p>	Rebecca Cook



	PO Box 100 Taos Ski Valley, NM 87525			beneath the site is at a depth of approximately 370-588 feet and has a total dissolved solids concentration of approximately 209 milligrams per liter.	
229	Town of Clayton Wastewater Treatment Plant Jack Chosvig, Mayor Town of Clayton-WWTP 1 Chestnut St. Clayton, NM 88415	Clayton	Union	Town of Clayton Wastewater Treatment Plant, Jack Chosvig, Mayor, proposes to renew and modify the Discharge Permit for the discharge of up to 250,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at Dorcey Road, Clayton, in Sections 1 and 2, T25N, R35E, and Section 6, T25N, R36E, Union County. Ground water beneath the site is at a depth of approximately 56 feet and has a total dissolved solids concentration of approximately 329 milligrams per liter.	Gerald Knutson

Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>