



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
559	Leisure Mountain MH and RV Park Mark Perry, Managing Member Leisure Mountain MH & RV Park Route66 Park LLC 768 Hwy 333 Tijeras, NM 87059	Tijeras	Bernalillo	Leisure Mountain MH and RV Park, Mark Perry, Managing Member, proposes to renew the Discharge Permit for the discharge of up to 6,700 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 768 E Highway 333, Tijeras, in Section 12, T10N, R05E, Bernalillo County. Ground water beneath the site is at a depth of approximately 198 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Jennifer Fullam
1006	Person Generating Station Patrick Themig, Vice President Person Generating Station Public Service Co.of NM Alvarado Square-MS 2104 Albuquerque, NM 87158	Albuquerque	Bernalillo	Person Generating Station, Patrick Themig, Vice President, Generation, proposes to renew the Discharge Permit for the discharge of up to 72,000 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include organic compounds. The facility generating the discharge is located at 701 Electric Ave SE, near intersection of Rio Bravo and Broadway Blvd, Albuquerque, in Section 8, T09N, R03E, Bernalillo County; the location of the discharge is the UNM Championship Golf Course, 3601 University Blvd SE, Albuquerque, in Section 4, T09N, R03E, Bernalillo County. Ground water beneath the site is at a depth of approximately 130-275 feet and has a total dissolved solids concentration of approximately 250 milligrams per liter.	Naomi Davidson
207	Nature's Dairy Gerald Greathouse Owner Nature's Dairy Inc. PO Box 5820 Roswell, NM 88202	Roswell	Chaves	Nature's Dairy, Gerald Greathouse, Owner, proposes to renew the Discharge Permit for the discharge of up to 30,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4000 E Hobson Rd, Roswell, in Sections 28 and 34, T11S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 27.34 feet and has a total dissolved solids concentration of approximately 1,500 milligrams per liter.	Bill Pearson



587	Ideal Trailer Park Rickey Boddy, Owner Ideal Trailer Park 1051 SR 311 #140 Clovis, NM 88101	Clovis	Curry	Ideal Trailer Park, Rickey Boddy, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 4,950 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1051 SR 311 #140, Clovis, in Section 30, T03N, R35E, Curry County. Ground water beneath the site is at a depth of approximately 365 feet and has a total dissolved solids concentration of approximately 300 milligrams per liter.	Melanie Sanchez
1011	Ingram Lake Storm Water Justin Howalt, City Engineer Ingram Lake Storm Water 801 S. Norris St. Clovis, NM 88101	Clovis	Curry	Ingram Lake Storm Water, Justin Howalt, City Engineer, proposes to renew the Discharge Permit for the discharge of up to 414.7 million gallons of stormwater to a treatment and disposal system. Potential contaminants from this type of discharge include inorganic and organic compounds. The facility is located at 801 South Norris St, Clovis, in Section 21, T02N, R36E, Curry County. Ground water beneath the site is at a depth of approximately 270.48 feet and has a total dissolved solids concentration of approximately 645 milligrams per liter.	Naomi Davidson
1274	City of Carlsbad Wastewater Treatment Plant Harry Burgess, City Administrator City of Carlsbad-WWTP PO Box 1569 Carlsbad, NM 88221-1569	Carlsbad	Eddy	City of Carlsbad Wastewater Treatment Plant, Harry Burgess, City Administrator, proposes to renew and modify the Discharge Permit for the discharge of up to 6,500,000 gallons per day of reclaimed domestic wastewater to a reuse irrigation system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 45 Blackfoot Rd, Carlsbad, in Sections 25 and 26, T21S R26E, Sections 31, 32, 33, T21S R27E, Sections 5, 6, 7 T22S, R27E, and Section 10, T22S R27E, Eddy County. Ground water beneath the site is at a depth of approximately 8-85 feet and has a total dissolved solids concentration of approximately 710 milligrams per liter.	Russell Isaac
1524	Rancho Dal Paso LLC Norman Rubin, Owner Rancho Dal Paso LLC 1808 SE Coronado Lane Stuart, FL 34996	Hobbs	Lea	Rancho Dal Paso LLC, Norman Rubin, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 6,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 7102 N Chenault St, Hobbs, in Section 2,	John Rebar



				T18N, R38E, Lea County. Ground water beneath the site is at a depth of approximately 90 feet and has a total dissolved solids concentration of approximately 400 milligrams per liter.	
220	<p>Alamogordo Water Reclamation Facility</p> <p>Mark Roath, City Manager Alamogordo Water Reclamation Facility City of Alamogordo 1376 E. Ninth St. Alamogordo, NM 88310</p>	Alamogordo	Otero	<p>Alamogordo Water Reclamation Facility, Mark Roath, City Manager, proposes to modify the Discharge Permit for the discharge of up to 5,000,000 gallons per day of domestic wastewater to a treatment, disposal, and reuse system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 3290 Airport Rd, Alamogordo, in Sections 1, 25, 26, and 35, T16S, R09E; Sections 8, 17, 18, 19, 20, 29, and 31, T16S, R10E; Sections 12, 14, 16, and 23, T17S, R09E; and Section 10, T17S, R10E, Otero County. Ground water beneath the site is at a depth of approximately 20-200 feet and has a total dissolved solids concentration of approximately 1,600-20,000 milligrams per liter.</p>	Naomi Davidson
470	<p>Juniper Mobile Home Park</p> <p>Rae Calvert, Owner Juniper Mobile Home Park PO Box 234 High Rolls, NM 88325</p>	High Rolls	Otero	<p>Juniper Mobile Home Park, Rae Calvert, Owner, proposes to renew the Discharge Permit for the discharge of up to 5,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at Juniper Park Road, High Rolls, in Section 5, T16S, R11E, Otero County. Ground water beneath the site is at a depth of approximately 15 feet and has a total dissolved solids concentration of approximately 1730 milligrams per liter.</p>	Jennifer Fullam
994	<p>Rhino Environmental Services Inc.</p> <p>Steve Dyer, President Rhino Environmental Services Inc. PO Box 310 Canutillo, TX 79835</p>	Newman	Otero	<p>Rhino Environmental Services Inc., Steve Dyer, President, proposes to renew the Discharge Permit for the discharge of up to 8,066 cubic yards of petroleum contaminated soil and up to 100,000 gallons of hydrocarbon contaminated water to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 1 mile northwest of Newman, in Section 28, T26S, R6E, Otero County. Ground water beneath the site is at a depth of approximately 350 feet and has a total dissolved solids concentration of approximately 1,000 milligrams per liter.</p>	Steven Pedro
1758	<p>Aspendale Baptist Encampment Inc.</p>	Cloudcroft	Otero	<p>Aspendale Baptist Encampment Inc., J E Hammond, Camp Manager, proposes to discharge up to 14,490 gallons per</p>	John Hall



	J E Hammond, Camp Manager Aspendale Baptist Encampment Inc. PO Box 287 Cloudcroft, NM 88317			day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 163 Pierce Canyon Road, Cloudcroft, in Sections 7 and 18, T16S, R12E, Otero County. Ground water beneath the site is at a depth of approximately 20 feet and has a total dissolved solids concentration of approximately 363 milligrams per liter.	
230	Española Wastewater Treatment Plant Carlos Rodriguez Waste Water Services Director Española -WWTP 405 N. Paseo de Oñate Española, NM 87532	Española	Rio Arriba	Española Wastewater Treatment Plant, Carlos Rodriguez, Waste Water Services Director, proposes to renew the Discharge Permit for the discharge of up to 160,000 gallons per day of domestic wastewater treatment sludge to evaporative drying beds. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 308 Lower San Pedro Rd, Española, in Sections 2, 3, 10, and 11, T20N, R08E, Rio Arriba County. Ground water beneath the site is at a depth of approximately 7-13 feet and has a total dissolved solids concentration of approximately 320 milligrams per liter.	Steven Pedro
1743	Stone House Lodge Carolyn W. Bogdan, Registered Agent Stone House Lodge 8000 Harwood Ave., NE Albuquerque, NM 87110	Rutheron	Rio Arriba	Stone House Lodge, Carolyn W. Bogdan, Registered Agent, proposes to discharge up to 3,310 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1409 Heron Lake Rd, Rutheron, in the Tierra Amarilla Land Grant, at latitude 36 degrees, 38 minutes, 49.4 seconds north and longitude 106 degrees, 45 minutes, 1.5 seconds West, Rio Arriba County. Ground water beneath the site is at a depth of approximately 600 feet and has a total dissolved solids concentration of approximately 1560-5160 milligrams per liter.	Robert George
1527	Corrales Village Hall Complex Tony Tafoya, Public Works Director Corrales Village Hall Complex PO Box 707 Corrales, NM 87048	Corrales	Sandoval	Corrales Village Hall Complex, Tony Tafoya, Public Works Director, proposes to renew the Discharge Permit for the discharge of discharge up to 2,080 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4324 Corrales Rd, Corrales, in Section 34 (projected), T12N, R03E, in the Alameda Land Grant, Sandoval County. Ground water beneath the site is at a depth of approximately 7 feet and has	Naomi Davidson



				a total dissolved solids concentration of approximately 368 milligrams per liter.	
1763	<p>Teverbaugh Family Living Trust Park</p> <p>Gayle Teverbaugh, Trustor Teverbaugh Family Living Trust Park 77 Road 6480 Kirtland, NM 87417</p>	Fruitland	San Juan	<p>Teverbaugh Family Living Trust Park, Gayle Teverbaugh, Trustor, proposes to discharge up to 4,800 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at #10 and #12 Road 6663, Fruitland, in Section 11, T29N, R15W, San Juan County. Ground water beneath the site is at a depth of approximately 11 feet and has a total dissolved solids concentration of approximately 596 milligrams per liter.</p>	John Hall
1090	<p>El Porvenir Christian Camp</p> <p>Gordon Noonan, Corporation President El Porvenir Christian Camp HC 33 Box 180 Montezuma, NM 87731</p>	Montezuma	San Miguel	<p>El Porvenir Christian Camp, Gordon Noonan, Corporation President, proposes to renew the Discharge Permit for the discharge of up to 9,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 12 La Luz, Montezuma, in Section 12, T17N, R14E, San Miguel County. Ground water beneath the site is at a depth of approximately 40 feet and has a total dissolved solids concentration of approximately 85.5 milligrams per liter.</p>	John Rebar
1269	<p>Edgewood Middle School</p> <p>Dr. Karen Couch, Superintendent Edgewood Middle School Moriarty Edgewood School District PO Box 2000 Center St. Moriarty, NM 87035</p>	Edgewood	Santa Fe	<p>Edgewood Middle School, Dr. Karen Couch, Superintendent, proposes to renew the Discharge Permit for the discharge of up to 7,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 17 Venus Rd, Edgewood, in Section 16, T10N, R07E, Santa Fe County. Ground water beneath the site is at a depth of approximately 280 feet and has a total dissolved solids concentration of approximately 160 milligrams per liter.</p>	Kathie Deal
290	<p>Tres Hermanos Dairy LLC</p> <p>Jericho Sanchez, Owner Tres Hermanos Dairy LLC 40 Miller Dairy Rd. Veguita, NM 87062</p>	Veguita	Socorro	<p>Tres Hermanos Dairy LLC, Jericho Sanchez, Owner, proposes to renew the Discharge Permit for the discharge of up to 5,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 40 Miller Dairy Road, Veguita, in Section 4, T03N, R02E, Socorro County. Ground water beneath the</p>	Sara Arthur



				site is at a depth of approximately 69.1 - 71.9 feet and has a total dissolved solids concentration of approximately 421 milligrams per liter.	
1055	<p>Chevron Mining Inc.</p> <p>Anne Wagner, Manager Environmental and Public Policy Chevron Mining Inc. Questa Mine Site PO Box 469 Questa, NM 87556</p>	Questa	Taos	<p>Chevron Mining Inc., Anne Wagner, Manager of Environmental and Public Policy, proposes to renew and modify the Discharge Permit for the discharge of up to 138,240 gallons per day of leachate from the Questa Mine Site. Potential discharges from the mine site originate from mine waste rock piles, storm water impoundments, and an inactive tailing impoundment. Potential contaminants from this type of discharge include total dissolved solids, sulfate, and metals. The facility is located approximately 3.5 miles east of Questa on SR 38, in Sections 1, 2, 3, 4, 11, and 12 (projected), T28N, R13E, Sections 25, 26, 33, 34, 35, and 36 (projected), T28N, R13E, Section 6 (projected), T28N, R14E, and Section 31, T29N, R14E, Taos County. Ground water beneath the site varies from 0 to 400 feet and has a total dissolved solids concentration of approximately 160 to 3,400 milligrams per liter (mg/l).</p>	Joe Marcoline
1504	<p>Mesa Vista Schools</p> <p>Joseph Martinez, Maintenance Manager Mesa Vista Schools PO Box 6 El Rito, NM 87530</p>	Ojo Caliente	Taos	<p>Mesa Vista Schools, Joseph Martinez, Maintenance Manager, proposes to renew the Discharge Permit for the discharge of up to 9,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at intersection of Hwy 285/211, Ojo Caliente, in Section 7, T24N, R09E, Taos County. Ground water beneath the site is at a depth of approximately 100 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.</p>	Sara Arthur
447	<p>Mountainview Elementary School</p> <p>Dr. Karen Couch, Superintendent Mountainview Elementary School Moriarty Edgewood School District PO Box 2000 Center St.</p>	Moriarty	Torrance	<p>Mountainview Elementary School, Dr. Karen Couch, Superintendent, proposes to renew the Discharge Permit for the discharge of up to 7,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 2422 Hwy 333, Moriarty, in Section 5, T09N, R08E, Torrance County. Ground water beneath the site is at a depth of approximately 124 feet and has a total dissolved solids concentration of approximately 150 milligrams per liter.</p>	Kathie Deal



	Moriarty, NM 87035				
1715	BNSF Belen Railyard Charles Thomas Manager Environmental Remediation BNSF Belen Railyard BNSF Railway Co. 4200 Deen Rd. Fort Worth, TX 76106	Belen	Valencia	BNSF Belen Railyard, Charles Thomas, Manager Environmental Remediation, proposes to discharge up to 216,000 gallons per day of remediated ground water to an injection well. Potential contaminants from this type of discharge include organic compounds. The facility is located at 106 N First Street, Belen, in Sections 18 and 19, T05N, R02E, Valencia County. Ground water beneath the site is at a depth of approximately 5 - 10 feet and has a total dissolved solids concentration of approximately 875 - 1,560 milligrams per liter.	Bart Faris

Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>