Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

| DP # | Facility/Applicant | Closest City | County | Notice | NMED Permit Contact |
|---|---|---|---|---|---|
| 819 | County Services<br><br>Garth Merrick, President<br>County Services<br>101 SE 11th Ave.<br>Suite 200<br>Amarillo, TX 79101 | Albuquerque | Bernalillo | County Services, Garth Merrick, President, proposes to renew the Discharge Permit for the discharge of up to 200 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4124 Broadway SE, Albuquerque, in Section 8, T09N, R03E, Bernalillo County. Ground water beneath the site is at a depth of approximately 205 feet and has a total dissolved solids concentration of approximately 192 milligrams per liter. | Sara Arthur |
| 989 | APS-San Antonito Elementary School<br><br>Van Lewis<br>Environmental Manager<br>Albuquerque Public Schools<br>Maintenance & Operations<br>PO Box 25704<br>Albuquerque, NM 87124 | Sandia Park | Bernalillo | APS-San Antonito Elementary School, Van Lewis, Environmental Manager, proposes to renew the Discharge Permit for the discharge of discharge up to 6,285 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 12555 N Hwy 14, Sandia Park, in Section 18, T11N, R06E, Bernalillo County. Ground water beneath the site is at a depth of approximately 62.5 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter. | Steven Pedro |
| 996 | Sandia Peak Ski Area<br><br>Benny Abruzzo, President<br>Sandia Peak Ski Area<br>10 Tramway Loop, NE<br>Albuquerque, NM 87122 | Cedar Crest | Bernalillo | Sandia Peak Ski Area, Benny Abruzzo, President, proposes to renew the Discharge Permit for the discharge of up to 12,900 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 6.5 miles West on Hwy 536 off of Hwy 14 Cedar Crest, in Section 4, T11N, R05E, Bernalillo County. Ground water beneath the site is at a depth of approximately 380 feet and has a total dissolved solids concentration of approximately 375 milligrams per liter. | Melanie Sanchez |
| 677 | Cheyenne Dairy I and III<br><br>David Hoekstra, Owner | Dexter | Chaves | Cheyenne Dairy I and III, David Hoekstra, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 180,000 gallons per day of agricultural wastewater to | Sarah McGrath |

| | | | | | |
|---|---|---|---|---|---|
| | Cheyenne Dairy I and III<br>185 E. Calusa Rd.<br>Dexter, NM 88230 | | | a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 178 Cheyenne Rd, Dexter, in Sections 3 and 4, T13S, R25E, and in Sections 33 and 34, T12S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 50 feet and has a total dissolved solids concentration of approximately 720 milligrams per liter. | |
| 776 | Southwind Dairy<br><br>Allen Squire, Owner<br>Southwind Dairy<br>65 E. Ottawa Rd.<br>Hagerman, NM 88232 | Hagerman | Chaves | Southwind Dairy, Allen Squire, Owner, proposes to renew the Discharge Permit for the discharge of up to 96,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 85 East Ottawa Road, Hagerman, in Sections 14,15, and 23, T14S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 170 feet and has a total dissolved solids concentration of approximately 600 milligrams per liter. | Bill Pearson |
| 791 | 3-V Dairy<br><br>Casey Vander Dussen<br>Owner<br>3-V Dairy<br>4807 Graves Rd<br>Roswell, NM 88203 | Roswell | Chaves | 3-V Dairy, Casey Vander Dussen, Owner, proposes to renew the Discharge Permit for the discharge of up to 120,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4805 Graves Road, Roswell, in Section 19, T11S, R25E, and in Sections 23 and 24, T11S, R24E, Chaves County. Ground water beneath the site is at a depth of approximately 17 feet and has a total dissolved solids concentration of approximately 2,950 milligrams per liter. | Kimberly Kirby |
| 1003 | Three Amigos Dairy<br><br>Charlie DeGroot, Owner<br>Three Amigos Dairy<br>6475 Prices Lane<br>Dexter, NM 88230 | Dexter | Chaves | Three Amigos Dairy, Charlie DeGroot, Owner, proposes to renew the Discharge Permit for the discharge of up to 120,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 6475 Prices Lane, Dexter, in Sections 11, 12, and 13, T12S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 40 feet and has a total dissolved solids concentration of approximately 1,100 milligrams per liter. | Sarah McGrath |

| | | | | | |
|---|---|---|---|---|---|
| 200 | Homestake Grants Millsite Reclamation Project<br><br>Alan Cox, Project Manager<br>Homestake Grants Millsite Reclamation Project<br>Homestake Mining Co. of California<br>PO Box 98<br>Grants, NM 87020 | Milan | Cibola | Homestake Grants Millsite Reclamation Project, Alan Cox, Project Manager, proposes to renew and modify the Discharge Permit for the discharge of up to 2,592,000 gallons per day (gpd); 648,000 gpd of treated groundwater, 1,008,000 gpd of fresh water, and approximately 36,000 gpd low concentration water into the subsurface to maintain an hydraulic barrier to aid in restoration of the groundwater plume(s), and 432,000 gpd fresh water, 432,000 gpd treated water, and approximately 36,000 gpd low concentration water into the Large Tailings Pile to drive contaminants towards extraction wells**.** Potential contaminants from this type of discharge include chloride, molybdenum, radium$_{226}$, selenium, sulfate, thorium$_{230}$, total dissolved solids, uranium, and vanadium. The facility is located approximately 5 miles N of Milan on Hwy 605, in Sections 22, 23, 24, 25, 26, 27, and 35, T12N, R10W, Cibola County. Ground water beneath the site is at a depth of approximately 30-70 feet and has a total dissolved solids concentration of approximately 2734 milligrams per liter. | Jerry Schoeppner |
| 1751 | Homestake Grants Millsite Reclamation Project<br><br>Alan Cox, Project Manager<br>Homestake Grants Millsite Reclamation Project<br>Homestake Mining Co. of California<br>PO Box 98<br>Grants, NM 87020 | Milan | Cibola | Homestake Grants Millsite Reclamation Project, Alan Cox, Project Manager, proposes to discharge up to 3,880,000 gallons per day (gpd); 1,440,000 gpd of fresh and treated water into the subsurface to drive contaminants in the alluvial aquifer towards extraction wells and 2,448,000 gpd of extracted contaminated alluvial groundwater to the surface for use as irrigation water. Potential contaminants from this type of discharge include chloride, molybdenum, selenium, sulfate, total dissolved solids, and uranium. The facility is located approximately 5 miles N of Milan on Hwy 605, in Sections 20, 27, 28, 29, 32, 33, 34, and 35; T11N, R10W, Section 3, Cibola County. Ground water beneath the site is at a depth of approximately 30-70 feet and has a total dissolved solids concentration of approximately 2734 milligrams per liter. | Jerry Schoeppner |
| 1508 | Southwest Cheese Company, LLC<br><br>Southwest Cheese Company, LLC<br>Debbie Abrego, Director | Clovis | Curry & Roosevelt | Southwest Cheese Company LLC, proposes to renew and modify the Discharge Permit for the discharge of up to 2,200,000 gallons per day of cheese processing wastewater and 963,000 gallons per day of combined reverse osmosis and domestic wastewater from a cheese processing plant to a treatment and disposal system. Potential contaminants | Kimberly Kirby |

| | | | | | |
|---|---|---|---|---|---|
| | Environment, Safety & Health<br>1141 Curry Rd.4<br>Clovis, NM 88102 | | | from this type of discharge include nitrogen compounds and total dissolved solids. The facility is located at 1141 Curry Road 4, Clovis, in Section 31, T2N, R36E; Sections 12 and 13, T1N, R35E, Sections 4, 5, 6, 7, 8, 9, 17, 18, 20, 21, 28 and 33, T1N, R36E; and Sections 3 and 4, T1S, R36E, Curry and Roosevelt Counties. Ground water beneath the site is at a depth of approximately 289-300 feet and has a total dissolved solids concentration of approximately 400 milligrams per liter. | |
| 1735 | Sonoma Ranch Golf Course<br><br>George Rawson, Partner<br>Sonoma Ranch Golf Course<br>141 Roadrunner Parkway Suite 222<br>Las Cruces, NM 88011 | Las Cruces | Doña Ana | Sonoma Ranch Golf Course, George Rawson, Partner, proposes to discharge up to 950,000 gallons per day of reclaimed domestic wastewater from the City of Las Cruces East Mesa Water Reclamation Facility for irrigation of a golf course. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1274 Golf Course Road, Las Cruces, in Section 4, T23S, R02E, Doña Ana County. Ground water beneath the site is at a depth of approximately 430 feet and has a total dissolved solids concentration of approximately 1968 milligrams per liter. | Gerald Knutson |
| 166 | Freeport-McMoRan Tyrone No.2 Leach System<br><br>Richard N. Mohr, General Manager Freeport-McMoRan Tyrone, Inc.<br>P.O. Drawer 571<br>Tyrone, NM 88065 | Silver City | Grant | Freeport-McMoRan Tyrone No. 2 Leach System, Richard Mohr, General Manager, proposes to modify the Discharge Permit for up to 60,000,000 gallons per day of leach solution from a copper leach facility. Potential contaminants from this type of discharge include total dissolved solids, sulfate and metals. The facility is located approximately 12 miles south of Silver City, in Sections 21, 22, 27 and 28, T19S, R15W, Grant County. Ground water beneath the site is at a depth of approximately 0-400 feet and has a total dissolved solids concentration of approximately 200-400 milligrams per liter. | Keith Ehlert |
| 461 | Beestra Family Dairy<br><br>Jessie Adams, Owner<br>Beestra Family Dairy<br>8313 Dairy St.<br>Hobbs, NM 88240 | Hobbs | Lea | Beestra Family Dairy, Jessie Adams, Owner, proposes to renew the Discharge Permit for the discharge of up to 40,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 8313 Dairy St, Hobbs, in Section 34, T17S, R37E, Lea County. Ground water beneath the site is at a depth of approximately 69 feet and has a total dissolved solids concentration of approximately 326 milligrams per liter. | Sarah McGrath |

| | | | | | |
|---|---|---|---|---|---|
| 965 | Roto Rooter/AAA Pumping Service<br><br>Jose Martinez, Owner<br>Roto Rooter<br>AA Pumping Service<br>PO Box 1377<br>Alamogordo, NM 88311 | Alamogordo | Otero | Roto Rooter/AAA Pumping Service, Jose Martinez, Owner, proposes to renew the Discharge Permit for the discharge of up to 2,000 gallons per day of grease trap waste to a disposal site. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located NW of the Otero County Landfill, Alamogordo, in Section 16, T20S, R09E, Otero County. Ground water beneath the site is at a depth of approximately 215 feet and has a total dissolved solids concentration of approximately 2,577 milligrams per liter. | John Rebar |
| 1640 | Cottonwood RV Park<br><br>Ramona Martinez, Owner<br>Cottonwood RV Park<br>62 Sombrillo Rd.<br>Espanola, NM 87532 | Espanola | Rio Arriba | Cottonwood RV Park, Ramona Martinez, Owner, proposes to discharge up to 5,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1318 South Riverside Drive, Española, in Section 12, T20N, R08E, Rio Arriba County. Ground water beneath the site is at a depth of approximately 20 feet and has a total dissolved solids concentration of approximately 590 milligrams per liter. | Robert George |
| 711 | Algodones Elementary School<br><br>Ray DeFilippo<br>Director of Facilities<br>Algodones Elementary School<br>224 N. Camino del Pueblo<br>Bernalillo, NM 87004 | Algodones | Sandoval | Algodones Elementary School, Ray DeFilippo, Director of Facilities, proposes to renew the Discharge Permit for the discharge of up to 6,215 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1399 Hwy 313, Algodones, in Section 2, T13N, R04E, Sandoval County. Ground water beneath the site is at a depth of approximately 5.83 feet and has a total dissolved solids concentration of approximately 398 milligrams per liter. | Sara Arthur |
| 1099 | Albuquerque Public Schools-Corrales Elementary School<br><br>Van Lewis,<br>Environmental Manager<br>Albuquerque Public Schools Maintenance & | Corrales | Sandoval | Albuquerque Public Schools-Corrales Elementary School, Van Lewis, Environmental Manager, proposes to renew and modify the Discharge Permit for the discharge of up to 13,300 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 200 Target Road, Corrales, in Sections 34, T12N, R03E, Sandoval County. Ground water beneath | Melanie Sanchez |

| | | | | | |
|---|---|---|---|---|---|
| | Operations<br>PO Box 25704<br>Albuquerque, NM 87124 | | | the site is at a depth of approximately 8 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter. | |
| 1749 | Troy King Storage Facility<br><br>Steven Dexel<br>HR Safety Director<br>Troy King Storage Facility<br>Desert Mountain Corp.<br>PO Box 1633<br>Kirtland, NM 87417 | Farmington | San Juan | Troy King Storage Facility, Steven Dexel, HR Safety Director, proposes to store up to 750,000 gallons of salt solution in a total containment system. Potential contaminants from this type of storage include total dissolved solids. The facility is located at 3101 Troy King Road, Farmington, in Section 1, T29N, R14W, San Juan County. Ground water beneath the site is at a depth of approximately 290 feet and has an unknown total dissolved solids concentration. | John Hall |
| 40 | Pecos Benedictine Monastery<br><br>Steven Coffey, President<br>Pecos Benedictine Monastery<br>PO Box 1080<br>Pecos, NM 87552 | Pecos | San Miguel | Pecos Benedictine Monastery, Steven Coffey, President, proposes to renew the Discharge Permit for the discharge of up to 8,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 143 Cowles Hwy, Pecos, in Sections 28 and 29, T16N, R12E, and in the Alexander Valle Grant, San Miguel County. Ground water beneath the site is at a depth of approximately 12 feet and has a total dissolved solids concentration of approximately 287 milligrams per liter. | Naomi Davidson |
| 1477 | HAW Farms<br><br>John Woelber, Owner<br>HAW Farms<br>PO Box 909<br>Belen, NM 87002 | Belen | Socorro | HAW Farms, John Woelber, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 13,838 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at #5 Military Hwy, Belen, in Section 16, T03N, R03E, Socorro County. Ground water beneath the site is at a depth of approximately 370 feet and has a total dissolved solids concentration of approximately 600 milligrams per liter. | John Rebar |
| 1143 | Taos Ridge Townhouses<br><br>Mark Hirsch, Board Member<br>Taos Ridge Condominium Association | Taos | Taos | Taos Ridge Townhouses, Mark Hirsch, Board Member, Taos Ridge Condominium Association, proposes to renew and modify the Discharge Permit for the discharge of up to 4,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located | Rebecca Cook |

| | | | | | |
|---|---|---|---|---|---|
| | 400 Dartmouth Dr., NE<br>Albuquerque, NM 87106 | | | at the corner of Reynolds Rd and State Hwy 522, Taos, in Section 24, T26N, R12E, Taos County. Ground water beneath the site is at a depth of approximately 160 feet and has a total dissolved solids concentration of approximately 187 milligrams per liter. | |
| 1708 | Estancia Valley Solid Waste Authority<br><br>Joseph Ellis, Manager<br>Estancia Valley<br>Solid Waste Authority<br>PO Box 736<br>Estancia, NM 87016 | Moriarty | Torrance | Estancia Valley Solid Waste Authority, Joseph Ellis, Manager, proposes to discharge up to 10,000 gallons per day of domestic septage for disposal. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 249 Sidewinder, Moriarty, in Section 23, T09N, R10E, Torrance County. Ground water beneath the site is at a depth greater than 350 feet and has an unknown total dissolved solids concentration. | John Hall |
| 1034 | Edeal Dairy<br><br>Scott Edeal, Owner<br>Edeal Dairy<br>147-A Edeal Rd.<br>Los Lunas, NM 87031 | Los Lunas | Valencia | Edeal Dairy, Scott Edeal, Owner, proposes to renew the Discharge Permit for the discharge of up to 35,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 147 Edeal Road, Los Lunas, in Sections 34 and 35, T07N, R02E, and Section 3, T6N R2E, Valencia County. Ground water beneath the site is at a depth of approximately 6 feet and has a total dissolved solids concentration of approximately 300 milligrams per liter. | Sara Arthur |
| 1244 | Village of Bosque Farms Surface Disposal Facility (Sludge)<br><br>Wayne Ake, Mayor<br>Village of Bosque Farms<br>Surface Disposal Facility (Sludge)<br>1455 W. Bosque Loop<br>Bosque Farms, NM 87068 | Los Lunas | Valencia | Village of Bosque Farms Surface Disposal Facility (Sludge), Wayne Ake, Mayor, proposes to renew the Discharge Permit for the discharge of up to 17,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on an access road intersecting Dalies Rd 3 miles south of NM 6, Los Lunas, in the Nicolas Duran de Chavez Grant at latitude 34° 44' 53" N, longitude 106° 51' 58" W, Valencia County. Ground water beneath the site is at a depth of approximately 400 feet and has a total dissolved solids concentration of approximately 150 milligrams per liter. | John Rebar |
| 1534 | A & A Pumping Services, Inc. | Belen | Valencia | A & A Pumping Services Inc, Tony Padilla, Owner, proposes to renew the Discharge Permit for the discharge of up to 8,000 gallons per day of septage, sludge, and grease trap | John Hall |

| | | | | | |
|---|---|---|---|---|---|
| | Tony Padilla, Owner<br>A & A Pumping Services Inc.<br>PO Box 181<br>Belen, NM 87002 | | | waste to a disposal site. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, and metals. The facility is located approximately 5 miles west of Belen, in Section 10, T05N, R01E, Valencia County. Ground water beneath the site is at a depth of approximately 400 feet and has a total dissolved solids concentration of approximately 350 milligrams per liter. | |
| 1748 | Los Lunas Silvery Minnow Refugium<br><br>Estevan Lopez, Director<br>NM Interstate Stream Commission<br>Bataan Memorial Bldg.<br>Rm. 10<br>PO Box 25102<br>Santa Fe, NM 87504-5102 | Los Lunas | Valencia | Los Lunas Silvery Minnow Refugium, Estevan Lopez, Director, proposes to discharge up to 35,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1000 North Main Street, Los Lunas, in Section 21, T07N, R02E, Valencia County. Ground water beneath the site is at a depth of approximately 38.5 feet and has a total dissolved solids concentration of approximately 305 milligrams per liter. | Sarah McGrath |

Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm