



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
530	Sandia National Laboratory  Dan Pellegrino, Assistant Manager Sidney Gutierrez, Director Sandia National Laboratory PO Box 5400 Albuquerque, NM 87185-0184	Albuquerque	Bernalillo	Sandia National Laboratory, Dan Pellegrino, Assistant Manager, and Sidney Gutierrez, Director, propose to renew the Discharge Permit for the discharge of up to 2,000 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include total dissolved solids and metals. The facility is located on Kirtland Air Force Base, near the intersection of 9 <sup>th</sup> and V Streets, Albuquerque, in Section 5, T10N, R04E, Bernalillo County. Ground water beneath the site is at a depth of approximately 500 feet and has a total dissolved solids concentration of approximately 353-1022 milligrams per liter.	Melanie Sanchez
109	Bluewater Water and Sanitation District  Lynette Garden, Bookkeeper Bluewater Water & Sanitation District PO Box 68 Bluewater, NM 87005	Bluewater	Cibola	Bluewater Water and Sanitation District, Lynette Garden, Bookkeeper, proposes to renew and modify the Discharge Permit for the discharge of up to 48,800 gallons per day of domestic wastewater to a treatment, disposal and reuse system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 120 Main St, Bluewater, in Section 23, T12N, R11W, Cibola County. Ground water beneath the site is at a depth of approximately 178 feet and has a total dissolved solids concentration of approximately 949 milligrams per liter.	Steven Pedro
1475	Dutch Valley Farms  Dan Visser, Owner Dutch Valley Farms 1271 SR 288 Clovis, NM 88101	Clovis	Curry	Dutch Valley Farms, Dan Visser, Owner, proposes to renew the Discharge Permit for the discharge of up to 99,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1271 State Road 288, approximately 22 miles north of Clovis, in Sections 2 and 11, T04N, R35E, Curry County. Ground water beneath the site is at a depth of approximately 447 feet and has a total dissolved solids concentration of approximately 265 milligrams per liter.	Sara Arthur



42	Dominguez Dairy #2  Isaac Dominguez, Owner Dominguez Dairy #2 PO Box 21 Mesquite, NM 88048	Mesquite	Doña Ana	Dominguez Dairy #2, Isaac Dominguez, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 60,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 13620 Stern Dr, Mesquite, in Sections 5, 6, 7 and 8, T25S, R03E, and Sections 1 and 12, T25S, R02E, Doña Ana County. Ground water beneath the site is at a depth of approximately 16 feet and has a total dissolved solids concentration of approximately 1,900 milligrams per liter.	Kim Kirby
74	Buena Vista Dairy 2  Mike Weatherly, Owner Buena Vista Dairy 2 PO Box 346 Mesquite, NM 88048	Mesquite	Doña Ana	Buena Vista Dairy 2, Mike Weatherly, Owner, proposes to renew the Discharge Permit for the discharge of up to 55,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 16910 Stern Dr, Mesquite, in Section 21, T25S, R03E, Doña Ana County. Ground water beneath the site is at a depth of approximately 14 feet and has a total dissolved solids concentration of approximately 1,816 milligrams per liter.	Bill Pearson
692	Del Oro Dairy  Jerry Settles, Owner Del Oro Dairy PO Box 1846 Anthony, NM 88021	Anthony	Doña Ana	Del Oro Dairy, Jerry Settles, Owner, proposes to renew the Discharge Permit for the discharge of up to 20,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1025 E O'Hara Rd, Anthony, in Section 23, T26S, R03E, Doña Ana County. Ground water beneath the site is at a depth of approximately 55 feet and has a total dissolved solids concentration of approximately 2,180 milligrams per liter.	Bill Pearson
832	Rezolex LTD Co.  Louis Biad, Partner Rezolex LTD Co 2240 A Pepper Rd. Las Cruces, NM 88007	Radium Springs	Doña Ana	Rezolex LTD Co, Louis Biad, Partner, proposes to renew and modify the Discharge Permit for the discharge of up to 16,000 gallons per day of agricultural wastewater from a Food Processing Plant to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds and organic compounds. The facility is located at 03 East Fort Selden Rd, Radium Springs, in Sections 11 and 12, T21S, R01W, Dona Ana County.	Russell Isaac



				Ground water beneath the site is at a depth of approximately 65 feet and has a total dissolved solids concentration of approximately 1,673 milligrams per liter.	
833	Big Sky Dairy  Ed DeRuyter, Owner Big Sky Dairy PO Box 10 Mesquite, NM 88048	Vado	Doña Ana	Big Sky Dairy, Ed DeRuyter, Owner, proposes to renew the Discharge Permit for the discharge of up to 80,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 17800 S Stern Dr, Vado, in Sections 27, 28, 33 and 34, T25S, R03E, Doña Ana County. Ground water beneath the site is at a depth of approximately 40 feet and has a total dissolved solids concentration of approximately 1,514 milligrams per liter.	Bill Pearson
1298	Vista Real Mobile Home Park  Robert Wolfe, Owner Vista Real Mobile Home Park 104 Tiburon Blvd., Suite 100 Mill Valley, CA 94941-2431	Las Cruces	Doña Ana	Vista Real Mobile Home Park, Robert Wolfe, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 11,640 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 5300 Vista Real Dr, Las Cruces, in Section 20, T23S, R01E, Doña Ana County. Ground water beneath the site is at a depth of approximately 54 - 91 feet and has a total dissolved solids concentration of approximately 750 milligrams per liter.	Rebecca Cook
1781	Eldorado Biofuels Jal Facility  Paul Laur, Chief Executive Officer Eldorado Biofuels LLC 7 Avenida Vista Grande #454 Santa Fe, NM 87508	Jal	Lea	Eldorado Biofuels Jal Facility, Paul Laur, Chief Executive Officer, proposes to modify the Discharge Permit for the discharge of up to 32,144 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include total dissolved solids and nitrogen compounds. The facility is located in Jal, in Section 24, T25S, R36E, Lea County. Ground water beneath the site is at a depth of approximately 250 feet and has a total dissolved solids concentration of approximately 434 milligrams per liter.	Rebecca Cook
1075	Wagon Mound (Village of) -Wastewater Treatment Plant  Arturo Arguello, Mayor	Wagon Mound	Mora	Wagon Mound (Village of) -Wastewater Treatment Plant, Arturo Arguello, Mayor, proposes to renew the Discharge Permit for the discharge of up to 30,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include	Rebecca Cook



	(Village of) -Wagon Mound-WWTP PO Box 87 Wagon Mound, NM 87752			nitrogen compounds. The facility is located at approximately one mile south of Wagon Mound, in Section 4, T20N, R21E, Mora County. Ground water beneath the site is at a depth of approximately 14 feet and has a total dissolved solids concentration of approximately 745 milligrams per liter.	
869	Ghost Ranch Conference Center  Bill Wylie, Superintendent Ghost Ranch Conference Center HC 77 Box 11 Abiquiu, NM 87510	Abiquiu	Rio Arriba	Ghost Ranch Conference Center, Bill Wylie, Superintendent, proposes to renew the Discharge Permit for the discharge of up to 33,750 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on the east side of US Hwy 84 on Private Dr 1708, approximately 12 miles north of Abiquiu, in Section 4, T24N, R04E, Rio Arriba County. Ground water beneath the site is at a depth of approximately 32 feet and has a total dissolved solids concentration of approximately 3,310 milligrams per liter.	Brad Reid
1114	Abiquiu Water and Sewer Association Wastewater Treatment Plant  Juan Lopez, President Abiquiu Water & Sewer Association PO Box 133 Abiquiu, NM 87510	Abiquiu	Rio Arriba	Abiquiu Water and Sewer Association Wastewater Treatment Plant, Juan Lopez, President, proposes to renew the Discharge Permit for the discharge of up to 44,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located north of Bode's General Store on Hwy 84, Abiquiu, at latitude 36°12'50", longitude -106°19'20", Rio Arriba County. Ground water beneath the site is at a depth of approximately 20 feet and has a total dissolved solids concentration of approximately 916 milligrams per liter.	Brad Reid
514	Amistad Dairy  Vivian Jimenez, Owner Amistad Dairy 1000 W. Brady St. Clovis, NM 88101	Portales	Roosevelt	Amistad Dairy, Vivian Jimenez, Owner, proposes to renew the Discharge Permit for the discharge of up to 6,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 465 South RR U, approximately 2 miles west of Portales, in Section 28, T01S, R34E, Roosevelt County. Ground water beneath the site is at a depth of approximately 93 feet and has a total dissolved solids concentration of approximately 320 milligrams per liter.	Bill Pearson



963	Red Roof Dairy  Albin Smith, Owner Red Roof Dairy 506 SR 467 Clovis, NM 88101	Portales	Roosevelt	Red Roof Dairy, Albin Smith, Owner, proposes to renew the Discharge Permit for the discharge of up to 37,500 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 290 NM 202, Portales, in Section 6, T01S, R36E and Section 1, T01S, R35E, Roosevelt County. Ground water beneath the site is at a depth of approximately 156 feet and has a total dissolved solids concentration of approximately 287 milligrams per liter.	Bill Pearson
1001	James Idsinga & Son Dairy  James Idsinga, Owner James Idsinga & Son Dairy 2116 East Third St. Portales, NM 88130	Portales	Roosevelt	James Idsinga & Son Dairy, James Idsinga, Owner, proposes to renew the Discharge Permit for the discharge of up to 32,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 43321 US Hwy 70, Portales, in Sections 19, 29 and 30, T01N, R36E, Roosevelt County. Ground water beneath the site is at a depth of approximately 232 feet and has a total dissolved solids concentration of approximately 310 milligrams per liter.	Sara Arthur
1377	Grande Vida Dairy  Stanley Jones, Owner Grande Vida Dairy 42547 US Hwy 70 Portales, NM 88130	Portales	Roosevelt	Grande Vida Dairy, Stanley Jones, Owner, proposes to renew the Discharge Permit for the discharge of up to 49,500 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 086 N RR H1/2, Portales, in Sections 32 and 33, T01N, R36E, Roosevelt County. Ground water beneath the site is at a depth of approximately 194 feet and has a total dissolved solids concentration of approximately 260 milligrams per liter.	Bill Pearson
1531	Arch Diamond Dairy  Phillip Douma, Owner Arch Diamond Dairy 737 NM 267 Portales, NM 88130	Portales	Roosevelt	Arch Diamond Dairy, Phillip Douma, Owner, proposes to renew the Discharge Permit for the discharge of up to 65,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1406 NM 88 (S RR 10), Portales, in Sections 17, 20 and 21, T02S, R36E, Roosevelt County. Ground water beneath the site is at a depth of approximately 85 feet and has a total dissolved solids concentration of approximately 960 milligrams per liter.	Bill Pearson



1797	Williams Field Service-Four Corners Office  Angi Nystrom, Manager Williams Field Service Four Corners Office 188 Road 4990 Bloomfield, NM 87413	Bloomfield	San Juan	Williams Field Service-Four Corners Office, Angi Nystrom, Manager, proposes to discharge up to 3,450 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 188 Road 4990, Bloomfield, in Section 12, T29N, R11W, San Juan County. Ground water beneath the site is at a depth of approximately 10-15 feet and has an unknown total dissolved solids concentration.	John Hall
563	A and M Dairy  Pedram Ghoreishi Operations Manager A and M Dairy PO Box 591 Veguita, NM 87062	Veguita	Socorro	A and M Dairy, Pedram Ghoreishi, Operations Manager, proposes to renew the Discharge Permit for the discharge of up to 4,200 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 125 Carlos Martinez Rd, Veguita, Casa Colorada Land Grant in Section 17, T03N, R02E (projected), Socorro County. Ground water beneath the site is at a depth of approximately 63 feet and has a total dissolved solids concentration of approximately 330 milligrams per liter.	Sara Arthur
1507	Valle Vista Dairy  Scott Edeal, Owner Valle Vista Dairy 147-A Edeal Rd. Los Lunas, NM 87031	Veguita	Socorro	Valle Vista Dairy, Scott Edeal, Owner, proposes to renew the Discharge Permit for the discharge of up to 75,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on San Lorenzo Rd 1.5 miles east of Hwy 47, Veguita, in Section 8, T03N, R02E (projected) in the Casa Colorada Land Grant, Socorro County. Ground water beneath the site is at a depth of approximately 147 feet and has a total dissolved solids concentration of approximately 220 milligrams per liter.	Bill Pearson
1004	Willard Dairy  Carlos Villapando, Owner Willard Dairy 7254 Vineyard Rd. Dexter, NM 88230	Willard	Torrance	Willard Dairy, Carlos Villapando, Owner, proposes to renew the Discharge Permit for the discharge of up to 80,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 190 Dairy Rd, Willard, in Sections 18 and 19, T04N, R09E, and Section 13, T04N, R08E, Torrance County. Ground	Kathie Deal



				water beneath the site is at a depth of approximately 106 feet and has a total dissolved solids concentration of approximately 528 milligrams per liter.	
--	--	--	--	--	--

Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:  
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>