



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
164	Southern Skies Dairy Mike Visser, Owner Southern Skies Dairy 3892 Hobson Rd Roswell, NM 88203	Roswell	Chaves	Southern Skies Dairy, Mike Visser, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 60,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 3862 Hobson Rd, Roswell, in Section 32, T11S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 28 feet and has a total dissolved solids concentration of approximately 2,700 milligrams per liter.	Bill Pearson
764	Arroyo Dairy Doug DeGroot, Owner Arroyo Dairy 3894 E. Hobson Rd. Roswell, NM 88203	Roswell	Chaves	Arroyo Dairy, Doug DeGroot, Owner, proposes to renew the Discharge Permit for the discharge of up to 80,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 3916 E Hobson Rd, Roswell, in Sections 28 and 33, T11S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 22 feet and has a total dissolved solids concentration of approximately 3,000 milligrams per liter.	Bill Pearson
1026	Mid Frisian Dairy Andle Van der Ploeg, Owner Mid Frisian Dairy 507 Curry Rd 8 Clovis, NM 88101	Clovis	Curry	Mid Frisian Dairy, Andle Van der Ploeg, Owner, proposes to renew the Discharge Permit for the discharge of up to 40,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 507 Curry Rd 8, Clovis, in Section 25, T02N, R36E, Curry County. Ground water beneath the site is at a depth of approximately 345 feet and has a total dissolved solids concentration of approximately 368 milligrams per liter.	Kimberly Kirby
1503	Sams Mobile Home Park Greg Brophy, Owner	Clovis	Curry	Sams Mobile Home Park, Greg Brophy, Owner, proposes to renew the Discharge Permit for the discharge of up to 9,250 gallons per day of domestic wastewater to a treatment and	John Hall



	Sams Mobile Home Park 1624 NW 35th Camas, WA 98607			disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1517 US Hwy 60/84 #4, Clovis, in Section 17, T02N, R35E, Curry County. Ground water beneath the site is at a depth of approximately 300 feet and has a total dissolved solids concentration of approximately 664 milligrams per liter.	
1511	Grady Municipal Schools Lee Thomas Maintenance Director Grady Municipal Schools 100 Franklin Grady, NM 88120	Grady	Curry	Grady Municipal Schools, Lee Thomas, Maintenance Director, proposes to renew the Discharge Permit for the discharge of up to 5,375 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 410 E Franklin, Grady, in Section 14, T07N, R34E, Curry County. Ground water beneath the site is at a depth of approximately 185 feet and has a total dissolved solids concentration of approximately 489 milligrams per liter.	John Hall
1502	SKP Ranch RV Park Robert Jones, President SKP Ranch RV Park SKP Co-Op Retreat of NM PO Box 109 Lakewood, NM 88254	Lakewood	Eddy	SKP Ranch RV Park, Robert Jones, President, proposes to renew the Discharge Permit for the discharge of up to 6,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 30 SKP Ranch Rd, Lakewood, in Section 28, T19S, R26E, Eddy County. Ground water beneath the site is at a depth of approximately 35.97 feet and has a total dissolved solids concentration of approximately 2,700 milligrams per liter.	Naomi Davidson
213	Freeport McMoRan Chino Mines Company-Invanhoe Concentrator and Associated Pipelines Richard Mohr, President Freeport McMoRan Chino Mines Co. Invanhoe Concentrator & Associated Pipelines PO Box 7 Hurley, NM 88043	Vanadium	Grant	Freeport McMoRan Chino Mines Company-Invanhoe Concentrator and Associated Pipelines, Richard Mohr, General Manager, proposes to renew the Discharge Permit for the discharge of up to 42,803,200 gallons per day of mine tailings through three pipelines and copper concentrate through a single pipeline to separate mine facilities. Potential contaminants from this type of discharge include total dissolved solids, sulfate, and metals. The facility is located at 99 Santa Rita Mine Road, Vanadium, in Sections 5, 6, 7, 18, 19, 30, 31 and 32, T18S, R12W, Sections 32 and 33, T17S R12W and Sections 5, 6, and 7, T19S R12W, Grant County. Ground water beneath the site is at a depth of approximately 1-150 feet and has a total dissolved solids concentration of approximately 300-1,400 milligrams per liter.	Greg Huey



459	<p>Chino Mines Company- Main Pit, North In-Pit Leach System, and Northeast, North and Northwest Waste Rock Piles</p> <p>Richard Mohr, President Freeport McMoRan Chino Mines Co. Invanhoe Concentrator & Associated Pipelines PO Box 7 Hurley, NM 88043</p>	Vanadium	Grant	<p>Chino Mines Company-Main Pit, North In-Pit Leach System, and Northeast, North and Northwest Waste Rock Piles, Richard Mohr, General Manager, proposes to renew the Discharge Permit for the discharge of up to 7,128,000 gallons per day of acidic leach solution to a copper ore stockpile. Potential contaminants from this type of discharge include total dissolved solids, sulfate, and metals. The facility is located at 99 Santa Rita Mine Road, Vanadium, in Sections 23, 26, 27, 28, 33, 34, and 35, T17S, R12W, Grant County. Ground water beneath the site is at a depth of approximately 22-276 feet and has a total dissolved solids concentration of approximately 432 milligrams per liter.</p>	Kurt Vollbrecht
625	<p>City of Lordsburg WWTP</p> <p>Arthur Smith, Mayor City of Lordsburg 409 Wabash St. Lordsburg, NM 88045</p>	Lordsburg	Hidalgo	<p>City of Lordsburg WWTP, Arthur Smith, Mayor, proposes to renew and modify the Discharge Permit for the discharge of up to 1,000,000 gallons per day of domestic wastewater and up to 25,000 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds and total dissolved solids. The facility is located North of Power Plant Rd, East of North St, Lordsburg, in Sections 27, 28, 33 and 34, T22S, R18W, Hidalgo County. Ground water beneath the site is at a depth of approximately 48.2 feet and has a total dissolved solids concentration of approximately 1,779 milligrams per liter.</p>	Naomi Davidson
818	<p>Controlled Recovery Inc.</p> <p>John Barnidge, CEO Controlled Recovery Inc. PO Box 388 Hobbs, NM 88241-0388</p>	Hobbs	Lea	<p>Controlled Recovery Inc, John Barnidge, CEO, proposes to renew and modify the Discharge Permit for the discharge of up to 182,000 gallons per day of industrial wastewater and up to 275 cubic yards per month of industrial solids to a treatment and disposal system. Potential contaminants from this type of discharge include organic compounds, and metals. The facility is located at 4507 W Carlsbad Hwy, Hobbs, in Section 27, T20S, R32E, Lea County. Ground water beneath the site is at a depth of approximately 14 feet and has a total dissolved solids concentration of approximately 3,300 milligrams per liter.</p>	Brad Reid



1289	River Ranch RV Park H Clark Harvey, Owner River Ranch RV Park River Ranch Properties LLC 6273 Los Robles El Paso, TX 79912	Ruidoso Downs	Lincoln	River Ranch RV Park, H Clark Harvey, Owner, proposes to renew the Discharge Permit for the discharge of up to 12,425 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 515 E Hwy 70, Ruidoso Downs, in Section 7, T11S, R15E, Lincoln County. Ground water beneath the site is at a depth of approximately 11 feet and has a total dissolved solids concentration of approximately 1,410 milligrams per liter.	John Hall
1639	Velarde Elementary School Janette Archuleta, Superintendent Velarde Elementary School Española Public School District #55 714 Calle Don Diego Española, NM 87532	Velarde	Rio Arriba	Velarde Elementary School, Janette Archuleta, Superintendent, proposes to discharge up to 5,664 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at Hwy 68, Rio Arriba County Road 51 #14, Velarde, in Section 10 (projected), T22N, R09E, Rio Arriba County. Ground water beneath the site is at a depth of approximately 90 feet and has a total dissolved solids concentration of approximately 220 milligrams per liter.	Jennifer Fullam
1647	Hernandez Elementary School Janette Archuleta, Superintendent Hernandez Elementary School Española Public School District #55 714 Calle Don Diego Española, NM 87532	Hernandez	Rio Arriba	Hernandez Elementary School, Janette Archuleta, Superintendent, proposes to discharge up to 8,023 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at Rio Arriba County Road 1530 Dr, Hernandez, in Section 17, T21N, R08E, Rio Arriba County. Ground water beneath the site is at a depth of approximately 45-55 feet and has a total dissolved solids concentration of approximately 1,100 milligrams per liter.	Jennifer Fullam
737	Parkland Dairy LLC Alice Visser, Member Parkland Dairy LLC 2807 S. Roosevelt Rd 2 Portales, NM 88130	Portales	Roosevelt	Parkland Dairy LLC, Alice Visser, Member, proposes to renew the Discharge Permit for the discharge of up to 15,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 2807 South Roosevelt Road 2, Portales, in Sections 17 and 18, T01S, R33E, Roosevelt County. Ground water beneath the site is at a depth of approximately 90 feet and has a total dissolved solids concentration of approximately 1,500 milligrams per liter.	Bill Pearson



1073	Dam Site Mobile Home and RV Park Harry Dalton, Partner Dam Site Mobile Home & RV Park Dam Site Partnership PO Box 5220 Farmington, NM 87499	Navajo Dam	San Juan	Dam Site Mobile Home and RV Park, Harry Dalton, Partner, proposes to renew the Discharge Permit for the discharge of up to 3,333 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at County Rd 4227, Navajo Dam, in Section 20, T03N, R08W, San Juan County. Ground water beneath the site is at a depth of approximately 80 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Kimberly Kirby
1272	Agua Vista RV Park Clinton Cordova, Owner Agua Vista RV Park PO Box 1881 Elephant Butte, NM 87935	Elephant Butte	Sierra	Agua Vista RV Park, Clinton Cordova, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 9,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 20 Cozy Cove Rd, Elephant Butte, in Section 3, T13S, R04W, Sierra County. Ground water beneath the site is at a depth of approximately 145 feet and has a total dissolved solids concentration of approximately 577 milligrams per liter.	Jennifer Fullam
1753	Bosque Del Apache National Wildlife Refuge Aaron Drew, Deputy Project Leader US Fish & Wildlife Service Bosque Del Apache National Wildlife Refuge PO Box 280 San Antonio, NM 87832	San Antonio	Socorro	Bosque Del Apache National Wildlife Refuge, Aaron Drew, Deputy Project Leader, proposes to discharge up to 4,360 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1001 Hwy 1, San Antonio, in Section 12, T06S, R01W (projected), Socorro County. Ground water beneath the site is at a depth of approximately 10 feet and has a total dissolved solids concentration of approximately 490 milligrams per liter.	John Hall



Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>