



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
954	Paa Ko Subdivision Ken Lundy, President Paa-Ko Communities Sewer Association 1717 Louisiana Blvd., NE Suite 111 Albuquerque, NM 87110	Sandia Park	Bernalillo	Paa Ko Subdivision, Ken Lundy, President, proposes to renew the Discharge Permit for the discharge of up to 260,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 138 Paa-Ko Drive, approximately three miles east of Sandia Park, in Sections 5, 6, 7, 8, and 9 (projected), T11N, R06E, in the San Pedro Land Grant, Bernalillo County. Ground water beneath the site is at a depth of approximately 50 feet and has a total dissolved solids concentration of approximately 189 milligrams per liter.	Jennifer Fullam
9	Sunmart #675 Chris Smith Environmental Manager Sunmart #675 Petroleum Wholesale LP PO Box 4456 Houston, TX 77210	Vado	Doña Ana	Sunmart #675, Chris Smith, Environmental Manager, proposes to renew the Discharge Permit for the discharge of up to 4,500 gallons per day of domestic wastewater and 1,260 gallons per day of storm water runoff from a truck stop to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, and metals. The facility is located at 1715 Vado Drive, Vado, in Section 21, T25S, R03E, Doña Ana County. Ground water beneath the site is at a depth of approximately 85 feet and has a total dissolved solids concentration of approximately 2,200 milligrams per liter.	Russell Isaac
1124	Cottonbloom Adult Living and Memory Care Community Sherri Lehman, Acting Executive Director Cottonbloom Adult Living & Memory Care Community 5525 Cotton Bloom Court Las Cruces, NM 88007	Las Cruces	Doña Ana	Cottonbloom Adult Living and Memory Care Community, Sherri Lehman, Acting Executive Director, proposes to renew the Discharge Permit for the discharge of up to 5,000 gallons per day of domestic wastewater from an assisted living facility to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 5525 Cotton Bloom Court, approximately 1.5 miles west of Doña Ana, Las Cruces, in Sections 21 and 22 (projected), T22S, R01E, in the Mesilla Valley Land Grant, Doña Ana County. Ground water beneath the site is at a depth of approximately 18 feet	Naomi Davidson



				and has a total dissolved solids concentration of approximately 1,000 milligrams per liter.	
1802	<p>Town of Jal Wastewater Treatment Facility</p> <p>Curtis Schrader City Manager Town of Jal-WWTF PO Box 340 Jal, NM 88252</p>	Jal	Lea	<p>Town of Jal Wastewater Treatment Facility, Curtis Schrader, City Manager, proposes to discharge up to 755,500 gallons of domestic wastewater treatment facility sludge and 5.2 million gallons of treated domestic wastewater to a surface disposal area. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1000 N. Third St., Jal, in Section 17, T25S, R37E, Lea County. Ground water beneath the site is at a depth of approximately 37 feet and has a total dissolved solids concentration of approximately 1036-1065 milligrams per liter.</p>	Gerald Knutson
857	<p>Los Alamos National Laboratory</p> <p>Michael T. Brandt, Associate Director Los Alamos National Security LLC PO Box 1663, MS K491 Los Alamos, NM 87544</p> <p>Juan L. Griego, Acting Manager National Nuclear security Administration 3747 W. Jemez Rd. Los Alamos, NM 87544</p>	Los Alamos	Los Alamos	<p>Los Alamos National Laboratory, Michael T. Brandt, Associate Director of Environment, Safety & Health, Los Alamos National Security LLC, and Juan L. Griego, Acting Manager of the Los Alamos Field Office, National Nuclear Security Administration, propose to renew and modify the Discharge Permit for the discharge of up to 850,000 gallons per day of domestic and industrial wastewater to treatment, storage, disposal and reuse systems. Potential contaminants from these types of discharges include organic and inorganic compounds, including nitrogen compounds. The facilities, discharge sites and potential discharge sites are located on Los Alamos National Laboratory property in Sections 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35 and 36, T19N, R06E, Sections 19, 20 and 31, T19N, R07E, Sections 1, 2, 3, 4, 11, 12, 13 and 24, T18N, R06E, Sections 5, 6, 7, 8, 18,19, and 20, T18N, R07E, Los Alamos County. The depth to the alluvial aquifer ranges from 2 to 65 feet below ground surface (bgs), the depth to the intermediate aquifer ranges from 330 to 400 feet bgs and the depth to the regional aquifer ranges from 828 to 1,312 feet bgs. The total dissolved solids (TDS) concentration in the alluvial aquifer ranges from approximately 115 to 3,800 milligrams per liter (mg/L) with an average of 306 mg/L, the TDS concentration in the intermediate aquifer is approximately 282 mg/L, and TDS concentration in the regional aquifer is approximately 150 mg/L.</p>	Gerald Knutson



1234	American Minerals Deming Paul Hall, Project Manager American Minerals Holding c/o C-E Minerals/Mulcoa PO Box 37 Andersonville, GA 31711	Deming	Luna	American Minerals Deming, Paul Hall, Project Manager, proposes to renew the Discharge Permit for the post-closure monitoring of a reclaimed manganese tailing impoundment. Potential contaminants from this type of discharge include sulfate, total dissolved solids, and metals. The facility is located at 2010 Fourth Street NE, Deming, in Section 25, T23S, R09W, Luna County. Ground water beneath the site is at a depth of approximately 72 feet and has a total dissolved solids concentration of approximately 258 milligrams per liter.	Kurt Vollbrecht
206	Escalante Generating Station Barbara Walz, Senior Vice President Escalante Generating Station Tri-State Generation & Transmission Assoc., Inc. PO Box 33695 Denver, CO 80233-0695	Prewitt	McKinley	Escalante Generating Station, Barbara Walz, Senior Vice President, proposes to renew and modify the Discharge Permit for the discharge of up to 1,440,000 gallons per day of industrial wastewater and up to 17,550 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, and metals. The facility is located on County Road 19, approximately three miles northwest of Prewitt, in Sections 25, 26, and 27, T14N, R12W, McKinley County. Ground water beneath the site is at a depth of approximately 10-205 feet and has a total dissolved solids concentration of approximately 665-7,090 milligrams per liter.	Jennifer Fullam
1007	T & R Market Shannon Tanner, Owner T and R Market PO Box 477 Gallup, NM 87305	Gallup	McKinley	T & R Market, Shannon Tanner, Owner, proposes to renew the Discharge Permit for the discharge of up to 15,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on 671 North Hwy 491, approximately 6.5 miles north of Gallup, in Section 19, T16N, R18W, McKinley County. Ground water beneath the site is at a depth of approximately 23.5 feet and has a total dissolved solids concentration of approximately 800 milligrams per liter.	Steve Pedro
1597	The Abiquiu Inn Colin Noble, Member The Abiquiu Inn Noble Properties of NM, LLC 1641 Anderson Ave.	Abiquiu	Rio Arriba	The Abiquiu Inn, Noble Properties of New Mexico, LLC, Colin Noble, Member, proposes to renew and modify the Discharge Permit for the discharge of up to 4,200 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 21120 Highway 84, Abiquiu, in Sections 20 and 21 (projected),	Robert George



	Manhattan, KS 66502			T23N, R06E, in the Town of Abiquiu Land Grant, Rio Arriba County. Ground water beneath the site is at a depth of approximately 4-7 feet and has a total dissolved solids concentration of approximately 380 milligrams per liter.	
1744	Rio Arriba County Infrastructure Project Phillip Morfin, Grants/Contracts Administrator Rio Arriba County 1122 Industrial Park Española, NM 87532	Alcalde	Rio Arriba	Rio Arriba County Infrastructure Project, Phillip Morfin, Grants/Contracts Administrator, proposes to modify the Discharge Permit for the discharge of up to 12,000 gallons per day of domestic wastewater and up to 500 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, and metals. The facility is located approximately one mile south of the Onate Visitors' Center in Alcalde, in Section 36 (projected), Township 22N, Range 08E, in the Sebastian Martin Land Grant, Rio Arriba County. Ground water beneath the site is at a depth of approximately 50 feet and has a total dissolved solids concentration of approximately 267.5 milligrams per liter.	Jennifer Fullam
1517	Sunridge Dairy Stanley Jones, Owner Sunridge Dairy 42547 US 70 Portales, NM 88130	Portales	Roosevelt	Sunridge Dairy, Stanley Jones, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 75,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1299 S Roosevelt Road 4, approximately three miles east of Roosevelt County Rd P, Portales, in Sections 26 and 27, T01S, R35E, Roosevelt County. Ground water beneath the site is at a depth of approximately 118 feet and has a total dissolved solids concentration of approximately 400 milligrams per liter.	Kim Kirby
168	Lifeway Glorieta Conference Center John Hoogendoorn, Facility Manager Lifeway Glorieta Conference Center PO Box 8 Glorieta, NM 87535	Glorieta	Santa Fe	Lifeway Glorieta Conference Center, John Hoogendoorn, Facility Manager, proposes to renew the Discharge Permit for the discharge of up to 400,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 11 State Road 50, east of Exit 299 of I-25, Glorieta, in Section 27, T16N, R11E, Santa Fe County. Ground water beneath the site is at a depth of approximately 15 feet and has a total dissolved solids concentration of approximately 350 milligrams per liter.	Gerald Knutson



Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>