



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
568	Vanderploeg Dairy  Titus Vanderploeg, Owner 2025 Camino De Chavez Bosque Farms, NM 87068	Albuquerque	Bernalillo	Vanderploeg Dairy, Titus Vanderploeg, Owner, proposes to renew the Discharge Permit for the discharge of up to 2,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 5940 Jacqueline SW, in the Pajarito Land Grant, at latitude 34 degrees, 57 minutes, 53.2 seconds north and longitude 106 degrees, 43 minutes, and 36.48 seconds west, Bernalillo County. Ground water beneath the site is at a depth of approximately 68 feet and has a total dissolved solids concentration of approximately 504 milligrams per liter.	Sara Arthur
742	Breedyk Dairy  Arie Breedyk, Owner 7150 Vineyard Rd. Dexter, NM 88230	Dexter	Chaves	Breedyk Dairy, Arie Breedyk, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 92,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 7150 Vineyard Rd, Dexter, in Sections 13 and 14, T13S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 70 feet and has a total dissolved solids concentration of approximately 964 milligrams per liter.	Sara Arthur
293	East Picacho Elementary School  Lorin Davis, Director East Picacho Elementary School Las Cruces Public Schools District #2 505 E Main St Suite 249 Las Cruces, NM 88001	Las Cruces	Doña Ana	East Picacho Elementary School, Lorin Davis, Assistant Physical Plant Director, proposes to renew the Discharge Permit for the discharge of up to 15,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4550 Hwy 85, Las Cruces, in Section 34, T22S, R01E, Doña Ana County. Ground water beneath the site is at a depth of approximately 17.91 feet and has a total dissolved solids concentration of approximately 970 milligrams per liter.	Shawna Clark



1721	River Oakes Mobile Home Park  Britt Cowell, Owner River Oaks-MHP Southern Diamond Development 4690 Whispering Pines Las Cruces, NM 88007	Las Cruces	Doña Ana	River Oaks Mobile Home Park, Britt Cowell, Owner, proposes to discharge up to 4,082 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4880 S Wilt Ave, Las Cruces, in Section 24, T22S, R02E, Dona Ana County. Ground water beneath the site is at a depth of approximately 130 - 405 feet and has a total dissolved solids concentration of approximately 140 milligrams per liter.	John Hall
1722	New Life United Pentecostal Church  Chris Foster, Pastor New Life United Pentecostal Church 1500 Isaacks Ln. Las Cruces, NM 88007	Las Cruces	Doña Ana	New Life United Pentecostal Church, Chris Foster, Pastor, proposes to discharge up to 2,150 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1500 Isaacks Lane, Las Cruces, in Section 11, T23S, R01E, Doña Ana County. Ground water beneath the site is at a depth of approximately 15-20 feet and has a total dissolved solids concentration of approximately 320 milligrams per liter.	John Hall
376	Freeport-McMoRan Chino Mines Company  Richard N. Mohr General Manager Freeport-McMoRan Chino Mines Co. Lampbright Leaching System 210 Cortez Ave Hurley, NM 88043	Bayard	Grant	Freeport-McMoRan Chino Mines Company – Lampbright Leaching System, Richard N. Mohr, General Manager, proposes to renew and modify the Discharge Permit for the discharge of up to 26,494,560 gallons per day of acidic solution applied for leaching copper from a stockpile. Potential contaminants from this type of discharge include total dissolved solids, sulfate, and heavy metals. The facility is located approximately 3 miles north east of Bayard, in Sections 25, 26, 35, and 36, T17S, R12W, Grant County. Ground water beneath the site is at a depth of approximately 3-21 feet and has a total dissolved solids concentration of approximately 766 milligrams per liter.	Kurt Vollbrecht
818	Controlled Recovery, Inc.  John Barnidge, CEO Controlled Recovery Inc. PO Box 388 Hobbs, NM 88241-0388	Hobbs	Lea	Controlled Recovery Inc, John Barnidge, CEO, proposes to renew the Discharge Permit for the discharge of up to 32,000 gallons per month of industrial wastewater and 275 cubic yards of industrial solids to a treatment and disposal system. Potential contaminants from this type of discharge include organic compounds and metals. The facility is located at 4507 W Carlsbad Hwy, Hobbs, in Section 27, T20S, R32E, Lea County. Ground water beneath the site is at a depth of	Brad Reid



				approximately 14 feet and has a total dissolved solids concentration of approximately 3,300 milligrams per liter.	
1717	Roca Honda Mine  John DeJoia, Manager Roca Honda Resources 4001 Office Court Dr. Suite 102 Santa Fe, NM 87507	Grants	McKinley	Roca Honda Mine, John DeJoia, Manager, proposes to discharge up to 11,520,000 gallons per day of water from mine dewatering, stormwater, and drainage from mine stockpiles at a uranium mine. Potential contaminants from this type of discharge typically include uranium, combined radium 226/228, selenium, molybdenum, total dissolved solids, and sulfate. The applicant proposes to treat all water such that standards will be met prior to discharge. The facility is located at approximately 11 miles northeast of Grants, San Mateo, in Sections 9, 10, and 16, T13N, R08W, McKinley County. Ground water beneath the site is at a depth of approximately 520 feet and has a total dissolved solids concentration of approximately 300 - 2,190 milligrams per liter.	Kurt Vollbrecht
1597	Abiquiu Inn  Colin Noble Enterprise Member Noble Properties of NM, LLC 1641 Anderson Ave. Manhattan, KS 66502	Abiquiu	Rio Arriba	Abiquiu Inn, Colin Noble, Enterprise Member, proposes to discharge up to 6,590 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 21120 Highway 84, Abiquiu, in Sections 20 and 21, T23N, R06E, Rio Arriba County. Ground water beneath the site is at a depth of approximately 4 feet and has a total dissolved solids concentration of approximately 380 milligrams per liter.	John Hall
1716	San Juan County La Plata Industrial Facility  Keith Johns County Executive Officer San Juan County La Plata Industrial Facility 100 S. Oliver Aztec, NM 87410	La Plata	San Juan	San Juan County La Plata Industrial Facility, Keith Johns, County Executive Officer, proposes discharge up to 3,150 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 161 CR 1130 (Mine Road), La Plata, in Sections 23 and 26, T32N, R13W, San Juan County. Ground water beneath the site is at a depth of approximately 2,247 feet and has a total dissolved solids concentration of approximately 8,400 milligrams per liter.	Robert George
1723	Life Healing Center	Santa Fe	Santa Fe	Life Healing Center, Sheltered Living Inc, proposes to discharge up to 3,600 gallons per day of domestic	Robert George



	Sheltered Living Inc. 20400 Stevens Creek Blvd., Suite 600 Cupertino, CA 95014			wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 25 Vista Point Rd, Santa Fe, in Section 19, T16N, R10E, Santa Fe County. Ground water beneath the site is at a depth of approximately 100 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	
1614	Arrey Elementary School  Tom Burris Superintendent Arrey Elementary School c/o T or C Municipal School District 180 N. Date St. Truth or Consequences, NM 87901	Arrey	Sierra	Arrey Elementary School, Tom Burris, Superintendent, proposes to discharge up to 9,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4500 Highway 187, Arrey, in Section 11, T17S, R05W, Sierra County. Ground water beneath the site is at a depth of approximately 50 feet and has a total dissolved solids concentration of approximately 900 milligrams per liter.	Kathie Deal
1032	Bosque Dairy  Titus Vanderploeg, Owner 2025 Camino De Chavez Bosque Farms, NM 87068	Veguita	Socorro	Bosque Dairy, Titus Vanderploeg, Owner, proposes to renew the Discharge Permit for the discharge of up to 3,000 gallons per day of agricultural wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 459 E NM Hwy 116, in the Casa Colorada Grant, at latitude 34 degrees, 29 minutes, 5 seconds north and longitude 106 degrees, 48 minutes, and 47 seconds west, Socorro County. Ground water beneath the site is at a depth of approximately 73 feet and has a total dissolved solids concentration of approximately 160 milligrams per liter.	Sara Arthur
805	Taos Country Club  James Bourg Facility Representative Taos Golf Properties Inc. 54 Golf Course Dr. Ranchos De Taos, NM 87557	Taos	Taos	Taos Country Club, James Bourg, Facility Representative, proposes to renew the Discharge Permit for the discharge of up to 750,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 54 Golf Course Drive County Rd 11, Ranchos De Taos, in Sections 33 and 34, T25N, R12E, Taos County. Ground water beneath the site is at a depth of approximately 200 feet and has a total dissolved solids concentration of approximately 270 milligrams per liter.	Steven Pedro



Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:  
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>