



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
1805	Green Ridge MDWCA Water Treatment Facility Shirley Hughes Board of Directors Liaison Green Ridge MDWCA PO Box 308 Tijeras, NM 87059	Tijeras	Bernalillo	Green Ridge MDWCA Water Treatment Facility, Shirley Hughes, Board of Directors Liaison, proposes to discharge up to 2,054 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include fluoride and total dissolved solids. The facility is located at 19 Camino Viejo, approximately nine miles southeast of Tijeras, in Section 23, T09N, R06E, Bernalillo County. Ground water beneath the site is at a depth of approximately 483 feet and has a total dissolved solids concentration of approximately 900 milligrams per liter.	Melissa Halick
1673	Walnut Creek Municipal Wastewater Treatment Plant Ysidro Salazar, Mayor Walnut Creek Municipal-WWTP Town of Lake Arthur PO Box 10 Lake Arthur, NM 88253	Lake Arthur	Chaves	Walnut Creek Municipal Wastewater Treatment Plant, Ysidro Salazar, Mayor, proposes to modify the Discharge Permit for the discharge of up to 39,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at the east end of 5 th Street, Lake Arthur, in Section 20, T15S, R26E, Chaves County. Ground water beneath the site is at a depth of approximately 42 feet and has a total dissolved solids concentration of approximately 2,080 milligrams per liter.	Russell Isaac
61	Mt Taylor Uranium Mine Joel Lister, Mine Manager Mt. Taylor Uranium Mine PO Box 1150 Grants, NM 87020	Grants	Cibola	Mt Taylor Uranium Mine, Joel Lister, Mine Manager, proposes to renew and modify the Discharge Permit for the discharge of up to 17,280,000 gallons per day of water from mine dewatering, stormwater, and drainage from mine stockpiles at a uranium mine. Potential contaminants from this type of discharge include nitrogen compounds, uranium, combined radium 226/228, sulfate, and total dissolved solids. The facility is located approximately ½ mile northeast of San Mateo and 18 miles northeast of Grants, in Section 24, T13N, R08W, Cibola County. Ground water beneath the site is at a depth of approximately 14-33 feet and has a total dissolved solids concentration of approximately 570 milligrams per liter.	David Mayerson



238	Village of Maxwell Wastewater Treatment Plant Mayor Karla Kay Pinkston Village of Maxwell-WWTP PO Box 356 Maxwell, NM 87728	Maxwell	Colfax	Village of Maxwell Wastewater Treatment Plant, Karla Kay Pinkston, Mayor, proposes to renew the Discharge Permit for the discharge of up to 22,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on Chico Road, approximately ½ mile southeast of Maxwell, in Section 31 (projected), T27N, R23E, in the Beaubien and Miranda Land Grant, Colfax County. Ground water beneath the site is at a depth of approximately 28 feet and has a total dissolved solids concentration of approximately 2,500 milligrams per liter.	Russell Isaac
1171	Russell's Truck and Travel Center Emory Russell, Owner Russell's Truck and Travel Center PO Box 447 Cimarron, NM 87714	Springer	Colfax	Russell's Truck and Travel Center, Emory Russell, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 7,000 gallons per day of domestic wastewater and up to 2,400 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, and metals. The facility is located at 18 Old French Road, approximately six miles north of Springer, in Section 34 (projected), T26N, R22E, at latitude 36.450077, longitude -104.592797, in the Beaubien and Miranda Land Grant, Colfax County. Ground water beneath the site is at a depth of approximately 50 feet and has a total dissolved solids concentration of approximately 525 milligrams per liter.	John Rebar
1807	Handi-Way Mart (Mr. Gas 282 Remediation Site) Clay Kilmer, Senior Hydrogeologist Handi-Way Mart (Mr. Gas 282 Remediation Site) Golder Associates, Inc. 5200 Pasadena Ave., NE Suite C Albuquerque, NM 87113	Springer	Colfax	Handi-Way Mart (Mr. Gas 282 Remediation Site), Clay Kilmer, Senior Hydrogeologist, proposes to discharge up to 11,520 gallons per day of remediated ground water to a disposal system. Potential contaminants from this type of discharge include organic compounds. The facility is located at 405 Cimarron Ave, Springer, in Section 34 (projected), T25N, R22E, at latitude 36.361356, longitude -104.594789, in the Beaubien and Miranda Land Grant, Colfax County. Ground water beneath the site is at a depth of approximately 16 feet and has a total dissolved solids concentration of approximately 1,375 milligrams per liter.	Melissa Halick



1345	Afton Generating Station Thomas Price, Plant Manager Public Service Co. of NM Afton Generating Station Alvarado Square-MS 2104 Albuquerque, NM 87158	Las Cruces	Doña Ana	Afton Generating Station, Thomas Price, Plant Manager, proposes to renew the Discharge Permit for the discharge of up to 79,200 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, sulfate, total dissolved solids, and metals. The facility is located at 10100 West Afton Road #5, La Mesa, approximately 12 miles southwest of Las Cruces, in Section 21, T25S, R01E, Doña Ana County. Ground water beneath the site is at a depth of approximately 405 feet and has a total dissolved solids concentration of approximately 547 milligrams per liter.	Melanie Sanchez
1806	Town and Country Mobile Home Park David Leake Owner/Member Town and Country-MHP Leake Investments LLC 9592 Delivery Ave. Las Vegas, NV 89148	Carlsbad	Eddy	Town and Country Mobile Home Park, Leake Investments, LLC, David Leake, Member/Owner, proposes to discharge up to 15,865 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1716 North Canal Street, Carlsbad, in Section 30, T21S, R27E, Eddy County. Ground water beneath the site is at a depth of approximately 29 feet and has a total dissolved solids concentration of approximately 1,600 milligrams per liter.	Melissa Halick
923	Faria Dairy Sebastiao Faria, Owner Faria Dairy 9252 S. Kansas Settlement Rd. Wilcox, AZ 85643	Lovington	Lea	Faria Dairy, Sebastiao Faria, Owner, proposes to renew the Discharge Permit for the discharge of up to 49,900 gallons per day of agricultural wastewater from a dairy to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 3903 E. Gum Street, approximately 3.5 miles northwest of Lovington, in Sections 33 and 34, T15S, R36E, Lea County. Ground water beneath the site is at a depth of approximately 78 feet and has a total dissolved solids concentration of approximately 326 milligrams per liter.	Kim Kirby
118	Alto Alps Condominiums Paul Heath, Manager Alto Alps Condominiums Alto Alps Homeowners Association PO Box 59	Alto	Lincoln	Alto Alps Condominiums, Paul Heath, Manager, proposes to renew the Discharge Permit for the discharge of up to 12,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 200 Alto Alps Road, Alto, in Section 28, T10S, R13E, Lincoln County. Ground water beneath the site is at a depth	Rebecca Cook



	Alto, NM 88312			of approximately 38 feet and has a total dissolved solids concentration of approximately 1,579 milligrams per liter.	
1514	Cook Canyon Ranch Michael Dickenson President NM District Council Assemblies of God, Inc. (dba NM Ministry Network) Cook Canyon Ranch 6640 Camito Coors, NW Albuquerque, NM 87120	Ruidoso Downs	Lincoln	Cook Canyon Ranch, Michael Dickenson, President, proposes to renew the Discharge Permit for the discharge of up to 19,500 gallons per day of domestic wastewater from a campground to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1049 Coe Canyon Road, approximately four miles southeast of Ruidoso Downs, in Sections 29, 30, 31, and 32, T11S, R15E, Lincoln County. Ground water beneath the site is at a depth of approximately 370 feet and has a total dissolved solids concentration of approximately 880 milligrams per liter.	Naomi Davidson
1558	Ruben's Trailer Court Bennie Montoya, Owner Ruben's Trailer Court PO Box 3468 Farmington, NM 87499	Velarde	Rio Arriba	Ruben's Trailer Court, Bennie Montoya, Owner, proposes to discharge up to 4,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1069 State Hwy 68, approximately 2.7 miles southwest of Velarde, in Section 16 (projected), T22N, R09E, at latitude 36.137786, longitude -105.993753, in the Sebastian Martin Land Grant, Rio Arriba County. Ground water beneath the site is at a depth of approximately 100-120 feet and has a total dissolved solids concentration of approximately 262 milligrams per liter.	Melissa Halick
1363	Hacienda De Valdez Condominiums Steven Rice, Agent Hacienda de Valdez Condominium Association Inc. PO Box 357 Arroyo Seco, NM 87514	Arroyo Seco	Taos	Hacienda De Valdez Condominiums, Steven Rice, Agent, proposes to renew the Discharge Permit for the discharge of up to 5,550 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 15 Canada Del Aqua Road, Arroyo Seco, approximately ½-mile east of the Village of Valdez and ½-mile northwest of the intersection of Highways 230 and 150, in Section 28 (projected), T27N, R13E, at latitude 36.5399, longitude -105.563516, in the Arroyo Hondo Land Grant, Taos County. Ground water beneath the site is at a depth of approximately 140 feet and has a total dissolved solids concentration of approximately 490 milligrams per liter.	Rebecca Cook



1385	Llano Quemado Headstart George Bello, Director YDI Headstart Llano Quemado Headstart Youth Development Inc. 6301 Central, NW Albuquerque, NM 87105	Rancho de Taos	Taos	Llano Quemado Headstart, George Bello, Director, YDI Headstart, proposes to renew the Discharge Permit for the discharge of up to 2,100 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at Highway 382 #68, Rancho de Taos, approximately ½ mile southeast of the intersection of Highway 68 and State Road 382, in Section 1 (projected), T24N, R12E, at latitude 36.348368, longitude -105.613471, in the Cristoval de la Serna Land Grant, Taos County. Ground water beneath the site is at a depth of approximately 97 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Rebecca Cook
------	--	----------------	------	---	--------------

Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>