



Notice is hereby given pursuant to 20.6.2.3108 NMAC, the following proposed Ground Water Discharge Permit applications have been submitted to the New Mexico Environment Department (NMED) for review.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
1241	Pete's Home of the Halfbreed Dennis Carpenter, Managing Member Pete's Home of the Halfbreed Tijeras Restaurant LLC 3041 University, SE Albuquerque, NM 87106	Sandia Park	Bernalillo	Pete's Home of the Halfbreed, Dennis Carpenter, Managing Member, proposes to renew the Discharge Permit for the discharge of up to 2,922 gallons per day of domestic wastewater from a restaurant to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 12540 N Highway 14, Sandia Park, in Section 19, T11N, R06E, Bernalillo County. Ground water beneath the site is at a depth of approximately 13 feet and has a total dissolved solids concentration of approximately 320 milligrams per liter.	Jennifer Fullam
38	Admiral Beverage Industrial Park Keith Hartnett, Chief Financial Officer Admiral Beverage Industrial Park Admiral Beverage Corporation 6000 S. Main St. Mesilla Park, NM 88047	Mesilla	Doña Ana	Admiral Beverage Industrial Park, Keith Hartnett, Chief Financial Officer, proposes to renew and modify the Discharge Permit for the discharge of up to 10,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 6000 South Main Street, Mesilla Park, in Section 9, T24S, R02E, Doña Ana County. Ground water beneath the site is at a depth of approximately 29.3 feet and has a total dissolved solids concentration of approximately 700 milligrams per liter.	Rebecca Cook
1525	San Mateo Enterprises Rosie Lack, Owner San Mateo Enterprises PO Box 274 Hatch, NM 87937	Hatch	Doña Ana	San Mateo Enterprises, Rosie Lack, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 7,000 gallons per day of agricultural wastewater from a chile processing plant to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 7301 Hwy 26, approximately five miles southwest of Hatch, in Section 29, T19S, R04W, Doña Ana County. Ground water beneath the site is at a depth of approximately 150-300 feet and has a total dissolved solids concentration of approximately 300-400 milligrams per liter.	Naomi Davidson



1623	<p>NM DOT Anthony Rest Area</p> <p>Trent Doolittle Assistant District Engineer NM-DOT/ District 1 2912 E. Pine St. Deming, NM 88030</p>	Anthony	Doña Ana	<p>NM DOT Anthony Rest Area, Trent Doolittle, Assistant District Engineer, proposes to discharge up to 2,100 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at mile marker 164 on westbound I-10, approximately four miles north of Anthony, in Section 11, T26S, R03E, Doña Ana County. Ground water beneath the site is at a depth of approximately 280 feet and has a total dissolved solids concentration of approximately 1,138 milligrams per liter.</p>	John Rebar
1237	<p>Village of Mosquero Wastewater Treatment Plant</p> <p>Antonio Aragon, Utility Operator Village of Mosquero-WWTP PO Box 116 Mosquero, NM 87733</p>	Mosquero	Harding	<p>Village of Mosquero Wastewater Treatment Plant, Antonio Aragon, Utility Operator, proposes to renew the Discharge Permit for the discharge of up to 9,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 38 Main St, Mosquero, in Section 22, T18N, R28E, Harding County. Ground water beneath the site is at a depth of approximately 45-80 feet and has a total dissolved solids concentration of approximately 280 milligrams per liter.</p>	Rebecca Cook
657	<p>Country Cottage Care & Rehabilitation Center</p> <p>D. Scott Lundy, Vice President Country Cottage Nursing Operations, LLC 415 Fort Worth Club Bldg., 306 W 7th St. Fort Worth, TX 76702</p>	Hobbs	Lea	<p>Country Cottage Care & Rehabilitation Center, D. Scott Lundy, Vice President, proposes to renew the Discharge Permit for the discharge of up to 8,000 gallons per day of domestic wastewater from a nursing home to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 2101 Bensing Rd, Hobbs, in Section 30, T18S, R38E, Lea County. Ground water beneath the site is at a depth of approximately 56 feet and has a total dissolved solids concentration of approximately 604 milligrams per liter.</p>	John Rebar
1581	<p>Shows Mobile Home Park</p> <p>James Shows, Owner Shows MHP 419 E. Jemez St. Hobbs, NM 88240</p>	Hobbs	Lea	<p>Shows Mobile Home Park, James Shows, Owner, proposes to discharge up to 3,750 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 220 West Cope Place, approximately 0.3 miles east of the intersection of North Grimes Street and West Cope Place, Hobbs, in Section 3,</p>	John Rebar



				T18S, R38E, Lea County. Ground water beneath the site is at a depth of approximately 90 feet and has a total dissolved solids concentration of approximately 716 milligrams per liter.	
1624	NM DOT Butterfield Rest Area Trent Doolittle Assistant District Engineer NM-DOT/ District 1 2912 E. Pine St. Deming, NM 88030	Deming	Luna	NM DOT Butterfield Rest Area, Trent Doolittle, Assistant District Engineer, proposes to discharge up to 2,100 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on eastbound Hwy 180, approximately 20 miles northwest of Deming, in Section 9, T24S, R03W, Luna County. Ground water beneath the site is at a depth of approximately 280 feet and has a total dissolved solids concentration of approximately 415 milligrams per liter.	John Rebar
327	Valley View Subdivision Roger Simmons, Owner Valley View Subdivision 918 10th St. Alamogordo, NM 88310	La Luz	Otero	Valley View Subdivision, Roger Simmons, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 9,900 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 0.5 miles west of La Luz, in Section 27, T15S, R10E, Otero County. Ground water beneath the site is at a depth of approximately 300 feet and has a total dissolved solids concentration of approximately 1,400 milligrams per liter.	John Rebar
1054	Lake Meredith Salinity Control Project Kent Satterwhite, General Manager Lake Meredith Salinity Control Project Canadian River Municipal Water Authority Corp. PO Box 9 Sanford, TX 79078	Logan	Quay	Lake Meredith Salinity Control Project, Kent Satterwhite, General Manager, proposes to renew the Discharge Permit for the discharge of up to 648,000 gallons per day of saline ground water to an injection system. Potential contaminants from this type of discharge include total dissolved solids. The facility is located at 4298 State Hwy 469, Logan, in Section 22, T13N, R33E, Quay County. Ground water beneath the site is at a depth of approximately 100-150 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	John Hall
1700	City of Tucumcari Wastewater Treatment	Tucumcari	Quay	City of Tucumcari Wastewater Treatment Facility, Bobbye Rose, City Manager, proposes to modify the Discharge	Sara Arthur



	<p>Facility</p> <p>Bobbye Rose, City Manager City of Tucumcari-WWTF City Hall PO Box 1188 215 E. Center St. Tucumcari, NM 88401</p>			<p>Permit for the discharge of up to 1.20 million gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1700 North Rock Island, Tucumcari, in Section 11, T11N, R30E, Quay County. Ground water beneath the site is at a depth of approximately 20 feet and has a total dissolved solids concentration of approximately 352 milligrams per liter.</p>	
1783	<p>Drivers Travelmart #408</p> <p>Amanda Bennett, Owner Drivers Travelmart #408 FFP Partners, L.P. c/o Amanda Sisel Titan Management Group 1006 Flagpole Court Suite 104 Brentwood, TN 37027</p>	San Jon	Quay	<p>Drivers Travelmart #408, Amanda Bennett, Owner, proposes to discharge up to 12,000 gallons per day of remediated ground water to an injection system. Potential contaminants from this type of discharge include organic compounds. The facility is located at the intersection of I-40 and Hwy 469 Exit 356, San Jon, in Section 9, T10N, R34E, Quay County. Ground water beneath the site is at a depth of approximately 14 feet and has a total dissolved solids concentration of approximately 3,717 milligrams per liter.</p>	John Hall
687	<p>Placitas Elementary School</p> <p>Steve Chavez, Director of Facilities Placitas Elementary School 224 N. Camino del Pueblo Bernalillo, NM 87004</p>	Placitas	Sandoval	<p>Placitas Elementary School, Steve Chavez, Director of Facilities, proposes to renew the Discharge Permit for the discharge of up to 6,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 05 Calle Del Cabon, Placitas, in the San Antonio De Las Huertas Land Grant in Section 32 (projected), T13N, R5E, Sandoval County. Ground water beneath the site is at a depth of approximately 26 feet and has a total dissolved solids concentration of approximately 250 milligrams per liter.</p>	Sara Arthur
1563	<p>Sandia View Elementary School</p> <p>Sean Robinson, Director-Properties Sandia View Elementary School Texico Conference</p>	Corrales	Sandoval	<p>Sandia View Elementary School, Sean Robinson, Director - Properties, proposes to renew the Discharge Permit for the discharge of up to 3,220 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 024 Academy Dr, Corrales, in Section 26, T11N, R03E, Sandoval County. Ground water beneath the site is at a depth of approximately</p>	Melanie Sanchez



	Association of Seventh-day Adventists PO Box 1366 Corrales, NM 87048			12-15 feet and has a total dissolved solids concentration of approximately 270 milligrams per liter.	
458	Lakeview Heights Subdivision Ralph Phelps, Manager Rosa Joint Venture 3626 County Road 330 Ignacio, CO 81137	Navajo Dam	San Juan	Lakeview Heights Subdivision, Ralph Phelps, Manager, proposes to renew the Discharge Permit for the discharge of up to 8,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at the northeast corner of San Juan County near the Colorado border, approximately 16 miles northeast of Navajo Dam, in Section 8, T32N, R06W, San Juan County. Ground water beneath the site is at a depth of approximately 165 feet and has a total dissolved solids concentration of approximately 266 milligrams per liter.	Gerald Knutson
505	Kirtland Elementary School Dennis Fieldsted, Maintenance & Construction Coordinator Kirtland Elementary School Central Consolidated School District No. 22 PO Box 1199 Shiprock, NM 87420	Kirtland	San Juan	Kirtland Elementary School, Dennis Fieldsted, Maintenance and Construction Coordinator, proposes to renew the Discharge Permit for the discharge of up to 21,300 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at #30 County Road 6446, Kirtland, in Section 6, T29N, R14W, San Juan County. Ground water beneath the site is at a depth of approximately 70 feet and has a total dissolved solids concentration of approximately 1,190 milligrams per liter.	Gerald Knutson
1784	New Mexico Highlands University Baseball and Campus Landscaping Jorden Grimm Capital Projects Operations Manager NM Highlands University Baseball & Campus	Las Vegas	San Miguel	New Mexico Highlands University Baseball and Campus Landscaping, Jorden Grimm, Capital Projects Operations Manager, proposes to discharge up to 35,000 gallons per day of reclaimed domestic wastewater received from the City of Las Vegas for landscape irrigation. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at University and National, Las Vegas, in Section 26 (projected), T16N, R16E, in the Las Vegas Land Grant, San Miguel County. Ground water beneath the site is	Robert George



	Landscaping PO Box 9000 Las Vegas, NM 87701			at a depth of approximately 5-7 feet and has a total dissolved solids concentration of approximately 2,500 - 6,300 milligrams per liter.	
810	Encantado Resort Greg Schoenstein Director of Engineering Encantado Resort Canyon Encantado Resort 198 SR 592 Santa Fe, NM 87506	Tesuque	Santa Fe	Encantado Resort, Greg Schoenstein, Director of Engineering, proposes to renew and modify the Discharge Permit for the discharge of up to 20,000 gallons per day of domestic wastewater from a resort community to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 198 State Road 592, approximately 2.5 miles north of Tesuque, in Section 18, T16N, R09E, Santa Fe County. Ground water beneath the site is at a depth of approximately 135 feet and has a total dissolved solids concentration of approximately 270 milligrams per liter.	Jennifer Fullam
835	Elephant Butte State Park North David Gatterman, Bureau Chief Elephant Butte State Park North Energy, Mineral & Natural Resources Dept. State Parks Division PO Box 1147 Santa Fe, NM 87505	Truth or Consequences	Sierra	Elephant Butte State Park North, David Gatterman, Bureau Chief, proposes to renew the Discharge Permit for the discharge of up to 5,375 gallons per day of domestic wastewater to treatment and disposal systems. Potential contaminants from this type of discharge include nitrogen compounds. The facilities are located along Lakeshore Road, approximately four and eleven miles north of Truth Or Consequences, in Section 6, T11S, R03W and Section 24, T12S, R04W, Sierra County. Ground water beneath the site is at a depth of approximately 95-150 feet and has a total dissolved solids concentration of approximately 500-2,122 milligrams per liter.	Gerald Knutson
469	Village of Magdalena Wastewater Treatment Facility Sandy Julian, Mayor City Hall/Village of Magdalena-WWTF PO Box 145 Magdalena, NM 87825	Magdalena	Socorro	Village of Magdalena Wastewater Treatment Facility, Sandy Julian, Mayor, proposes to renew the Discharge Permit for the discharge of up to 50,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 0.5 mile north of Magdalena on FR 354, in Section 22, T02S, R04W, Socorro County. Ground water beneath the site is at a depth of approximately 82-89 feet and has a total dissolved solids concentration of approximately 531 milligrams per liter.	Robert George
278	Burlington Northern Santa Fe Belen Railyard	Belen	Valencia	Burlington Northern Santa Fe Belen Railyard, Ron Malleck, Manager of Environmental Operations, proposes to renew	Bart Faris



	<p>Ron Malleck Manager of Environmental Operations Burlington Northern Santa Fe Belen Railyard BNSF Railway Co. 3700 Globeville Rd. Denver, CO 80216</p>			<p>the Discharge Permit for the discharge of up to 8,250 gallons per day of industrial wastewater and stormwater to a treatment and disposal system. Potential contaminants from this type of discharge include organic compounds. The facility is located at 106 North First Street, Belen, in Section 18, T05N, R02E, Valencia County. Ground water beneath the site is at a depth of approximately 4-6 feet and has a total dissolved solids concentration of approximately 560 milligrams per liter.</p>	
--	--	--	--	--	--

Provided the applicant has met applicable requirements, the New Mexico Environment Department (NMED) will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect ground water quality for present and potential future use. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices. Questions, comments or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>