



Notice is hereby given pursuant to 20.6.2.3108.H NMAC, the following Ground Water Discharge Permit applications have been proposed for approval. To request additional information or to obtain a copy of a draft permit, contact the Ground Water Quality Bureau in Santa Fe at (505) 827-2900. Draft permits may also be viewed on-line at <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>

NOTE – If viewing by WEB - Click on facility name to review a copy of the draft permit.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
208	Oasis Dairy George Krasowsky Jr., Owner Oasis Farms Dairy, Inc. 115 Red Ridge Rd. Roswell, NM 88201	Roswell	Chaves	Oasis Dairy, George Krasowsky Jr., Owner, proposes to renew the Discharge Permit for closure and post-closure monitoring of the dairy facility. Dairy wastewater is no longer being generated at the facility. Stormwater continues to be generated at the facility. Potential contaminants associated with this type of discharge include nitrogen compounds. The synthetically lined wastewater impoundment system at the facility is receiving up to 7,000 gpd of truck wash wastewater from Ruan Transport Hagerman in accordance with DP-1728 (pending issuance). Potential contaminants associated with this type of discharge include nitrogen compounds, organic compounds and metals. The facility is located at 4164 Oasis Drive, approximately eight miles southeast of Roswell, in Sections 22, 23 and 26, Township 11 South, Range 25 East, Chaves County. Ground water beneath the site is at a depth of approximately 31 feet and had a pre-discharge total dissolved solids concentration of approximately 1512 milligrams per liter.	Sara Arthur
343	Tom Visser Dairy Tom Visser, Owner Tom Visser Dairy 222 E. Darby Rd. Dexter, NM 88230	Roswell	Chaves	Tom Visser Dairy, Tom Visser, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 60,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater from the parlor flows into a concrete-lined sump and is pumped through a screen separator into two synthetically lined wastewater impoundments for storage prior to land application. Wastewater is land applied by center pivot to up to 264 acres of irrigated cropland under cultivation. The modification consists of increasing the land application area from 100 acres to 264 acres and changing the location of the land application area. Potential contaminants	Kim Kirby



				associated with this type of discharge include nitrogen compounds. The facility is located at 4001 E. Grand Plains, approximately eight miles southeast of Roswell, in Sections 15, 21 and 22, Township 11S, Range 25E, Chaves County. Ground water beneath the site is at a depth of approximately 20 feet and had a pre-discharge total dissolved solids concentration of approximately 4,300 milligrams per liter.	
689	P-2 Dairy Gary Porte, Owner P-2 Dairy 396 E. Orchard Park Rd. Dexter, NM 88230	Dexter	Chaves	P-2 Dairy, Gary Porte, Owner, proposes to renew and/or modify the Discharge Permit for the discharge of up to 90,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a solids separator to a synthetically lined wastewater impoundment for storage prior to being applied by center pivot to up to 415 acres of irrigated cropland under cultivation. The modification consists of increasing the land application area from 320 to 415 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 226 East Orchard Park Road, approximately 4.5 miles northwest of Dexter, in Section 25, T12S, R25E, and in Section 30, T12S, R26E, Chaves County. Ground water beneath the site is at a depth of approximately 73 feet and had a pre-discharge total dissolved solids concentration of approximately 990 milligrams per liter.	Bill Pearson
703	Desperado Dairy Howard Hellman, Owner Desperado Dairy, LLC 2106 Topeka Ave. Lubbock, TX 79407	Clovis	Curry	Desperado Dairy, Howard Hellman, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 65,000 gallons per day (gpd) from the production area of a dairy facility. Wastewater flows through a solids separator to a clay-lined wastewater impoundment system for storage prior to land application by center pivot on up to 125 acres of irrigated cropland under cultivation. The modification consists of an increase in the maximum daily discharge volume from 48,000 to 65,000 gpd. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 1244 Curry Road D, approximately 3 miles east of Clovis, in Section 31, T3N, R37E, Curry County. Ground water beneath the site is at a depth of approximately 391 feet and had a pre-discharge total dissolved solids concentration of	Sara Arthur



				approximately 264 milligrams per liter.	
1111	Do-Rene Dairy Doug & Irene Handley, Owners Do-Rene Dairy 1461 Curry Road 6 Clovis, NM 88101	Clovis	Curry	<p>Do-Rene Dairy, Doug and Irene Handley, Owners, propose to renew and modify the Discharge Permit for the discharge of up to 120,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater from the parlor flows to the solids separation system and is discharged to a clay-lined combination wastewater/stormwater storage impoundment. Wastewater is land applied by center pivot to up to 660 acres of irrigated cropland under cultivation. The modification consists of increasing the land application area from 420 acres to 660 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1461 Curry Road 6, approximately five miles southwest of Clovis, in Sections 3 and 4, Township 1N, Range 35E, Curry County. Ground water beneath the facility is at a depth of approximately 330 feet and had a pre-discharge total dissolved solids concentration of approximately 550 milligrams per liter.</p>	Kim Kirby
1320	Clover Knolls Dairy Doug & Irene Handley, Owners Clover Knolls Dairy 1201 NM Highway 202 Texico, NM 88135	Portales	Curry	<p>Clover Knolls Dairy, Doug and Irene Handley, Owners, propose to renew and modify the Discharge Permit for the discharge of up to 124,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater from the parlor and hospital barns gravity flows to a solids separation system and is discharged to two synthetically lined combination wastewater/stormwater storage impoundments. Wastewater is pumped from the impoundment system for land application by center pivot to up to 946 acres of irrigated cropland under cultivation. The modification consists of increasing the land application area from 360 acres to 946 acres. The facility is located at 1201 NM Highway 202, approximately 14 miles northeast of Portales, in Sections 8, 9 and 10, Township 1S, Range 37E, Curry County. Ground water beneath the facility is at a depth of approximately 160 feet and had a pre-discharge total dissolved solids concentration of approximately 270 milligrams per liter.</p>	Kim Kirby



1346	Ridgecrest Dairy Dean Van Dam Ridgecrest Dairy 1899 Curry Road E Texico, NM 88135	Clovis	Curry	Ridgecrest Dairy, Dean Van Dam, Owner, proposes to renew the Discharge Permit for the discharge of up to 87,500 gallons per day of wastewater from the production area of a dairy facility. Wastewater flows by gravity to a concrete sump and is pumped through a screen solids separator to a clay-lined wastewater lagoon for storage prior to being land applied by center-pivot to up to 420 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1899 Curry Road E, approximately 10.5 miles northeast of Clovis, in Section 31, T04N, R37E, Curry County. Ground water beneath the site is at a depth of approximately 385 feet and had a pre-discharge total dissolved solids concentration of approximately 270 milligrams per liter.	Bill Pearson
257	Sunset Dairy Ed DeRuyter, Owner Sunset Dairy PO Box 10 Mesquite, NM 88048	Vado	Doña Ana	Sunset Dairy, Ed DeRuyter, Owner, proposes to renew the Discharge Permit for the discharge of up to 45,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a solids separator to a synthetically lined wastewater impoundment for storage prior to being applied by flood irrigation to up to 130.7 acres of cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 6224 Highway 478, approximately 2 miles southeast of Vado, in Section 33, Township 25S, Range 3E, Doña Ana County. Ground water beneath the site is at a depth of approximately 12 feet and had a pre-discharge total dissolved solids concentration of approximately 1,336 milligrams per liter.	Bill Pearson
765	J & M Dairy Joe & Maria Borges, Owners J & M Dairy Route 456 N. 13 th St. Artesia, NM 88210	Artesia	Eddy	J & M Dairy, Joe and Maria Borges, Owners, propose to renew and modify the Discharge Permit for the discharge of up to 90,000 gallons per day from the production area of a dairy facility. Wastewater from the parlor flows to a concrete-lined sump and is currently pumped to a manure-lined impoundment for storage prior to land application. The manure-lined impoundment is to be replaced with a solids separation system and a synthetically lined impoundment for wastewater storage within one year of the effective date of this Discharge Permit. Wastewater is land	Kim Kirby



				applied by sideroll sprinkler to up to 343 acres of irrigated cropland under cultivation. The modification consists of changing the location of the land application area. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at Route 456 North 13th Street, approximately four miles north of Artesia, in Sections 20 and 29, T16S, R26E, Eddy County. Ground water beneath the site is at a depth of approximately 30 to 40 feet and had a pre-discharge total dissolved solids concentration of approximately 2,250 milligrams per liter.	
1680	Intrepid Potash James Kertis, Environmental Coordinator Intrepid Potash, Inc. P.O. Box 101 Carlsbad, NM 88221	Carlsbad	Eddy	Intrepid Potash, Inc., James Kertis, Environmental Coordinator, proposes to discharge up to 12,620 gallons per day (gpd) of domestic wastewater to fourteen septic tank/leachfield systems. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 210 Red Cloud Road, approximately 27 miles east of Carlsbad in Section 4, Township 21S, Range 31E, Eddy County, and at 1996 Potash Mines Road, approximately 20 miles east of Carlsbad in Section 12, Township 21S, Range 29E, Eddy County, and at the intersection of Highway 243 and County Road 126A, approximately 30 miles east of Carlsbad in Section 18, Township 20S, Range 32E, Lea County. Regional ground water beneath the site is at a depth of 231-874 feet and has a variable and unknown total dissolved solids concentration.	Rebecca Cook
1391	Nutt Dairy Gary Shiflett, Owner Nutt Dairy PO Box 719 Hatch, NM 87937	Hatch	Luna	Nutt Dairy, Gary Shiflett, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 28,000 gallons per day (gpd) of wastewater from the production area of a dairy facility. Wastewater flows to a two-celled concrete solids settling separator and is pumped to a synthetically lined wastewater impoundment for disposal by evaporation. Stormwater is transferred from the stormwater impoundment to the wastewater impoundment for disposal by evaporation. The modification consists of an increase in the maximum daily discharge volume from 20,000 gpd to 28,000 gpd, and the removal of the land application area resulting in the disposal of wastewater and stormwater by evaporation from the wastewater impoundment. Potential contaminants associated with this	Kathie Deal



				type of discharge include nitrogen compounds. The dairy facility is located at 23555 Hatch Hwy NE (State Road 26), approximately 14 miles southwest of Hatch, in Sections 5 and 8, Township 20S, Range 5W, Luna County. Ground water beneath the site is at a depth of approximately 63 feet and had a pre-discharge total dissolved solids concentration of approximately 408 milligrams per liter.	
603	Thoreau Wastewater Treatment Facility James Herman, President Thoreau Water & Sanitation District P.O. Box 66 Thoreau, NM 87323	Thoreau	McKinley	Thoreau Wastewater Treatment Facility, Thoreau Water and Sanitation District, James Herman, President, proposes to renew and modify the Discharge Permit for the discharge of up to 140,000 gallons per day (gpd) of domestic wastewater which is treated in a synthetically lined impoundment treatment system. Treated wastewater (reclaimed wastewater) is stored in a clay-lined impoundment, disinfected and discharged to a 17 acre land application area cultivated with alfalfa. The modification consists of increasing the discharge volume from 60,000 to 140,000 gpd and the construction new aerated synthetically lined impoundments. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located 0.7 miles east of Exit 53 on I-40 Frontage Road, U.S. Route 66, Thoreau, in Section 34, Township 14 North, Range 13 West, McKinley County. Ground water beneath the site is at a depth of approximately 350 feet and has a total dissolved solids concentration of approximately 654 milligrams per liter.	Steve Pedro
730	Rio Arriba County Adult Detention Center Tomas Campos, County Manager Rio Arriba County 1122 Industrial Park Rd. Española, NM 87532	Tierra Amarilla	Rio Arriba	Rio Arriba County Adult Detention Center, Tomas Campos, County Manager, proposes to renew the Discharge Permit for the discharge of up to 16,900 gallons per day (gpd) of domestic wastewater to two treatment and disposal systems. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at the intersection of SR 162 and SR 531, Tierra Amarilla, Section 32 (projected), T29N, R04E (36.699°, -106.552°) in the Tierra Amarilla Grant, Rio Arriba County. Ground water beneath the site is at a depth of approximately 32 feet and has a total dissolved solids concentration of approximately 300 milligrams per liter.	Brad Reid



987	Mitchell Dairy Ronnie Mitchell, Owner Mitchell Dairy 552 NM 467 Portales, NM 88130	Portales	Roosevelt	Mitchell Dairy, Ronnie Mitchell, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 15,000 gallons per day from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a screen solids separator to three synthetically lined combination wastewater and stormwater impoundments for storage. Wastewater is land applied by center pivot irrigation to up to 120 acres of irrigated cropland under cultivation. The modification consists of a decrease in the acreage of the land application area from 665 acres to 120 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 596 NM 467, approximately six miles north of Portales, in Sections 24, 25 and 26, Township 1 North, Range 34 East, Roosevelt County. Ground water beneath the site is at a depth of approximately 85 feet and had a pre-discharge total dissolved solids concentration of approximately 340 milligrams per liter.	Sara Arthur
1382	Floyd Municipal Schools Paul Benoit, Superintendent Floyd Municipal Schools P.O. Box 65 Floyd, NM 88118	Floyd	Roosevelt	Floyd Municipal Schools, Paul Benoit, Superintendent, proposes to renew the Discharge Permit for the discharge of up to 5,650 gallons per day to two septic tank leachfield systems. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located in Floyd, in Section 15, Township 01 South, Range 32 East, Roosevelt County. Ground water beneath the site is at a depth of approximately 86 feet and has a total dissolved solids concentration of approximately 657 milligrams per liter.	Steve Pedro
1784	New Mexico Highlands University Baseball and Campus Effluent Re-use Jordan Grimm Operations Manager Capital Projects NM Highlands University P.O. Box 9000 Las Vegas, NM 87701	Las Vegas	San Miguel	New Mexico Highlands University Baseball and Campus Effluent Re-use, Jorden Grimm, Capital Projects Operations Manager, proposes to discharge up to 35,000 gallons per day (gpd) of reclaimed domestic wastewater transferred from the City of Las Vegas Wastewater Treatment Facility to the permittee's 12,000-gallon above ground storage tank which discharges to the school's baseball field through a sprinkler irrigation system and to landscaped areas around the facility through either a sprinkler irrigation system or via a 1,500-gallon portable tank. Potential contaminants associated with this type of discharge include nitrogen	Jennifer Fullam



				compounds. The facility is located at the New Mexico Highlands University campus in Las Vegas, in Sections 22 and 23, Township 16N, Range 16E, San Miguel County. Ground water most likely to be affected is at a depth of approximately 5-7 feet and has a total dissolved solids concentration of approximately 2,500-6,300 milligrams per liter.	
83	Cielo Lindo Mobile Home Park Tommy Cordova, Owner Cielo Lindo Mobile Home Park 439 Louise Los Alamos, NM 87544	Pojoaque	Santa Fe	Cielo Lindo Mobile Home Park, Tommy Cordova, Owner, proposes to renew the Discharge Permit for the discharge of up to 6,000 gallons per day of domestic wastewater to three septic tank leachfield systems. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1736 NM State Highway 502, approximately one mile west of Pojoaque, in Section 12, Township 19 North, Range 08 East, Santa Fe County. Ground water beneath the site is at a depth of approximately 19 feet and has a total dissolved solids concentration of approximately 175 milligrams per liter.	Steve Pedro
190	Othart Dairy Leon Othart, Owner Othart Dairy P.O. Box 1018 Belen, NM 87002	Veguita	Valencia/ Socorro	Othart Dairy, Leon Othart, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 15,500 gpd from the production area of a dairy facility. The modification consists of combining Othart Dairy 1, DP-190, and Othart Dairy 2, formerly DP-772, resulting in an increase of the maximum daily discharge volume from 8,000 to 15,500 gpd. Wastewater flows from the parlors to the sumps and is pumped through a screen solids separator to a three-celled synthetically lined wastewater impoundment system for disposal by evaporation. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 140 Wheeler Road, approximately 1.5 miles northeast of Veguita, in the Belen Casa Colorada Land Grant (projected) Section 33, Township 4 North, Range 2 East, Valencia County and (projected) Section 4, Township 3 North, Range 2 East, Socorro County. Ground water beneath the site is at a depth of approximately 67 feet and had a pre-discharge total dissolved solids concentration of approximately 222 milligrams per liter.	Sara Arthur



Prior to ruling on any proposed Discharge Permit or its modification, the New Mexico Environment Department (NMED) will allow thirty days after the date of publication of this notice to receive written comments and during which time a public hearing may be requested by any interested person, including the applicant. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. Comments or requests for hearing should be submitted to the Ground Water Quality Bureau at PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>