



Notice is hereby given pursuant to 20.6.2.3108.H NMAC, the following Ground Water Discharge Permit applications have been proposed for approval. To request additional information or to obtain a copy of a draft permit, contact the Ground Water Quality Bureau in Santa Fe at (505) 827-2900. Draft permits may also be viewed on-line at <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>

NOTE – If viewing by WEB - Click on facility name to review a copy of the draft permit.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
585	McCatharn Dairy John McCatharn, Owner McCatharn Dairy P.O. Box 19306 Albuquerque, NM 87119-0306	Albuquerque	Bernalillo	McCatharn Dairy, John McCatharn, Owner, proposes to renew the Discharge Permit for the discharge of up to 4,000 gallons per day from the production area of a dairy facility. Wastewater flows from the parlor to a concrete-lined sump, is pumped over a screen separator into a second concrete-lined sump and is pumped to two synthetically lined impoundments for disposal by evaporation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 6363 State Hwy 47, in Albuquerque's South Valley, in Section 19, Township 9N, Range 3E, Bernalillo County. Ground water beneath the site is at a depth of approximately 66 to 107 feet and had a pre-discharge total dissolved solids concentration of approximately 446 milligrams per liter.	Kim Kirby
1233	Mickey's Dairy Danny McMahon, Owner Mickey's Dairy 5102 Coors Blvd., SW Albuquerque, NM 87121	Albuquerque	Bernalillo	Mickey's Dairy, Danny McMahon, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 6,000 gpd of wastewater from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a screen solids separator to a synthetically lined wastewater impoundment for disposal by evaporation. The modification consists of an increase in the maximum daily discharge volume from 3,000 to 6,000 gpd. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 5102 Coors Boulevard SW, Albuquerque, in Section 15, T9N, R2E, Bernalillo County. Ground water beneath the site is at a depth of approximately 10 feet and had a pre-discharge total dissolved solids concentration of approximately 364 milligrams per liter.	Sara Arthur
1337	Ritchie Bros. Auctioneers (America), Inc.	Albuquerque	Bernalillo	Ritchie Bros. Auctioneers (America), Inc., Vic Pospiech, Senior Vice President, proposes to renew the Discharge	Naomi Davidson



	Vic Pospiech Senior Vice President Ritchie Bros. Auctioneers (America), Inc. 4000 Pine Lake Rd. Lincoln, NE 68516			Permit for the discharge of up to 4,350 gallons per day of equipment wash wastewater from a heavy equipment refurbishing facility. Wastewater flows through a solids separator followed by an oil/water separator, and is discharged into a synthetically lined impoundment for disposal by evaporation. Wastewater is discharged for a duration of two to four weeks, several times per year. Potential contaminants associated with this type of discharge include metals and organic compounds. The facility is located at 13510 Central Avenue SW, Albuquerque, in Section 35, Township 10N, Range 01E, Bernalillo County. Ground water beneath the site is at a depth of approximately 805-874 feet and has a total dissolved solids concentration of approximately 410 milligrams per liter.	
1402	Hidden Valley RV Park Robert Ponto, Owner Hidden Valley RV Park 844-B US HWY 66 Tijeras, NM 87059	Tijeras	Bernalillo	Hidden Valley RV Park, Robert Ponto, Owner, proposes to renew the Discharge Permit for the discharge of up to 11,580 gallons per day of domestic wastewater to nine septic tank leachfield systems located throughout the park. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 844-B US Highway 66 in Tijeras, in Section 7, Township 10 North, Range 06 East, Bernalillo County. Ground water beneath the site is at a depth of approximately 173 feet and has a total dissolved solids concentration of approximately 908 milligrams per liter.	Steve Pedro
227	Queso Grande Dairy Earl Heibult, Owner Queso Grande Dairy 3819 Oxbow Village Lane Albuquerque, NM 87120	Roswell	Chaves	Queso Grande Dairy, Earl Heibult, Owner, proposes to renew the Discharge Permit for the discharge of up 98,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a solids separator to a synthetically lined wastewater impoundment system for storage prior to being applied by center pivot irrigation to up to 100 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 3614 E. Hobson Road, approximately 6 miles southeast of Roswell, in Section 36, T11S, R24E, Chaves County. Ground water beneath the site is at a depth of approximately 45 feet and had a pre-discharge total dissolved solids concentration of	Kim Kirby



				approximately 2,832 milligrams per liter.	
533	Dan Dee Dairy, Inc. Jason Flores Dan Dee Dairy, Inc. 180 E. Darby Rd. Dexter, NM 88230	Dexter	Chaves	<p>Dan Dee Dairy, Inc., Jason Flores, proposes to renew and modify the Discharge Permit for the discharge of up to 45,000 gallons per day from the production area of a dairy facility. Wastewater flows to a concrete sump, followed by solids separation and is pumped to a clay-lined wastewater impoundment for storage prior to being pumped to a synthetically lined wastewater/stormwater impoundment for storage at Dexter Dairy, DP-606. In the event, wastewater is no longer transferred to Dexter Dairy, wastewater will be land applied by center-pivot to up to 165 acres of irrigated cropland under cultivation. The modification consists of increasing the maximum daily discharge volume from 27,000 to 45,000 gallons per day and the addition of 165 acres of land application area. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 393 Shuswap Road, approximately 3 miles southwest of Dexter, in Sections 25 and 36, T13S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 50 feet and had a pre-discharge total dissolved solids concentration of approximately 1052 milligrams per liter.</p>	Kim Kirby
683	Sideline Dairy David Hoekstra, Agent Sideline Dairy, LLC 160 E. Jackson Rd. Lake Arthur, NM 88253	Lake Arthur	Chaves	<p>Sideline Dairy, David Hoekstra, Agent for Sideline Dairy LLC, proposes to renew and/or modify the Discharge Permit for the discharge of up to 550,000 gallons per day from the production area of a dairy facility. Wastewater flows from two parlors into their associated concrete-lined sump and is pumped to a passive weeping wall separator system and into a clay-lined combination wastewater and stormwater impoundment system for storage prior to land application. The clay-lined impoundment system consists of four impoundments, which the facility proposes, and is required, to synthetically line. Wastewater is land applied by center pivot and sideroll sprinkler irrigation to up to 732 acres of irrigated cropland under cultivation. The modification consists of decreasing the acreage of the land application area from 880 acres to 732 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 160 E. Jackson Road, approximately 3 miles southwest of Lake</p>	Kim Kirby



				Arthur, in Sections 25, 26, 35 and 36, Township 15S, Range 25E, and Section 31, Township 15S, Range 26E, Chaves County. Ground water beneath the site is at a depth of approximately 23-43 feet and had a pre-discharge total dissolved solids concentration of approximately 1,390 milligrams per liter.	
707	Vaz Dairy Jerry Vaz Vaz Dairy 3825 E. McGaffey Rd. Roswell, NM 88203	Roswell	Chaves	Vaz Dairy, Jerry Vaz, proposes to renew the Discharge Permit for the discharge of up to 100,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a solids separator to a synthetically lined wastewater impoundment for storage prior to being applied by center pivot to up to 172 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 3825 East McGaffey Road, approximately 5 miles east of Roswell, in Sections 5 and 8, Township 11S, Range 25E, Chaves County. Ground water beneath the site is at a depth of approximately 14 to 34 feet and had a pre-discharge total dissolved solids concentration of approximately 8,050 milligrams per liter.	Kim Kirby
804	Sunshine Dairy John & Kevin Breedyk Owners Sunshine Dairy P.O. Box 272 Dexter, NM 88230	Dexter	Chaves	Sunshine Dairy, Kevin and John Breedyk, Owners, propose to renew the Discharge Permit for the discharge of up to 24,000 gallons per day from the production area of a dairy facility. Currently, wastewater flows to a concrete ditch and then flows alternately to two clay-lined combination wastewater and stormwater impoundments for storage. This permit requires installation of a solids separator and the clay-lined combination wastewater and stormwater impoundments be synthetically lined or replaced with a new synthetically lined impoundment. Wastewater is land applied by flood irrigation to up to 80 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 452 Caddo Road, approximately 1 mile southwest of Dexter, in Section 19, T13S, R26E, Chaves County. Ground water beneath the site is at a depth of approximately 19 feet and had a pre-discharge total dissolved solids concentration of approximately 1720 milligrams per liter.	Sara Arthur



1141	Winchester Dairy Larry Grantham Winchester Dairy, LLC 184 E. Darby Rd. Dexter, NM 88230	Lake Arthur	Chaves	Winchester Dairy, Winchester Dairy LLC, proposes to renew and modify the Discharge Permit for the discharge of up to 250,000 gallons per day from the production area of a dairy facility. Wastewater from the parlor flows to a concrete-lined sump and is pumped through a screen separator into a clay-lined combination wastewater and stormwater impoundment for storage prior to land application. The facility is also required to construct a synthetically lined combination impoundment(s) for storage prior to land application. Wastewater is land applied by center pivot and flood irrigation to up to 560 acres of cropland under cultivation. The modification consists of increasing the maximum daily discharge volume from 128,000 to 250,000 gpd and decreasing the land application area from 576 to 560 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 8751 Roswell Hwy, approximately six miles southwest of Lake Arthur, in Sections 32, 33 and 34, T15S, R25E, Chaves County. Ground water beneath the site is at a depth of approximately 14 to 68 feet and had a pre-discharge total dissolved solids concentration of approximately 1,720 milligrams per liter.	Kim Kirby
1136	Heritage Dairy Eric Daale, Owner Heritage Dairy 650 Curry Rd. F Clovis, NM 88101	Clovis	Curry	Heritage Dairy, Eric Daale, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 150,000 gallons per day from the production area of a dairy facility. Wastewater flows from the parlor to a concrete-lined sump, is pumped to a two-cell solids settling separator which flows into the first of two clay-lined combination wastewater and stormwater impoundments for storage prior to land application. Wastewater is land applied by center pivot to up to 615 acres of irrigated cropland under cultivation. The modifications consist of increasing the maximum daily discharge volume from 100,000 to 150,000 gpd and increasing the land application area from 375 to 615 acres. The additional fields also constitute a change in the location of the discharge. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 650 Curry Rd F,	Kim Kirby



				approximately five miles southeast of Clovis, in Section 35, Township 2N, Range 36-E, and Section 3, Township 1N, Range 36 E, Curry County. Ground water beneath the site is at a depth of approximately 310 feet and had a pre-discharge total dissolved solids concentration of approximately 430 milligrams per liter.	
832	Rezolex, Ltd., Co. Louis B. Biad, Partner Rezolex, Ltd, Co. 2240 Pepper Rd. Las Cruces, NM 88007	Radium Springs	Doña Ana	Rezolex, Ltd., Co. Louis B. Biad, Partner, proposes to renew and modify the Discharge Permit for the discharge of up to 16,000 gallons per day (gpd) of wastewater to a concrete and synthetically lined impoundment storage system. Wastewater is discharged from the last synthetically lined impoundment through a grease trap and pumped to a 0.4-acre surface disposal area. The modification consists of an increase in the maximum daily discharge volume from 5,000 gpd to 16,000 gpd, an increase in the acreage of the surface disposal area from 0.2 acres to 0.4 acres, and a change in the extraction solvent from hexane to n-pentane. Potential contaminants associated with this type of discharge include nitrogen and organic compounds. The facility is located at 3 East Ft. Selden Rd., approximately one mile east of Radium Springs in Sections 11 and 12, Township 21S, Range 01W, Doña Ana County. Ground water beneath the site is at a depth of approximately 65 feet and has a total dissolved solids concentration of approximately 1,673 milligrams per liter.	Russell Isaac
1350	Loma Parda Dairy Herman Ortiz Loma Parda Dairy, LLC PO Box 306 Derry, NM 87933	Garfield	Doña Ana	Loma Parda Dairy, Herman Ortiz, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 26,000 gallons per day from the production area of a dairy facility. Wastewater flows to a synthetically lined wastewater impoundment system, consisting of two impoundments, for storage prior to land application by flood irrigation to up to 68 acres of irrigated cropland under cultivation. The modification consists of increasing the land application area from 60 to 68 acres and a change in discharge location. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 7100 Arroyo Cuervo Road, approximately two miles west of Garfield, in Sections 7 and 18, T18S, R4W, Doña Ana County. Ground water beneath the site is at a depth of approximately 18 feet and had a	Sara Arthur



				pre-discharge total dissolved solids concentration of approximately 634 milligrams per liter.	
1168	Goff Dairy Buster Goff, Owner Goff Dairy 11015 N. Goff Place Hobbs, NM 88242	Hobbs	Lea	Goff Dairy, Buster Goff, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 160,000 gallons per day from the production area of a dairy facility. Wastewater flows to a clay-lined wastewater impoundment system prior to being land applied by center pivot to up to 385 acres of irrigated cropland under cultivation. The modification consists of an increase in the acreage of the land application area from 355 to 385 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 11015 North Goff Place, approximately 5 miles northwest of Hobbs, in Section 21, T17S, R37E, Lea County. Ground water beneath the site is at a depth of approximately 74 feet and had a pre-discharge total dissolved solids concentration of approximately 270 milligrams per liter.	Sara Arthur
1481	URENCO USA Site Harrison Orr Environmental Compliance Officer URENCO USA P.O. Box 1789 Eunice, NM 8823	Eunice	Lea	URENCO USA Site, Harrison Orr, Environmental Compliance Officer, proposes to renew the Discharge Permit for the discharge of up to the maximum daily design runoff volume of approximately 16 million gallons of non-contact storm water to Pond 1 (unlined) and 10 million gallons of contact storm water to Pond 2 based on a runoff volume equal to that generated by a 24-hour, 100-year return frequency storm (6.45-inch rainfall). Potential contaminants associated with this type of discharge include metals, organic compounds and radionuclides. The facility is located at 275 NM State Highway 176, approximately 4 miles east of Eunice, in Sections 32, Township 21S, Range 38E, Lea County. Ground water beneath the site is at a depth of approximately 90 to 240 feet and has a total dissolved solids concentration of approximately 3370 to 10,900 milligrams per liter.	Clint Marshall
1768	Ski Apache Justin Rowland Director of Operations- Ski Apache	Alto	Lincoln	Ski Apache, Justin Rowland, Director of Operations-Ski Apache, proposes to discharge up to 30,000 gallons per day of domestic wastewater to two holding tanks for temporary storage until being removed offsite for final disposal. Domestic wastewater will also be discharged to	Steve Pedro



	Mescalero Apache Tribe P.O. Box 227 Mescalero, NM 88340			four composting toilets located throughout the ski resort. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1286 Ski Run Road, Alto, in Section 34, Township 10 South, Range 11 East (projected), Lincoln County. Ground water beneath the site is at a depth of approximately 15 feet and has a total dissolved solids concentration of approximately 488 milligrams per liter.	
1075	Village of Wagon Mound Arturo Arguello, Mayor Village of Wagon Mound P.O. Box 87 Wagon Mound, NM 87752	Wagon Mound	Mora	Village of Wagon Mound, Arturo Arguello, Mayor, proposes to renew the Discharge Permit for the discharge of up to 30,000 gallons per day (gpd) of domestic wastewater. Wastewater is received and treated using a synthetically lined impoundment system. Treated wastewater is stored in a synthetically lined holding impoundment then disinfected and discharged to a 10-acre land application area. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located approximately 0.9 miles southeast of the Village of Wagon Mound, in Sections 4, Township 20N, Range 21E, Mora County. Ground water beneath the site is at a depth of approximately 14 feet and has a total dissolved solids concentration of approximately 745 milligrams per liter.	Rebecca Cook
299	North Portales Dairy, LLC North Portales Dairy, LLC c/o Farm Credit Bank of Texas PO Box 202590 Austin, TX 78720-2590	Portales	Roosevelt	North Portales Dairy, LLC, Farm Credit Bank of Texas, proposes renew to the Discharge Permit for closure and post-closure monitoring of the dairy facility. Wastewater is no longer being generated at the facility. Stormwater may continue to be generated at the facility. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 1476-A Baseline Road, approximately 6 miles northeast of Portales, in Sections 32 and 33, Township 1N, Range 35E, Roosevelt County. Ground water beneath the site is at a depth of approximately 115 feet and had a pre-discharge total dissolved solids concentration of approximately 325 milligrams per liter.	Kim Kirby
390	Wild West Dairy Dennis West, Owner Wild West Dairy	Causey	Roosevelt	Wild West Dairy, Dennis West, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 6,000 gallons per day from the production area of a dairy facility. The discharge of wastewater to the previously used	Sara Arthur



	408 E. 17 th Lane Portales, NM 88130			234-acre surface disposal area is not authorized by the Dairy Rule or this Discharge Permit. This Discharge Permit requires construction and/or installation of a solids separator and a synthetically lined wastewater impoundment for disposal of wastewater by evaporation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 2574 South Roosevelt Road E, approximately 1 mile northeast of Causey, in Section 12, T5S, R36E, Roosevelt County. Ground water beneath the site is at a depth of approximately 160 feet and had a pre-discharge total dissolved solids concentration of approximately 420 milligrams per liter.	
666	Western Star Dairy Todd Teune, Owner Western Star Dairy 1369 CR 7 Clovis, NM 88101	Portales	Roosevelt	Western Star Dairy, Todd Tenue, Owner, proposes to renew the Discharge Permit for the discharge of up to 20,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a passive solids separator to an earthen wastewater impoundment followed by a synthetically lined impoundment for disposal by evaporation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 2824 S. Roosevelt Rd., approximately 11 miles northwest of Portales, in Section 7, Township 1S, Range 33E, Roosevelt County. Ground water beneath the site is at a depth of approximately 80 feet and had a pre-discharge total dissolved solids concentration of approximately 694 milligrams per liter.	Kim Kirby
826	Anderson Dairy, Inc., Alan Anderson Anderson Dairy, Inc. 1191 NM 236 Portales, NM 88130	Portales	Roosevelt	Anderson Dairy, Inc., Alan Anderson, proposes to renew and/or modify the Discharge Permit for the discharge of up to 4,500 gallons per day of wastewater from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a solids separator to a synthetically lined wastewater impoundment for storage prior to being applied by center pivot to up to 55 acres of irrigated cropland under cultivation. The modification consists of the addition of 55 acres of land application area. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1192 NM 236, approximately 7 miles northwest	Kim Kirby



				of Portales, in Section 14, Township 1S, Range 33E, Roosevelt County. Ground water beneath the site is at a depth of approximately 87 feet and had a pre-discharge total dissolved solids concentration of approximately 928 milligrams per liter.	
1157	Albers NM Holdings Teo Albers, Sr. Albers NM Holdings, LLC 6241 Joaquin St. Chino, CA 91740	Portales	Roosevelt	Albers NM Holdings, LLC Dairy, Teo Albers, Owner, proposes to renew the Discharge Permit for the discharge of up to 60,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater flows to a concrete sump and is pumped through a solids separator to a clay-lined wastewater impoundment, then to a synthetically lined combination wastewater/stormwater impoundment for storage. Wastewater is land applied from the combination wastewater/stormwater impoundment by center pivot to up to 240 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 1013 South Roosevelt Road 8, approximately eight miles east-southeast of Portales, in Section 18, Township 2S, Range 36E, Roosevelt County. Ground water beneath the site is at a depth of approximately 113 feet and had a pre-discharge total dissolved solids concentration of approximately 860 milligrams per liter.	Kim Kirby
1332	Opportunity Dairy John Dollins Opportunity Dairy, LLC 1101 N. Roosevelt Rd. 3 Clovis, NM 88101	Clovis	Roosevelt	Opportunity Dairy, Opportunity Dairy, LLC, John Dollins, Managing Member, proposes to renew the Discharge Permit for the discharge of up to 65,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater gravity flows to a concrete solids settling separator and then flows into two synthetically lined combination wastewater and stormwater impoundments for storage prior to land application. Wastewater is land applied by center pivot to up to 291.5 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 1101 North Roosevelt Road 3, approximately seven miles south of Clovis, in Sections 19 and 24, Township 1N, Range 36E, Roosevelt County. Ground water beneath the site is at a depth of approximately 271 feet and had a pre-discharge total dissolved solids concentration of approximately 280	Kim Kirby



				milligrams per liter.	
865	Pareo Dairy Jordan Pareo, Owner Pareo Dairy P.O. Box 489 Veguita, NM 87062	Veguita	Socorro	<p>Pareo Dairy, Jordan Pareo, Owner, proposes to renew the Discharge Permit for the discharge of up to 11,000 gallons per day from the production area of a dairy facility. Wastewater flows from the parlor through a two-cell concrete-lined solids settling separator into a synthetically lined impoundment system for disposal by evaporation. The impoundment system consists of one wastewater impoundment and one combination wastewater/stormwater impoundment. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1433 Hwy 304, approximately one mile north of Veguita, in Sections 31 and 32, Township 4N, Range 2E (projected), in the Casa Colorada and Belen Land Grants, Socorro County. Ground water beneath the site is at a depth of approximately 18 to 28 feet and had a pre-discharge total dissolved solids concentration of approximately 330 to 400 milligrams per liter.</p>	Kim Kirby

Prior to ruling on any proposed Discharge Permit or its modification, the New Mexico Environment Department (NMED) will allow thirty days after the date of publication of this notice to receive written comments and during which time a public hearing may be requested by any interested person, including the applicant. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. Comments or requests for hearing should be submitted to the Ground Water Quality Bureau at PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>