Notice is hereby given pursuant to 20.6.2.3108.H NMAC, the following Ground Water Discharge Permit applications have been proposed for approval. To request additional information or to obtain a copy of a draft permit, contact the Ground Water Quality Bureau in Santa Fe at (505) 827-2900. Draft permits may also be viewed on-line at http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm

NOTE – If viewing by WEB - Click on facility name to review a copy of the draft permit.

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
1006	Public Service Company of New Mexico-Person Generating Station Patrick Themig Vice President PNM-Alvarado Square-MS 2104 Albuquerque, NM 87158	Albuquerque	Bernalillo	Public Service Company of New Mexico-Person Generating Station, Patrick Themig, Vice President, Generation, proposes to renew the Discharge Permit for the discharge of up to 72,000 gallons per day of treated ground water. Ground water, contaminated with chlorinated solvents, is recovered from extraction wells, and is treated and pumped to the UNM South Golf Course for discharge to two irrigation storage lagoons. Potential contaminants from this type of discharge include organic compounds. The facility generating the discharge is located at 701 Electric Ave SE, near intersection of Rio Bravo and Broadway Blvd, Albuquerque, in Section 8, T09N, R03E, Bernalillo County; the location of the discharge is the UNM Championship Golf Course, 3601 University Blvd SE, Albuquerque, in Section 4, T09N, R03E, Bernalillo County. Ground water beneath the site is at a depth of approximately 130-275 feet and has a total dissolved solids concentration of approximately 250 milligrams per liter.	Naomi Davidson
1080	Woodlands Subdivision Michael Zimprich President 4121 Eubank Blvd., NE Albuquerque, NM 87111	Tijeras	Bernalillo	Woodlands Subdivision, Mike Zimprich, President, proposes to renew the Discharge Permit for the discharge of up to 31,800 gallons per day of domestic wastewater. Wastewater is treated using a nitrifying filter and constructed wetlands, prior to disposal in a leachfield. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located in Tijeras, in Section 10, Township 10 North, Range 06 East, Bernalillo County. Ground water beneath the site is at a depth of approximately 320 feet and has a total dissolved solids concentration of approximately 700 milligrams per liter.	Steve Pedro

1441	Bowlin's Bluewater Outpost, Bowlin Travel Centers, Inc. Cyndee Biggers, Facilities Manager Bowlin Travel Centers, Inc. 150 Louisiana Blvd., NE Albuquerque, NM 87108	Bluewater	Cibola	Bowlin's Bluewater Outpost, Bowlin Travel Centers, Inc., proposes to renew the Discharge Permit for the discharge of up to 3,500 gallons per day of wastewater from a reverse osmosis water treatment system, subdivision, convenience store and restaurant, to a septic tank and disposal lagoon system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 136 Main, Bluewater, in Section 23 Township 12N, Range 11W, Cibola County. Ground water beneath the site is at a depth of approximately 90 feet and has a total dissolved solids concentration of approximately 852 milligrams per liter.	Jennifer Fullam
1619	The Lords Ranch Mike Halloran, Ranch Manager The Lords Ranch 230 High Valley Rd. Vado, NM 88072	Vado	Doña Ana	The Lords Ranch, Mike Halloran, Ranch Manager, proposes to renew and modify the Discharge Permit for the discharge of up to 9,880 gallons per day of domestic wastewater to six existing septic tank/leachfield systems, one of which is preceeded by a grease trap, and eight septic tank/leachfield systems to be designed. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 230 High Valley Road, Vado, in Section 13, T25S, R03E, Doña Ana County. Ground water beneath the site is at a depth of approximately 400 feet and has a total dissolved solids concentration of approximately 1,416 milligrams per liter.	Naomi Davidson
1678	Watson Lane Mobile Home Park Jorge & Margarita Meraz, Owners Watson Lane MHP 3094 Blythe Ave. Fresno, CA 93722	Las Cruces	Doña Ana	Watson Lane Mobile Home Park, Jorge and Margarita Meraz propose to discharge up to 24,000 gallons per day of domestic wastewater to eleven septic tanks and four leachfields. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 845 Watson Lane, Las Cruces, in Section 31, Township 23S, Range 2E, Doña Ana County. Ground water beneath the site is at a depth of approximately 23 feet and has a total dissolved solids concentration of approximately 248 milligrams per liter.	Sara Arthur
1603	Animas Public Schools Elizabeth Ward, Superintendent Animas Public Schools P.O. Box 85	Animas	Hidalgo	Animas Public Schools, Elizabeth Ward, Superintendant, proposes to discharge up to 12,000 gallons per day of domestic wastewater to an existing two-celled (in series) unlined evaporative lagoon system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at the intersection of NM-9	John Rebar, Jr.

	Animas, NM 88020			and NM-338, in Animas, in Sections 17, 18, and 20, T27S, R19W, Hidalgo County. Ground water beneath the site is at a depth of approximately 170 feet and has a total dissolved solids concentration of approximately 252 milligrams per liter.	
81	Pueblo de Luna MHP Bridgett Johnson, Owner Pueblo de Luna MHP P.O. Box 665 Mesilla Park, NM 88047	Deming	Luna	Pueblo de Luna MHP, Bridgett Johnson, Owner, proposes to renew the Discharge Permit for the discharge of up to 9,000 gallons per day of domestic wastewater from a mobile home park. Wastewater is discharged to three parallel septic tank-leachfield systems. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 5590 Columbus Hwy, approximately 4 miles south of Deming, in Section 22, T24S, R9W, Luna County. Ground water beneath the site is at a depth of approximately 150 feet and has a total dissolved solids concentration of approximately 250 milligrams per liter.	Kimberly Kirby
220	City of Alamogordo Wastewater Treatment Plant Mark Roath City Manager City of Alamogordo-WWTP 1376 E. Ninth St. Alamogordo, NM 88310	Alamogordo	Otero	City of Alamogordo Wastewater Treatment Plant, Mark Roath, City Manager, proposes to modify the Discharge Permit for the discharge of up to 5,000,000 gallons per day of domestic wastewater from the City of Alamogordo. Domestic wastewater from the City of Alamogordo is treated by a mechanical treatment plant, and reclaimed wastewater from the facility is discharged to various locations within the city, including roadway medians, city parks, a municipal golf course, native grassland and a surplus discharge area. The modification consists of adding Balloon Park on Lavelle Road, the Canal Street median between N White Sands Blvd and N Florida Ave, and the Juniper Drive median, located between Indian Wells Rd and Aspen Dr, as land application areas. Potential contaminants associated with this type of discharge include nitrogen compounds. The treatment facility is located at 3290 Airport Road, Alamogordo in Section 15, T17S, R09E, Otero County. The discharge sites are located in Sections 1, 25, 26, and 35, T16S, R09E; Sections 8, 17, 18, 19, 20, 29, and 31, T16S, R10E; Sections 12, 14, 16, and 23, T17S, R09E; and Section 10, T17S, R10E, Otero County. Ground water beneath the facility and discharge sites is at a depth ranging from 20-200 feet and has a total dissolved solids concentration of approximately 1,600-20,000 milligrams per liter.	Naomi Davidson

398	Eileen Acres Service Corporation James L. Wimberly, President Eileen Acres Service Corporation P.O. Box 100 Alto, NM 88312	Alamogordo	Otero	Eileen Acres Service Corporation, James L. Wimberly, President, proposes to renew the Discharge Permit for the discharge of up to 41,310 gallons per day of domestic wastewater from a subdivision, gift shop and RV park to a wastewater treatment and lagoon system with final discharge to a 5.63-acre land application area. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 212 Alamo, approximately 2.5 miles north of Alamogordo, in Section 33 Township 15S, Range 10E, Otero County. Ground water beneath the site is at a depth of approximately 230 feet and has a total dissolved solids concentration of approximately 2000 milligrams per liter.	Jennifer Fullam
1757	Alamogordo Public Schools Dave Flood, Director Operations & Transportation Alamogordo Public Schools PO Box 650 Alamogordo, NM 88310	Alamogordo	Otero	Alamogordo Public Schools, Dave Flood, Director of Operations and Transportation, proposes to discharge up to 500,000 gallons per day of reclaimed domestic wastewater from the City of Alamogordo Wastewater Treatment Facility (WWTF) to irrigate 65 acres of turf and landscaping at Chaparral Middle School, Alamogordo High School, the Soccerplex, Mountainview Middle School and Grady Fields. Potential contaminants associated with this type of discharge include nitrogen compounds. The school administration office is located at 1211 Hawaii Ave, Alamogordo, and the discharge sites are located in Sections 17, 20, and 29, T16S, R10E, Otero County. Ground water beneath the site is at a depth of approximately 150-200 feet and has a total dissolved solids concentration of approximately 2,400 milligrams per liter.	Naomi Davidson
1640	Cottonwood RV Park Art & Ramona Martinez, Owners Cottonwood RV Park 62 Sombrillo Rd. Espanola, NM 87532	Espanola	Rio Arriba	Cottonwood RV Park, Art and Ramona Martinez, Owners, propose to discharge up to 4,770 gallons per day of domestic wastewater from a RV park to a septic tank/leachfield system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1318 South Riverside Drive, approximately one mile south of Espanola, in Section 12, T20N, R8E, Rio Arriba County. Ground water beneath the site is at a depth of approximately 20 feet and has a total dissolved solids concentration of approximately 590 milligrams per liter.	Melanie Sanchez

1701	El Rito Elementary School Randy Earwood Superintendent Mesa Vista Consolidated Schools P.O. Box 6 El Rito, NM 87530	El Rito	Rio Arriba	El Rito Elementary School, Mesa Vista Consolidated Schools, proposes to discharge up to 4,200 gallons per day of domestic wastewater to a septic tank/leachfield system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 10 Elementary Road, El Rito, in Section 10, Township 24 North, Range 7 East, Rio Arriba County. Ground water beneath the site is at a depth of approximately 25 feet and has a total dissolved solids concentration of approximately 240 milligrams per liter.	Sara Arthur
378	San Juan Meats Scott Frost, Owner P.O. Box 279 Monticello, UT 84535	Kirtland	San Juan	San Juan Meats, Scott Frost, Owner, proposes to renew the Discharge Permit for the discharge of up to 1,800 gallons per day of wastewater from a slaughter facility and two mobile homes. The GWQB is proposing approval of a Discharge Permit to discharge the combined wastewater from a slaughter facility and two mobile homes through three in-line concrete tanks for solids settling into a clay-lined lagoon for disposal by evaporation. Wastewater from the slaughter facility passes through a grease interceptor prior to being combined with the domestic wastewater flow. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 118 County Rd 6500, approximately 1.5 miles north of Kirtland, in Section 6, T29N, R14W, San Juan County. Ground water beneath the site is at a depth of approximately 19 feet and has a total dissolved solids concentration of approximately 3,000 milligrams per liter.	Kimberly Kirby
861	Rancho de Bosque Mark Hannan, President Rancho de Bosque Homeowners Association 38 Bishop Lamy Rd. Lamy, NM 87540	Lamy	Santa Fe	Rancho de Bosque, Mark Hannan, Homeowner's Association President, proposes to renew the Discharge Permit for the discharge of up to 4,500 gallons per day of domestic wastewater to a treatment and disposal system. Treated wastewater is discharged to a synthetically lined storage lagoon, and used for subsurface drip irrigation. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at the end of Rancho de Bosque North Rd, Lamy, in Section 28, T15N, R10E, Santa Fe County. Ground water beneath the site is at a depth of approximately 125 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Naomi Davidson

1513	Santuario de Chimayo Fr. Julio Gonzales Santuario de Chimayo P.O. Box 235 Chimayo, NM 87522	Chimayo	Santa Fe	Santuario de Chimayo, Fr. Julio Gonzalez, proposes to renew the Discharge Permit for the treatment and discharge of up to 2,200 gallons per day of domestic wastewater. Wastewater is treated using a recirculating attached growth wastewater treatment system. Effluent from the system is discharged to 19 subsurface irrigation zones. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 15 County Road, Chimayo, in Section 1, Township 20N, Range 09E, Santa Fe County. Ground water beneath the site is at a depth of approximately 6-8 feet and has a total dissolved solids concentration of approximately 99 milligrams per liter.	Jennifer Fullam
1272	Agua Vista RV Park Clinton Cordova, Owner Agua Vista RV Park P.O. Box 1881 Elephant Butte, NM 87935	Elephant Butte	Sierra	Agua Vista RV Park, Clinton Cordova, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 9,000 gallons per day (gpd) of domestic wastewater. The discharge consists of up to 3,700 gpd of wastewater generated from an existing clubhouse, a single residence and 29 recreational vehicle (RV) spaces to two separate septic tank/leachfield systems. The proposed modification consists of the addition of a holding tank for managing chemically treated RV wastewater and possible expansion of the facility to accommodate an additional 50 RV spaces which will discharge to two proposed septic tank/leachfield systems and adding an additional residence with a separate septic tank leachfield system thereby increasing the discharge volume from 3,700 gpd to 9,000 gpd. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 20 Cozy Cove Road, approximately two miles north of Elephant Butte, in Section 3, Township 13S, Range 04W, Sierra County. Ground water beneath the site is at a depth of approximately 145 feet and has a total dissolved solids concentration of approximately 577 milligrams per liter.	Jennifer Fullam

Prior to ruling on any proposed Discharge Permit or its modification, the New Mexico Environment Department (NMED) will allow thirty days after the date of publication of this notice to receive written comments and during which time a public hearing may be requested by any interested person, including the applicant. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. Comments or requests for hearing should be submitted to the Ground Water Quality Bureau at PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm