



Notice is hereby given pursuant to 20.6.2.3108.H NMAC, the following Ground Water Discharge Permit applications have been proposed for approval. To request additional information or to obtain a copy of a draft permit, contact the Ground Water Quality Bureau in Santa Fe at (505) 827-2900. Draft permits may also be viewed on-line at <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>

**NOTE – If viewing by WEB - Click on facility name to review a copy of the draft permit.**

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
841	<p><a href="#">Moquino Lagoons</a></p> <p>Lee Maestas, President Cebolleta Land Grant HC 77 Box Seboyeta, NM 87014</p> <p>Jim Brauer, PE Wilson &amp; Co. 4900 Lang Ave. NE Albuquerque, NM 87109</p>	Moquino	Cibola	Moquino Lagoons, Lee Maestas, President, Cebolleta Land Grant, proposes to renew the Discharge Permit for the discharge of up to 2,500 gallons per day (gpd) of domestic wastewater to a lagoon impoundment system for disposal by evaporation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located in Moquino, in Section 21, Township 11 North, Range 05 West, Cibola County. Ground water beneath the site is at a depth of approximately 250 feet and has a total dissolved solids concentration of approximately 650 milligrams per liter.	Steve Pedro
674	<p><a href="#">SAS Dairy</a></p> <p>Albin Smith, Owner SAS Dairy 506 State Road 467 Clovis, NM 88101</p>	Clovis	Curry	SAS Dairy, Albin Smith, Owner, proposes to renew and/or modify the Discharge Permit for the discharge of up to 24,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater is discharged to a two-celled synthetically lined impoundment for storage prior to land application on up to 120 acres of irrigated cropland under cultivation. The modification consists of the addition of 120 acres of center pivot irrigated cropland and the discontinuance of wastewater applications to the former land application area consisting of 70 acres of cropland. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 506 State Rd 467, approximately 10 miles southwest of Clovis, in Sections 1 and 2, T01N, R34E, Curry County. Ground water beneath the site is at a depth of approximately 190 feet and had a pre-discharge total dissolved solids concentration of approximately 400 milligrams per liter.	Bill Pearson



851	<a href="#">Highland Dairy</a>  Art Schaap Highland Dairy 650 CR O Clovis, NM 88101	Clovis	Curry	Highland Dairy, Art Schaap, Owner, proposes to renew and modify the Discharge Permit for the discharge of a maximum discharge volume of 67,500 gallons per day of wastewater from the production area of a dairy facility. Wastewater and stormwater is stored in two clay-lined combination wastewater and stormwater impoundments prior to land application by center pivot irrigation to up to 400 acres of irrigated cropland under cultivation. The modification consists of an increase in the acreage of the land application area from 208 acres to 400 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 650 Curry Road O, approximately 6 miles southwest of Clovis, in Sections 28, 32 and 33, Township 2N, Range 35E, Curry County. Ground water beneath the site is at a depth of approximately 260 feet and had a pre-discharge total dissolved solids concentration of approximately 572 milligrams per liter.	Kathie Deal
1022	<a href="#">Southern Draw Dairy</a>  Ron Schaap, Owner Southern Draw Dairy 1069 Curry Rd. 21 Clovis, NM 88101	Clovis	Curry	Southern Draw Dairy, Ron Schaap, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 108,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater is discharged into a three-cell clay-lined combination wastewater/stormwater impoundment system for the storage prior to land application. Wastewater is land applied by center pivot to up to 360 acres of irrigated cropland under cultivation. The modification consists of increasing the maximum daily discharge volume from 45,000 to 108,000 gpd. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1069 CR 21, approximately 12 miles north of Clovis, in Section 19, T4N, R36E, Curry County. Ground water beneath the site is at a depth of approximately 375 feet and had a pre-discharge total dissolved solids concentration of approximately 210 milligrams per liter.	Kim Kirby
1197	<a href="#">Legend Dairy</a>  Randy Vander Dussen,	Clovis	Curry	Legend Dairy, Randy Vander Dussen, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 160,000 gallons per day of wastewater from the	Kim Kirby



	Owner Legend Dairy 948 Curry Rd. O Clovis, NM 88101			production area of a dairy facility. Wastewater is discharged into a four-cell clay-lined impoundment system for storage prior to land application or for recycled use in a flush alley system. Wastewater from the impoundment system is land applied by center pivot to up to 900 acres of irrigated cropland under cultivation. The modification consists of increasing the acreage of the land application area from 557 acres to 900 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 1157 Curry Road 4, approximately 5 miles southwest of Clovis, in Sections 14, 23 and 24, T1N, R35E, Curry County. Ground water beneath the site is at a depth of approximately 258 to 290 feet and had a pre-discharge total dissolved solids concentration of approximately 295 to 335 milligrams per liter.	
1587	<a href="#">John Visser Dairy 2</a>  John Visser John Visser Dairy 15605 Avenue 208 Strathmore, CA 93267	Clovis	Curry	John Visser Dairy 2, John Visser, Owner, proposes to discharge up to 56,175 gallons per day of wastewater from the production area of a dairy facility. Wastewater will be discharged to a two-celled synthetically lined combination wastewater/stormwater impoundment system for storage prior to land application on 227 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located approximately 2 miles east of Clovis, in Sections 23 and 24, T02N, R36E, Curry County. Ground water beneath the site is at a depth of approximately 291 feet and had a pre-discharge total dissolved solids concentration of approximately 350 milligrams per liter.	Bill Pearson
1538	<a href="#">Fort Sumner Processing</a>  Darrin Burns, Owner Fort Sumner Processing 26450 US Hwy 60-84 Fort Sumner, NM 88119	Fort Sumner	De Baca	Fort Sumner Processing, Darrin Burns, Owner, proposes to renew the Discharge Permit for the discharge of up to 1,300 gallons per day of agricultural and domestic wastewater from a meat processing plant to a grease trap and a septic tank. Wastewater is regularly pumped from the septic tank and disposed of at the Fort Sumner Wastewater Treatment Plant. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 26450 US Hwy 60 - 84, Fort Sumner, in Section 27, T03N, R26E, De Baca County. Ground water beneath the site is at a depth of approximately 105 feet and has a	Naomi Davidson



				total dissolved solids concentration of approximately 1,000-1,040 milligrams per liter.	
177	<a href="#">Gonzalez Dairy</a>  Joe Gonzalez, Owner Gonzalez Dairy P.O. Box 199 Mesquite, NM 88048-0199	Mesquite	Doña Ana	Gonzalez Dairy, Joe Gonzalez, Owner, proposes to renew the Discharge Permit for the discharge of up to 49,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater and stormwater is collected in a total of five impoundments. The two clay-lined impoundments are used for storage prior to land application by flood irrigation to up to 44.6 acres of irrigated cropland under cultivation. The three synthetically lined impoundments dispose of the wastewater/stormwater by evaporation. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 14310 Stern Drive, approximately three miles southeast of Mesquite, Section 8, T25S, R3E (projected), Doña Ana County. Ground water beneath the site is at a depth of approximately 15 feet and had a pre-discharge total dissolved solids concentration of approximately 1,000 milligrams per liter.	Bill Pearson
1137	<a href="#">Doña Ana Elementary School</a>  Lorin Davis, Assistant Physical Plant Director Las Cruces Public Schools District #2 505 E. Main St., Suite 249 Las Cruces, NM 88001	Las Cruces	Doña Ana	Doña Ana Elementary School, Lorin Davis, Assistant Physical Plant Director, proposes to renew the Discharge Permit for the discharge of up to 9,436 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 5551 Camino de Flores, approximately eight miles northwest of the center of Las Cruces, in Section 23, T22S, R01E, Doña Ana County. Ground water beneath the site is at a depth of approximately 65 feet and has a total dissolved solids concentration of approximately 3,700 milligrams per liter.	Russell Isaac
1237	<a href="#">Village of Mosquero</a>  Pablo Trujillo, Mayor Village of Mosquero P.O. Box 116 Mosquero, NM 87733	Mosquero	Harding	Village of Mosquero, Pablo Trujillo, Mayor, proposes to renew the Discharge Permit for the discharge up to 9,000 gallons per day (gpd) of domestic wastewater to two synthetically lined impoundments. Treated wastewater (reclaimed wastewater) is stored in the synthetically lined impoundments, disinfected with chlorine and discharged to three acres of re-use area. Potential contaminants associated with this type of discharge include nitrogen	Rebecca Cook



				compounds. The facility is located at the south end of 5 <sup>th</sup> Street, approximately 0.4 miles south of the intersection of Main Street and 5 <sup>th</sup> Street, Mosquero, in Section 22, Township 18N, Range 28E, Harding County. Ground water beneath the site is at a depth of approximately 45-80 feet and has a total dissolved solids concentration of approximately 280 milligrams per liter.	
1268	<a href="#">Dixieland Dairy</a>  Terrence Jenkins, Owner Dixieland Dairy 32370 Berry Rd. Falcon, MO 65470	Lovington	Lea	Dixieland Dairy, Terrence Jenkins, Owner, proposes to renew the Discharge Permit for the discharge of up to 45,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater is discharged to a synthetically lined wastewater impoundment for storage prior to land application on up to 125 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 7321 Owens Road, approximately 6 miles east of Lovington, in Sections 19 and 20, Township 15 South, Range 37 East, Lea County. Ground water beneath the site is at a depth of approximately 79 feet and had a pre-discharge total dissolved solids concentration of approximately 350 milligrams per liter.	Sara Arthur
1323	<a href="#">Brand West Dairy 2</a>  Frank Brand Brand West Dairy 2 PO Box 11 Energy, TX 76452	Lovington	Lea	Brand West Dairy 2, Frank Brand, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 200,000 gallons per day (gpd) of wastewater from the production area of two dairy facilities. Wastewater from Brand West Dairy 2 (DP-1323) and the former Brand West Dairy 1 (formerly DP-951) is pumped to a three-celled synthetically lined impoundment for storage. Wastewater is land applied to up to 580 acres of center pivot irrigated cropland under cultivation. The modifications consist of combining the wastewater discharge from the former Brand West Dairy 1 (formerly DP-951) into DP-1323, increasing the discharge volume from 99,900 to 200,000 gpd, and increasing the land application area from 250 to 580 acres. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located one mile south of NM 83 on Longview Rd., approximately 8.8 miles east of Lovington, in Sections 10, 14, 15, and 23, T16S, R37E, Lea County. Ground water	Bill Pearson



				beneath the site is at a depth of approximately 83 feet and had a pre-discharge total dissolved solids concentration of approximately 355 milligrams per liter.	
1783	<a href="#">Drivers Travelmart #408 Remediation Site</a>  FFP Partners, LP C/O Amanda Bennett Director of Compliance Services Titan Management Group LLC 1006 Flagpole Court, Suite 104 Brentwood, TN 37027	San Jon	Quay	Drivers Travelmart #408 Remediation Site, FFP Partners LP, proposes to discharge up to 12,000 gallons per day of treated ground water into four water injection wells. A maximum of 30,000 gallons of surfactant is also authorized to be injected at the site to enhance the recovery of petroleum non-aqueous phase liquid from the soil. Potential contaminants associated with this type of discharge include organic compounds. The facility is located at 2405 State Highway 469, approximately 0.5 miles north of San Jon, in Section 9, Township 10N, Range 34E, Quay County. Ground water beneath the site is at a depth of approximately 14 feet and has a total dissolved solids concentration of approximately 3,717 milligrams per liter.	John Rebar
1661	<a href="#">Corkins Lodge</a>  Tom Melk, Owner Corkins Lodge PO Box 396 Chama, NM 87520	Chama	Rio Arriba	Corkins Lodge, Tom Melk, Owner, proposes to discharge up to 3750 gallons per day (gpd) of domestic wastewater to two treatment and disposal systems. A package treatment plant serves the majority of the facility (Lodge) and a conventional septic tank/leachfield serves a laundry facility and shop (Laundry). Treated wastewater from the Lodge is discharged to a subsurface seepage bed and treated wastewater from the Laundry is discharged to a leachfield. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 750 State Road 512, Chama, in Section 17, T29N, R5E, Rio Arriba County. Ground water beneath the site is at a depth of approximately 150 feet and has a total dissolved solids concentration of approximately 310 milligrams per liter.	Brad Reid
911	<a href="#">Chalk Hill Dairy</a>  Dale Moorman Ag New Mexico FCS 233 Fairway Terrace North Clovis, NM 88101-1328	Portales	Roosevelt	Chalk Hill Dairy, Ag New Mexico FCS, proposes to renew the Discharge Permit for closure and post-closure monitoring of the facility. Wastewater and stormwater are no longer being generated at the facility. Potential contaminants associated with the previous wastewater discharge include nitrogen compounds. The dairy facility is located at 317 NM 267, approximately 3 miles west of	Kathie Deal



				Portales, in Section 32, Township 01S, Range 34E, Roosevelt County. Ground water beneath the site is at a depth of approximately 92 feet and had a pre-discharge total dissolved solids concentration of approximately 332 milligrams per liter.	
1312	<a href="#">Milk Flow Dairy</a>  Calvin Pareo Milk Flow Dairy 637 RR 8 Portales, NM 88130	Portales	Roosevelt	Milk Flow Dairy, Calvin Pareo, Owner, proposes to renew the Discharge Permit for the discharge of up to 40,000 gallons per day of wastewater from the production area of a dairy facility. Wastewater is discharged to a clay-lined wastewater impoundment for storage prior to being land applied to up to 270 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The dairy facility is located at 637 RR 8, approximately 12 miles east-southeast of Portales, in Section 14, Township 2S, Range 36E, Roosevelt County. Ground water beneath the site is at a depth of approximately 123 feet and had a pre-discharge total dissolved solids concentration of approximately 307 milligrams per liter.	Kathie Deal
1563	<a href="#">Sandia View Elementary School and Corrales Seventh-day Adventist Church</a>  James L. Stevens, President Texico Conference Association of Seventh-day Adventists P.O. Box 1366 Corrales, NM 87048	Corrales	Sandoval	Sandia View Elementary School and Corrales Seventh-day Adventist Church, James L. Stevens, President, proposes to renew the Discharge Permit for the discharge of up to 3,200 gallons per day of domestic wastewater to a treatment and disposal system. Treated wastewater is discharged to a subsurface irrigation system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 024 Academy Drive, in Corrales, in Section 26, T11N, R03E, Sandoval County. Ground water beneath the site is at a depth of approximately 15 feet and has a total dissolved solids concentration of approximately 270 milligrams per liter.	Melanie Sanchez
195	<a href="#">Heraa Dairy</a>  Pedram Ghoreishi Owner Heraa Dairy P.O. Box 591 Veguita, NM 87062	Veguita	Socorro	Heraa Dairy, Pedram Ghoreishi, Owner, proposes to renew the Discharge Permit for closure and post-closure monitoring of the dairy facility. Wastewater is no longer being generated at the facility. Stormwater continues to be generated at the facility. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1090-A NM 304, approximately 2	Sara Arthur



				miles southeast of Veguita, in Section 17, Township 3 North, Range 2 East, Socorro County. Ground water beneath the site is at a depth of approximately 30 feet and had a pre-discharge total dissolved solids concentration of approximately 200 milligrams per liter.	
--	--	--	--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Prior to ruling on any proposed Discharge Permit or its modification, the New Mexico Environment Department (NMED) will allow thirty days after the date of publication of this notice to receive written comments and during which time a public hearing may be requested by any interested person, including the applicant. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. Comments or requests for hearing should be submitted to the Ground Water Quality Bureau at PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:  
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>