



Notice is hereby given pursuant to 20.6.2.3108.H NMAC, the following Ground Water Discharge Permit applications have been proposed for approval. To request additional information or to obtain a copy of a draft permit, contact the Ground Water Quality Bureau in Santa Fe at (505) 827-2900. Draft permits may also be viewed on-line at <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>

**NOTE – If viewing by WEB - Click on facility name to review a copy of the draft permit.**

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
1503	<a href="#">Sam's Mobile Home Park</a>  Robert Swan, Owner Sam's Mobile Home Park 1517 US Highway 60/84 Clovis NM 88101	Clovis	Curry	Sam's Mobile Home Park, Robert Swan, Owner, proposes to renew the Discharge Permit for the discharge of up to 9,250 gallons per day of domestic wastewater to two 10,000-gallon septic tanks in series followed by a 2,500-gallon distribution tank with disposal in two leachfields . Wastewater is from a manager's residence, 8 apartments and several mobile homes. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1517 US Highway 60/84, Clovis NM 88101, approximately 4 miles west of Clovis, in Section 17, Township 2N, Range 35E, Curry County. Ground water beneath the site is at a depth of approximately 300 feet and has a total dissolved solids concentration of approximately 664 milligrams per liter.	Russell Isaac
1255	<a href="#">NASA-WSTF Plume-Front Treatment System and Mid-plume Interception and Treatment System</a>  Ms. Radel Bunker-Farrah Environmental Program Manager NASA White Sands Test Facility P.O. Box 20 Las Cruces, NM 88004	Organ	Doña Ana	NASA-WSTF Plume-Front Treatment System and Mid-plume Interception and Treatment System, Radel Bunker-Farrah, Environmental Program Manager, proposes to renew and modify the Discharge Permit for the discharge of up to 1,872,000 gallons per day (gpd) of treated contaminated ground water. Contaminated ground water is pumped from ground water extraction wells, treated by a remediation system, and discharged into four injection wells. Of the maximum permitted discharge of 1,872,000 gpd, up to 180,000 gpd of that total permitted volume may be discharged to an infiltration basin. Additionally, up to 10 million gallons per quarter of the permitted discharge volume may be discharged to the ground for surface disposal. The back-flush water consists of treated and native ground water from back-flushing injection wells and pipeline air purge operations. The permit modification consists of adding an infiltration basin and surface disposal	Russell Isaac



				as approved disposal methods. The facility is located at 12600 NASA Road, approximately 6.5 miles north and 3 miles west of Organ, in Section 5, T21S, R3E, and Section 33, T20S, R3E, Dona Ana County. Ground water beneath the site is at a depth of approximately 439 - 442 feet and has a total dissolved solids concentration of approximately 820 milligrams per liter.	
1663	<a href="#">Lou's Mobile Home Park</a>  Leo Clear, Jr. Owner Lou's Mobile Home Park 450 Butler St. Las Cruces, NM 88001	Las Cruces	Doña Ana	Lou's Mobile Home Park, Leo Clear, Jr., Owner, proposes to discharge up to 4,500 gallons per day of domestic wastewater from a mobile home park. Domestic wastewater is discharged into five septic tank/leachfield systems. Primary contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 5000 Doña Ana Road, Las Cruces, in Section 26, T22S, R01E, Doña Ana County. Ground water beneath the site is at a depth of approximately 7 feet and has a total dissolved solids concentration of approximately 2,157 to 5,233 milligrams per liter.	Brad Reid
1722	<a href="#">New Life United Pentecostal Church</a>  Chris Foster, Pastor Life United Pentecostal Church 1500 Isaaks Lane Las Cruces, NM 88007	Las Cruces	Doña Ana	New Life United Pentecostal Church, Chris Foster, Pastor, proposes to discharge or up to 2,150 gallons per day of domestic wastewater to two septic tank/leachfield systems. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1500 Isaaks Lane, in Las Cruces, in Section 11, Township 23 South, Range 1 East, Dona Ana County. Ground water beneath the site is at a depth of approximately 20 feet and has a total dissolved solids concentration of approximately 320 milligrams per liter.	Rebecca Cook
1690	<a href="#">JJ Mobile Home Park</a>  John & Janie Tipton, Owners JJ Mobile Home Park 210 South Oliver Dr. Aztec, NM 87410	Aztec	San Juan	JJ Mobile Home Park, John and Janie Tipton, Owners, propose to discharge up to 3,650 gallons per day of domestic wastewater from a mobile home park. Domestic wastewater is discharged into 10 septic tank/leachfield systems. Primary contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 95 - 99 County Rd 3050, Aztec, in Section 13, T30N, R12E, San Juan County. Ground water beneath the site is at a depth of approximately 100 feet and has a total dissolved solids concentration of approximately 100 milligrams per liter.	Brad Reid



1727	<a href="#">Paramount Mobile Home and RV Park</a>  Danny Beyhan, Managing Partner 5810 Cedarwood Dr. Farmington, NM 87402	Kirtland	San Juan	Paramount Mobile Home and RV Park, Danny Beyhan, Managing Partner, proposes to discharge up to 11,300 gallons per day of domestic wastewater from a mobile home and RV park. Domestic wastewater is discharged into twenty-three septic tank/leachfield systems. Primary contaminants associated with this type of discharge include nitrogen compounds. The facility is located in Kirtland at 4336 US Highway 64, in Section 8, T29N, R14W, San Juan County. Ground water beneath the site is at a depth of approximately 70 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Brad Reid
78	<a href="#">Santa Fe Equestrian Center</a>  Joaquin Sanchez, In House Inspector SF Equestrian Center Los Alamos National Bank 301 Griffin St. Santa Fe, NM 87501	Santa Fe	Santa Fe	Santa Fe Equestrian Center, Joaquin Sanchez, In House Inspector, proposes to renew and modify the Discharge Permit for the discharge of up to 400,000 gallons per day of reclaimed wastewater transferred from the Santa Fe Wastewater Treatment Plant for landscape irrigation of the Equestrian Center and up to 2,335 gallons per day of domestic wastewater to three septic tank/leachfield systems. The modification consists of a change in the quality of reclaimed wastewater, from Class 1A to Class 1B. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 100 S. Polo Drive, approximately 2 miles west of the intersection of Airport Road and NM Highway 599, Santa Fe, in Section 17, Township 16N, Range 08E, Santa Fe County. Ground water beneath the site is at a depth of approximately 57 feet and has a total dissolved solids concentration of approximately 241 milligrams per liter.	Naomi Davidson
1126	<a href="#">Santa Fe Brewing Company II</a>  Brian Lock, Owner SF Brewing Company II 35 Fireplace Santa Fe, NM 87508	Santa Fe	Santa Fe	Santa Fe Brewing Company II, Brian Lock, Owner, proposes to renew the Discharge Permit for the discharge of up to 6,750 gallons per day of domestic wastewater from a brewery and restaurant. Brewery wastewater is discharged into two 2,500-gallon holding tanks, then pumped and disposed of off-site. Domestic wastewater is treated and disposed of on-site. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 35 Fireplace, approximately 3 miles south of Santa Fe in Section 24,	Melanie Sanchez



				T16N, R8E, Santa Fe County. Ground water beneath the site is at a depth of approximately 178 feet and has a total dissolved solids concentration of approximately 200 milligrams per liter.	
1723	<a href="#">Life Healing Center</a>  Mary C. Young, Executive Director Sheltered Living, Inc. 20400 Stevens Creek Blvd. Suite 600 Cupertino, CA 95014	Santa Fe	Santa Fe	Life Healing Center, Sheltered Living Inc., proposes to discharge up to 3,600 gallons per day of domestic wastewater from a residential healthcare facility. Domestic wastewater from residences and offices is discharged to seven septic tank leachfield systems. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 25 Vista Point Rd. Santa Fe, in Section 19, Township 16N, Range 10E, Santa Fe County. Ground water beneath the site is at a depth of approximately 100 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Sara Arthur
1755	<a href="#">Turquoise Trail Charter School</a>  Paul Baca Director of General Services Turquoise Trail Charter School 2195 W. Zia Rd. Santa Fe, NM 87505	Santa Fe	Santa Fe	Turquoise Trail Charter School, Paul Baca, Director of General Services, proposes to discharge up to 6,707 gallons per day of domestic wastewater to two septic tank/leachfield systems. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 13A San Marcos Loop, Santa Fe, in Section 13, Township 15N, Range 8E, Santa Fe County. Ground water beneath the site is at a depth of approximately 90-110 feet and has a total dissolved solids concentration of approximately 148 milligrams per liter.	Naomi Davidson
1143	<a href="#">Taos Ridge Townhouses</a>  Mark Hirsch, Board of Directors Taos Ridge Townhouses 400 Dartmouth Dr., NE Albuquerque, NM 87106	Taos	Taos	Taos Ridge Townhouses, Mark Hirsch, Board of Directors – Taos Ridge Homeowners Association, proposes to renew the Discharge Permit for the discharge of up to 4,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at the corner of Reynolds Road and Highway 522, approximately 1.1 miles north of the intersection of Highways 64, 150 and 522, in Taos, Section 24, Township 26N, Range 12E, Taos County. Ground water beneath the site is at a depth of approximately 160 feet and has a total dissolved solids concentration of approximately 187 milligrams per liter.	Rebecca Cook



1756	<a href="#">Taos Trail Inn</a>  Dana Knee, Owner Taos Trail Inn P.O. Box 322 Ojo Caliente, NM 87549	Ojo Caliente	Taos	<p>Taos Trail Inn, Dana Knee, Owner, proposes to discharge up to 2650 gallons per day of domestic wastewater from the Taos Trail Inn. Domestic wastewater is discharged from a restaurant, three lodging units and one full-time residence to a septic tank/leachfield system. Wastewater from the restaurant flows through a grease trap interceptor to an 8,000-gallon septic tank. Wastewater from the lodging units and residence flows into a second 8,000-gallon septic tank. Wastewater discharged from the septic tanks is combined for disposal to a leachfield. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 35309 U.S. Highway 285 Ojo Caliente, NM 87549, approximately 0.2 miles east of Ojo Caliente, New Mexico in Section 24, T24N, R08E, Taos County. Ground water beneath the site is at a depth of approximately 55 feet and has a total dissolved solids concentration of approximately 880 milligrams per liter.</p>	Russell Isaac
1713	<a href="#">De Smet Dairy</a>  Michael De Smet, Owner De Smet Dairy 2800 McNew Rd. Bosque Farms, NM 87068	McIntosh	Torrance	<p>De Smet Dairy, Michael De Smet, Owner, proposes to discharge up to 7,500 gallons per day of agricultural wastewater from a dairy. The GWQB is proposing approval of a Discharge Permit to discharge wastewater from a milking parlor to a concrete sump and pump it through a passive solids separator to a synthetically lined lagoon for disposal by evaporation. Stormwater generated at the facility is land applied to up to 120 acres of irrigated cropland under cultivation. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located SE of the intersection of Iceplant Road and Tree Farm Road, McIntosh, in Sections 16 and 21, T07N, R09E, Torrance County. Ground water beneath the site is at a depth of approximately 63 feet and has a total dissolved solids concentration of approximately 2,740 milligrams per liter.</p>	Sara Arthur



Prior to ruling on any proposed Discharge Permit or its modification, the New Mexico Environment Department (NMED) will allow thirty days after the date of publication of this notice to receive written comments and during which time a public hearing may be requested by any interested person, including the applicant. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. Comments or requests for hearing should be submitted to the Ground Water Quality Bureau at PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:  
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>