



Notice is hereby given pursuant to 20.6.2.3108.H NMAC, the following Ground Water Discharge Permit applications have been proposed for approval. To request additional information or to obtain a copy of a draft permit, contact the Ground Water Quality Bureau in Santa Fe at (505) 827-2900. Draft permits may also be viewed on-line at <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>

**NOTE – If viewing by WEB - Click on facility name to review a copy of the draft permit.**

DP #	Facility/Applicant	Closest City	County	Notice	NMED Permit Contact
<a href="#">989</a>	San Antonito Elementary School  Van K. Lewis, Manager Albuquerque Public Schools Environmental Management Department P.O. Box 25704 Albuquerque, NM 87124	Sandia Park	Bernalillo	San Antonito Elementary School, Albuquerque Public Schools, proposes to renew the Discharge Permit for the discharge of up to 6,285 gallons per day of domestic wastewater to a treatment and disposal system utilizing recirculating trickling filter units and leachfields. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 12555 NM Highway 14, Sandia Park, in Section 18, Township 11 North, Range 06 East, Bernalillo County. Ground water beneath the site is at a depth of approximately 62 feet and has a total dissolved solids concentration of approximately 500 milligrams per liter.	Steve Pedro
<a href="#">79</a>	City of Clovis Wastewater Treatment Plant  Joe Thomas City Manager City of Clovis P.O. Box 760 Clovis, NM 88102-0760	Clovis	Curry	City of Clovis Wastewater Treatment Plant, Joe Thomas, City Manager, proposes to renew the Discharge Permit for the discharge of up to five million gallons per day of domestic wastewater from a municipality. Wastewater is received and treated in the City's wastewater treatment facility and is discharged into a lagoon system for disinfection and storage prior to above ground reuse or discharge into William's Playa Lake. Reclaimed wastewater from the lagoon system that is land applied is applied by center pivot sprinkler irrigation to 1349 acres of irrigated and cultivated cropland. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 879 CR 7, approximately two miles southeast of Clovis in Sections 25, 28, 29, 32, 33, 34, and 36, T2N, R36E, Curry County. Ground water beneath the site is at a depth of approximately 230 feet and has a total dissolved solids concentration of approximately 350 milligrams per liter.	Kim Kirby



<a href="#">587</a>	<p>Ideal Mobile Home and RV Park</p> <p>Rickey Boddy, Owner Ideal Mobile Home &amp; RV Park 1051 State Road 311, #140 Clovis, NM 88101</p>	Clovis	Curry	<p>Ideal Mobile Home and RV Park, Rickey Boddy, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 4,950 gallons per day (gpd) of domestic wastewater from a mobile home and RV park. Wastewater flows to a three stage concrete lined lagoon system for treatment and storage followed by land application via sprinkler irrigation to 0.95 acres. The modification consists of reducing the discharge volume from 18,000 gpd to 4,950 gpd and adding 0.95 acres for land application. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1051 State Road 311, approximately 8 miles west of Clovis, Section 30, T3N, R35E, Curry County. Ground water beneath the site is at a depth of approximately 365 feet and has a total dissolved solids concentration of approximately 300 milligrams per liter.</p>	Melanie Sanchez
<a href="#">625</a>	<p>City of Lordsburg Wastewater Treatment Plant</p> <p>Mayor Frank Rodriguez City of Lordsburg 409 W. Wabash St. Lordsburg, NM 88045</p>	Lordsburg	Hidalgo	<p>City of Lordsburg Wastewater Treatment Plant, Frank Rodriguez, Mayor, proposes to renew and modify the Discharge Permit for the discharge of a total of up to 325,000 gallons per day (gpd) of wastewater. Up to 300,000 (gpd) of domestic wastewater from the City of Lordsburg and up to 25,000 gpd of industrial wastewater from the Lordsburg Generating Station is treated in a series of synthetically lined lagoons. Treated wastewater flows to one of six unlined infiltration basins for disposal by evaporation, or is filtered and chlorinated and stored in a storage tank. Reclaimed wastewater from the storage tank is used to sprinkler irrigate 1.27 acres of city parks (North Park). The modification consists of increasing the discharge volume from 200,000 gpd to 300,000 gpd of domestic wastewater, the addition of industrial wastewater, and adding the city park as a land application area. Potential contaminants associated with this type of discharge include nitrogen compounds and total dissolved solids. The facility is located north of Power Plant Rd, east of North St, Lordsburg, in Sections 27, 28, 33 and 34, T22S, R18W, Hidalgo County. Ground water beneath the site is at a depth of approximately 48 feet and has a total dissolved solids concentration of approximately 1779 milligrams per liter.</p>	Naomi Davidson



<a href="#">131</a>	<p>Pueblo Los Cerros</p> <p>Charles E. Incendio Utilities Committee Pueblo Los Cerros Homeowners Association 3 Laguna Trail Corrales, NM 87048</p>	Corrales	Sandoval	<p>Pueblo Los Cerros, Charles E. Incendio, Pueblo Los Cerros Homeowners Association, proposes to renew the Discharge Permit for the treatment of up to 20,000 gallons per day of wastewater and the discharge of reclaimed wastewater by spray irrigation to residential landscaping and native grassland. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 1 Camino Los Cerros, Corrales, in Section 32, T12N, R03E, Sandoval County. Ground water beneath the site is at a depth of approximately 300 feet and has a total dissolved solids concentration of approximately 250 milligrams per liter.</p>	John Rebar, Jr.
<a href="#">1527</a>	<p>Corrales Village Hall Complex</p> <p>Tony Tafoya Public Works Director Village of Corrales PO Box 707 Corrales, NM 87048</p>	Corrales	Sandoval	<p>Corrales Village Hall Complex, Tony Tafoya, Public Works Director, proposes to renew the Discharge Permit for the discharge of discharge up to 2,080 gallons per day of domestic wastewater to three septic tank/leachfield systems, one of which is preceded by a grease interceptor. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4324 Corrales Rd, Corrales, in Section 34 (projected), T12N, R03E, in the Alameda Land Grant, Sandoval County. Ground water beneath the site is at a depth of approximately 7 feet and has a total dissolved solids concentration of approximately 368 milligrams per liter.</p>	Naomi Davidson
<a href="#">1742</a>	<p>Squeeky Kleen Car and Truck Wash</p> <p>R.G. Hunt, Owner P.O. Box 65 Waterflow, NM 87421</p>	Waterflow	San Juan	<p>Squeeky Kleen Car and Truck Wash, R.G. Hunt, Owner, proposes to discharge up to 5,000 gallons per day of car/truck wash wastewater. Wastewater from ten self-service wash bays is discharged to a synthetically lined lagoon for disposal by evaporation. Separated waste oil and dewatered vehicle/equipment grit traps waste are hauled offsite and disposed of in accordance with local, state, and federal regulations. Potential contaminants associated with this type of discharge include metals, volatile and semi-volatile organic compounds. The facility is located at the southeast corner of the U.S. Highway 64 and San Juan County Road 6825 Junction, Waterflow, in Section 6, Township 29 North, Range 15 West, San Juan County. Ground water beneath the site is at a depth of approximately 14 feet and has a total dissolved solids concentration of approximately 1,124 milligrams per liter.</p>	Steve Pedro



<a href="#">75</a>	<p>The Bishop's Lodge</p> <p>Howard C. Huang, Vice President Value Enhancement Fund II, LLC 3340 Peachtree Rd.,NE Suite 1660 Atlanta, GA 30326</p>	Tesuque	Santa Fe	<p>The Bishop's Lodge, Rich Verruni, General Manager, and Howard C. Huang, Vice President, Value Enhancement Fund II, LLC propose to renew the discharge permit for the discharge of up to 50,000 gallons per day of domestic wastewater generated by The Bishop's Lodge. Treated wastewater is discharged into a leachfield and/or disinfected and used in in ornamental ponds and used to irrigate 2.2-acres of landscaping. Primary contaminants associated with this type of discharge include nitrogen compounds. The facility is located approximately 3 miles southeast from Tesuque in Sections 5 and 6, T17N, R10E, Santa Fe County. Ground water beneath the site is at a depth of approximately 23 feet and has a total dissolved solids concentration of approximately 300 milligrams per liter.</p>	Brad Reid
<a href="#">1078</a>	<p>Lamy Town Center Wastewater System</p> <p>Robert Sarr, Manager &amp; Co-Owner SF Southern Land Holdings LLC #4 La Tusa St. Santa Fe, NM 87505</p>	Lamy	Santa Fe	<p>Lamy Town Center Wastewater System, Santa Fe Southern Land Holdings LLC, proposes to renew and modify the Discharge Permit for the discharge of up to 2,001 gallons per day of domestic wastewater from the Lamy Railway Station Complex, the Lamy History Museum and one residence to a treatment and disposal system consisting of three individual septic tanks, a two-celled constructed recirculating wetlands system, and a synthetically lined lagoon for disposal by evaporation. Treated wastewater may also be discharged to a subsurface drip irrigation system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located in Lamy, in Section 33, Township 15 North, Range 10 East (projected), Santa Fe County. Ground water beneath the site is at a depth of approximately 22 feet and has a total dissolved solids concentration of approximately 450 milligrams per liter.</p>	Steve Pedro
<a href="#">1454</a>	<p>Rancho de Chimayo Restaurant</p> <p>Florence Jaramillo, Owner Rancho de Chimayo</p>	Chimayo	Santa Fe	<p>Rancho de Chimayo Restaurant, Florence Jaramillo, Owner, proposes to renew the Discharge Permit for the discharge of up to 8,200 gallons per day of domestic wastewater to a septic tank/leachfield system. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 300 Rio</p>	Jennifer Fullam



	Restaurant 300 Rio Arriba CR98 Chimayo, NM 87522			Arriba CR98, Chimayo, in Section 1, Township 20N, Range 09E, Santa Fe County. Ground water beneath the site is at a depth of approximately 27 feet and has a total dissolved solids concentration of approximately 300 milligrams per liter.	
<a href="#">1719</a>	Midtown Market and Spirits  Greg Trujillo & Jason Hewett, Owners Historically Inspired Properties, LLC PO Box 259 Arroyo Hondo, NM 87513	Arroyo Hondo	Taos	Midtown Market and Spirits, Historically Inspired Properties, LLC, Owner, proposes to discharge up to 3,000 gallons per day of domestic wastewater from a lounge/gas station/market. Domestic wastewater is discharged into two holding tanks in series equipped with a high level alarm, and pumped on an as-needed basis. Primary contaminants associated with this type of discharge include nitrogen compounds. The facility is located in Arroyo Hondo at 680 State Road 522 within the Arroyo Hondo Grant, Taos County. Ground water beneath the site is at a depth of approximately 12 feet and has a total dissolved solids concentration of approximately 467 milligrams per liter.	Brad Reid
<a href="#">1764</a>	Old Martina's Hall  Martina Gebhardt, Owner Old Martina's Hall, MC LLC PO Box 2131 Ranchos De Taos, NM 87557	Taos	Taos	Old Martina's Hall, MC, LLC, Owner, proposes to discharge up to 3,000 gallons per day of domestic wastewater from a Restaurant/Dance Hall. Domestic wastewater is discharged into two holding tanks in series equipped with a high level alarm, and pumped on an as-needed basis. Primary contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 4140 State Rd 68, Ranchos De Taos, in Section 36, T25N, R12E, Taos County. Ground water beneath the site is at a depth of approximately 20 feet and has a total dissolved solids concentration of approximately 585 milligrams per liter.	Brad Reid

Prior to ruling on any proposed Discharge Permit or its modification, the New Mexico Environment Department (NMED) will allow thirty days after the date of publication of this notice to receive written comments and during which time a public hearing may be requested by any interested person, including the applicant. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. Comments or requests for hearing should be submitted to the Ground Water Quality Bureau at PO Box 5469, Santa Fe, NM 87502-5469.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:  
<http://www.nmenv.state.nm.us/gwb/NMED-GWQB-PublicNotice.htm>