

**GROUND WATER DISCHARGE PERMIT - RENEWAL AND MODIFICATION
EXISTING DAIRY FACILITY with a LAND APPLICATION AREA
Native Pastures, DP-1091**

I. INTRODUCTION AND SUMMARY

The New Mexico Environment Department (NMED) issues this Discharge Permit Renewal and Modification (Discharge Permit), DP-1091, to Tom Johnson and Art Schaap (permittees) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978, §§ 74-6-1 through 74-6-17, and the New Mexico Water Quality Control Commission (WQCC) Regulations, 20.6.2 and 20.6.6 NMAC.

NMED's purpose in issuing this Discharge Permit is to control the discharge of water contaminants from Native Pastures (dairy facility) for the protection of ground water and those segments of surface water gaining from ground water inflow, for present and potential future use as domestic and agricultural water supply and other uses, and to protect public health.

The activities which produce the discharge, the location of the discharge, and the quantity, quality and flow characteristics of the discharge are briefly described as follows:

A maximum daily discharge volume of 2,000 gallons per day (gpd) of wastewater may be discharged from the production area. Wastewater flows to a concrete sump and is pumped through a solids separator (required to be installed) to a synthetically lined wastewater impoundment (required to be constructed) for storage. Wastewater is land applied by sprinkler irrigation to up to 102 acres of irrigated cropland under cultivation. Wastewater is not authorized to be discharged off-site of the dairy facility without a Discharge Permit. The modification consists of an increase in the acreage of the land application area from 15 acres to 102 acres and a change in the location of the discharge which includes the addition of the Pivot Field and Pasture Field. The discharge contains water contaminants or toxic pollutants which may be elevated above the standards of Section 20.6.2.3103 NMAC.

The dairy facility is located at 413 Curry Road L, approximately 6 miles south-southwest of Clovis, in Section 12, Township 1N, Range 35E, Curry County. Ground water most likely to be affected is at a depth of approximately 300 feet and had a pre-discharge total dissolved solids concentration of approximately 310 milligrams per liter.

The original Discharge Permit was issued on July 24, 1996 and subsequently renewed and modified on December 18, 2001. The application consists of the materials submitted by EnviroCompliance Services on behalf of the permittees dated August 16, 2006 and materials contained in the administrative record prior to issuance of this Discharge Permit. The discharge shall be managed in accordance with all applicable requirements of the Dairy Rule (20.6.6 NMAC) and this Discharge Permit.

Issuance of this Discharge Permit does not relieve the permittees of the responsibility to comply with the WQA, WQCC Regulations, and any other applicable federal, state and/or local laws and regulations, such as zoning requirements and nuisance ordinances.

The following acronyms and abbreviations may be used in this Discharge Permit:

Abbreviation	Explanation	Abbreviation	Explanation
Cl	chloride	NO ₃ -N	nitrate-nitrogen
gpd	gallons per day	S	Sulfur
LADS	land application data sheet(s)	SO ₄	Sulfate
mg/L	milligrams per liter	TDS	total dissolved solids
NMAC	New Mexico Administrative Code	TKN	total Kjeldahl nitrogen
NMED	New Mexico Environment Department	WQA	New Mexico Water Quality Act
NMP	Nutrient management plan	WQCC	Water Quality Control Commission
NMSA	New Mexico Statutes Annotated		

II. FINDINGS

In issuing this Discharge Permit, NMED finds:

1. The permittees are discharging from a facility that meets the definition of “dairy facility” and is subject to the Dairy Rule (20.6.6 NMAC). This dairy facility meets the definition of “existing dairy facility”.
2. The permittees are discharging effluent or leachate from the dairy facility that may move directly or indirectly into ground water within the meaning of Section 20.6.2.3104 NMAC.
3. The permittees are discharging effluent or leachate from the dairy facility that may move into ground water of the State of New Mexico which has an existing concentration of 10,000 milligrams per liter or less of total dissolved solids within the meaning of Subsection A of 20.6.2.3101 NMAC.
4. The discharge from the dairy facility is not subject to any of the exemptions of Section 20.6.2.3105 NMAC.
5. The dairy facility was existing as of the effective date of the Dairy Rule (December 31, 2011) and does not measure the volume of wastewater discharged to wastewater impoundment(s) using a flow meter installed on the discharge line(s) from all wastewater sources to the wastewater impoundment(s). As of the effective date of this Discharge Permit, the dairy facility uses a supply meter(s) to estimate the volume of wastewater

generated in the production area. The meter(s) measures the volume of all fresh water contributing to the wastewater discharged from the production area.

6. This Discharge Permit contains requirements associated with the following potential contaminant sources as identified in the application and the administrative record as of the effective date of this Discharge Permit:
 - a) Wastewater Impoundments
 - i. **Wastewater Impoundment** - authorized for use by this Discharge Permit.
 - b) Fields within the Land Application Area
 - i. **LAA-C (Pivot)** - authorized for use by this Discharge Permit.
 - ii. **LAA-A** – not authorized for use by this Discharge Permit; consists of the 7.5 acres southwest of LAA-Pivot.
 - iii. **LAA-B** – not authorized for use by this Discharge Permit; consists of the 7.5 acres southeast of LAA-Pivot.
 - iv. **LAA-Offsite** - not authorized for use by this Discharge Permit.

III. APPLICABLE RULES

Sections 20.6.2.3000 through 20.6.2.3114 NMAC and Part 20.6.6 NMAC (Dairy Rule) apply to discharges specific to dairy facilities and their operations.

IV. DISCHARGE PERMIT REQUIREMENTS

The permittees are authorized to discharge water contaminants pursuant to this Discharge Permit which contains requirements authorized or specified by the Dairy Rule. The permittees shall comply with the Dairy Rule and this Discharge Permit, which are enforceable by NMED. The permittees are authorized to discharge water contaminants subject to the following requirements:

AUTHORIZATION TO DISCHARGE

1. The permittees are authorized to discharge up to 2,000 gpd of wastewater from the production area. Wastewater flows to a concrete sump and is pumped through a solids separator (required to be installed) to a synthetically lined wastewater impoundment (required to be constructed) for storage. Wastewater is land applied by sprinkler irrigation to up to 102 acres of irrigated cropland under cultivation. Wastewater is not authorized to be discharged off-site of the dairy facility without a Discharge Permit.
2. The permittees are authorized to use the following impoundments for the following purposes in accordance with Subsection B of 20.6.6.20 NMAC.
 - a) **Wastewater Impoundment** – authorized to receive wastewater for storage prior to land application. This impoundment does not exist as of the effective date of

this Discharge Permit and is required to be constructed with a synthetic liner pursuant to 20.6.6 NMAC.

3. The permittees are authorized to apply wastewater and stormwater to all fields within the land application area in accordance with Subsections B, C and I of 20.6.6.21 NMAC. The land application area consists of the following fields for a total land application area of 102 acres.
 - a) **LAA-C (Pivot)** – consists of 102 acres; applied by center pivot. This field was not authorized by the last Discharge Permit issued prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater and has received wastewater as of the effective date of this Discharge Permit.

DAIRY RULE TRANSITION REQUIREMENTS

4. The permittees shall have 90 days from the effective date of this Discharge Permit (**by DATE**) to submit all the necessary information to comply with Sections 20.6.6.10 through 20.6.6.13 NMAC, in accordance with Subsection D of 20.6.6.35 NMAC. The permittees shall submit the necessary information by completing the application form for Renewal and/or Modification located at the following address:
 - <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-dairies.htm>

The following sections of the application form for renewal and/or modification shall be completed, and the form shall be signed by the permittees and notarized prior to submission.

- a) Introduction – *Applicant's Signature and Notary Certification only*
- b) Part I.A
- c) Part II.A.1
- d) Part II.A.2(a) and (b)
- e) Part II.B.1 through 4, 6 and 7
- f) Part II.C
- g) Part II.D.1(b)
- h) Part II.D.2(b)
- i) Part II.D.3(a)
- j) Part II.E.1 and 2
- k) Part II.F
- l) Part IV.B
- m) Part IV.C

ENGINEERING AND SURVEYING REQUIREMENTS

5. The permittees shall comply with the requirements of Section 20.6.6.17 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.17 NMAC.

6. The permittees shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<p><u>Impoundment Plans and Specifications:</u></p> <p>Submit construction plans and specifications for installation of a wastewater impoundment(s) to achieve compliance with the storage capacity requirements of Subsection D of 20.6.6.17 NMAC.</p>	[90 days of effective date]	20.6.6.17.C(1) NMAC
B.	<p><u>Manure Solids Separation Plans and Specifications – New Wastewater System:</u></p> <p>Submit plans and specifications for manure solids separation as a component of the newly designed wastewater storage system to achieve compliance with Subsection F of 20.6.6.20 NMAC]</p>	[90 days of effective date]	20.6.6.17.C(4) NMAC
C.	<p><u>Flow Metering Plans:</u></p> <p>To achieve compliance with Subsection J of 20.6.6.20 NMAC, submit a description of the location and installation/construction information for a flow meter(s) to measure the following:</p> <ul style="list-style-type: none"> the volume of wastewater discharged from the wastewater storage impoundment to each field in the land application area 	[90 days of effective date]	20.6.6.17.C(7) NMAC

OPERATIONAL REQUIREMENTS

7. The permittees shall comply with the requirements of Sections 20.6.6.20 and 20.6.6.21 NMAC, and shall submit to NMED all information or documentation required by the applicable portions of Sections 20.6.6.20 and 20.6.6.21 NMAC.
8. The permittees shall provide written notice to NMED regarding any changes to the presence of lactating cows and/or the status of wastewater discharges at the facility in accordance with Subsection A of 20.6.6.20 NMAC (summarized in the table below).

Activity	Notification of Estimated Date	Verification of Actual Date
Removal of Lactating Cows	Not required	Within 30 days of removal
Reintroduction of Lactating Cows	Not required	Within 30 days of reintroduction
Cessation of wastewater discharge	Not required	Within 30 days of cessation of discharge

Activity	Notification of Estimated Date	Verification of Actual Date
Recommencement of Discharge	Minimum 30 days prior to recommencement	Within 30 days of recommencement

9. The permittees shall install and use the following flow meter(s) in accordance with Subsections J, K, L and N of 20.6.6.20 NMAC, and Subsections G and H of 20.6.6.21 NMAC.

- a) **Wastewater Land Application Meter** – to be located on the discharge line between the wastewater impoundment and field LAA-C (Pivot) to measure the volume of wastewater discharged from the wastewater impoundment to field LAA-C (Pivot).

Confirmation of flow meter installation shall be completed in accordance with Subsection J of 20.6.6.20 NMAC.

10. Pursuant to Subsection D of 20.6.6.35 NMAC, the permittees shall have 90 days from the effective date of this Discharge Permit (**by DATE**) to submit documentation in accordance with Subsection M of 20.6.6.20 NMAC to demonstrate that the existing flow meter(s) meets the requirements of Subsection M of 20.6.6.20 NMAC.

11. The permittees are authorized to use the following existing flow meter(s) pursuant to the alternative requirements of Subsection N of 20.6.6.20 NMAC provided that the requirements of Subsection M of 20.6.6.20 NMAC have been met.

- a) **Supply Meter** – located in the parlor building to measure the volume of all fresh water contributing to the wastewater discharged to the wastewater impoundment; providing an estimate of the volume of wastewater generated from the production area.

12. The permittees are authorized, pursuant to Subsection S of 20.6.6.20 NMAC, to land apply manure solids and composted material to the land application area. Manure solids and composted material shall be applied in accordance with the Nutrient Management Plan (NMP) required by Subsection I of 20.6.6.21 NMAC.

13. The permittees are authorized to blend wastewater with fresh irrigation water for land application using any of the methods provided in Subsection D of 20.6.6.21 NMAC. Fresh water may be added to a wastewater impoundment prior to land application in accordance with Subsection D of 20.6.6.21 NMAC.

14. The permittees shall remove crops from the following fields within the land application area using the following methods in accordance with Subsection I and J of 20.6.6.21 NMAC. Crops may be grazed prior to and between mechanical harvests, however, nitrogen removal credit shall not be taken for grazing activities unless a grazing plan is developed and submitted in accordance with Subsections I and J of 20.6.6.21 NMAC.

- a) **LAA-C (Pivot)** – crops shall be harvested mechanically.

The permittees shall submit an application for Discharge Permit Modification to NMED for any proposed changes to the method(s) of crop removal for any field within the land application area as required by Subsection K of 20.6.6.21 NMAC.

15. The permittees shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<p><u>Impoundment Construction:</u></p> <p>i) Complete construction of a new impoundment to achieve compliance with the Dairy Rule, in accordance with construction plans and specifications, and supporting design calculations.</p> <p>ii) Submit the Construction Certification Report verifying construction pursuant to Subsection C of 20.6.6.17 NMAC.</p>	<p>[1 yr of effective date]</p> <p>Within 90 days of completed impoundment construction.</p>	20.6.6.20.E NMAC
B.	<p><u>Manure Solids Separator Installation – New System:</u></p> <p>i) Complete construction of a manure solids separator associated with the new wastewater storage system.</p> <p>ii) Submit confirmation of solids separator construction.</p>	Prior to discharging to the new system.	20.6.6.20.F NMAC
C.	<p><u>Flow Meter Installation:</u></p> <p>i) Complete installation of flow meter(s).</p> <p>ii) Submit confirmation of installation.</p>	<p>[150 days of effective date]</p> <p>[180 days of effective date]</p>	20.6.6.20.J NMAC
D.	<p><u>Scaled Map of Dairy Facility – Updates:</u></p> <p>Following completion of any additions or changes to the dairy facility which affect the items listed in Subsection U of 20.6.6.20 NMAC, the permittees shall update and resubmit the facility map.</p>	Within 90 days of any addition or change.	20.6.6.20.V NMAC
E.	<p><u>Nutrient Management Plan:</u></p> <p>Develop and submit annual updates to the NMP.</p>	Annually: May 1	20.6.6.21.I NMAC
F.	<p><u>Backflow Prevention:</u></p> <p>i) Complete installation of backflow prevention methods or devices.</p> <p>ii) Submit confirmation of installation.</p>	<p>[90 days of effective date]</p> <p>[180 days of effective date]</p>	20.6.6.21.M NMAC

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
G.	<p><u>Backflow Prevention by Reduced Pressure Principle Backflow Prevention Assembly – Inspection and Maintenance:</u></p> <p>Submit copies of inspection and maintenance records and test results for each RP device, should the device be used to satisfy the requirements of Subsection M of 20.6.6.21 NMAC.</p>	<p>Annually: May 1</p>	<p>20.6.6.21.N NMAC</p>

GROUND WATER MONITORING REQUIREMENTS

16. The permittees shall comply with the requirements of Section 20.6.6.23 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.23 NMAC.
17. Monitoring wells shall be constructed and completed in accordance with Subsection D of 20.6.6.23 NMAC.
18. Monitoring wells shall be permanently identified in accordance with Subsection C of 20.6.6.23 NMAC.
19. The permittees shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<p><u>Ground Water Monitoring – New Wastewater Impoundments:</u></p> <p>Install the following monitoring wells within 75 feet hydrologically downgradient of the top inside edge of each <u>new</u> wastewater impoundment:</p> <p>i) MW-3, hydrologically downgradient of the Wastewater Impoundment.</p>	<p>Prior to discharging wastewater into the impoundment or within 120 days of impoundment completion, whichever occurs first.</p>	<p>20.6.6.23.A(1) NMAC</p>
B.	<p><u>Ground Water Monitoring – Land Application Area:</u></p> <p>Install the following monitoring wells within 50 feet hydrologically downgradient of the downgradient boundary of fields within the land application area:</p> <p>i) MW-2, hydrologically downgradient of LAA-C (Pivot),</p>	<p>[120 days of effective date]</p>	<p>20.6.6.23.A(4) (b) NMAC and 20.6.6.23.A(7)</p>

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
	LAA-A and LAA-B.		
C.	<u>Ground Water Monitoring – Upgradient:</u> Install a monitoring well, MW-1 , hydrologically upgradient of all contamination sources at the dairy facility.	[120 days of effective date]	20.6.6.23.A(5) NMAC
D.	<u>Ground Water Sampling and Reporting – Routine:</u> Collect and analyze ground water samples quarterly from all monitoring wells identified in this Discharge Permit. Sampling shall be performed and results submitted in accordance with Subsection F of 20.6.6.23 NMAC.	Quarterly	20.6.6.23.G
E.	<u>Ground Water Sampling – New Monitoring Wells:</u> Collect ground water samples from monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i> . Sampling shall be performed in accordance with Subsection F of 20.6.6.23 NMAC using the monitoring wells required to be installed in the following locations: i) MW-1 , hydrologically upgradient of all contamination sources at the dairy facility. ii) MW-2 , hydrologically downgradient of LAA-C (Pivot), LAA-A and LAA-B.	[150 days of effective date]	20.6.6.23.H NMAC
F.	<u>Ground Water Sampling – New Monitoring Well for New Impoundment:</u> Collect ground water samples from the monitoring well required to be installed <i>within the term of the Discharge Permit</i> , (i.e., installed prior to discharge to the new wastewater impoundment). Sampling shall be performed in accordance with Subsection F of 20.6.6.23 NMAC using the monitoring well required to be installed in the following location: i) MW-3 , hydrologically downgradient of the Wastewater Impoundment.	Within 30 days of well completion.	20.6.6.23.H NMAC
G.	<u>Monitoring Well Survey and Ground Water Flow Determination:</u> Survey monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i> to a USGS benchmark. Survey monitoring wells required to be installed <i>within term of the Discharge Permit</i> (i.e., installed prior to discharge to the new wastewater impoundment) to a USGS benchmark.	[150 days of effective date] Upon well completion to include in the Monitoring Well Completion Report.	20.6.6.23.I NMAC

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
H.	<u>Monitoring Well Completion Report:</u> Submit a monitoring well completion report for monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i> . The report shall include information from all monitoring wells.	[180 days of effective date]	20.6.6.23.J NMAC
I.	<u>Monitoring Well Completion Report – Monitoring Well for New Impoundment:</u> Submit a monitoring well completion report for the monitoring well required to be installed <i>within the term of the Discharge Permit</i> (i.e., installed prior to discharge to the new wastewater impoundment). The report shall include information from all monitoring wells.	Within 60 days of well completion.	20.6.6.23.J NMAC
J.	<u>Ground Water Elevation Contour Maps:</u> Develop and submit ground water elevation contour maps on a quarterly basis using data collected from all monitoring wells used for ground water monitoring at the dairy facility.	Quarterly	20.6.6.23.L NMAC

MONITORING REQUIREMENTS

20. The permittees shall comply with the requirements of Sections 20.6.6.24 and 20.6.6.25 NMAC, and shall submit to NMED all information or documentation required by the applicable portions of Sections 20.6.6.24 and 20.6.6.25 NMAC.
21. The permittees shall submit monitoring reports to NMED on a quarterly schedule that contain monitoring data and information collected pursuant to the Dairy Rule and submitted in accordance with Subsection A of 20.6.6.24 NMAC.

Quarterly monitoring reports shall be submitted according to the following schedule:

- January 1 through March 31 (first quarter) – report due by **May 1**
- April 1 through June 30 (second quarter) – report due by **August 1**
- July 1 through September 30 (third quarter) – report due by **November 1**
- October 1 through December 31 (fourth quarter) – report due by **February 1**

22. The permittees shall perform the following monitoring and submit to NMED the required documentation in monitoring reports as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<u>Wastewater Volume Estimation and Reporting:</u> Using a flow meter(s) installed on the fresh water supply line(s), measure the volume of all sources contributing to the wastewater discharged to the impoundment(s) authorized to	Quarterly	20.6.6.24.C NMAC

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
	contain wastewater. Submit the meter readings (without adjustments or deductions in accordance with Subsection N of 20.6.6.20 NMAC).		
B.	<u>Flow Meter Field Calibration:</u> Perform flow meter field calibrations annually and submit a flow meter field calibration report.	Annually: May 1	20.6.6.24.E NMAC
C.	<u>Volume of Wastewater Land Applied – Measurement and Reporting:</u> Measure the volume of all wastewater discharges to each field within the land application area using a flow meter(s) and submit the information.	Quarterly	20.6.6.25.A NMAC
D.	<u>Wastewater to be Land Applied – Sampling and Reporting:</u> The permittees shall collect a representative wastewater sample (consisting of eight subsamples) from each wastewater or combination wastewater/stormwater impoundment. Analyze each representative wastewater sample on a quarterly basis and submit results.	Quarterly	20.6.6.25.C NMAC
E.	<u>Manure Solids – Nitrogen Content:</u> Should the permittees choose to use actual nitrogen content values of on-site manure solids for the purpose of applying to the land application area, the permittees shall collect and analyze samples annually, and submit results.	Quarterly	20.6.6.25.D NMAC
F.	<u>Irrigation Water – Sampling, Volume Applied and Reporting:</u> Collect and analyze fresh irrigation water samples on an annual basis from each irrigation well associated with the land application area. Estimate the annual volume of irrigation water applied to each field from each well. Submit estimated volumes and analytical results.	Annually: May 1	20.6.6.25.E NMAC
G.	<u>Fertilizer Application Reporting:</u> Maintain and submit a log of all additional fertilizer applied to each field within the land application area.	Quarterly	20.6.6.25.F NMAC
H.	<u>Land Application Data Sheets:</u> Complete and submit land application data sheets (LADS) for each field within the land application area.	Quarterly	20.6.6.25.G NMAC
I.	<u>Crop Yield Documentation:</u> Submit crop yield documentation and plant and harvest dates of each crop grown.	Quarterly	20.6.6.25.H NMAC
J.	<u>Nitrogen Concentration of Harvested Crop:</u> Determine the percent total nitrogen and dry matter of each harvested crop and submit results.	Quarterly	20.6.6.25.I NMAC

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
K.	<u>Nitrogen Removal Summary of Harvested Crop:</u> Develop and submit a nitrogen removal summary for each crop grown on each field within the land application area.	Quarterly	20.6.6.25.J NMAC
L.	<u>Soil Sampling – Initial Event in a Discharge Permit Term:</u> Collect and analyze <u>initial</u> soil samples from each field in the land application area for the first soil sampling event during the first year following the effective date of this Discharge Permit. Submit the results.	May 1, 2013	20.6.6.25.K NMAC
M.	<u>Soil Sampling – Routine:</u> Collect and analyze <u>routine</u> soil samples annually from each field in the land application area beginning the year following the initial sampling event. Submit the results.	Annually: May 1	20.6.6.25.L NMAC

CONTINGENCY REQUIREMENTS

23. The permittees shall comply with the requirements of Section 20.6.6.27 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.27 NMAC.

CLOSURE REQUIREMENTS

24. The permittees shall comply with the requirements of Section 20.6.6.30 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.30 NMAC.

GENERAL REQUIREMENTS

25. The permittees shall operate in a manner such that standards and requirements of Sections 20.6.2.3101 and 20.6.2.3103 NMAC are not violated.
26. The permittees shall retain required records for a minimum period of 10 years from the date of sample collection, measurement, report or application in accordance with Section 20.6.6.33 NMAC.
27. Transfer of a Discharge Permit for a dairy facility shall be completed in accordance with Section 20.6.6.34 NMAC.

28. To renew this Discharge Permit, the permittees shall submit an application for renewal, renewal and modification, or renewal for closure at least one year prior to the expiration date of the Discharge Permit in accordance with Section 20.6.6.10 NMAC.
29. In accordance with Subsection A of 20.6.6.9 NMAC, the permittees shall remit a permit fee payment equal to one-tenth of the applicable permit fee from Table 1 of Section 20.6.2.3114 NMAC on the first occurrence of August 1 after the effective date of the Discharge Permit, and annually thereafter until expiration or termination of the Discharge Permit.

V. ADDITIONAL CONDITIONS

In addition to the requirements of 20.6.6 NMAC, the permittees shall comply with the following conditions as authorized by Subsection H of 20.6.6.10 NMAC pursuant to Section 74-6-5 WQA. A hearing may be requested on additional conditions in accordance with Section 20.6.6.15 NMAC.

1. This Discharge Permit does not contain additional conditions.

VI. PERMIT ISSUANCE

Pursuant to WQA 74-6-5(I), the term of this Discharge Permit shall be for the fixed term of five years from the effective date of the Discharge Permit.

Issued by: New Mexico Environment Department

Effective Date: **[DATE]**

Expiration Date: **[DATE]**

JERRY SCHOEPPNER
Chief, Ground Water Quality Bureau
New Mexico Environment Department