



**Michelle Lujan Grisham**  
Governor

**Howie C. Morales**  
Lieutenant Governor

## NEW MEXICO ENVIRONMENT DEPARTMENT

Ground Water Quality Bureau

1190 Saint Francis Drive / PO Box 5469  
Santa Fe, NM 87502-5469  
Phone (505) 827-2900 Fax (505) 827-2965  
[www.env.nm.gov](http://www.env.nm.gov)



**James C. Kenney**  
Cabinet Secretary

**Jennifer J. Pruett**  
Deputy Secretary

# PUBLIC NOTICE

## Groundwater Discharge Permits Proposed for Approval October 4, 2019

Dear Interested Party,

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice that the following Groundwater Discharge Permits have been proposed for approval. NMED will allow 30 days after the date of publication of this notice (or as otherwise provided below) for submittal of written comments and/or a request for a public hearing for a permitting action. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. After the administrative record for a permitting action is complete and all required information is available, NMED will approve, approve with conditions, or disapprove the Permit based on the administrative record.

NMED maintains a Public Involvement Plan (PIP) for each permitting action to plan for providing public participation opportunities and information that may be needed for the community to participate in a permitting process. PIPs may be viewed on-line at <https://www.env.nm.gov/gwqb/public-involvement-plans/>, at the NMED field office nearest to the proposed permitted activity, or by contacting the NMED Permit Contact identified below. NMED also maintains facility-specific mailing lists for persons wishing to receive associated notices for a permitting action.


To learn more about a Discharge Permit and the permitting process, to be placed on a facility-specific mailing list, or to obtain a copy of a draft permit, contact the NMED Permit Contact at the number or address provided. Draft permits may be viewed on-line at <https://www.env.nm.gov/gwqb/public-notice/>. Comments or a request for hearing regarding a draft permit should be addressed to the GWQB, PO Box 5469, Santa Fe, NM 87502-5469, or emailed to the NMED Permit Contact.

If you are a non-English speaker, do not speak English well, or if you have a disability, you may contact the NMED Permit Contact to request assistance, an interpreter, or an auxiliary aid in order to learn more about a Discharge Permit or the permitting process, or to participate in activities associated with the permitting process. Requested interpretation services and accommodations or services for persons with disabilities will be arranged to the extent possible. Telephone conversation assistance is

available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking on the phone, by calling 1-800-659-1779; TTY users: 1-800-659-8331; Spanish: 1-800-327-1857.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Parts 5 and 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, you may contact: Kristine Yurdin, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, [nd.coordinator@state.nm.us](mailto:nd.coordinator@state.nm.us). If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at <https://www.env.nm.gov/non-employee-discrimination-complaint-page/> to learn how and where to file a complaint of discrimination.

Sincerely,



Lochlin Farrell  
Ground Water Quality Bureau

Enclosure: Groundwater Discharge Permits Proposed for Approval



New Mexico Environment Department Ground Water Quality Bureau  
 Public Notices to be published on or before October 4, 2019  
 Groundwater Discharge Permits Proposed for Approval

<p><b><u>Discharge Permit</u></b> <b>727</b></p> <p><b><u>Closest City</u></b> Dexter</p> <p><b><u>County</u></b> Chaves</p>	<p><b><u>Facility</u></b>  <a href="#">Shawnee Dairy (Click this link to view the Draft Permit)</a>          The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Roswell:          1914 W. Second St.          Roswell, NM 88201</p>	<p><b><u>Applicant</u></b>          Larry Kamper          Owner          Shawnee Dairy          PO Box 220          Dexter, NM 88230</p>	<p><b><u>NMED Permit Contact</u></b>          Marc Bonem          Environmental Scientist          Acting Agriculture Team Leader  <a href="mailto:Marc.Bonem@state.nm.us">Marc.Bonem@state.nm.us</a>          Telephone: 505-827-2791</p> <p>Written comments or requests for a hearing for DP-727 accepted until 5:00 p.m. MST, November 11, 2019.</p>
--	--	--	--

**Notice:** DP-727: Shawnee Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 99,500 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 96 Shawnee Road approximately 3.5 miles west of Dexter, in Section 15, T13S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 80 feet and had a pre-discharge total dissolved solids concentration of 1,200 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>1141</b></p> <p><b><u>Closest City</u></b> Lake Arthur</p> <p><b><u>County</u></b> Chaves</p>	<p><b><u>Facility</u></b>  <a href="#">Calico Farms, LLC (Click this link to view the Draft Permit)</a>          The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Roswell:          1914 W. Second St.          Roswell, NM 88201</p>	<p><b><u>Applicant</u></b>          Jason Flores          Owner          Calico Farms, LLC          222 E. Darby Rd.          Dexter, NM 88230</p>	<p><b><u>NMED Permit Contact</u></b>          Marc Bonem          Environmental Scientist          Acting Agriculture Team Leader  <a href="mailto:Marc.Bonem@state.nm.us">Marc.Bonem@state.nm.us</a>          Telephone: (505) 827-2791</p> <p>Written comments or requests for a hearing for DP-1141 accepted until 5:00 p.m. MST, November 11, 2019.</p>
--	--	--	---

**Notice:** DP-1141: Calico Farms, LLC proposes to renew and modify the Discharge Permit for the discharge of up to 250,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 8751 Roswell Highway, approximately 5.5 miles southwest of Lake Arthur, in Sections 32, 33, and 34, T15S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 11 to 65 feet and had a pre-discharge total dissolved solids concentration of 2,000 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau  
 Public Notices to be published on or before October 4, 2019  
 Groundwater Discharge Permits Proposed for Approval

<p><b><u>Discharge Permit</u></b> <b>1439</b></p> <p><b><u>Closest City</u></b> Hagerman</p> <p><b><u>County</u></b> Chaves</p>	<p><b><u>Facility</u></b>  <a href="#">Secondwind Dairy (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Roswell:        1914 W. Second St.        Roswell, NM 88201</p>	<p><b><u>Applicant</u></b>        Al Squire, Owner        Secondwind Dairy        65 East Ottawa Rd.        Hagerman, NM 88232</p>	<p><b><u>NMED Permit Contact</u></b>        Steve Perez        Geoscientist  <a href="mailto:Steve.Perez@state.nm.us">Steve.Perez@state.nm.us</a>        Telephone: (505) 827-2434</p> <p>Written comments or requests for a hearing for DP-1439 accepted until 5:00 p.m. MST, November 11, 2019.</p>
---	---	--	---

**Notice:** DP-1439: Secondwind Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 30,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 74 East Ottawa Rd, approximately 5 miles southwest of Hagerman, in Section 22, T14S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 175 feet and had a pre-discharge total dissolved solids concentration of 610 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>703</b></p> <p><b><u>Closest City</u></b> Clovis</p> <p><b><u>County</u></b> Curry</p>	<p><b><u>Facility</u></b>  <a href="#">Texico Jerseys Dairy (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Clovis:        100 E. Manana, Unit 3        Clovis, NM 88101</p>	<p><b><u>Applicant</u></b>        Matt Ballou        Texico Jerseys Dairy        PO Box 65414        Lubbock, TX 79464</p>	<p><b><u>NMED Permit Contact</u></b>        Matthew Smith        Geoscientist  <a href="mailto:Matthew.Smith3@state.nm.us">Matthew.Smith3@state.nm.us</a>        Telephone: (505) 827-2797</p> <p>Written comments or requests for a hearing for DP-703 accepted until 5:00 p.m. MST, November 11, 2019.</p>
---	--	--	--

**Notice:** DP-703, Texico Jerseys Dairy: Matt Ballou proposes to renew and modify the Discharge Permit for the discharge of up to 65,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1251-1299 Curry Rd E, approximately 3 miles east of Clovis, in Section 31, T03N, R37E, Curry County. Groundwater most likely to be affected is at a depth of approximately 391 feet and had a pre-discharge total dissolved solids concentration of 264 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau  
 Public Notices to be published on or before October 4, 2019  
 Groundwater Discharge Permits Proposed for Approval

<p><b><u>Discharge Permit</u></b> <b>1136</b></p> <p><b><u>Closest City</u></b> Clovis</p> <p><b><u>County</u></b> Curry</p>	<p><b><u>Facility</u></b>  <a href="#">Heritage Dairy, LLC (Click this link to view the Draft Permit)</a>          The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Clovis:          100 E. Manana, Unit 3          Clovis, NM 88101</p>	<p><b><u>Applicant</u></b>          Eric Daale          Heritage Dairy, LLC          650 CR F          Clovis, NM 88101</p>	<p><b><u>NMED Permit Contact</u></b>          Matthew Smith          Geoscientist  <a href="mailto:Matthew.Smith3@state.nm.us">Matthew.Smith3@state.nm.us</a>          Telephone: (505) 827-2797</p> <p>Written comments or requests for a hearing for DP-1136 accepted until 5:00 p.m. MST, November 11, 2019.</p>
--	---	---	---

**Notice:** DP-1136: Heritage Dairy, LLC proposes to renew the Discharge Permit for the discharge of up to 150,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 650 CR F, approximately 5 miles southeast of Clovis, in Section 35, T02N, R36E, and Section 3, T01N, R36E, Curry County. Groundwater most likely to be affected is at a depth of approximately 313 feet and had a pre-discharge total dissolved solids concentration of 368 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>1536</b></p> <p><b><u>Closest City</u></b> Las Cruces</p> <p><b><u>County</u></b> Doña Ana</p>	<p><b><u>Facility</u></b>  <a href="#">East Mesa Water Reclamation Facility (Click this link to view the Draft Permit)</a>          The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Las Cruces:          2301 Entrada Del Sol          Las Cruces, NM 88001</p>	<p><b><u>Applicant</u></b>          Jorge A. Garcia          Utilities Director          City of Las Cruces          PO Box 20000          Las Cruces, NM 88004</p>	<p><b><u>NMED Permit Contact</u></b>          Gerald Knutson          Geoscientist  <a href="mailto:Gerald.Knutson@state.nm.us">Gerald.Knutson@state.nm.us</a>          Telephone: (505) 827-2996</p> <p>Written comments or requests for a hearing for DP-1536 accepted until 5:00 p.m. MST, November 11, 2019.</p>
---	---	---	--

**Notice:** DP-1536, East Mesa Water Reclamation Facility: The City of Las Cruces proposes to renew the Discharge Permit for the discharge of up to 1,400,000 gallons per day of reclaimed wastewater for irrigation. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 5150 East Lohman Avenue, Las Cruces, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 237 to 358 feet and had a pre-discharge total dissolved solids concentration of 237 to 1,250 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>1893</b></p> <p><b><u>Closest City</u></b> Anthony</p> <p><b><u>County</u></b> Doña Ana</p>	<p><b><u>Facility</u></b>  <a href="#">Public House 28 (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Las Cruces:        2301 Entrada Del Sol        Las Cruces, NM 88001</p>	<p><b><u>Applicant</u></b>        John Bruker        Public House 28        10108 S. Highway 28        Anthony, NM 88021</p>	<p><b><u>NMED Permit Contact</u></b>        Melanie Sandoval        Geoscientist - Supervisor        UIC and Industrial Team Leader  <a href="mailto:Melanie.Sandoval2@state.nm.us">Melanie.Sandoval2@state.nm.us</a>        Telephone: (505) 827-2936</p> <p>Written comments or requests for a hearing for DP-1893 accepted until 5:00 p.m. MST, November 11, 2019.</p>
--	--	--	---

**Notice:** DP-1893: Public House 28 proposes to discharge up to 357 gallons per day of industrial wastewater to a holding tank for disposal offsite. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 10092 S. Highway 28, Anthony, in Section 18, T26S, R03E, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 22 feet and had a pre-discharge total dissolved solids concentration of 737 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>1610</b></p> <p><b><u>Closest City</u></b> Carlsbad</p> <p><b><u>County</u></b> Eddy</p>	<p><b><u>Facility</u></b>  <a href="#">Pecos Mobile Park (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Carlsbad:        406 N. Guadalupe, Suite C        Carlsbad, NM 88220</p>	<p><b><u>Applicant</u></b>        Adam Trubow        Pecos Mobile Park        1122 Central Ave SW #5        Albuquerque, NM 87122</p>	<p><b><u>NMED Permit Contact</u></b>        Pam Homer        Geoscientist - Supervisor        Reuse Team Leader  <a href="mailto:Pamela.Homer2@state.nm.us">Pamela.Homer2@state.nm.us</a>        Telephone: (505) 827-0018</p> <p>Written comments or requests for a hearing for DP-1610 accepted until 5:00 p.m. MST, November 11, 2019.</p>
---	---	---	---

**Notice:** DP-1610, Pecos Mobile Park (formerly West Winds Mobile Home Park): Adam Trubow proposes to renew and modify the Discharge Permit for the discharge of up to 21,375 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 2414 Harding St, Carlsbad, Eddy County. Groundwater most likely to be affected is at a depth of approximately 100 feet and had a pre-discharge total dissolved solids concentration of approximately 783 milligrams per liter.





<p><b><u>Discharge Permit</u></b> <b>1771</b></p> <p><b><u>Closest City</u></b> Hachita</p> <p><b><u>County</u></b> Grant</p>	<p><b><u>Facility</u></b> <a href="#">Hachita Mutual Domestic Water Consumers Association Water Treatment Plant (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Deming: 405 East Florida Street Deming, NM 88030</p>	<p><b><u>Applicant</u></b> Tom Nelson President Hachita Mutual Domestic Water Consumers Association PO Box 151 Hachita, NM 88040</p>	<p><b><u>NMED Permit Contact</u></b> Avery Young Geoscientist <a href="mailto:Avery.Young@state.nm.us">Avery.Young@state.nm.us</a> Telephone: (505) 827-2909</p> <p>Written comments or requests for a hearing for DP-1771 accepted until 5:00 p.m. MST, November 11, 2019.</p>
---	--	--	---

**Notice:** DP-1771, Hachita Mutual Domestic Water Consumers Association Water Treatment Plant: Hachita Mutual Domestic Water Consumers Association proposes to renew the Discharge Permit for the discharge of up to 3,397 gallons per day of industrial wastewater to a disposal system. Potential contaminants from this type of discharge include inorganic compounds and dissolved solids. The facility is located at 4346 State Rd. 9, Hachita, in Section 36, T27S, R15W, Grant County. Groundwater most likely to be affected is at a depth of approximately 256 feet and had a pre-discharge total dissolved solids concentration of less than 500 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>1481</b></p> <p><b><u>Closest City</u></b> Eunice</p> <p><b><u>County</u></b> Lea</p>	<p><b><u>Facility</u></b> <a href="#">URENCO USA (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Hobbs: 2120 N. Alto Hobbs, NM 88240</p> <p>The PIP may also be viewed at the Eunice Public Library 1003 Avenue N Eunice, NM 88231</p>	<p><b><u>Applicant</u></b> Jesse Miller Chemistry Manager Louisiana Energy Service, LLC PO Box 1789 Eunice, NM 88231</p>	<p><b><u>NMED Permit Contact</u></b> Jason Herman Hydrologist – Supervisor Domestic Team Leader <a href="mailto:Jason.Herman@state.nm.us">Jason.Herman@state.nm.us</a> Telephone: (505) 827-2713</p> <p>Written comments or requests for a hearing for DP-1481 accepted until 5:00 p.m. MST, November 4, 2019.</p>
--	--	--	--

**Notice:** DP-1481, URENCO USA: Louisiana Energy Service, LLC proposes to renew and modify the Discharge Permit for the discharge of up to 19,717,000 gallons per day (gpd) of industrial wastewater and stormwater to a treatment and disposal system. The modification consists of authorization to discharge up to 6,550 gpd of cooling tower related water to an impoundment. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, total dissolved solids, chloride, and metals. The facility is located at 275 Hwy 176, approximately 4.5 miles east of Eunice, in Section 32, T21S, R38E, Lea County. Groundwater most likely to be affected is at a depth of approximately 214 to 222 feet and had a pre-discharge total dissolved solids concentration of 3,370 to 10,900 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau  
 Public Notices to be published on or before October 4, 2019  
 Groundwater Discharge Permits Proposed for Approval

<p><b><u>Discharge Permit</u></b> <b>37</b></p> <p><b><u>Closest City</u></b> Hobbs</p> <p><b><u>County</u></b> Lea</p>	<p><b><u>Facility</u></b>  <a href="#">City of Hobbs Wastewater Reclamation Facility (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Hobbs:        2120 N. Alto        Hobbs, NM 88240</p>	<p><b><u>Applicant</u></b>        Tim Woomer        Utilities Director        City of Hobbs        200 East Broadway        Hobbs, NM 88240</p>	<p><b><u>NMED Permit Contact</u></b>        Jason Herman        Hydrologist – Supervisor        Domestic Team Leader  <a href="mailto:Jason.Herman@state.nm.us">Jason.Herman@state.nm.us</a>        Telephone: (505) 827-2713</p> <p>Written comments or requests for a hearing for DP-37 accepted until 5:00 p.m. MST, November 4, 2019.</p>
---	--	---	---

**Notice:** DP-37, City of Hobbs Wastewater Reclamation Facility: The City of Hobbs proposes to renew the Discharge Permit for the discharge of up to 7,200,000 gallons per day of reclaimed wastewater for irrigation and to an infiltration basin. Potential contaminants from this type of discharge include nitrogen compounds. The wastewater reclamation facility is located at 1300 South 5th St., Hobbs, in Section 2, T19S, R38E, Lea County. The reuse sites are located in Sections 6, 7, 8, 16, 17, and 21, T18S, R38E and Sections 2 and 11, T19S, R38E, Lea County. The infiltration basin is located in Section 2, T20S, R38E, Lea County. Groundwater most likely to be affected is at a depth of approximately 47 to 80 feet and had a pre-discharge total dissolved solids concentration of 328 to 1,160 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>814</b></p> <p><b><u>Closest City</u></b> Los Alamos</p> <p><b><u>County</u></b> Los Alamos</p>	<p><b><u>Facility</u></b>  <a href="#">Los Alamos County Wastewater Treatment Facility (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Espanola:        712 La Joya Street        Espanola, NM 87532</p>	<p><b><u>Applicant</u></b>        Jennifer Baca        Engineering Associate        Los Alamos County        Department of Public Utilities        1000 Central Avenue        Suite 130        Los Alamos, NM 87544</p>	<p><b><u>NMED Permit Contact</u></b>        Gerald Knutson        Geoscientist  <a href="mailto:Gerald.Knutson@state.nm.us">Gerald.Knutson@state.nm.us</a>        Telephone: (505) 827-2996</p> <p>Written comments or requests for a hearing for DP-814 accepted until 5:00 p.m. MST, November 11, 2019.</p>
--	--	---	---

**Notice:** DP-814: Los Alamos County Wastewater Treatment Facility proposes to renew and modify the Discharge Permit for the discharge of up to 1.4 million gallons per day of reclaimed wastewater for the irrigation of Los Alamos County property and other reuse purposes. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 3500 Pueblo Canyon Road, Los Alamos County. Groundwater most likely to be affected is at a depth of approximately 59 feet and had a pre-discharge total dissolved solids concentration of 692 milligrams per liter.





<p><b><u>Discharge Permit</u></b> <b>209</b></p> <p><b><u>Closest City</u></b> Deming</p> <p><b><u>County</u></b> Luna</p>	<p><b><u>Facility</u></b> <a href="#">Deming Wastewater Treatment Facility (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Deming: 405 East Florida Street Deming, NM 88030</p>	<p><b><u>Applicant</u></b> Jim Massengill Public Works Director City of Deming PO Box 706 Deming, NM 88031</p>	<p><b><u>NMED Permit Contact</u></b> Avery Young Geoscientist <a href="mailto:Avery.Young@state.nm.us">Avery.Young@state.nm.us</a> Telephone: (505) 827-2909</p> <p>Written comments or requests for a hearing for DP-209 accepted until 5:00 p.m. MST, November 11, 2019.</p>
--	---	--	--

**Notice:** DP-209, Deming Wastewater Treatment Facility: The City of Deming proposes to renew and modify the Discharge Permit for the discharge of up to 3 million gallons per day of reclaimed wastewater for irrigation and other reuse purposes. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4370 J Street, Deming, Luna County. Reuse locations include the golf course, cemetery, courthouse, and city parks in Deming, and cropland in Sections 7 and 18, T24S, R08W, Luna County. Groundwater most likely to be affected is at a depth of approximately 125 feet and had a pre-discharge total dissolved solids concentration of 300 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>1251</b></p> <p><b><u>Closest City</u></b> Portales</p> <p><b><u>County</u></b> Roosevelt</p>	<p><b><u>Facility</u></b> <a href="#">Moonstone Dairy (Click this link to view the Draft Permit)</a></p> <p>The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Clovis: 100 E. Manana Unit 3 Clovis, NM 88101</p>	<p><b><u>Applicant</u></b> Phil Douma, Owner Moonstone Dairy 737 NM 267 Portales, NM 88130</p>	<p><b><u>NMED Permit Contact</u></b> Steve Perez Geoscientist <a href="mailto:Steve.Perez@state.nm.us">Steve.Perez@state.nm.us</a> Phone: (505) 827-2434</p> <p>Written comments or requests for a hearing for DP-1251 accepted until 5:00 p.m. MST, November 11, 2019.</p>
--	---	--	---

**Notice:** DP-1251: Moonstone Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 80,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 795 NM 202 approximately 12 miles northeast of Portales, in Sections 1, 11, and 12, T01S, R36E, and Section 7, T01S, R37E Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 185 to 200 feet and had a pre-discharge total dissolved solids concentration of 400 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau  
 Public Notices to be published on or before October 4, 2019  
 Groundwater Discharge Permits Proposed for Approval

<p><b><u>Discharge Permit</u></b> <b>1315</b></p> <p><b><u>Closest City</u></b> Portales</p> <p><b><u>County</u></b> Roosevelt</p>	<p><b><u>Facility</u></b>  <a href="#">J-Lu Dairy (Click this link to view the Draft Permit)</a>          The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Clovis:          100 E. Manana Unit 3          Clovis, NM 88101</p>	<p><b><u>Applicant</u></b>          Jim Wagner          Owner          J-Lu Dairy          703 S RR K          Portales, NM 88130</p>	<p><b><u>NMED Permit Contact</u></b>          Matthew Smith          Geoscientist  <a href="mailto:Matthew.Smith3@state.nm.us">Matthew.Smith3@state.nm.us</a>          Telephone: (505) 827-2797</p> <p>Written comments or requests for a hearing for DP-1315 accepted until 5:00 p.m. MST, November 11, 2019.</p>
--	---	---	---

**Notice:** DP-1315, J-Lu Dairy: Jim Wagner, Owner, proposes to renew and modify the Discharge Permit for the discharge of up to 120,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 10089 S RR 6, Portales, in Section 1, T02S, R36E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 123 feet and had a pre-discharge total dissolved solids concentration of 430 milligrams per liter.

<p><b><u>Discharge Permit</u></b> <b>1889</b></p> <p><b><u>Closest City</u></b> Los Lunas</p> <p><b><u>County</u></b> Valencia</p>	<p><b><u>Facility</u></b>  <a href="#">Los Lunas Wastewater Treatment Plant Effluent Loadout Station (Click this link to view the Draft Permit)</a>          The Public Involvement Plan may be viewed online at <a href="http://www.env.nm.gov/gwqb/public-involvement-plans/">www.env.nm.gov/gwqb/public-involvement-plans/</a> or at the NMED office in Los Lunas:          475 Courthouse Road SE          Suite B          Los Lunas, NM 87031</p>	<p><b><u>Applicant</u></b>          Michael Jaramillo          Public Works Director          Village of Los Lunas          660 Main St.          Los Lunas, NM 87031</p>	<p><b><u>NMED Permit Contact</u></b>          Pamela Homer          Geoscientist - Supervisor          Reuse Team Leader  <a href="mailto:Pamela.Homer2@state.nm.us">Pamela.Homer2@state.nm.us</a>          Telephone: (505) 827-0018</p> <p>Written comments or requests for a hearing for DP-1889 accepted until 5:00 p.m. MST, November 4, 2019.</p>
--	---	---	---

**Notice:** DP-1889, Los Lunas Wastewater Treatment Plant Effluent Loadout Station: The Village of Los Lunas proposes discharge up to 48,000 gallons per day of reclaimed wastewater for temporary uses. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1781 Heaton Loop, Los Lunas, Valencia County. Groundwater most likely to be affected is at a depth of approximately 5 feet and had a pre-discharge total dissolved solids concentration of 150 milligrams per liter.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:  
<https://www.env.nm.gov/gwqb/public-notice/>