



NEW MEXICO
ENVIRONMENT DEPARTMENT

Ground Water Quality Bureau

1190 Saint Francis Drive / PO Box 5469

Santa Fe, NM 87502-5469

Phone (505) 827-2900 Fax (505) 827-2965

www.env.nm.gov



Draft: July 27, 2020

GROUND WATER QUALITY BUREAU
DISCHARGE PERMIT
Issued under 20.6.2 NMAC

Facility Name: Estancia Valley Solid Waste Authority Septage Dewatering and Disposal Facility

Discharge Permit Number: DP-1708

Facility Location: 249 Sidewinder Road
Moriarty, NM 87016

County: Torrance

Permittee: Estancia Valley Solid Waste Authority

Mailing Address: P.O. Box 736
Estancia, NM 87016

Facility Contact: Martin Lucero

Telephone Number/Email: (505) 384-4270/martin@evswa.com

Permitting Action: Renewal

Permit Issuance Date: DATE

Permit Expiration Date: DATE

NMED Permit Contact: Avery Young

Telephone Number/Email: (505) 827-2909/avery.young@state.nm.us

MICHELLE HUNTER
Chief, Ground Water Quality Bureau
New Mexico Environment Department

Date

TABLE OF CONTENTS

I. INTRODUCTION1

II. FINDINGS.....2

III. AUTHORIZATION TO DISCHARGE3

IV. CONDITIONS3

A. OPERATIONAL PLAN3
Operational Actions with Implementation Deadlines.....4
Operating Conditions.....5

B. MONITORING AND REPORTING7
Due Dates for Monitoring Reports8
Facility Monitoring Conditions8

C. CONTINGENCY PLAN9

D. CLOSURE PLAN12

E. GENERAL TERMS AND CONDITIONS13

ATTACHMENTS

- Discharge Permit Summary
- Table of 20.6.2.3103 Standards for Groundwater
- Groundwater Discharge Permit Guidance for Synthetically Lined Lagoons – Liner
Material and Site Preparation, Revision 0.0, May 2007
- Surface Disposal Data Sheet (SDDS-Septage - <https://www.env.nm.gov/gwb/forms.htm>)

I. INTRODUCTION

The New Mexico Environment Department (NMED) issues this groundwater Discharge Permit Renewal (Discharge Permit), DP-1708, to the Estancia Valley Solid Waste Authority (EVSWA or Permittee) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978 §§74-6-1 through 74-6-17, and the New Mexico Water Quality Control Commission (WQCC) Ground and Surface Water Protection Regulations, 20.6.2 NMAC.

NMED's purpose in issuing this Discharge Permit, and in imposing the requirements and conditions specified herein, is to control the discharge of water contaminants from the EVSWA Septage Dewatering and Disposal Facility (Facility) in order to protect ground water and those segments of surface water gaining from groundwater inflow for present and potential future use as domestic and agricultural water supply and other uses, and to protect public health. In issuing this Discharge Permit, NMED has determined that the Permittee has met the requirements of Subsection C of 20.6.2.3109 NMAC. Pursuant to Section 20.6.2.3104 NMAC, it is the responsibility of the Permittee to comply with the terms and conditions of this Discharge Permit; failure to do so may result in enforcement action by NMED (20.6.2.1220 NMAC).

A brief description of the activities that produce the discharge, the location of the discharge, and the quantity, quality and flow characteristics of the discharge as follows.

- The Permittee discharges domestic septage including portable toilet waste in volumes up to 50,000 gallons per week to two synthetically lined impoundment dewatering systems. Septage solids collected from the dewatering system are periodically removed and transferred to the registered composting operations (SWB #0130179C).
- The Permittee land applies domestic septage, including portable toilet waste, or septage filtrate (the liquid fraction of domestic septage) in volumes up to 7,000 gallons per week to 10 surface disposal cells totaling 0.93 acres each on a rotational basis by spray irrigation with a water truck.

The discharge contains water contaminants that may be elevated above the standards of Section 20.6.2.3103 NMAC.

The Facility is located at 249 Sidewinder Road, approximately 11 miles east of Moriarty, in Section 23, Township 9N, Range 10E, Torrance County. Groundwater most likely to be affected is at a depth greater than 245 feet and has a total dissolved solids (TDS) concentration of approximately 820 milligrams per liter.

NMED issued the original Discharge Permit on May 17, 2011 and subsequently renewed the permit on September 12, 2014. The application (i.e., discharge plan) consists of the materials submitted by Gordon Environmental PSC on behalf of the Permittee dated August 14, 2019 and materials contained in the administrative record prior to issuance of this Discharge Permit. The

Permittee shall manage the discharge in accordance with all conditions and requirements of this Discharge Permit.

NMED reserves the right to require a Discharge Permit Modification in the event NMED determines that the Permittee is violating or may be violating, or is likely to violate in the future, the requirements of 20.6.2 NMAC or the standards of Section 20.6.2.3103 NMAC. NMED reserves this right pursuant to Section 20.6.2.3109 NMAC. A NMED requirement to modify the Discharge Permit may result from a determination that structural controls and/or management practices approved under this Discharge Permit are not protective of groundwater quality and that more stringent requirements to protect groundwater quality are necessary. NMED reserves the right to require the Permittee implement abatement of water pollution and remediate groundwater quality.

Issuance of this Discharge Permit does not relieve the Permittee of the responsibility to comply with the WQA, WQCC Regulations, and any other applicable federal, state and/or local laws and regulations, such as zoning requirements and nuisance ordinances.

This Discharge Permit may use the following acronyms and abbreviations.

Abbreviation	Explanation	Abbreviation	Explanation
BOD ₅	biochemical oxygen demand (5-day)	NMSA	New Mexico Statutes Annotated
CFR	Code of Federal Regulations	NO ₃ -N	nitrate-nitrogen
CFU	Colony Forming Unit	NTU	nephelometric turbidity units
Cl	chloride	QA/QC	Quality Assurance/Quality Control
EPA	United States Environmental Protection Agency	TDS	total dissolved solids
gpd	gallons per day	TKN	total Kjeldahl nitrogen
LAA	land application area	total nitrogen	= TKN + NO ₃ -N
LADS	Land Application Data Sheet(s)	TRC	total residual chlorine
mg/L	milligrams per liter	TSS	total suspended solids
mL	milliliters	WQA	New Mexico Water Quality Act
MPN	Most Probable Number	WQCC	Water Quality Control Commission
NMAC	New Mexico Administrative Code	WWTF	Wastewater Treatment Facility
NMED	New Mexico Environment Department		

II. FINDINGS

In issuing this Discharge Permit, NMED finds the following.

1. The Permittee is discharging effluent or leachate from the Facility so that such effluent or leachate may move into groundwater of the State of New Mexico that has an existing concentration of 10,000 mg/L or less of TDS, within the meaning of Subsection A of 20.6.2.3101 NMAC, without exceeding standards of 20.6.2.3103 NMAC for any water contaminant.
2. Pursuant to this Discharge Permit and Section 20.6.2.3104 NMAC, the Permittee is allowed to discharge effluent or leachate from the Facility directly or indirectly into groundwater.
3. The discharge from the Facility is not subject to any of the exemptions of Section 20.6.2.3105 NMAC.

III. AUTHORIZATION TO DISCHARGE

The Permittee is responsible for ensuring that discharges authorized by this Discharge Permit are consistent with the terms and conditions herein pursuant to 20.6.2.3104 NMAC.

This Discharge Permit authorizes the Permittee to receive and discharge up to 50,000 gallons per week of domestic septage, including portable toilet waste, to two synthetically lined impoundment dewatering systems.

This Discharge Permit authorizes the Permittee to discharge up to 7,000 gallons per week of domestic septage, including portable toilet waste, or septage filtrate (the liquid fraction of domestic septage) to 10 surface disposal cells totaling 0.93 acres each on a rotational basis.

[20.6.2.3104 NMAC, Subsection C of 20.6.2.3106 NMAC, Subsection C of 20.6.2.3109 NMAC]

IV. CONDITIONS

NMED issues this Discharge Permit for the discharge of water contaminants subject to the following conditions.

A. OPERATIONAL PLAN

#	Terms and Conditions
1.	The Permittee shall implement the following operational plan to ensure compliance with Title 20, Chapter 6, Parts 2 and 4 NMAC. [Subsection C of 20.6.2.3109 NMAC]

#	Terms and Conditions
2.	<p>The Permittee shall operate in a manner such that standards and requirements of Sections 20.6.2.3101 and 20.6.2.3103 NMAC are not violated.</p> <p>[20.6.2.3101 NMAC, 20.6.2.3103 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>

Operational Actions with Implementation Deadlines

#	Terms and Conditions
3.	<p>Within 30 days of completing construction of Septage Dewatering Lagoon 2, the Permittee shall submit record drawings to NMED that bear the seal and signature of a licensed New Mexico professional engineer (pursuant to the New Mexico Engineering and Surveying Practice Act and the rules promulgated under that authority) for the constructed.</p> <p>[Subsections A and C of 20.6.2.1202 NMAC, Subsection C of 20.6.2.3109 NMAC, NMSA 1978, §§ 61-23-1 through 61-23-32]</p>
4.	<p>Within 60 days following the issuance date of this Discharge Permit (by DATE), the Permittee shall measure the thickness of the settled solids in Septage Dewatering Lagoon 1. The Permittee shall report the results of the solids thickness measurements to NMED in the next required periodic monitoring report.</p> <p>The Permittee shall measure the thickness of settled solids in accordance with the following procedure.</p> <ol style="list-style-type: none"> a) Divide the total surface area of the treatment impoundment into nine equal sub-areas. b) Obtain one measurement (to the nearest half-foot) per sub-area using a settled solids measurement device (core sampler). c) Average the nine measurements. <p>In the event that the measured settled solids exceed one-third of the maximum liquid depth in the impoundment, the Permittee shall enact the contingency plan set forth in this Discharge Permit.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>

Operating Conditions

#	Terms and Conditions
5.	<p>To prevent stormwater run-on and run-off, the Permittee shall maintain earthen berms surrounding the perimeter of the Facility and in between disposal cells that are a minimum of 24 inches above natural grade. The Permittee shall inspect the berms on a regular basis and after any major rainfall event and repair as necessary. In place of a berm across the Facility entrance, the Permittee shall construct and maintain shallow (minimum depth of six inches) stormwater diversion trenches parallel to and on each side of the Facility entrance gate. The Permittee shall maintain all berms and trenches until termination of the permit and the Permittee meets all closure conditions.</p> <p>The Permittee shall keep a log of the inspections that includes a date of the inspection, findings and repairs, and the name of the person responsible for the inspection. The Permittee shall make the log shall available to NMED upon request.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>
6.	<p>The Permittee shall maintain fences around the entire Facility, i.e., the impoundments and the disposal cells, to restrict access. A minimum of a three-strand barbed wire fence including a locked gate shall surround the Facility. The Permittee shall maintain the fences to serve the stated purpose throughout the term of this Discharge Permit.</p> <p>[Subsections B and C of 20.6.2.3109 NMAC, NMSA 1978, § 74-6-5.D]</p>
7.	<p>The Permittee shall maintain the following signs at the following locations:</p> <ul style="list-style-type: none">• Signs posted at the Facility entrance and every 500 feet along the Facility boundary that state: "Notice: Waste Disposal Area - KEEP OUT" and "Aviso: Área de Disposición - NO ENTRAR".• A sign posted at the entrance gate with the name of the Facility's contact person, office phone number of the contact person, emergency contact phone number for the Facility, and physical location of the Facility including township, range, and sections.• A sign at the boundary of each cell to identify the cell number and the authorized waste type discharged in the cell. <p>All signs shall be weatherproof and legible for the term of this Discharge Permit.</p> <p>[Subsections B and C of 20.6.2.3109 NMAC, NMSA 1978, § 74-6-5.D]</p>
8.	<p>The Permittee shall inspect the Facility weekly and collect any residual solid waste (trash) on the Facility site. The Permittee shall dispose of the collected materials in a manner consistent with all local, state and federal regulations.</p>

#	Terms and Conditions
	<p>The Permittee shall keep a log of the inspections that includes a date of the inspection and the name of the person responsible for the inspection. The Permittee shall make the log available to NMED upon request.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsections B and C of 20.6.2.3109 NMAC]</p>
9.	<p>The Permittee shall not discharge liquid wastes during periods of precipitation or when surface soils are frozen or saturated. The Permittee may store wastes on-site in tanker trucks during these periods.</p> <p>[Subsection C of 20.6.2.3109 NMAC]</p>
10.	<p>The Permittee shall incorporate domestic septage (including portable toilet waste) into the soil by disking within six hours following surface disposal. The Permittee shall minimize ponding of septage. Treatment and disposal of domestic septage shall be in accordance with requirements set forth in 40 CFR Part 503.</p> <p>[Subsections B and C 20.6.2.3109 NMAC, NMSA 1978, § 74-6-5.D, 40 CFR 503]</p>
11.	<p>The Permittee shall discharge domestic septage to the disposal cells such that the amount of total nitrogen discharged does not exceed 200 pounds per acre in any 12-month period. The Permittee shall distribute septage evenly throughout the entire disposal area.</p> <p>[Subsection C of 20.6.2.3109 NMAC]</p>
12.	<p>The Permittee shall maintain the impoundment liners in such a manner as to avoid conditions that could affect the liner or the structural integrity of the impoundments. Characterization of such conditions may include the following:</p> <ul style="list-style-type: none">• erosion damage;• animal burrows or other damage;• the presence of vegetation including aquatic plants, weeds, woody shrubs or trees growing within five feet of the top inside edge of a sub-grade impoundment, within five feet of the toe of the outside berm of an above-grade impoundment, or within the impoundment itself;• the presence of large debris or large quantities of debris in the impoundment;• evidence of seepage; or• evidence of berm subsidence. <p>The Permittee shall routinely control vegetation growing around the impoundments routinely by mechanical removal in a manner that is protective of the impoundment liner.</p>

#	Terms and Conditions
	<p>The Permittee shall visually inspect the impoundment and surrounding berms on a monthly basis to ensure proper maintenance. In the event that inspection reveals any evidence of damage that threatens the structural integrity of an impoundment berm or liner, or that may result in an unauthorized discharge, the Permittee shall enact the contingency plan set forth in this Discharge Permit.</p> <p>The Permittee shall create and maintain a log of all impoundment inspections which describes the findings and repairs, the date of the inspection, and the name of the person responsible for the inspection. The Permittee shall make the log available to NMED upon request.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>
13.	<p>The Permittee shall preserve a minimum of two feet of freeboard between the liquid level in the impoundments and the elevation of the top of the impoundment liner.</p> <p>In the event that the Permittee determines that two feet of freeboard cannot be preserved in the impoundment, the Permittee shall enact the Contingency Plan set forth in this Discharge Permit.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>
14.	<p>The Permittee shall inspect and clean the liquids collection sump, riser pipe, and associated pumps/controls on a quarterly basis as needed to prevent pump failure.</p> <p>The Permittee shall create and maintain a log of inspections, repairs, and cleanings. The Permittee shall provide the log to NMED upon request.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>

B. MONITORING AND REPORTING

#	Terms and Conditions
15.	<p>The Permittee shall conduct the following monitoring, reporting, and other requirements listed below in accordance with the monitoring requirements of this Discharge Permit.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>

#	Terms and Conditions
16.	<p>METHODOLOGY – Unless otherwise specified by this Discharge Permit, or approved in writing by NMED, the Permittee shall use sampling and analytical techniques that conform with the references listed in Subsection B of 20.6.2.3107 NMAC.</p> <p>[Subsection B of 20.6.2.3107 NMAC]</p>
17.	<p>Semi-annual monitoring: The Permittee shall perform monitoring during the following periods and shall submit semi-annual reports to NMED as follows:</p> <ul style="list-style-type: none"> • January 1st through June 30th – due by August 1st; and • July 1st through December 31st – due by February 1st. <p>[Subsection A of 20.6.2.3107 NMAC]</p>

Facility Monitoring Conditions

#	Terms and Conditions
18.	<p>The Permittee shall retain on-site a manifest for each load of waste received. The manifest shall record the following information:</p> <ul style="list-style-type: none"> • name of the hauling company; • date of receipt; • name and address of the waste origin; • type of waste; • weight and associated volume of waste; • confirmation of inspection for acceptable waste type; and • signature of person conducting the inspection. <p>The Permittee shall make the manifests available for inspection by NMED upon request. The Permittee shall submit a summary listing the information from each manifest for wastes received during the reporting period to NMED in the semi-annual monitoring reports.</p> <p>[NMSA 1978, § 74-6-5.D, Subsection A 20.6.2.3107 NMAC]</p>
19.	<p>The Permittee shall, on a monthly basis, complete a Surface Disposal Data Sheet for Septage (SDDS-Septage, attached) to document the amount of nitrogen applied to each surface disposal cell. The Permittee shall complete a SDDS for each cell and shall reflect the volume and total nitrogen concentration of waste discharged to the disposal cells for each month. To determine the amount of nitrogen in septage applied the Permittee may assume a total nitrogen concentration of 600 mg/L, based on average characteristics of septage (Guide to Septage Treatment and Disposal, EPA/625/R-94-002), or may use a</p>

#	Terms and Conditions
	<p>total nitrogen value from the laboratory analysis of a composite sample from a minimum of six waste loads using a sampling protocol approved by NMED prior to sample collection. To determine the volume, the Permittee shall utilize the estimated volumes from the spray trucks.</p> <p>The Permittee shall not adjust Nitrogen content to account for volatilization or mineralization processes. The Permittee shall submit to NMED in the semi-annual monitoring reports, analytical results, including the laboratory QA/QC summary report and Chain of Custody, if the Permittee derives the total nitrogen value from a laboratory analysis. The Permittee shall submit the SDDSs or a statement that no surface disposal occurred within the specific cell to NMED in the semi-annual monitoring reports.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>

C. CONTINGENCY PLAN

#	Terms and Conditions
20.	<p>In the event that groundwater exceeds a standard identified in Section 20.6.2.3103 NMAC in groundwater as a result of this discharge during the term of this Discharge Permit, upon closure of the Facility or during the implementation of post-closure requirements, the Permittee shall submit to NMED a Corrective Action Plan that proposes, at a minimum, source control measures and an implementation schedule. The Permittee shall enact the CAP as approved by NMED.</p> <p>The NMED may require the Permittee to abate water pollution consistent with the requirements and provisions of Section 20.6.2.4101, Section 20.6.2.4103, Subsections C and E of 20.6.2.4106, Section 20.6.2.4107, Section 20.6.2.4108 and Section 20.6.2.4112 NMAC.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection E of 20.6.2.3109 NMAC]</p>
21.	<p>In the event that a SDDS for any cell shows that the amount of nitrogen applied in any 12-month period exceeds 200 pounds per acre, the Permittee shall propose the reduction of nitrogen loading to the affected cell by submitting a Corrective Action Plan (CAP) to NMED for approval. The CAP shall include a schedule for completion of corrective actions and submitted within 90 days following the end of the monitoring period in which the exceedance occurred. The Permittee shall implement the CAP following approval by NMED.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>

#	Terms and Conditions
22.	<p>In the event that inspection reveals significant damage has occurred or is likely to affect the structural integrity of a impoundment liner or its ability to contain contaminants, the Permittee shall propose the repair or replacement of the impoundment liner by submitting a Corrective Action Plan (CAP) to NMED for approval. The Permittee shall ensure the CAP is submitted to NMED within 30 days after discovery of the damage or following notification from NMED that significant liner damage is evident. The Permittee shall ensure the CAP includes a schedule for completion of corrective actions. The Permittee shall initiate implementation of the CAP following approval by NMED.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection C of 20.6.2.3109 NMAC]</p>
23.	<p>In the event that a minimum of two feet of freeboard cannot be preserved in an impoundment, the Permittee shall take actions authorized by this Discharge Permit and all applicable local, state, and federal regulations to restore the required freeboard.</p> <p>In the event that two feet of freeboard cannot be restored within a period of 72 hours following discovery, the Permittee shall propose actions to be immediately implemented to restore two feet of freeboard by submitting a short-term Corrective Action Plan (CAP) to NMED for approval. Examples of short-term corrective actions include the pumping and hauling of excess wastewater from the impoundment or reducing the volume of wastewater discharged to the impoundment. The Permittee shall ensure the CAP includes a schedule for completion of corrective actions and submitted within 15 days following the date when the exceedance was discovered. The Permittee shall implement the CAP following approval by NMED.</p> <p>In the event that the short-term corrective actions failed to restore two feet of freeboard, the Permittee shall propose permanent corrective actions in a long-term CAP submitted to NMED within 90 days following failure of the short-term CAP. Examples include the installation of an additional storage impoundment or a significant/permanent reduction in the volume of wastewater discharged to the impoundment. The Permittee shall ensure the CAP includes a schedule for completion of corrective actions and that implementation of the CAP is initiated following NMED approval.</p> <p>[Subsection A of 20.6.2.3107 NMAC]</p>
24.	<p>In the event that a release (commonly known as a “spill”) occurs that is not authorized under this Discharge Permit, the Permittee shall take measures to mitigate damage from the unauthorized discharge and initiate the notifications and corrective actions required in Section 20.6.2.1203 NMAC and summarized below.</p>

#	Terms and Conditions
	<p>Within <u>24 hours</u> following discovery of the unauthorized discharge, the Permittee shall verbally notify NMED and provide the following information.</p> <ul style="list-style-type: none"> a) The name, address, and telephone number of the person or persons in charge of the Facility, as well as of the owner and/or operator of the Facility. b) The name and address of the Facility. c) The date, time, location, and duration of the unauthorized discharge. d) The source and cause of unauthorized discharge. e) A description of the unauthorized discharge, including its estimated chemical composition. f) The estimated volume of the unauthorized discharge. g) Any actions taken to mitigate immediate damage from the unauthorized discharge. <p>Within <u>one week</u> following discovery of the unauthorized discharge, the Permittee shall submit written notification to NMED with the information listed above and any pertinent updates.</p> <p>Within <u>15 days</u> following discovery of the unauthorized discharge, the Permittee shall submit a corrective action report/plan to NMED describing any corrective actions taken and/or to be taken relative to the unauthorized discharge that includes the following information.</p> <ul style="list-style-type: none"> a) A description of proposed actions to mitigate damage from the unauthorized discharge. b) A description of proposed actions to prevent future unauthorized discharges of this nature. c) A schedule for completion of proposed actions. <p>In the event that the unauthorized discharge causes or may with reasonable probability cause water pollution in excess of the standards and requirements of Section 20.6.2.4103 NMAC, and the water pollution will not be abated within 180 days after notice is required to be given pursuant to Paragraph (1) of Subsection A of 20.6.2.1203 NMAC, the Permittee may be required to abate water pollution pursuant to Sections 20.6.2.4000 through 20.6.2.4115 NMAC.</p> <p>The Permittee shall not construe anything in this condition as relieving them of the obligation to comply with all requirements of Section 20.6.2.1203 NMAC.</p> <p>[20.6.2.1203 NMAC]</p>
25.	<p>In the event that NMED or the Permittee identifies any failures of the discharge plan, i.e., the application, or this Discharge Permit not specifically noted herein, NMED may require the Permittee to submit a Corrective Action Plan and a schedule for completion of</p>

#	Terms and Conditions
	<p>corrective actions to address the failure(s). Additionally, NMED may require a discharge permit modification to achieve compliance with 20.6.2 NMAC.</p> <p>[Subsection A of 20.6.2.3107 NMAC, Subsection E of 20.6.2.3109 NMAC]</p>

D. CLOSURE PLAN

#	Terms and Conditions
26.	<p>Upon closure of the Facility, the Permittee shall perform the following closure measures:</p> <ul style="list-style-type: none"> a) Backfill the disposal cells with clean fill (as necessary) and re-grade to allow for positive stormwater drainage. b) Re-vegetate the cells and disturbed areas at the Facility by establishing a vegetative cover equal to 70% of the native perennial vegetative cover consisting of at least three native plant species including at least one grass, but not including noxious weeds. The Permittee shall maintain the vegetative cover through two consecutive growing seasons. c) Following final grading and re-seeding of the Facility, the Permittee shall maintain the perimeter fencing and security gate for a minimum of three years to prevent unauthorized access. d) Submit proof to NMED that the Permittee has completed all closure activities set forth for the Facility under 40 CFR 503. <p>Within <u>60 days</u> of ceasing discharging to the impoundments, the Permittee shall drain or evaporate wastewater from the impoundment and any other wastewater system components and dispose of it in accordance with all local, state, and federal regulations. The Permittee shall remove the green waste and solids and spread in layers on the mulch windrows in the composting area in accordance with the Facility's Solid Waste Composting Permit.</p> <p>Within <u>180 days</u> following completion of the sludge removal and disposal, the Permittee shall complete the following closure measures:</p> <ul style="list-style-type: none"> a) Remove all lines leading to and from the impoundments, or permanently plug and abandon them in place. b) Remove or demolish any other wastewater system components and re-grade area with suitable fill to blend with surface topography, promote positive drainage and prevent ponding. c) Perforate or remove the impoundment liners. d) Fill the impoundments with suitable fill. e) Re-grade the impoundment site to blend with surface topography, promote positive

#	Terms and Conditions
	drainage and prevent ponding. [Subsection A of 20.6.2.3107, 20.6.2.3109 NMAC]
27.	Following final grading and re-seeding of the Facility, the Permittee shall maintain the perimeter fencing and security gate for a minimum of three years to restrict unauthorized access. [Subsection A 20.6.2.3107 NMAC]
28.	When the Permittee has met all closure and post-closure requirements and verified with date stamped photographic evidence or an associated NMED inspection, the Permittee may submit a written request which includes the photographic evidence for termination of the Discharge Permit to NMED. [Subsection A 20.6.2.3107 NMAC]

E. GENERAL TERMS AND CONDITIONS

#	Terms and Conditions
29.	<p>RECORD KEEPING - The Permittee shall maintain a written record of:</p> <ul style="list-style-type: none"> • Information and data used to complete the application for this Discharge Permit; • Any releases (commonly known as “spills”) not authorized under this Discharge Permit and reports submitted pursuant to 20.6.2.1203 NMAC; • The operation, maintenance, and repair of all facilities/equipment used to treat, store or dispose of wastewater; • Facility record drawings (plans and specifications) showing the actual construction of the Facility and bear the seal and signature of a licensed New Mexico professional engineer; • Copies of inspection logs and monitoring reports completed and/or submitted to NMED pursuant to this Discharge Permit; • The volume of wastewater or other wastes discharged pursuant to this Discharge Permit; • Groundwater quality and wastewater quality data collected pursuant to this Discharge Permit; • Copies of construction records (well log) for all sampled groundwater monitoring wells pursuant to this Discharge Permit; • The maintenance, repair, replacement or calibration of any monitoring equipment or flow measurement devices required by this Discharge Permit; and • Data and information related to field measurements, sampling, and analysis conducted pursuant to this Discharge Permit, including:

#	Terms and Conditions
	<ul style="list-style-type: none"> ○ the dates, location and times of sampling or field measurements; ○ the name and job title of the individuals who performed each sample collection or field measurement; ○ the sample analysis date of each sample ○ the name and address of the laboratory, and the name of the signatory authority for the laboratory analysis; ○ the analytical technique or method used to analyze each sample or collect each field measurement; ○ the results of each analysis or field measurement, including raw data; ○ the results of any split, spiked, duplicate or repeat sample; and ○ a copy of the laboratory analysis chain-of-custody as well as a description of the quality assurance and quality control procedures used. <p>The Permittee shall maintain the written record at a location accessible to NMED during a Facility inspection for a lifetime of the Discharge Permit. The Permittee shall make the record available to the department upon request.</p> <p>[Subsections A and D of 20.6.2.3107 NMAC]</p>
30.	<p>INSPECTION and ENTRY – The Permittee shall allow NMED to inspect the Facility and its operations that are subject to this Discharge Permit and the WQCC regulations. NMED may upon presentation of proper credentials, enter at reasonable times upon or through any premises in which a water contaminant source is located or in which any maintained records required by this Discharge Permit, the regulations of the federal government, or the WQCC are located.</p> <p>The Permittee shall allow NMED to have access to and reproduce for their use any copy of the records, and to perform assessments, sampling or monitoring during an inspection for the purpose of evaluating compliance with this Discharge Permit and the WQCC regulations.</p> <p>No person shall construe anything in this Discharge Permit as limiting in any way the inspection and entry authority of NMED under the WQA, the WQCC Regulations, or any other local, state or federal regulations.</p> <p>[Subsection D of 20.6.2.3107 NMAC, NMSA 1978, §§ 74-6-9.B and 74-6-9.E]</p>
31.	<p>DUTY to PROVIDE INFORMATION - The Permittee shall, upon NMED’s request, allow for NMED’s inspection/duplication of records required by this Discharge Permit and/or furnish to NMED copies of such records.</p> <p>[Subsection D of 20.6.2.3107 NMAC]</p>

#	Terms and Conditions
32.	<p>MODIFICATIONS and/or AMENDMENTS – In the event the Permittee proposes a change to the Facility or the Facility’s discharge that would result in a change in the volume discharged; the location of the discharge; or in the amount or character of water contaminants received, treated or discharged by the Facility, the Permittee shall notify NMED prior to implementing such changes. The Permittee shall obtain approval (which may require modification of this Discharge Permit) from NMED prior to implementing such changes.</p> <p>[Subsection C of 20.6.2.3107 NMAC, Subsections E and G of 20.6.2.3109 NMAC]</p>
33.	<p>PLANS and SPECIFICATIONS – In the event the Permittee proposes to construct a wastewater system or change a process unit of an existing system such that the quantity or quality of the discharge will change substantially from that authorized by this Discharge Permit, the Permittee shall submit construction plans and specifications of the proposed system or process unit to NMED for approval prior to the commencement of construction.</p> <p>In the event the Permittee implements changes to the wastewater system authorized by this Discharge Permit that result in only a minor effect on the character of the discharge, the Permittee shall report such changes (including the submission of record drawings where applicable) as of January 1 and June 30 of each year to NMED.</p> <p>[Subsections A and C of 20.6.2.1202 NMAC, NMSA 1978, §§ 61-23-1 through 61-23-32]</p>
34.	<p>CIVIL PENALTIES - Any violation of the requirements and conditions of this Discharge Permit, including any failure to allow NMED staff to enter and inspect records or facilities, or any refusal or failure to provide NMED with records or information, may subject the Permittee to a civil enforcement action. Pursuant to WQA 74-6-10(A) and (B), such action may include a compliance order requiring compliance immediately or in a specified time, assessing a civil penalty, modifying or terminating the Discharge Permit, or any combination of the foregoing; or an action in district court seeking injunctive relief, civil penalties, or both. Pursuant to WQA 74-6-10(C) and 74-6-10.1, civil penalties of up to \$15,000 per day of noncompliance may be assessed for each violation of the WQA 74-6-5, the WQCC Regulations, or this Discharge Permit, and civil penalties of up to \$10,000 per day of noncompliance may be assessed for each violation of any other provision of the WQA, or any regulation, standard, or order adopted pursuant to such other provision. In any action to enforce this Discharge Permit, the Permittee waives any objection to the admissibility as evidence of any data generated pursuant to this Discharge Permit.</p> <p>[20.6.2.1220 NMAC, NMSA 1978, §§ 74-6-10 and 74-6-10.1]</p>
35.	<p>CRIMINAL PENALTIES – No person shall:</p>

#	Terms and Conditions
	<ul style="list-style-type: none"> • Make any false material statement, representation, certification or omission of material fact in an application, record, report, plan or other document filed, submitted or maintained under the WQA; • Falsify, tamper with or render inaccurate any monitoring device, method or record maintained under the WQA; or • Fail to monitor, sample or report as required by a permit issued pursuant to a state or federal law or regulation. <p>Any person who knowingly violates or knowingly causes or allows another person to violate the requirements of this condition is guilty of a fourth-degree felony and shall be sentenced in accordance with the provisions of NMSA 1978, § 31-18-15. Any person who is convicted of a second or subsequent violation of the requirements of this condition is guilty of a third-degree felony and shall be sentenced in accordance with the provisions of NMSA 1978, § 31-18-15. Any person who knowingly violates the requirements of this condition or knowingly causes another person to violate the requirements of this condition and thereby causes a substantial adverse environmental impact is guilty of a third-degree felony and shall be sentenced in accordance with the provisions of NMSA 1978, § 31-18-15. Any person who knowingly violates the requirements of this condition and knows at the time of the violation that he is creating a substantial danger of death or serious bodily injury to any other person is guilty of a second degree felony and shall be sentenced in accordance with the provisions of NMSA 1978, § 31-18-15.</p> <p>[20.6.2.1220 NMAC, NMSA 1978, §§ 74-6-10.2.A through 74-6-10.2.F]</p>
36.	<p>COMPLIANCE with OTHER LAWS - Nothing in this Discharge Permit shall be construed in any way as relieving the Permittee of the obligation to comply with any other applicable federal, state, and/or local laws, regulations, zoning requirements, nuisance ordinances, permits or orders.</p> <p>[NMSA 1978, § 74-6-5.L]</p>
37.	<p>RIGHT to APPEAL - The Permittee may file a petition for review before the WQCC on this Discharge Permit. Such petition shall be in writing to the WQCC within thirty days of the receipt of postal notice of this Discharge Permit and shall include a statement of the issues raised and the relief sought. Unless the Permittee files a timely petition for review, the decision of NMED shall be final and not subject to judicial review.</p> <p>[20.6.2.3112 NMAC, NMSA 1978, § 74-6-5.O]</p>
38.	<p>TRANSFER of DISCHARGE PERMIT - Prior to the transfer of any ownership, control, or possession of this Facility or any portion thereof, the Permittee shall:</p>

#	Terms and Conditions
	<ul style="list-style-type: none">• Notify the proposed transferee in writing of the existence of this Discharge Permit;• Include a copy of this Discharge Permit with the notice; and• Deliver or send by certified mail to NMED a copy of the notification and proof that the proposed transferee has received such notification. <p>The Permittee shall continue to be responsible for any discharge from the Facility, until both ownership and possession of the Facility have been transferred to the transferee</p> <p>[20.6.2.3111 NMAC]</p>
39.	<p>PERMIT FEES – The Permittee shall be aware that the payment of permit fees is due at the time of Discharge Permit approval. The Permittee may pay the permit fees in a single payment or they may pay the fee in equal installments on a yearly basis over the term of the Discharge Permit. The Permittee shall remit single payments to NMED no later than 30 days after the Discharge Permit issuance date. The Permittee shall remit initial installment payments to NMED no later than 30 days after the Discharge Permit issuance date; with subsequent installment payments remitted to NMED no later than the anniversary of the Discharge Permit issuance date.</p> <p>Permit fees are associated with <u>issuance</u> of this Discharge Permit. No person shall construe anything in this Discharge Permit as relieving the Permittee of the obligation to pay all permit fees assessed by NMED. A Permittee that ceases discharging or does not commence discharging from the Facility during the term of the Discharge Permit shall pay all permit fees assessed by NMED. NMED shall suspend or terminate an approved Discharge Permit if the Permittee fails to remit an installment payment by its due date.</p> <p>[Subsection F of 20.6.2.3114 NMAC, NMSA 1978, § 74-6-5.K]</p>