



Michelle Lujan Grisham
Governor

Howie C. Morales
Lieutenant Governor

NEW MEXICO
ENVIRONMENT DEPARTMENT

Ground Water Quality Bureau

1190 Saint Francis Drive / PO Box 5469
Santa Fe, NM 87502-5469
Phone (505) 827-2900 Fax (505) 827-2965
www.env.nm.gov



James C. Kenney
Cabinet Secretary

Jennifer J. Pruett
Deputy Secretary

PUBLIC NOTICE
Groundwater Discharge Permits Proposed for Approval
December 24, 2020

Dear Interested Party,

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice that the following Groundwater Discharge Permits have been proposed for approval. NMED will allow 45 days after the date of publication of this notice (or as otherwise provided below) for submittal of written comments and/or a request for a public hearing for a permitting action. NMED is extending the public comment period of this Notice from the standard period of 30 days to 45 days in consideration of the holidays occurring during the comment period. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. After the administrative record for a permitting action is complete and all required information is available, NMED will approve, approve with conditions, or disapprove the Permit based on the administrative record.

NMED maintains a Public Involvement Plan (PIP) for each permitting action to plan for providing public participation opportunities and information that may be needed for the community to participate in a permitting process. PIPs may be viewed on-line at <https://www.env.nm.gov/gwqb/public-involvement-plans/>. Due to the Public Health Emergency, instead of placing a copy of the PIP for this permitting action in a public location, NMED will make the PIP available to the community by sending the PIP by email or US mail to any community member requesting a copy at no cost to the requester. An individual may request a copy of the PIP utilizing the Bureau contact information in this public notice. Please specify how you would like the document delivered. If you request a copy of a PIP, NMED will send a revised PIP if NMED updates the PIP in the future. NMED maintains facility-specific mailing lists for persons wishing to receive associated notices or provide input for a PIP for a permitting action.


To learn more about a Discharge Permit and the permitting process, to be placed on a facility-specific mailing list, or to obtain a copy of a draft permit or PIP, please contact the NMED Permit Contact at the telephone number or address provided below. Draft permits may be viewed on-line at <https://www.env.nm.gov/gwqb/public-notice/>. Comments or a request for hearing regarding a draft

permit should be addressed to the GWQB, PO Box 5469, Santa Fe, NM 87502-5469, or emailed to the NMED Permit Contact.

If you are a non-English speaker, do not speak English well, or if you have a disability, you may contact the NMED Permit Contact to request assistance, an interpreter, or an auxiliary aid in order to learn more about a Discharge Permit or the permitting process, or to participate in activities associated with the permitting process. To the extent possible, NMED will arrange for requested interpretation services and accommodations or services for persons with disabilities. Telephone conversation assistance is available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking on the phone, by calling 1-800-659-1779; TTY users: 1-800-659-8331; Spanish: 1-800-327-1857. Telephone interpretation assistance for persons that are a non-English speaker or do not speak English well is available at no charge when calling NMED.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Parts 5 and 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, you may contact: Kathryn Becker, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, nd.coordinator@state.nm.us. If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at <https://www.env.nm.gov/non-employee-discrimination-complaint-page/> to learn how and where to file a complaint of discrimination.

Sincerely,



Lochlin Farrell
Ground Water Quality Bureau

“How can I be of assistance?”

Lochlin is available by telephone during normal business hours at **(505) 660-8061**. Lochlin can help you with questions regarding this public notice or public involvement and can arrange for an interpreter to be on the phone line for the duration of your call at no cost to you.

Enclosure: Groundwater Discharge Permits Proposed for Approval



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before December 24, 2020
 Groundwater Discharge Permits Proposed for Approval

<p><u>Discharge Permit</u> 1555</p> <p><u>Closest City</u> Cedar Crest</p> <p><u>County</u> Bernalillo</p>	<p><u>Facility</u> Riviera de Sandia (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> John J. Eberle 2W. Dry Creek Circle, #200 Littleton, CO 80120</p>	<p><u>NMED Permit Contact</u> Melanie Sandoval Geoscientist – Supervisor UIC and Industrial Team Leader Melanie.Sandoval2@state.nm.us Telephone: (505) 660-7892</p> <p>Written comments or requests for a hearing for DP-1555 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	---	--	---

Notice: DP-1555: Riviera de Sandia proposes to renew the Discharge Permit for the discharge of up to 16,700 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 12145 Hwy 14 N., Cedar Crest, in Section 2, T10N, R05E, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 11 to 35 feet and had a pre-discharge total dissolved solids concentration of 330 milligrams per liter.

<p><u>Discharge Permit</u> 1875</p> <p><u>Closest City</u> Albuquerque</p> <p><u>County</u> Bernalillo</p>	<p><u>Facility</u> Phillips 66 Albuquerque Products Terminal (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Becky Hesslen Program Manager Phillips 66 Remediation Management 420 S. Keeler Ave., 1708-01 Bartlesville, OK 74003</p>	<p><u>NMED Permit Contact</u> Jason Herman Hydrologist – Supervisor Domestic Waste Team Leader Jason.Herman@state.nm.us Telephone: (575) 649-3871</p> <p>Written comments or requests for a hearing for DP-1875 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	---	--	--

Notice: DP-1875, Phillips 66 Albuquerque Products Terminal: Phillips 66 Company proposes to discharge up to 10,000 gallons per day of remediation solution into injection wells. Potential contaminants from this type of discharge include organic compounds, inorganic compounds, and sulfate. The facility is located at 6356 Desert Road SW, Albuquerque, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 95 feet and had a pre-discharge total dissolved solids concentration of 2,000 milligrams per liter.



<p><u>Discharge Permit</u> 1389 <u>Closest City</u> Albuquerque <u>County</u> Bernalillo</p>	<p><u>Facility</u> Atlas Pumping Company (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Albert Fanelli President Atlas Pumping Co Inc PO Box 10477 Albuquerque, NM 87184</p>	<p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564 Written comments or requests for a hearing for DP-1389 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	---

Notice: DP-1389, Atlas Pumping Company: Albert Fanelli proposes to renew and modify the Discharge Permit for the discharge of up to 8,700 gallons per day of sand trap waste, grease trap waste, and domestic septage to a separation system for disposal offsite. Potential contaminants from this type of discharge include nitrogen compounds, dissolved solids, organic compounds, and metals. The facility is located at 4160 Broadway Blvd SE, South Valley, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 250 feet and had a pre-discharge total dissolved solids concentration of 566 milligrams per liter.

<p><u>Discharge Permit</u> 742 <u>Closest City</u> Dexter <u>County</u> Chaves</p>	<p><u>Facility</u> Facil Farms (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Joe Bogle 15 Hawthorne Rd. Lake Arthur, NM 88253</p>	<p><u>NMED Permit Contact</u> Marc Bonem Environmental Scientist Marc.Bonem@state.nm.us Telephone: (505) 660-8376 Written comments or requests for a hearing for DP-742 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	---

Notice: DP-742: Facil Farms proposes to renew the Discharge Permit for the discharge of up to 49,500 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 7150 Vineyard Road, approximately 2 miles west of Dexter, in Section 14, T13S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 62 feet and had a pre-discharge total dissolved solids concentration of 2,000 milligrams per liter.



<p><u>Discharge Permit</u> 1200 <u>Closest City</u> Roswell <u>County</u> Chaves</p>	<p><u>Facility</u> Borba Farms, LLC (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Janet Borba 3700 Lovers Lane Roswell, NM 88203</p>	<p><u>NMED Permit Contact</u> Marc Bonem Environmental Scientist Marc.Bonem@state.nm.us Telephone: (505) 660-8376 Written comments or requests for a hearing for DP-1200 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	--	---	--

Notice: DP-1200: Borba Farms Dairy proposes to renew Discharge Permit 1200 for closure. No discharge will occur under this Discharge Permit as dairy related operations at this facility have ceased. The facility and discharge locations are located at 2801 Milky Way Road, approximately 2.5 miles southeast of Roswell, in Section 11, T11S, R24E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 26.8 feet and had a pre-discharge total dissolved solids concentration of 2,300 milligrams per liter.

<p><u>Discharge Permit</u> 808 <u>Closest City</u> Melrose <u>County</u> Curry</p>	<p><u>Facility</u> Village of Melrose Wastewater Treatment Plant (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> The Honorable Barry W. Green Mayor Village of Melrose PO Box 235 Melrose, NM 88124</p>	<p><u>NMED Permit Contact</u> Sandra Gabaldón Environmental Scientist Sandra.Gabaldon@state.nm.us Telephone: (505) 660-8164 Written comments or requests for a hearing for DP-808 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	--

Notice: DP-808, Village of Melrose Wastewater Treatment Plant: The Village of Melrose proposes to renew the Discharge Permit for the discharge of up to 90,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 3/4 mile east of NM 267 & CR 11, approximately 1 mile south of Melrose, in Section 7, T02N, R32E, Curry County. Groundwater most likely to be affected is at a depth of approximately 50 feet and had a pre-discharge total dissolved solids concentration of approximately 448 milligrams per liter.



<p><u>Discharge Permit</u> 1455 <u>Closest City</u> Texico <u>County</u> Curry</p>	<p><u>Facility</u> Route 77 Dairy (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Dean Van Dam Owner 197 State Road 77 Texico, NM 88135</p>	<p><u>NMED Permit Contact</u> Sarah F. Schnell Geoscientist Sarah.Schnell@state.nm.us Telephone: (505) 660-8368 Written comments or requests for a hearing for DP-1455 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	--	---

Notice: DP-1455: Route 77 Dairy proposes to renew the Discharge Permit for the discharge of up to 49,900 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 197 State Road 77, approximately nine miles north of Texico, in Section 3, T03N, R37E, Curry County. Groundwater most likely to be affected is at a depth of approximately 330 feet and had a pre-discharge total dissolved solids concentration of 420 milligrams per liter.

<p><u>Discharge Permit</u> 1508 <u>Closest City</u> Clovis <u>County</u> Curry</p>	<p><u>Facility</u> Southwest Cheese (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Deborah Abrego EHS Director Southwest Cheese Company, LLC 1141 Curry Road 4 Clovis, NM 88101</p>	<p><u>NMED Permit Contact</u> Sarah F. Schnell Geoscientist Sarah.Schnell@state.nm.us Telephone: (505) 660-8368 Written comments or requests for a hearing for DP-1508 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	---

Notice: DP-1508: Southwest Cheese Company, LLC proposes to renew and modify the Discharge Permit for the discharge of up to 2,713,000 gallons per day of combined cheese processing and reverse osmosis wastewater from the facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 1141 Curry Road 4, approximately 5 miles south of Clovis, Sections 12 and 13, T01N, R35E, and in Sections 7 and 18, T01N, R36E, Curry County. Groundwater most likely to be affected is at a depth of approximately 300 feet and had a pre-discharge total dissolved solids concentration of 400 milligrams per liter.



<p><u>Discharge Permit</u> 1036</p> <p><u>Closest City</u> Mesquite</p> <p><u>County</u> Doña Ana</p>	<p><u>Facility</u> Mesquite Wastewater Treatment Facility (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Martin Lopez General Manager Lower Rio Grande Public Water Works Authority PO Box 2646 Anthony, NM 88021</p>	<p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: (505) 660-7189</p> <p>Written comments or requests for a hearing for DP-1036 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	--	---	--

Notice: DP-1036, Mesquite Wastewater Treatment Facility: Lower Rio Grande Public Water Works Authority proposes to renew the Discharge Permit for post-closure groundwater monitoring associated with a former treatment and disposal system. Potential contaminants from this type of discharge included nitrogen compounds. The facility is located at the end of Santo Tomas Road, Mesquite, in Section 2, T25S, R02E, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 10 feet and had a pre-discharge total dissolved solids concentration of 706 milligrams per liter.

<p><u>Discharge Permit</u> 1819</p> <p><u>Closest City</u> Las Cruces</p> <p><u>County</u> Doña Ana</p>	<p><u>Facility</u> Centennial High School (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Bobby J. Stout Jr. Exec. Director PPD Las Cruces Public Schools 505 S. Main, Suite 249 Las Cruces, NM 88001</p>	<p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: (505) 660-7189</p> <p>Written comments or requests for a hearing for DP-1819 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	--	--	--

Notice: DP-1819, Centennial High School: Las Cruces Public Schools proposes to renew the Discharge Permit for the discharge of up to 150,000 gallons per day of reclaimed domestic wastewater for irrigation. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1950 S. Sonoma Ranch Blvd, within Las Cruces, in Section 14, T23S, R02E, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 370 feet and had a pre-discharge total dissolved solids concentration of 1,775 milligrams per liter.



<p><u>Discharge Permit</u> 1911 <u>Closest City</u> Mesilla Park <u>County</u> Doña Ana</p>	<p><u>Facility</u> Franco Whole Foods (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Mike Franco, Owner Franco Whole Foods PO Box 178 Mesilla Park, NM 88047</p>	<p><u>NMED Permit Contact</u> Sarah F. Schnell Geoscientist Sarah.Schnell@state.nm.us Telephone: (505) 660-8368 Written comments or requests for a hearing for DP-1911 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	--	--	---

Notice: DP-1911, Franco Whole Foods proposes to discharge up to 2,700 gallons per day of wastewater from the production area of a food processing facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 6030 NM-478, Mesilla Park, in Section 9, T24S, R02E, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 29 feet and had a total dissolved solids concentration of 1,160 milligrams per liter.

<p><u>Discharge Permit</u> 1112 <u>Closest City</u> Vaughn <u>County</u> Guadalupe</p>	<p><u>Facility</u> Town of Vaughn Wastewater Treatment Plant (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> The Honorable Roman Garcia Mayor Town of Vaughn PO Box 278 Vaughn, NM 88353</p>	<p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564 Written comments or requests for a hearing for DP-1112 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	--	---

Notice: DP-1112, Town of Vaughn Wastewater Treatment Plant: Town of Vaughn proposes to renew the Discharge Permit for the discharge of up to 150,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 5928 Airport Road, Vaughn, Guadalupe County. Groundwater most likely to be affected is at a depth of approximately 700 feet and had a pre-discharge total dissolved solids concentration of 1,400 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before December 24, 2020
 Groundwater Discharge Permits Proposed for Approval

<p><u>Discharge Permit</u> 1429</p> <p><u>Closest City</u> Hobbs</p> <p><u>County</u> Lea</p>	<p><u>Facility</u> Xcel Energy - Cunningham Station Power Plant (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Dean Metcalf Environmental Manager Southwestern Public Service Company 790 S Buchanan St Amarillo, TX 79101</p>	<p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-1429 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	---

Notice: DP-1429, Xcel Energy Cunningham Station: Southwestern Public Service Company proposes to renew the Discharge Permit for the discharge of up to 3,500,000 gallons per day of industrial wastewater to an impoundment then to irrigation systems for disposal. Potential contaminants from this type of discharge include nitrogen, dissolved solids, metals, and organic compounds. The facility is located at 986 State Hwy 483, approximately 12 miles west of Hobbs, Lea County. Groundwater most likely to be affected is at a depth of approximately 65 feet and had a pre-discharge total dissolved solids concentration of 350 milligrams per liter.

<p><u>Discharge Permit</u> 1688</p> <p><u>Closest City</u> Hobbs</p> <p><u>County</u> Lea</p>	<p><u>Facility</u> Xcel Energy Maddox Station (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Dean Metcalf Environmental Manager Xcel Energy Maddox Station 790 South Buchanan St. Amarillo, TX 79101</p>	<p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-1688 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	---

Notice: DP-1688, Xcel Energy Maddox Station: Southwestern Public Service Company proposes to renew the Discharge Permit for the discharge of up to 2,120,000 gallons per day of industrial wastewater to an impoundment then to an irrigation system for disposal. Potential contaminants from this type of discharge include nitrogen, dissolved solids, metals, and organic compounds. The facility is located at 119 N. Maddox Road, approximately 8 miles west of Hobbs, Lea County. Groundwater most likely to be affected is at a depth of approximately 50 to 70 feet and had a pre-discharge total dissolved solids concentration of 350 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before December 24, 2020
 Groundwater Discharge Permits Proposed for Approval

<p><u>Discharge Permit</u> 1559</p> <p><u>Closest City</u> Hobbs</p> <p><u>County</u> Lea</p>	<p><u>Facility</u> Rocky Top Dairy, LLC (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Buster Goff 9800 W. Goff Road Hobbs, NM 88242</p>	<p><u>NMED Permit Contact</u> Nancy McDuffie Agriculture Compliance Section Program Manager Nancy.McDuffie@state.nm.us Telephone: (505) 699-4293</p> <p>Written comments or requests for a hearing for DP-1559 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	--

Notice: DP-1559: Rocky Top Dairy, LLC proposes to renew the Discharge Permit for the discharge of up to 60,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 5717 W. Mallard Lane, approximately 10.5 miles Northwest of Hobbs, in Section 13, T17S, R37E, and Section 19, T17S, R38E, Lea County. Groundwater most likely to be affected is at a depth of approximately 100 feet and had a pre-discharge total dissolved solids concentration of 730 milligrams per liter.

<p><u>Discharge Permit</u> 1612</p> <p><u>Closest City</u> Eunice</p> <p><u>County</u> Lea</p>	<p><u>Facility</u> City of Eunice Wastewater Treatment Facility (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> The Honorable Billy Hobbs Mayor City of Eunice PO Box 147 Eunice, NM 88231</p>	<p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: (505) 660-7189</p> <p>Written comments or requests for a hearing for DP-1612 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	---	---	--

Notice: DP-1612, City of Eunice Wastewater Treatment Facility: The City of Eunice proposes to renew the Discharge Permit for the discharge of up to 400,000 gallons per day of domestic wastewater to a disposal system and for reuse. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 1000 feet east of the intersection of Q Avenue and 6th Street, Eunice, in Sections 26 and 27, T21S, R37E, Lea County. Reuse of reclaimed wastewater will occur in Sections 27 and 34, T21S, R37E, Lea County. Groundwater most likely to be affected is at a depth of approximately 42 feet and had a pre-discharge total dissolved solids concentration of 710 milligrams per liter.



<p><u>Discharge Permit</u> 1802</p> <p><u>Closest City</u> Jal</p> <p><u>County</u> Lea</p>	<p><u>Facility</u> City of Jal-Sludge and Wastewater Surface Disposal Site (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Matt White City Manager City of Jal PO Box 340 Jal, NM 88252</p>	<p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: (505) 660-7189</p> <p>Written comments or requests for a hearing for DP-1802 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	--

Notice: DP-1802, City of Jal-Sludge and Wastewater Surface Disposal Site: the City of Jal proposes to renew the Discharge Permit for post-closure groundwater monitoring associated with a former disposal system. No discharge will occur under this Discharge Permit. Contaminants of concern included nitrogen compounds. The facility is located at 1000 North Third Street, in Jal, in Section 17, T25S, R37E, Lea County. Groundwater most likely to be affected is at a depth of approximately 37 feet and had a pre-discharge total dissolved solids concentration of 1,065 milligrams per liter.

<p><u>Discharge Permit</u> 907</p> <p><u>Closest City</u> Los Alamos</p> <p><u>County</u> Los Alamos</p>	<p><u>Facility</u> Los Alamos County – White Rock Wastewater Treatment Facility (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Jennifer Baca Engineering Associate Los Alamos County Department of Public Utilities 1000 Central Avenue, Suite 130 Los Alamos, NM 87544</p>	<p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: (505) 660-7189</p> <p>Written comments or requests for a hearing for DP-907 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	--	---	---

Notice: DP-907, Los Alamos County – White Rock Wastewater Treatment Facility: Los Alamos County Department of Public Utilities proposes to renew and modify the Discharge Permit for the discharge of up to 820,000 gallons per day of reclaimed domestic wastewater for irrigation. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 600 Overlook Road, and the irrigation sites are county properties located throughout White Rock, Los Alamos County. Groundwater most likely to be affected is at a depth of approximately 563 feet and had a pre-discharge total dissolved solids concentration of 133 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before December 24, 2020
 Groundwater Discharge Permits Proposed for Approval

<p>Discharge Permit 1305</p> <p>Closest City Deming</p> <p>County Luna</p>	<p>Facility Luna Energy Center (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p>Applicant John Hale Environmental Manager Public Service Company of New Mexico 414 Silver Ave SE Albuquerque, NM 87102</p>	<p>NMED Permit Contact Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-1305 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	---	--	--

Notice: DP-1305, Luna Energy Center: Public Service Company of New Mexico proposes to renew the Discharge Permit for the discharge of up to 150,000 gallons per day of industrial wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, dissolved solids, metals, and chloride. The facility is located at 1895 Arrowhead Drive, Deming, in Sections 16 and 17, T23S, R09W, Luna County. Groundwater most likely to be affected is at a depth of approximately 124 feet and had a pre-discharge total dissolved solids concentration of 235 milligrams per liter.

<p>Discharge Permit 977</p> <p>Closest City Gallup</p> <p>County McKinley</p>	<p>Facility White Cliffs Mutual Domestic Water Users Association Treatment and Disposal System (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p>Applicant Michael Daly President PO Box 1518 Gallup, NM 87305</p>	<p>NMED Permit Contact Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-977 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	---

Notice: DP-977, White Cliffs Mutual Domestic Water Users Association Treatment and Disposal System: White Cliffs MDWUA proposes to renew the Discharge Permit for the discharge of up to 25,000 gallons per day of domestic and industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, and total dissolved solids. The facility is located at the intersection of Hasler Valley Rd and Bishop Dr, approximately one-half of a mile northeast of Gallup, McKinley County. Groundwater most likely to be affected is at a depth of approximately 13 feet and had a pre-discharge total dissolved solids concentration of 3,630 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before December 24, 2020
 Groundwater Discharge Permits Proposed for Approval

<p><u>Discharge Permit</u> 1915</p> <p><u>Closest City</u> Prewitt</p> <p><u>County</u> McKinley</p>	<p><u>Facility</u> McKinley Paper Company (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Isaac Rosas General Manager McKinley Paper Company 7850 Jefferson Ste., NE Albuquerque, NM 87109</p>	<p><u>NMED Permit Contact</u> Melanie Sandoval Geoscientist – Supervisor UIC and Industrial Team Leader Melanie.Sandoval2@state.nm.us Telephone: (505) 660-7892</p> <p>Written comments or requests for a hearing for DP-1915 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	--	--	--

Notice: DP-1915, McKinley Paper Company proposes to discharge up to 55,000 gallons per day of domestic and industrial wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen and organic compounds and metals. The facility is located at County Road 19, Prewitt, in Sections 26 and 27, T14N, R12W, McKinley County. Groundwater most likely to be affected is at a depth of approximately 10-200 feet and had a pre-discharge total dissolved solids concentration of 665 to 7,090 milligrams per liter.

<p><u>Discharge Permit</u> 1732</p> <p><u>Closest City</u> Three Rivers</p> <p><u>County</u> Otero</p>	<p><u>Facility</u> Rosa Mora (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Colin Cannon, Owner Cannon Industries, LLC PO Box 1910 Alto, NM 88312</p>	<p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-1732 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	--	--	---

Notice: DP-1732, Rosa Mora: Cannon Industries, LLC proposes to modify the Discharge Permit for the discharge of up to 29,000 gallons per day of domestic septage, wastewater treatment plant sludge, grease trap waste and vehicle wash sump waste to a land disposal site. Potential contaminants from this type of discharge include nitrogen compounds and inorganic compounds. The facility is located on Otero County Road B028, one mile west of Highway 54, approximately 26 miles south of Carrizozo, in Section 33, T11S, R09E, Otero County. Groundwater most likely to be affected is at a depth of approximately 213 feet and had a pre-discharge total dissolved solids concentration of 1,796 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before December 24, 2020
 Groundwater Discharge Permits Proposed for Approval

<p><u>Discharge Permit</u> 1526</p> <p><u>Closest City</u> El Rito</p> <p><u>County</u> Rio Arriba</p>	<p><u>Facility</u> Naturally NM Food Products (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Donald Martinez Owner Naturally NM Food Products 1138B NM-544 El Rito, NM 87530</p>	<p><u>NMED Permit Contact</u> Melanie Sandoval Geoscientist – Supervisor UIC and Industrial Team Leader Melanie.Sandoval2@state.nm.us Telephone: (505) 660-7892</p> <p>Written comments or requests for a hearing for DP-1526 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	--	--	---

Notice: DP-1526, Naturally NM Food Products proposes to renew the Discharge Permit for the discharge of up to 750 gallons per day of slaughterhouse processing wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1138 NM-544, El Rito, in Section 3, T24N, R07E, Rio Arriba. Groundwater most likely to be affected is at a depth of approximately 20 feet and had a pre-discharge total dissolved solids concentration of 400 milligrams per liter.

<p><u>Discharge Permit</u> 666</p> <p><u>Closest City</u> Portales</p> <p><u>County</u> Roosevelt</p>	<p><u>Facility</u> Mathews 2 Dairy (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Jordan Mathews 2325 S. RR 2 Portales, NM 88130</p>	<p><u>NMED Permit Contact</u> Nancy McDuffie Agriculture Compliance Section Program Manager Nancy.McDuffie@state.nm.us Telephone: (505) 699-4293</p> <p>Written comments or requests for a hearing for DP-666 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	--

Notice: DP-666: Mathews 2 Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 30,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 2824 S Roosevelt Rd 2, approximately 11 miles northwest of Portales, in Section 7, Township 01S, Range 33E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 80 feet and had a pre-discharge total dissolved solids concentration of 694 milligrams per liter.



<p><u>Discharge Permit</u> 737 <u>Closest City</u> Portales <u>County</u> Roosevelt</p>	<p><u>Facility</u> Parkland Dairy LLC (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Alice Visser, Member Parkland Dairy LLC 2807 South Roosevelt Rd 2 Portales, NM 88130</p>	<p><u>NMED Permit Contact</u> Nancy McDuffie Agriculture Compliance Section Program Manager Nancy.McDuffie@state.nm.us Telephone: (505) 699-4293 Written comments or requests for a hearing for DP-737 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	--	---	--

Notice: DP-737: Parkland Dairy LLC proposes to renew the Discharge Permit for the discharge of up to 15,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 2807 South Roosevelt Rd 2, approximately 10 miles northwest of Portales, in Sections 17 and 18, T01S, R33E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 85 feet and had a pre-discharge total dissolved solids concentration of 1,500 milligrams per liter.

<p><u>Discharge Permit</u> 955 <u>Closest City</u> Bloomfield <u>County</u> San Juan</p>	<p><u>Facility</u> Envirotech Inc. - Landfarm #3 (Click this link to view the Draft Permit) The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Morris Young President Envirotech Inc. 5796 US Highway 64 Farmington, NM 87401</p>	<p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: (505) 660-7189 Written comments or requests for a hearing for DP-955 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	---	---	---

Notice: DP-955: Envirotech Inc. proposes to renew and modify the Discharge Permit for the discharge of up to 9,999 gallons per day of industrial waste to a treatment and disposal system. Potential contaminants from this type of discharge include metals and organic compounds. The facility is located at #43 Road 7175, Bloomfield, in Section 6, T26N, R10W, San Juan County. Groundwater most likely to be affected is at a depth of greater than 485 feet and had a pre-discharge total dissolved solids concentration of 650 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before December 24, 2020
 Groundwater Discharge Permits Proposed for Approval

<p><u>Discharge Permit</u> 1422</p> <p><u>Closest City</u> Kirtland</p> <p><u>County</u> San Juan</p>	<p><u>Facility</u> Linde Inc. - Kirtland Facility (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> John Turnbull Facility Manager Linde Inc. PO Box 127 Kirtland, NM 87417</p>	<p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: (505) 660-7189</p> <p>Written comments or requests for a hearing for DP-1422 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	--	--	--

Notice: DP-1422, Praxair, Inc.-Kirtland Facility: Praxair, Inc. proposes to renew the Discharge Permit for the discharge of up to 16,700 gallons per day of industrial wastewater to a disposal system. Potential contaminants from this type of discharge include organic compounds and metals. The facility is located at 101 County Road 6500, approximately 1.75 miles north of Kirtland, in Section 1, T29N, R15W, San Juan County. Groundwater most likely to be affected is at a depth of approximately 48 to 92 feet and had a pre-discharge total dissolved solids concentration of 4,600 to 12,500 milligrams per liter.

<p><u>Discharge Permit</u> 494</p> <p><u>Closest City</u> Las Vegas</p> <p><u>County</u> San Miguel</p>	<p><u>Facility</u> City of Las Vegas Sludge Disposal Facility (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> William Taylor, Ph.D. City Manager City of Las Vegas 1700 N Grand Ave Las Vegas, NM 87701</p>	<p><u>NMED Permit Contact</u> Andrew Romero Geoscientist AndrewC.Romero@state.nm.us Telephone: (505) 660-8624</p> <p>Written comments or requests for a hearing for DP-494 accepted until 5:00 p.m. MST, February 8, 2021.</p>
---	--	--	---

Notice: DP-494, City of Las Vegas Sludge Disposal Facility: The City of Las Vegas proposes to renew the Discharge Permit for the discharge of up to 15,900 gallons per day of aerobically digested sludge to 400 acres of rangeland. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 10 miles northeast of Las Vegas near the City of Las Vegas Municipal Airport, in Section 32, T17N, R17E, San Miguel County. Groundwater most likely to be affected is at a depth of approximately 26 feet and had a pre-discharge total dissolved solids concentration of 904 milligrams per liter.

<p><u>Discharge Permit</u> 410</p> <p><u>Closest City</u> Santa Fe</p> <p><u>County</u> Santa Fe</p>	<p><u>Facility</u> Sunrise Springs Resort (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> Andy Scott Owner's Representative Gable S. Corporation 900 Town & Country Lane Suite 400 Houston, TX 77024</p>	<p><u>NMED Permit Contact</u> Sandra Gabaldón Environmental Scientist Sandra.Gabaldon@state.nm.us Telephone: (505) 660-8164</p> <p>Written comments or requests for a hearing for DP-410 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	--	---	--

Notice: DP-410, Sunrise Springs Resort: Gable S. Corporation proposes to renew and modify the Discharge Permit for the discharge of up to 12,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 242 Los Pinos Road, Santa Fe, in Section 28, T16N, R08E, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 15 feet and had a pre-discharge total dissolved solids concentration of 350 - 500 milligrams per liter.

<p><u>Discharge Permit</u> 469</p> <p><u>Closest City</u> Magdalena</p> <p><u>County</u> Socorro</p>	<p><u>Facility</u> Village of Magdalena Wastewater Treatment Facility (Click this link to view the Draft Permit)</p> <p>The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.</p>	<p><u>Applicant</u> The Honorable Richard Rumph Mayor Village of Magdalena PO Box 145 Magdalena, NM 87825</p>	<p><u>NMED Permit Contact</u> Andrew Romero Geoscientist AndrewC.Romero@state.nm.us Telephone: (505) 660-8624</p> <p>Written comments or requests for a hearing for DP-469 accepted until 5:00 p.m. MST, February 8, 2021.</p>
--	--	--	---

Notice: DP-469, Village of Magdalena Wastewater Treatment Facility: The Village of Magdalena proposes to renew the Discharge Permit for the discharge of up to 49,999 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located in the Village of Magdalena, in Section 22, T02S, R04W, Socorro County. Groundwater most likely to be affected is at a depth of approximately 88 feet and had a pre-discharge total dissolved solids concentration of 528 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before December 24, 2020
 Groundwater Discharge Permits Proposed for Approval

<u>Discharge Permit</u>	<u>Facility</u>	<u>Applicant</u>	<u>NMED Permit Contact</u>
1829 <u>Closest City</u> Belen <u>County</u> Valencia	<u>La Luz Energy Center (Click this link to view the Draft Permit)</u> The Public Involvement Plan may be viewed online at www.env.nm.gov/gwqb/public-involvement-plans/ or contact the NMED Permit Contact to have a copy mailed to you at no cost to you.	John Hale Public Service Company of New Mexico 414 Silver Ave SE Albuquerque, NM 87102	Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564 Written comments or requests for a hearing for DP-1829 accepted until 5:00 p.m. MST, February 8, 2021.

Notice: DP-1829, La Luz Energy Center: Public Service Company of New Mexico proposes to renew the Discharge Permit for the discharge of up to 47,520 gallons per day of industrial wastewater to a disposal system. Potential contaminants from this type of discharge include dissolved solids, sulfate, chloride, metals, pH and organic compounds. The facility is located at 11 La Luz Energy Center Road, approximately 4 miles SW of Belen, in Sections 34 and 35, T5N, R1E, Valencia County. Groundwater most likely to be affected is at a depth of approximately 370 feet and had a pre-discharge total dissolved solids concentration of 796 milligrams per liter.

END OF PUBLIC NOTICE

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<https://www.env.nm.gov/gwqb/public-notice/>