

STATE OF NEW MEXICO BEFORE THE WATER QUALITY CONTROL COMMISSION

IN THE MATTER OF:

THE PETITION TO AMEND THE STANDARDS FOR INTERSTATE AND INTRASTATE SURFACE WATERS, 20.6.4 NMAC,

No. WQCC 24-31

Triad National Security, LLC, Newport News Nuclear BWXT-Los Alamos, LLC, and U.S. Department of Energy, Office of Environmental Management

Petitioners.

SUPPLEMENT TO TRIAD NATIONAL SECURITY, LLC'S, NEWPORT NEWS NUCLEAR BWXT-LOS ALAMOS, LLC'S, AND THE UNITED STATES DEPARTMENT OF ENERGY, OFFICE OF ENVIRONMENTAL MANAGEMENT'S PETITION FOR RULEMAKING TO AMEND 20.6.4.900 NMAC

Pursuant to the Commission's directive at its July 9, 2024 public meeting and 20.1.6.200

NMAC, Triad National Security, LLC, Newport News Nuclear BWXT-Los Alamos, LLC, and the

United States Department of Energy, Office of Environmental Management, Los Alamos Field

Office (collectively "Petitioners") hereby supplement their Petition for Rulemaking, filed May 23,

2024, to add Petitioners' Exhibit F – a copy of the entire rule, including the proposed regulatory

changes, indicating any language proposed to be added or deleted. A copy of Petitioners' Exhibit

F (Petitioners_0358 - Petitioners_0415) is attached hereto, with the changes indicated at 48:43-

45; 50:1-11, 16, and 54:2-3.

Respectfully submitted,

MONTGOMERY & ANDREWS, P.A.

By: <u>/s/ Kari Olson</u>

Kari Olson Louis W. Rose Post Office Box 2307 Santa Fe, New Mexico 87504-2307

(505) 982-3873 kolson@montand.com lrose@montand.com cc: tpacheco@montand.com

Attorneys for Newport News Nuclear BWXT-Los Alamos, LLC

OFFICE OF GENERAL COUNSEL LOS ALAMOS NATIONAL LABORATORY

By: /s/ Maureen Dolan Maureen Dolan Maxine McReynolds Post Office Box 1660, MS 187 Los Alamos, New Mexico 87544 (505) 667-3766 dolan@lanl.gov mcreynolds@lanl.gov

Attorneys for Triad National Security, LLC

DEPARTMENT OF ENERGY, OFFICE OF ENVIRONMENTAL MANAGEMENT, LOS ALAMOS FIELD OFFICE

By: <u>/s/John Evans</u>

John Evans Robert Reine U.S. Department of Energy Office of Environmental Management Los Alamos Field Office (505) 396-1943 John.H.Evans@em.doe.gov Robert.Reine@em.doe.gov

Attorneys for U.S. Department of Energy, Office of Environmental Management, Los Alamos Field Office

CERTIFICATE OF SERVICE

I hereby certify that on July 16, 2024, a true copy of the foregoing Supplement to Triad National Security, LLC's, Newport News Nuclear BWXT-Los Alamos, LLC's, and the United States Department of Energy, Office of Environmental Management's Petition for Rulemaking to Amend 20.6.4.900 NMAC was served via electronic mail to the following:

Pamela Jones New Mexico Environment Department pamela.jones@env.nm.gov

Lisa Chai New Mexico Environment Department lisa.chai1@env.nm.gov

Emily Miller Rebecca Guay New Mexico Office of the Attorney General <u>emiller@nmdoj.gov</u> <u>rguay@nmdoj.gov</u>

Nicholas R. Maxwell P.O. Box 1064 Hobbs, NM 88241 (575) 441-3560 inspector@sunshineaudit.com

> By: <u>/s/ Kari E. Olson</u> Kari E. Olson

EXHIBIT F

- **ENVIRONMENTAL PROTECTION** 1 TITLE 20
- CHAPTER 6 WATER OUALITY 2

3 PART 4 STANDARDS FOR INTERSTATE AND INTRASTATE SURFACE WATERS

5 20.6.4.1 **ISSUING AGENCY:** Water Quality Control commission.

[20.6.4.1 NMAC - Rp 20 NMAC 6.1.1001, 10/12/2000] 6

- 8 20.6.4.2 **SCOPE:** Except as otherwise provided by statute or regulation of the water quality control 9 commission, this part governs all surface waters of the state of New Mexico, which are subject to the New Mexico Water Quality Act, Sections 74-6-1 through 74-6-17 NMSA 1978. 10
- [20.6.4.2 NMAC Rp 20 NMAC 6.1.1002, 10/12/2000; A, 5/23/2005] 11
- 12

23

4

7

- **STATUTORY AUTHORITY:** This part is adopted by the water quality control commission 13 20.6.4.3
- 14 pursuant to Subsection C of Section 74-6-4 NMSA 1978.

15 [20.6.4.3 NMAC - Rp 20 NMAC 6.1.1003, 10/12/2000]

16

20.6.4.4 17 **DURATION:** Permanent.

[20.6.4.4 NMAC - Rp 20 NMAC 6.1.1004, 10/12/2000] 18 19

EFFECTIVE DATE: October 12, 2000, unless a later date is indicated in the history note at the 20 20.6.4.5 end of a section. 21

22 [20.6.4.5 NMAC - Rp 20 NMAC 6.1.1005, 10/12/2000]

24 20.6.4.6 **OBJECTIVE:**

25 The purpose of this part is to establish water quality standards that consist of the designated use or A. 26 uses of surface waters of the state, the water quality criteria necessary to protect the use or uses and an 27 antidegradation policy.

28 В. The state of New Mexico is required under the New Mexico Water Quality Act (Subsection C of 29 Section 74-6-4 NMSA 1978) and the federal Clean Water Act, as amended (33 U.S.C. Section 1251 et seq.) to adopt water quality standards that protect the public health or welfare, enhance the quality of water and are consistent with 30 and serve the purposes of the New Mexico Water Quality Act and the federal Clean Water Act. It is the objective of 31 the federal Clean Water Act to restore and maintain the chemical, physical and biological integrity of the nation's 32 waters, including those in New Mexico. This part is consistent with Section 101(a)(2) of the federal Clean Water 33 34 Act, which declares that it is the national goal that wherever attainable, an interim goal of water quality that provides 35 for the protection and propagation of fish, shellfish and wildlife and provides for recreation in and on the water be achieved by July 1, 1983. Agricultural, municipal, domestic and industrial water supply are other essential uses of 36 37 New Mexico's surface water; however, water contaminants resulting from these activities will not be permitted to lower the quality of surface waters of the state below that required for protection and propagation of fish, shellfish 38 39 and wildlife and recreation in and on the water, where practicable.

40 Pursuant to Subsection A of Section 74-6-12 NMSA 1978, this part does not grant to the water C. quality control commission or to any other entity the power to take away or modify property rights in water. 41

42 D These surface water quality standards serve to respond to the inherent threats of climate change 43 and provide resiliency for the continued protection and enhancement of water quality.

- 44 [20.6.4.6 NMAC - Rp 20 NMAC 6.1.1006, 10/12/2000; A, 5/23/2005; A, 4/23/2022]
- 45
- 46 47
- 20.6.4.7 DEFINITIONS: Terms defined in the New Mexico Water Quality Act, but not defined in this part will have the meaning given in the Water Quality Act.
- 48
- Terms beginning with numerals or the letter "A," and abbreviations for units. Α.

"403" means the critical low flow as determined by the minimum average flow over four 49 (1) consecutive days that occurs with a frequency of once in three years. 50

"4T3 temperature" means the temperature not to be exceeded for four or more 51 (2) consecutive hours in a 24-hour period on more than three consecutive days. 52

- "6T3 temperature" means the temperature not to be exceeded for six or more 53 (3) 54
- consecutive hours in a 24-hour period on more than three consecutive days. 55
 - (4) Abbreviations used to indicate units are defined as follows:

(a) "cfu/100 mL" means colony-forming units per 100 milliliters; the results for E. 1 2 coli may be reported as either colony forming units (CFU) or the most probable number (MPN), depending on the 3 analytical method used; 4 **(b)** "cfs" means cubic feet per second; 5 "µg/L" means micrograms per liter, equivalent to parts per billion when the (c) 6 specific gravity of the solution equals 1.0; 7 "µS/cm" means microsiemens per centimeter; one µS/cm is equal to one (**d**) 8 μ mho/cm; 9 "mg/kg" means milligrams per kilogram, equivalent to parts per million; **(e)** 10 **(f)** "mg/L" means milligrams per liter, equivalent to parts per million when the 11 specific gravity of the solution equals 1.0; "MPN/100 mL" means most probable number per 100 milliliters; the results for 12 (g) 13 E. coli may be reported as either CFU or MPN, depending on the analytical method used; 14 (h) "NTU" means nephelometric turbidity unit; 15 "pCi/L" means picocuries per liter; (i) 16 "pH" means the measure of the acidity or alkalinity and is expressed in standard (i) 17 units (su). "Acute toxicity" means toxicity involving a stimulus severe enough to induce a response 18 (5) in 96 hours of exposure or less. Acute toxicity is not always measured in terms of lethality, but may include other 19 20 toxic effects that occur within a short time period. 21 (6) "Adjusted gross alpha" means the total radioactivity due to alpha particle emission as 22 inferred from measurements on a dry sample, including radium-226, but excluding radon-222 and uranium. Also 23 excluded are source, special nuclear and by-product material as defined by the Atomic Energy Act of 1954. "Aquatic life" means any plant or animal life that uses surface water as primary habitat 24 (7)for at least a portion of its life cycle, but does not include avian or mammalian species. 25 "Attainable Use" means a use that is achievable by the imposition of effluent limits 26 (8) required under sections 301(b) and 306 of the federal Clean Water Act and implementation of cost-effective and 27 reasonable best management practices for nonpoint source control. An attainable use may or may not have criteria 28 29 as stringent as the criteria for the designated use. 30 В. Terms beginning with the letter "B". "Best management practices" or "BMPs": 31 (1) for national pollutant discharge elimination system (NPDES) permitting 32 (a) 33 purposes means schedules of activities, prohibitions of practices, maintenance procedures and other management practices to prevent or reduce the pollution of "waters of the United States;" BMPs also include treatment 34 35 requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or waste disposal or drainage from raw material storage; or 36 37 for nonpoint source pollution control purposes means methods, measures or (b) practices selected by an agency to meet its nonpoint source control needs; BMPs include but are not limited to 38 structural and nonstructural controls and operation and maintenance procedures; BMPS can be applied before, 39 40 during and after pollution-producing activities to reduce or eliminate the introduction of pollutants into receiving 41 waters; BMPs for nonpoint source pollution control purposes shall not be mandatory except as required by state or 42 federal law. 43 (2)"Bioaccumulation" refers to the uptake and retention of a substance by an organism 44 from its surrounding medium and food. 45 "Bioaccumulation factor" is the ratio of a substance's concentration in tissue versus its (3)46 concentration in ambient water, in situations where the organism and the food chain are exposed. 47 "Biomonitoring" means the use of living organisms to test the suitability of effluents for (4)discharge into receiving waters or to test the quality of surface waters of the state. 48 Terms beginning with the letter "C". 49 C. 50 "CAS number" means an assigned number by chemical abstract service (CAS) to (1) identify a substance. CAS numbers index information published in chemical abstracts by the American chemical 51 52 society. 53 "Chronic toxicity" means toxicity involving a stimulus that lingers or continues for a (2) relatively long period relative to the life span of an organism. Chronic effects include, but are not limited to, 54 55 lethality, growth impairment, behavioral modifications, disease and reduced reproduction.

"Classified water of the state" means a surface water of the state, or reach of a surface 1 (3) 2 water of the state, for which the commission has adopted a segment description and has designated a use or uses and 3 applicable water quality criteria in 20.6.4.101 through 20.6.4.899 NMAC. "Climate change" refers to any significant change in the measures of climate lasting for 4 (4) 5 an extended period of time, typically decades or longer, and includes major changes in temperature, precipitation, 6 wind patterns or other weather-related effects. 7 "Closed basin" is a basin where topography prevents the surface outflow of water and (5) 8 water escapes by evapotranspiration or percolation. 9 "Coldwater" in reference to an aquatic life use means a surface water of the state where (6) 10 the water temperature and other characteristics are suitable for the support or propagation or both of coldwater 11 aquatic life. "Coolwater" in reference to an aquatic life use means the water temperature and other 12 (7) 13 characteristics are suitable for the support or propagation of aquatic life whose physiological tolerances are intermediate between and may overlap those of warm and coldwater aquatic life. 14 "Commission" means the New Mexico water quality control commission. 15 (8) 16 (9) "Criteria" are elements of state water quality standards, expressed as constituent 17 concentrations, levels or narrative statements, representing a quality of water that supports a use. When criteria are met, water quality will protect the designated use. 18 19 Terms beginning with the letter "D". D. 20 "DDT and derivatives" means 4,4'-DDT (CAS number 50293), 4,4'-DDE (CAS (1) 21 number 72559) and 4,4'-DDD (CAS number 72548). 22 (2) "Department" means the New Mexico environment department. 23 "Designated use" means a use specified in 20.6.4.97 through 20.6.4.899 NMAC for a (3) 24 surface water of the state whether or not it is being attained. "Dissolved" refers to the fraction of a constituent of a water sample that passes through a 25 (4) 0.45-micrometer pore-size filter. The "dissolved" fraction is also termed "filterable residue." 26 "Domestic water supply" means a surface water of the state that could be used for 27 (5) drinking or culinary purposes after disinfection. 28 29 Terms beginning with the letter "E". E. 30 "E. coli" means the bacteria Escherichia coli. (1) (2) "Emerging contaminants" refer to water contaminants that may cause significant 31 32 ecological or human health effects at low concentrations. Emerging contaminants are generally chemical 33 compounds recognized as having deleterious effects at environmental concentrations whose negative impacts have 34 not been fully quantified and may not have regulatory numeric criteria. "Ephemeral" when used to describe a surface water of the state means the water body 35 (3) contains water briefly only in direct response to precipitation; its bed is always above the water table of the adjacent 36 37 region. "Existing use" means a use actually attained in a surface water of the state on or after 38 (4) November 28, 1975, whether or not it is a designated use. 39 40 Terms beginning with the letter "F". F. "Fish culture" means production of coldwater or warmwater fishes in a hatchery or 41 (1) 42 rearing station. 43 (2) "Fish early life stages" means the egg and larval stages of development of fish ending 44 when the fish has its full complement of fin rays and loses larval characteristics. 45 G. Terms beginning with the letter "G" [RESERVED] Terms beginning with the letter "H". 46 H. 47 "Hardness" means the measure of dissolved calcium and magnesium salts in water (1) 48 expressed in units of dissolved calcium carbonate (CaCO3) concentration unless otherwise noted. "Harmonic mean flow" is the number of daily flow measurements divided by the sum 49 (2) 50 of the reciprocals of the flows; that is, it is the reciprocal of the arithmetic mean of reciprocal daily flow measurements consistent with the equations in Paragraph (1) of Subsection B of 20.6.4.11 NMAC. 51 "High quality coldwater" in reference to an aquatic life use means a perennial surface 52 (3) 53 water of the state in a minimally disturbed condition with considerable aesthetic value and superior coldwater aquatic life habitat. A surface water of the state to be so categorized must have water quality, stream bed 54 55 characteristics and other attributes of habitat sufficient to protect and maintain a propagating coldwater aquatic life 56 population.

(4) "Human health-organism only" means the health of humans who ingest fish or other 1 2 aquatic organisms from waters that contain pollutants. 3 Terms beginning with the letter "I". I. "Industrial water supply" means the use or storage of water by a facility for process 4 (1)5 operations unless the water is supplied by a public water system. Industrial water supply does not include irrigation 6 or other agricultural uses. 7 "Intermittent" when used to describe a surface water of the state means the water body (2)8 contains water for extended periods only at certain times of the year, such as when it receives seasonal flow from 9 springs or melting snow. 10 (3)"Interstate waters" means all surface waters of the state that cross or form a part of the 11 border between states. 12 (4) "Intrastate waters" means all surface waters of the state that are not interstate waters. 13 (5) "Irrigation" means application of water to land areas to supply the water needs of 14 beneficial plants. 15 "Irrigation storage" means storage of water to supply the needs of beneficial plants. (6) J. Terms beginning with the letter "J". [RESERVED] 16 Terms beginning with the letter "K". [RESERVED] 17 K. Terms beginning with the letter "L". 18 L. "LC-50" means the concentration of a substance that is lethal to fifty percent of the test 19 (1)20 organisms within a defined time period. The length of the time period, which may vary from 24 hours to one week 21 or more, depends on the test method selected to yield the information desired. 22 "Limited aquatic life" as a designated use, means the surface water is capable of (2)23 supporting only a limited community of aquatic life. This subcategory includes surface waters that support aquatic species selectively adapted to take advantage of naturally occurring rapid environmental changes, low-flow, high 24 turbidity, fluctuating temperature, low dissolved oxygen content or unique chemical characteristics. 25 "Livestock watering" means the use of a surface water of the state as a supply of water 26 (3) 27 for consumption by livestock. 28 M. Terms beginning with the letter "M". 29 "Marginal coldwater" in reference to an aquatic life use means that natural habitat (1) 30 conditions severely limit maintenance of a coldwater aquatic life population during at least some portion of the year or historical data indicate that the temperature of the surface water of the state may exceed that which could 31 continually support aquatic life adapted to coldwater. 32 33 "Marginal warmwater" in reference to an aquatic life use means natural intermittent or (2)34 low flow or other natural habitat conditions severely limit the ability of the surface water of the state to sustain a 35 natural aquatic life population on a continuous annual basis; or historical data indicate that natural water temperature routinely exceeds 32.2°C (90°F). 36 37 "Maximum temperature" means the instantaneous temperature not to be exceeded at (3) 38 any time. 39 (4) "Minimum quantification level" means the minimum quantification level for a 40 constituent determined by official published documents of the United States environmental protection agency. Terms beginning with the letter "N". 41 N. 42 (1)"Natural background" means that portion of a pollutant load in a surface water resulting only from non-anthropogenic sources. Natural background does not include impacts resulting from 43 44 historic or existing human activities. 45 (2) "Natural causes" means those causal agents that would affect water quality and the 46 effect is not caused by human activity but is due to naturally occurring conditions. 47 "Nonpoint source" means any source of pollutants not regulated as a point source that (3) 48 degrades the quality or adversely affects the biological, chemical or physical integrity of surface waters of the state. 49 Terms beginning with the letter "O". 0. 50 "Organoleptic" means the capability to produce a detectable sensory stimulus such as (1) 51 odor or taste. "Oversight agency" means a state or federal agency, such as the United States 52 (2) department of agriculture forest service, that is responsible for land use or water quality management decisions 53 54 affecting nonpoint source discharges where an outstanding national resource water is located. Terms beginning with the letter "P". 55 P. 56 (1) "Playa" means a shallow closed basin lake typically found in the high plains and deserts. 20.6.4 NMAC

Page | 4

1		60		
1	(2)			en used to describe a surface water of the state means the water body
2				r and rarely experiences dry periods.
3	(3)			c pollutants" means pollutants, generally organic, that are resistant to
4				al, biological and photolytic processes and can bioaccumulate in
5				an health and aquatic life.
6	(4)			means any discernible, confined and discrete conveyance from which
7		be discharged	l into a s	urface water of the state, but does not include return flows from irrigated
8	agriculture.			
9	(5)		cable" n	neans that which may be done, practiced or accomplished; that which is
10	performable, feasible			
11	(6)			ct" means any recreational or other water use in which there is
12				the water, such as swimming and water skiing, involving considerable
13				nt to pose a significant health hazard. Primary contact also means any
14	use of surface waters	s of the state fo	r cultura	l, religious or ceremonial purposes in which there is intimate human
15	contact with the wate	er, including b	ut not lir	nited to ingestion or immersion, that could pose a significant health
16	hazard.			
17	(7)	"Public	water s	upply" means the use or storage of water to supply a public water
18	system as defined by	New Mexico'	s Drinki	ng Water Regulations, 20.7.10 NMAC. Water provided by a public
19	water system may ne	ed to undergo	treatmen	nt to achieve drinking water quality.
20	Q. Te	rms beginning	g with tl	ne letter "Q". [RESERVED]
21		rms beginnin	g with tl	he letter "R". [RESERVED]
22		rms beginnin		
23	(1)	"Second	lary cor	tact" means any recreational or other water use in which human contact
24	with the water may o	occur and in wl	nich the	probability of ingesting appreciable quantities of water is minimal, such
25				onal boating and any limited seasonal contact.
26	(2)			ns a classified water of the state described in 20.6.4.101 through
27				ment should have the same uses, similar hydrologic characteristics or
28				al and biological characteristics and exhibit similar reactions to external
29	stresses, such as the			
30	(3)			ctance" is a measure of the ability of a water solution to conduct an
31	electrical current.	~		
32	(4)	"State"	means f	he state of New Mexico.
33	(5)			(s) of the state"
34	(•)	(a)		all surface waters situated wholly or partly within or bordering upon the
35	state, including the f	. ,	means	in surface waters statuted whorly of party wrann or bordering upon the
36	state, meraanig tie i	ono wing.	(i)	lakes;
37			(i) (ii)	rivers;
38			(iii)	streams (including intermittent and ephemeral streams);
39			(iv)	mudflats;
40			(\mathbf{v})	sandflats;
41			(v) (vi)	wetlands;
42			(vi) (vii)	sloughs;
43			(vii) (viii)	prairie potholes;
44			(ix)	wet meadows;
45				playa lakes;
45 46			(x) (xi)	reservoirs; and
40 47			(xi)	
		(b)	(xii)	natural ponds.
48	manmada hadiaa -f-	(b)		ans all tributaries of such waters, including adjacent wetlands, any
49 50				lly created in surface waters of the state or resulted in the impoundment
50			•	ers of the United States" as defined under the Clean Water Act that are
51 52	not included in the p	-		t include minute maters that do not easily and the sufficiency of
52		(c)		t include private waters that do not combine with other surface or
53				regulatory jurisdiction pursuant to Section 518 of the Clean Water Act.
54				nt ponds or lagoons designed and actively used to meet requirements of
55	the Clean Water Act	(other than co	oling po	nds as defined in 40 CFR Part 423.11(m) that also meet the criteria of

1 this definition), are not surface waters of the state, unless they were originally created in surface waters of the state 2 or resulted in the impoundment of surface waters of the state. 3 Т. Terms beginning with the letter "T". 4 "TDS" means total dissolved solids, also termed "total filterable residue." (1)"Toxic pollutant" means those pollutants, or combination of pollutants, including 5 (2)disease-causing agents, that after discharge and upon exposure, ingestion, inhalation or assimilation into any 6 7 organism, either directly from the environment or indirectly by ingestion through food chains, will cause death, 8 shortened life spans, disease, adverse behavioral changes, reproductive or physiological impairment or physical 9 deformations in such organisms or their offspring. "Tributary" means a perennial, intermittent or ephemeral waterbody that flows into a 10 (3) larger waterbody, and includes a tributary of a tributary. 11 "Turbidity" is an expression of the optical property in water that causes incident light to 12 (4) 13 be scattered or absorbed rather than transmitted in straight lines. Terms beginning with the letter "U". 14 U. 15 "Unclassified waters of the state" means those surface waters of the state not identified (1)16 in 20.6.4.101 through 20.6.4.899 NMAC. 17 "Use attainability analysis" means a scientific study conducted for the purpose of (2) 18 assessing the factors affecting the attainment of a use. Terms beginning with the letter "V" [RESERVED] 19 V. W. 20 Terms beginning with the letter "W". "Warmwater" with reference to an aquatic life use means that water temperature and 21 (1)22 other characteristics are suitable for the support or propagation or both of warmwater aquatic life. 23 "Water contaminant" means any substance that could alter if discharged or spilled the (2)physical, chemical, biological or radiological qualities of water. "Water contaminant" does not mean source, special 24 25 nuclear or by-product material as defined by the Atomic Energy Act of 1954, but may include all other radioactive materials, including but not limited to radium and accelerator-produced isotopes. 26 "Water pollutant" means a water contaminant in such quantity and of such duration as 27 (3) may with reasonable probability injure human health, animal or plant life or property, or to unreasonably interfere 28 29 with the public welfare or the use of property. 30 "Wetlands" means those areas that are inundated or saturated by surface or ground water (4) 31 at a frequency and duration sufficient to support, and under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions in New Mexico. Wetlands that are constructed 32 33 outside of a surface water of the state for the purpose of providing wastewater treatment and that do not impound a 34 surface water of the state are not included in this definition. "Wildlife habitat" means a surface water of the state used by plants and animals not 35 (5) considered as pathogens, vectors for pathogens or intermediate hosts for pathogens for humans or domesticated 36 37 livestock and plants. Terms beginning with the letters "X" through "Z". [RESERVED] 38 X. [20.6.4.7 NMAC - Rp 20 NMAC 6.1.1007, 10/12/2000; A, 7/19/2001; A, 5/23/2005; A, 7/17/2005; A, 8/1/2007; A, 39 40 12/1/2010; A, 1/14/2011; A, 3/2/2017; A, 4/23/2022] 41 42 20.6.4.8 **ANTIDEGRADATION POLICY AND IMPLEMENTATION PLAN:** 43 A. Antidegradation Policy: This antidegradation policy applies to all surface waters of the state. 44 (1)Existing uses, as defined in Paragraph (4) of Subsection E of 20.6.4.7 NMAC, and the 45 level of water quality necessary to protect the existing uses shall be maintained and protected in all surface waters of 46 the state. 47 Where the quality of a surface water of the state exceeds levels necessary to support the (2) 48 propagation of fish, shellfish, and wildlife, and recreation in and on the water, that quality shall be maintained and protected unless the commission finds, after full satisfaction of the intergovernmental coordination and public 49 50 participation provisions of the state's continuing planning process, that allowing lower water quality is necessary to accommodate important economic and social development in the area in which the water is located. In allowing 51 such degradation or lower water quality, the state shall assure water quality adequate to protect existing uses fully. 52 Further, the state shall assure that there shall be achieved the highest statutory and regulatory requirements for all 53 new and existing point sources and all cost-effective and reasonable BMPs for nonpoint source control. 54 Additionally, the state shall encourage the use of watershed planning as a further means to protect surface waters of 55 56 the state.

No degradation shall be allowed in waters designated by the commission as outstanding 1 (3)2 national resource waters (ONRWs), except as provided in Subparagraphs (a) through (e) of this paragraph and in 3 Paragraph (4) of this Subsection A. 4 After providing a minimum 30-day public review and comment period, the (a) 5 commission determines that allowing temporary and short-term degradation of water quality is necessary to accommodate public health or safety activities in the area in which the ONRW is located. Examples of public health 6 7 or safety activities include but are not limited to replacement or repair of a water or sewer pipeline or a roadway bridge. In making its decision, the commission shall consider whether the activity will interfere with activities 8 9 implemented to restore or maintain the chemical, physical or biological integrity of the water. In approving the 10 activity, the commission shall require that: 11 the degradation shall be limited to the shortest possible time and shall **(i)** 12 not exceed six months; 13 **(ii)** the degradation shall be minimized and controlled by best management 14 practices or in accordance with permit requirements as appropriate; all practical means of minimizing the duration, 15 magnitude, frequency and cumulative effects of such degradation shall be utilized; 16 (iii) the degradation shall not result in water quality lower than necessary to 17 protect any existing use in the ONRW; and 18 the degradation shall not alter the essential character or special use that (iv) 19 makes the water an ONRW. 20 **(b)** Prior to the commission making a determination, the department or appropriate 21 oversight agency shall provide a written recommendation to the commission. If the commission approves the 22 activity, the department or appropriate oversight agency shall oversee implementation of the activity. 23 Where an emergency response action that may result in temporary and short-(c) term degradation to an ONRW is necessary to mitigate an immediate threat to public health or safety, the emergency 24 response action may proceed prior to providing notification required by Subparagraph (a) of this paragraph in 25 26 accordance with the following: 27 (i) only actions that mitigate an immediate threat to public health or safety may be undertaken pursuant to this provision; non-emergency portions of the action shall comply with the 28 29 requirements of Subparagraph (a) of this paragraph; 30 the discharger shall make best efforts to comply with requirements (i) (ii) 31 through (iv) of Subparagraph (a) of this paragraph; 32 (iii) the discharger shall notify the department of the emergency response 33 action in writing within seven days of initiation of the action; 34 within 30 days of initiation of the emergency response action, the (iv) 35 discharger shall provide a summary of the action taken, including all actions taken to comply with requirements (i) through (iv) of Subparagraph (a) of this paragraph. 36 Preexisting land-use activities, including grazing, allowed by federal or state law 37 (**d**) prior to designation as an ONRW, and controlled by best management practices (BMPs), shall be allowed to 38 continue so long as there are no new or increased discharges resulting from the activity after designation of the 39 40 ONRW. 41 (e) Acequia operation, maintenance, and repairs are not subject to new requirements because of ONRW designation. However, the use of BMPs to minimize or eliminate the introduction of pollutants 42 into receiving waters is strongly encouraged. 43 44 (4) This antidegradation policy does not prohibit activities that may result in degradation in 45 surface waters of the state when such activities will result in restoration or maintenance of the chemical, physical or biological integrity of the water. 46 47 For ONRWs, the department or appropriate oversight agency shall review on a (a) 48 case-by-case basis discharges that may result in degradation from restoration or maintenance activities, and may 49 approve such activities in accordance with the following: 50 the degradation shall be limited to the shortest possible time; **(i)** the degradation shall be minimized and controlled by best management 51 (ii) practices or in accordance with permit requirements as appropriate, and all practical means of minimizing the 52 duration, magnitude, frequency and cumulative effects of such degradation shall be utilized; 53 54 (iii) the degradation shall not result in water quality lower than necessary to 55 protect any existing use of the surface water; and

(iv) the degradation shall not alter the essential character or special use that 1 2 makes the water an ONRW. 3 For surface waters of the state other than ONRWs, the department shall review **(b)** 4 on a case-by-case basis discharges that may result in degradation from restoration or maintenance activities, and 5 may approve such activities in accordance with the following: the degradation shall be limited to the shortest possible time; 6 (i) 7 (ii) the degradation shall be minimized and controlled by best management 8 practices or in accordance with permit requirements as appropriate, and all practical means of minimizing the 9 duration, magnitude, frequency and cumulative effects of such degradation shall be utilized; and the degradation shall not result in water quality lower than necessary to 10 (iii) protect any existing use of the surface water. 11 In those cases where potential water quality impairment associated with a thermal 12 (5) 13 discharge is involved, this antidegradation policy and implementing method shall be consistent with Section 316 of 14 the federal Clean Water Act. 15 In implementing this section, the commission through the appropriate regional offices of (6) 16 the United States environmental protection agency will keep the administrator advised and provided with such 17 information concerning the surface waters of the state as he or she will need to discharge his or her responsibilities 18 under the federal Clean Water Act. 19 Implementation Plan: The department, acting under authority delegated by the commission, B. 20 implements the water quality standards, including the antidegradation policy, by describing specific methods and procedures in the continuing planning process and by establishing and maintaining controls on the discharge of 21 22 pollutants to surface waters of the state. The steps summarized in the following paragraphs, which may not all be 23 applicable in every water pollution control action, list the implementation activities of the department. These 24 implementation activities are supplemented by detailed antidegradation review procedures developed under the 25 state's continuing planning process. The department: 26 (1) obtains information pertinent to the impact of the effluent on the receiving water and 27 advises the prospective discharger of requirements for obtaining a permit to discharge; reviews the adequacy of existing data and conducts a water quality survey of the 28 (2)29 receiving water in accordance with an annually reviewed, ranked priority list of surface waters of the state requiring 30 total maximum daily loads pursuant to Section 303(d) of the federal Clean Water Act; 31 assesses the probable impact of the effluent on the receiving water relative to its (3) 32 attainable or designated uses and numeric and narrative criteria; 33 requires the highest and best degree of wastewater treatment practicable and (4) 34 commensurate with protecting and maintaining the designated uses and existing water quality of surface waters of 35 the state; develops water quality based effluent limitations and comments on technology based 36 (5) effluent limitations, as appropriate, for inclusion in any federal permit issued to a discharger pursuant to Section 402 37 38 of the federal Clean Water Act: 39 requires that these effluent limitations be included in any such permit as a condition for (6) 40 state certification pursuant to Section 401 of the federal Clean Water Act; coordinates its water pollution control activities with other constituent agencies of the 41 (7) 42 commission, and with local, state and federal agencies, as appropriate; develops and pursues inspection and enforcement programs to ensure that dischargers 43 (8) 44 comply with state regulations and standards, and complements EPA's enforcement of federal permits; 45 (9) ensures that the provisions for public participation required by the New Mexico Water 46 Quality Act and the federal Clean Water Act are followed; 47 provides continuing technical training for wastewater treatment facility operators through (10) 48 the utility operators training and certification programs; 49 provides funds to assist the construction of publicly owned wastewater treatment (11) 50 facilities through the wastewater construction program authorized by Section 601 of the federal Clean Water Act, and through funds appropriated by the New Mexico legislature; 51 conducts water quality surveillance of the surface waters of the state to assess the 52 (12)53 effectiveness of water pollution controls, determines whether water quality standards are being attained, and 54 proposes amendments to improve water quality standards; 55 encourages, in conjunction with other state agencies, implementation of the best (13)management practices set forth in the New Mexico statewide water quality management plan and the nonpoint 56 20.6.4 NMAC

1	source managem	ent progr	am, such	implementation shall not be mandatory except as provided by federal or state
2	law;			
3		(14)	evaluate	s the effectiveness of BMPs selected to prevent, reduce or abate sources of water
4	pollutants;			
5		(15)	develops	s procedures for assessing use attainment as required by 20.6.4.15 NMAC and
6	establishing site-	specific s	standards;	and
7		(16)	develops	s list of surface waters of the state not attaining designated uses, pursuant to
8				ederal Clean Water Act.
9	[20.6.4.8 NMAC	c - Rp 20	NMAC 6	.1.1101, 10/12/2000; A, 5/23/2005; A, 8/1/2007; A, 1/14/2011; A, 4/23/2022]
10				
11	20.6.4.9			G NATIONAL RESOURCE WATERS:
12	А.			nominating an ONRW: Any person may nominate a surface water of the state
13				ing a petition with the commission pursuant to 20.1.6 NMAC, Rulemaking
14	Procedures - Wa	ter Qualit	ty Control	Commission. A petition to designate a surface water of the state as an ONRW
15	shall include:			
16		(1)	a map of	f the surface water of the state, including the location and proposed upstream and
17	downstream bour	ndaries;		
18		(2)		n statement and evidence based on scientific principles in support of the
19	nomination, inclu	uding spe	cific refer	rence to one or more of the applicable ONRW criteria listed in Subsection B of
20	this section;			
21		(3)	water qu	ality data including chemical, physical or biological parameters, if available, to
22	establish a baseli	ne condi	tion for th	e proposed ONRW;
23		(4)	a discuss	sion of activities that might contribute to the reduction of water quality in the
24	proposed ONRW	Ι;		
25		(5)		tional evidence to substantiate such a designation, including a discussion of the
26	economic impact	t of the de	esignation	on the local and regional economy within the state of New Mexico and the
27	benefit to the star	te; and		
28		(6)	affidavit	of publication of notice of the petition in a newspaper of general circulation in
29	the affected cour	ties and	in a newsj	paper of general statewide circulation.
30	В.	Criteria	a for ONI	RWs: A surface water of the state, or a portion of a surface water of the state,
31	may be designate	ed as an C	ONRW wl	here the commission determines that the designation is beneficial to the state of
32	New Mexico, and	d:		
33		(1)		r is a significant attribute of a state special trout water, national or state park,
34	national or state	monumer	nt, nationa	al or state wildlife refuge or designated wilderness area, or is part of a designated
35	wild river under	the feder		nd Scenic Rivers Act; or
36		(2)		r has exceptional recreational or ecological significance; or
37		(3)		ing water quality is equal to or better than the numeric criteria for protection of
38	aquatic life and c	contact us	ses and the	e human health-organism only criteria, and the water has not been significantly
39				nanner that substantially detracts from its value as a natural resource.
40	С.			tion filed under Subsection A of this section, the commission may classify a
41	surface water of	the state	or a portio	on of a surface water of the state as an ONRW if the criteria set out in Subsection
42	B of this section			
43	D.	Waters		as ONRWs: The following waters are classified as ONRWs:
44		(1)	Rio Sant	ta Barbara, including the west, middle and east forks from their headwaters
45	downstream to the	ne bounda		Pecos Wilderness; and
46		(2)	the wate	rs within the United States forest service Valle Vidal special management unit
47	including:			
48			(a)	Rio Costilla, including Comanche, La Cueva, Fernandez, Chuckwagon, Little
49				old, Grassy, LaBelle and Vidal creeks, from their headwaters downstream to the
50	boundary of the	United St	tates fores	t service Valle Vidal special management unit;
51			(b)	Middle Ponil creek, including the waters of Greenwood Canyon, from their
52	headwaters down	nstream to	o the bour	ndary of the Elliott S. Barker wildlife management area;
53			(c)	Shuree lakes;
54				North Ponil creek, including McCrystal and Seally Canyon creeks, from their
55	headwaters down	nstream to	o the bour	ndary of the United States forest service Valle Vidal special management unit;
56	and			

Leandro creek from its headwaters downstream to the boundary of the United 1 (e) 2 States forest service Valle Vidal special management unit. 3 the named perennial surface waters of the state, identified in Subparagraph (a) below, (3) located within United States department of agriculture forest service wilderness. Wilderness are those lands 4 designated by the United States congress as wilderness pursuant to the Wilderness Act. Wilderness areas included 5 in this designation are the Aldo Leopold wilderness, Apache Kid wilderness, Blue Range wilderness, Chama River 6 7 Canyon wilderness, Cruces Basin wilderness, Dome wilderness, Gila wilderness, Latir Peak wilderness, Pecos 8 wilderness, San Pedro Parks wilderness, Wheeler Peak wilderness, and White Mountain wilderness. 9 The following waters are designated in the Rio Grande basin: (a) in the Aldo Leopold wilderness: Byers Run, Circle Seven creek, Flower 10 (i) 11 canyon, Holden Prong, Indian canyon, Las Animas creek, Mud Spring canyon, North Fork Palomas creek, North Seco creek, Pretty canyon, Sids Prong, South Animas canyon, Victorio Park canyon, Water canyon; 12 in the Apache Kid wilderness Indian creek and Smith canyon; 13 (**ii**) in the Chama River Canyon wilderness: Chavez canyon, Ojitos canyon, 14 (iii) 15 Rio Chama; 16 in the Cruces Basin wilderness: Beaver creek, Cruces creek, Diablo (iv) 17 creek, Escondido creek, Lobo creek, Osha creek; 18 in the Dome wilderness: Capulin creek, Medio creek, Sanchez **(v)** 19 canyon/creek; 20 (vi) in the Latir Peak wilderness: Bull creek, Bull Creek lake, Heart lake, Lagunitas Fork, Lake Fork creek, Rito del Medio, Rito Primero, West Latir creek; 21 22 (vii) in the Pecos wilderness: Agua Sarca, Hidden lake, Horseshoe lake 23 (Alamitos), Jose Vigil lake, Nambe lake, Nat lake IV, No Fish lake, North Fork Rio Quemado, Rinconada, Rio Capulin, Rio de las Trampas (Trampas creek), Rio de Truchas, Rio Frijoles, Rio Medio, Rio Molino, Rio Nambe, 24 Rio San Leonardo, Rito con Agua, Rito Gallina, Rito Jaroso, Rito Quemado, San Leonardo lake, Santa Fe lake, 25 Santa Fe river, Serpent lake, South Fork Rio Quemado, Trampas lake (East), Trampas lake (West); 26 in the San Pedro Parks wilderness: Agua Sarca, Cañon Madera, Cave 27 (viii) creek, Cecilia Canyon creek, Clear creek (North SPP), Clear creek (South SPP), Corralitos creek, Dove creek, Jose 28 29 Miguel creek, La Jara creek, Oso creek, Rio Capulin, Rio de las Vacas, Rio Gallina, Rio Puerco de Chama, Rito Anastacio East, Rito Anastacio West, Rito de las Palomas, Rito de las Perchas, Rito de los Pinos, Rito de los Utes, 30 31 Rito Leche, Rito Redondo, Rito Resumidero, San Gregorio lake; in the Wheeler Peak wilderness: Black Copper canyon, East Fork Red 32 (ix) 33 river, Elk lake, Horseshoe lake, Lost lake, Sawmill creek, South Fork lake, South Fork Rio Hondo, Williams lake. 34 The following waters are designated in the Pecos River basin: **(b)** in the Pecos wilderness: Albright creek, Bear creek, Beatty creek, 35 **(i)** Beaver creek, Carpenter creek, Cascade canyon, Cave creek, El Porvenir creek, Hollinger creek, Holy Ghost creek, 36 Horsethief creek, Jack's creek, Jarosa canyon/creek, Johnson lake, Lake Katherine, Lost Bear lake, Noisy brook, 37 Panchuela creek, Pecos Baldy lake, Pecos river, Rio Mora, Rio Valdez, Rito Azul, Rito de los Chimayosos, Rito de 38 los Esteros, Rito del Oso, Rito del Padre, Rito las Trampas, Rito Maestas, Rito Oscuro, Rito Perro, Rito 39 Sebadilloses, South Fork Bear creek, South Fork Rito Azul, Spirit lake, Stewart lake, Truchas lake (North), Truchas 40 41 lake (South), Winsor creek; 42 (ii) in the White Mountain wilderness: Argentina creek, Aspen creek, Bonito creek, Little Bonito creek, Mills canyon/creek, Rodamaker creek, South Fork Rio Bonito, Turkey 43 44 canyon/creek. 45 (c) The following waters are designated in the Gila River basin: (i) in the Aldo Leopold wilderness: Aspen canyon, Black Canyon creek, 46 47 Bonner canyon, Burnt canyon, Diamond creek, Falls canyon, Fisherman canyon, Running Water canyon, South 48 Diamond creek: in the Gila wilderness: Apache creek, Black Canyon creek, Brush 49 (ii) 50 canyon, Canyon creek, Chicken Coop canyon, Clear creek, Cooper canyon, Cow creek, Cub creek, Diamond creek, East Fork Gila river, Gila river, Gilita creek, Indian creek, Iron creek, Langstroth canyon, Lilley canyon, Little 51 creek, Little Turkey creek, Lookout canyon, McKenna creek, Middle Fork Gila river, Miller Spring canyon, 52 Mogollon creek, Panther canyon, Prior creek, Rain creek, Raw Meat creek, Rocky canyon, Sacaton creek, Sapillo 53 creek, Sheep Corral canyon, Skeleton canyon, Squaw creek, Sycamore canyon, Trail canyon, Trail creek, Trout 54 55 creek, Turkey creek, Turkey Feather creek, Turnbo canyon, West Fork Gila river, West Fork Mogollon creek, White creek, Willow creek, Woodrow canyon. 56

(**d**) The following waters are designated in the Canadian River basin: in the Pecos 1 2 wilderness Daily creek, Johns canyon, Middle Fork Lake of Rio de la Casa, Middle Fork Rio de la Casa, North Fork 3 Lake of Rio de la Casa, Rito de Gascon, Rito San Jose, Sapello river, South Fork Rio de la Casa, Sparks creek 4 (Manuelitas creek). 5 The following waters are designated in the San Francisco River basin: (e) 6 in the Blue Range wilderness: Pueblo creek; in the Gila wilderness: Big Dry creek, Lipsey canyon, Little Dry creek, 7 (ii) 8 Little Whitewater creek, South Fork Whitewater creek, Spider creek, Spruce creek, Whitewater creek. 9 The following waters are designated in the Mimbres Closed basin: in the Aldo **(f)** 10 Leopold wilderness Corral canyon, Mimbres river, North Fork Mimbres river, South Fork Mimbres river. 11 The following waters are designated in the Tularosa Closed basin: in the White (g) 12 Mountain wilderness Indian creek, Nogal Arroyo, Three Rivers. 13 **(h)** The wetlands designated are identified on the Maps and List of Wetlands Within 14 United States Forest Service Wilderness Areas Designated as Outstanding National Resource Waters published at the New Mexico state library and available on the department's website. 15 (4) The following waters are designated in the headwaters Pecos river watershed: 16 17 (a) The Pecos river from Dalton Canyon creek to the Pecos wilderness boundary; (b) In the Dry Gulch-Pecos river subwatershed, Dalton Canyon creek from the Pecos 18 19 river upstream to the headwaters, Wild Horse creek from Dalton Canyon creek upstream to the headwaters, Macho 20 Canyon creek from the Pecos river upstream to the headwaters and Sawyer creek from the Pecos river upstream to 21 the headwaters; 22 (c) In the Indian creek-Pecos river subwatershed, Indian creek from the Pecos river 23 upstream to the headwaters, Holy Ghost creek from the Pecos river upstream to the Pecos wilderness boundary, Doctor creek from Holy Ghost creek upstream to the headwaters, Davis creek from the Pecos river upstream to the 24 headwaters and Willow creek from the Pecos river upstream to the headwaters; 25 26 (d) In the Rio Mora subwatershed, Rio Mora from the Pecos river upstream to the Pecos 27 wilderness boundary and Bear creek from the Rio Mora upstream to the Pecos wilderness boundary; (e) In the Rio Mora-Pecos river subwatershed, Carpenter creek from the Pecos river 28 29 upstream to the Pecos wilderness boundary, Winsor creek from the Pecos river upstream to the Pecos wilderness 30 boundary and Jack's creek from the Pecos river upstream to the Pecos wilderness boundary; and, 31 (f) In the Panchuela creek subwatershed, Panchuela creek from the Pecos river upstream 32 to the Pecos wilderness boundary; 33 (g) Unnamed tributaries to waters in Subparagraphs (a) through (f), Paragraph (4) of this 34 Subsection (D) as identified in the Maps and Lists for Unnamed Tributaries to Perennial Waters and Wetlands in the Headwaters Pecos River Watershed, published at the New Mexico state library and available on the 35 department's website. 36 37 (h) Unnamed wetlands adjacent to waters in Subparagraphs (a) through (f), Paragraph (4) of this Subsection (D) as identified in the Maps and Lists for Unnamed Tributaries to Perennial Waters and 38 Wetlands in the Headwaters Pecos River Watershed, published at the New Mexico state library and available on the 39 40 department's website. 41 (5) the Rio Grande from directly above the Rio Pueblo de Taos to the New Mexico-Colorado state 42 border. 43 (6) the Rio Hondo from the Carson National Forest boundary to its headwaters; and Lake Fork 44 creek from the Rio Hondo to its headwaters. 45 (7) the East Fork Jemez river from San Antonio creek to its headwaters; San Antonio creek from the East Fork Jemez river to its headwaters; and Redondo creek from Sulphur creek to its headwaters. 46 47 [20.6.4.9 NMAC - Rn, Subsections B, C and D of 20.6.4.8 NMAC, 5/23/2005; A, 5/23/2005; A, 7/17/2005; A, 2/16/2006; A, 12/1/2010; A, 1/14/2011; A, 4/23/2022; A, 09/24/2022] 48 49 50 20.6.4.10 **REVIEW OF STANDARDS: NEED FOR ADDITIONAL STUDIES:** Section 303(c)(1) of the federal Clean Water Act requires that the state hold public hearings at 51 A. least once every three years for the purpose of reviewing water quality standards and proposing, as appropriate, 52 necessary revisions to water quality standards. 53 54 В. In accordance with 40 CFR 131.10(i), when an existing use, as defined under 20.6.4.7 NMAC, is 55 higher quality water than prescribed by the designated use and supporting evidence demonstrates the presence of that use, the designated use shall be amended accordingly to have criteria no less stringent than the existing use. 56

1	C.	It is recogn	zed that, in some cases, numeric criteria for a particular designated use may not
2	adequately reflect		nditions or the aquatic communities adapted to those localized conditions. In these
3			may be modified to reflect the natural condition of a specific waterbody. The
4			oes not change the designated use; the modification only changes the criterion for that
5			fied by sufficient data and information, a numeric water quality criterion may be
6			ance with Subsection F of 20.6.4.10 and Subsection G of 20.6.4.10 NMAC, to protect
7	the attainable use		
8	D.		l or amendment of a designated use to a designated use with less stringent criteria can
9			ainability analysis in accordance with 20.6.4.15 NMAC.
	· _		
10	E.		ognized that contributions of water contaminants by diffuse nonpoint sources of water
11			t of certain criteria difficult. Revision of these criteria may be necessary as new
12			point sources and other problems unique to semi-arid regions.
13	F.	Site-specif	
14			e commission may adopt site-specific numeric criteria applicable to all or part of a
15	surface water of		d on relevant site-specific conditions such as:
16		(a	actual species at a site are more or less sensitive than those used in the national
17	criteria data set;		
18		(b	physical or chemical characteristics at a site such as pH or hardness alter the
19	biological availal	bility and/or	oxicity of the chemical;
20	U U	(c	physical, biological or chemical factors alter the bioaccumulation potential of a
21	chemical;		
22	,	(d	the concentration resulting from natural background exceeds numeric criteria for
23	aquatic life wild		other uses if consistent with Subsection G of 20.6.4.10 NMAC; or
24	aquatie me, wha	e)	other factors or combination of factors that upon review of the commission may
2 4 25	warrant modifica		fault criteria, subject to EPA review and approval.
25 26	warrant mounica		e-specific criteria must fully protect the designated use to which they apply. In the
27			n only criteria, site-specific criteria must fully protect human health when organisms
28	are consumed fro		taining pollutants.
29			y person may petition the commission to adopt site-specific criteria. A petition for the
30	adoption of site-s	specific crite	
31		(a	identify the specific waters to which the site-specific criteria would apply;
32		(b	explain the rationale for proposing the site-specific criteria;
33		(c	describe the methods used to notify and solicit input from potential stakeholders
34	and from the gen	eral public i	the affected area, and present and respond to the public input received;
35		(d	present and justify the derivation of the proposed criteria.
36		(4) A	erivation of site-specific criteria shall rely on a scientifically defensible method, such
37	as one of the foll	owing:	
38		(a	the recalculation procedure, the water-effect ratio for metals procedure or the
39	resident species r	,	lescribed in the water quality standards handbook (EPA-823-B-94-005a, 2nd edition,
40	August 1994);	locedure us	
41	Mugust 1994),	(b	the streamlined water-effect ratio procedure for discharges of copper (EPA-822-
42	R-01-005, March		the streammed water-effect fails procedure for discharges of copper (EFA-022-
42 43	K-01-005, Match		the highlight model as described in equation life embient freshwater quality
		(C	the biotic ligand model as described in aquatic life ambient freshwater quality
44	criteria - copper (07-001, February 2007);
45	1 11 (5)	(d	the methodology for deriving ambient water quality criteria for the protection of
46	human health (El		-004, October 2000) and associated technical support documents; or
47		(e	a determination of the natural background of the water body as described in
48	Subsection G of		
49	G.		criteria based on natural background. The commission may adopt site-specific
50	criteria equal to t	he concentra	ion resulting from natural background where that concentration protects the
51	designated use. '	The concent	tion resulting from natural background supports the level of aquatic life and wildlife
52			rally at the site absent any interference by humans. Domestic water supply, primary or
53			ealth-organism only criteria shall not be modified based on natural background. A
54	determination of		
55			sider natural spatial and seasonal to interannual variability as appropriate;
56			sument the presence of natural sources of the pollutant;
		(_) u (r

(3) document the absence of human sources of the pollutant or quantify the human 1 2 contribution; and 3 (4) rely on analytical, statistical or modeling methodologies to quantify the natural 4 background. 5 Temporary standards. H. 6 Any person may petition the commission to adopt a temporary standard applicable to all **(1)** 7 or part of a surface water of the state as provided for in this section and applicable sections in 40 CFR Part 131, 8 Water Quality Standards; specifically, Section 131.14. The commission may adopt a proposed temporary standard 9 if the petitioner demonstrates that: 10 (a) attainment of the associated designated use may not be feasible in the short term due to one or more of the factors listed in 40 CFR 131.10(g), or due to the implementation of actions necessary to 11 facilitate restoration such as through dam removal or other significant wetland or water body reconfiguration 12 13 activities as demonstrated by the petition and supporting work plan requirements in Paragraphs (4) and (5) of 14 Subsection H of 20.6.4.10 NMAC; 15 the proposed temporary standard represents the highest degree of protection **(b)** 16 feasible in the short term, limits the degradation of water quality to the minimum necessary to achieve the original 17 standard by the expiration date of the temporary standard, and adoption will not cause the further impairment or loss 18 of an existing use; 19 for point sources, existing or proposed discharge control technologies will (c) 20 comply with applicable technology-based limitations and feasible technological controls and other management 21 alternatives, such as a pollution prevention program; and 22 (**d**) for restoration activities, nonpoint source or other control technologies shall 23 limit downstream impacts, and if applicable, existing or proposed discharge control technologies shall be in place consistent with Subparagraph (c) of Paragraph (1) of Subsection H of 20.6.4.10 NMAC. 24 A temporary standard shall apply to specific designated use(s), pollutant(s), or 25 (2)permittee(s), and to specific water body segment(s). The adoption of a temporary standard does not exempt 26 27 dischargers from complying with all other applicable water quality standards or control technologies. Designated use attainment as reported in the federal Clean Water Act, Section 28 (3)29 305(b)/303(d) Integrated Report shall be based on the original standard and not on a temporary standard. 30 A petition for a temporary standard shall: (4) identify the currently applicable standard(s), the proposed temporary standard 31 (a) for the specific pollutant(s), the permittee(s), and the specific surface water body segment(s) of the state to which the 32 33 temporary standard would apply; 34 include the basis for any factor(s) specific to the applicability of the temporary **(b)** 35 standard (for example critical flow under Subsection B of 20.6.4.11 NMAC); 36 demonstrate that the proposed temporary standard meets the requirements in this (c) 37 subsection; 38 (**d**) present a work plan with timetable of proposed actions for achieving compliance with the original standard in accordance with Paragraph (5) of Subsection H of 20.6.4.10 NMAC; 39 40 include any other information necessary to support the petition. (e) 41 (5) As a condition of a petition for a temporary standard, in addition to meeting the 42 requirements in this Subsection, the petitioner shall prepare a work plan in accordance with Paragraph (4) of 43 Subsection H of 20.6.4.10 NMAC and submit the work plan to the department for review and comment. The work 44 plan shall identify the factor(s) listed in 40 CFR 131.10(g) or Subparagraph (a) of Paragraph (1) of Subsection H of 45 20.6.4.10 NMAC affecting attainment of the standard that will be analyzed and the timeline for proposed actions to be taken to achieve the uses attainable over the term of the temporary standard, including baseline water quality, and 46 47 any investigations, projects, facility modifications, monitoring, or other measures necessary to achieve compliance with the original standard. The work plan shall include provisions for review of progress in accordance with 48 49 Paragraph (8) of Subsection H of 20.6.4.10 NMAC, public notice and consultation with appropriate state, tribal, 50 local and federal agencies. 51 (6) The commission may condition the approval of a temporary standard by requiring 52 additional monitoring, relevant analyses, the completion of specified projects, submittal of information, or any other 53 actions. 54 (7) Temporary standards may be implemented only after a public hearing before the 55 commission, commission approval and adoption pursuant to Subsection H of 20.6.4.10 NMAC for all state 56 purposes, and the federal Clean Water Act Section 303 (c) approval for any federal action.

2 of water quality standards conducted in accordance with Subsection A of 20.6.4.10 NMAC. The petitioner shall 3 provide a written report to the commission documenting the progress of proposed actions, pursuant to a reporting schedule stipulated in the approved temporary standard. The purpose of the review is to determine progress 4 5 consistent with the original conditions of the petition for the duration of the temporary standard. If the petitioner cannot demonstrate that sufficient progress has been made the commission may revoke approval of the temporary 6 7 standard or provide additional conditions to the approval of the temporary standard. The commission may consider a petition to extend a temporary standard. The effective 8 (9) 9 period of a temporary standard shall be extended only if demonstrated to the commission that the factors precluding attainment of the underlying standard still apply, that the petitioner is meeting the conditions required for approval 10 11 of the temporary standard, and that reasonable progress towards meeting the underlying standard is being achieved. A temporary standard shall expire no later than the date specified in the approval of the 12 (10)13 temporary standard. Upon expiration of a temporary standard, the original standard becomes applicable. Temporary standards shall be identified in 20.6.4.97-899 NMAC as appropriate for the 14 (11) 15 surface water affected. "Temporary standard" means a time-limited designated use and criterion for a specific 16 (12)17 pollutant(s) or water quality parameter(s) that reflect the highest attainable condition during the term of the 18 temporary standard. [20.6.4.10 NMAC - Rp 20 NMAC 6.1.1102, 10/12/2000; Rn, 20.6.4.9 NMAC, 5/23/2005; A, 5/23/2005; A, 19 12/1/2010; A, 3/2/2017; A, 4/23/2022] 20 21 22 20.6.4.11 **APPLICABILITY OF WATER QUALITY STANDARDS:** 23 [RESERVED] А. 24 В. Critical low flow: The critical low flow of a stream at a particular site shall be used in developing 25 point source discharge permit requirements to meet numeric criteria set in 20.6.4.97 through 20.6.4.900 NMAC and Subsection F of 20.6.4.13 NMAC. 26 27 (1) For human health-organism only criteria, the critical low flow is the harmonic mean flow. 28 For ephemeral waters the calculation shall be based upon the nonzero flow intervals and modified by including a 29 factor to adjust for the proportion of intervals with zero flow. The equations are as follows: 30 Harmonic Mean = \underline{n} $\sum \frac{1}{Q}$ 31 32 33 34 n = number of flow values where Q =flow value 35 and

All temporary standards are subject to a required review during each succeeding review

36 Modified Harmonic Mean =
$$\left[\frac{\sum_{i=1}^{Nt-No} \frac{1}{Qi}}{Nt-No}\right]^{-1} x \left[\frac{Nt-No}{Nt}\right]$$

-1

37 where
$$Qi =$$
 nonzero flow

Nt = total number of flow values 38 N_0 = number of zero flow values and

39

1

(8)

40

41 (2)For all other narrative and numeric criteria, the critical low flow is the minimum average four consecutive day flow that occurs with a frequency of once in three years (4Q3). The critical low flow may be 42 determined on an annual, a seasonal or a monthly basis, as appropriate, after due consideration of site-specific 43 44 conditions.

45 C. Guaranteed minimum flow: The commission may allow the use of a contractually guaranteed minimum streamflow in lieu of a critical low flow determined under Subsection B of this section on a case-by-case 46 basis and upon consultation with the interstate stream commission. Should drought, litigation or any other reason 47 48 interrupt or interfere with minimum flows under a guaranteed minimum flow contract for a period of at least 30 49 consecutive days, such permission, at the sole discretion of the commission, may then be revoked. Any minimum

1 flow specified under such revoked permission shall be superseded by a critical low flow determined under

2 Subsection B of this section. A public notice of the request for a guaranteed minimum flow shall be published in a

3 newspaper of general circulation by the department at least 30 days prior to scheduled action by the commission.

4 These water quality standards do not grant to the commission or any other entity the power to create, take away or 5 modify property rights in water.

6 **D. Mixing zones:** A limited mixing zone, contiguous to a point source wastewater discharge, may be 7 allowed in any stream receiving such a discharge. Mixing zones serve as regions of initial dilution that allow the 8 application of a dilution factor in calculations of effluent limitations. Effluent limitations shall be developed that 9 will protect the most sensitive existing, designated or attainable use of the receiving water.

10 **E.** Mixing zone limitations: Wastewater mixing zones, in which the numeric criteria set under 11 Subsection F of 20.6.4.13 NMAC, 20.6.4.97 through 20.6.4.899 NMAC or 20.6.4.900 NMAC may be exceeded, 12 shall be subject to the following limitations:

Mixing zones are not allowed for discharges to lakes, reservoirs, or playas; these
 effluents shall meet all applicable criteria set under Subsection F of 20.6.4.13 NMAC, 20.6.4.97 through 20.6.4.899
 NMAC and 20.6.4.900 NMAC at the point of discharge.

16 (2) The acute aquatic life criteria, as set out in Subsection I, Subsection J, and Subsection K 17 of 20.6.4.900 NMAC, shall be attained at the point of discharge for any discharge to a surface water of the state with 18 a designated aquatic life use.

19 (3) The general criteria set out in Subsections A, B, C, D, E, G, H and J of 20.6.4.13 NMAC, 20 and the provision set out in Subsection D of 20.6.4.14 NMAC are applicable within mixing zones.

(4) The areal extent and concentration isopleths of a particular mixing zone will depend on
site-specific conditions including, but not limited to, wastewater flow, receiving water critical low flow, outfall
design, channel characteristics and climatic conditions and, if needed, shall be determined on a case-by-case basis.
When the physical boundaries or other characteristics of a particular mixing zone must be known, the methods
presented in Section 4.4.5, "Ambient-induced mixing," in "Technical support document for water quality-based
toxics control" (March 1991, EPA/505/2-90-001) shall be used.

(5) All applicable water quality criteria set under Subsection F of 20.6.4.13 NMAC,
 20.6.4.97 through 20.6.4.899 NMAC and 20.6.4.900 NMAC shall be attained at the boundaries of mixing zones. A
 continuous zone of passage through or around the mixing zone shall be maintained in which the water quality meets
 all applicable criteria and allows the migration of aquatic life presently common in surface waters of the state with
 no effect on their populations.

F. Multiple uses: When a surface water of the state has more than a single designated use, the
 applicable numeric criteria shall be the most stringent of those established for such water.

G. Human health-organism only criteria in Subsection J of 20.6.4.900 NMAC apply to those waters with a designated, existing or attainable aquatic life use. When limited aquatic life is a designated use, the human health-organism only criteria apply only if adopted on a segment-specific basis. The human health-organism only criteria for persistent toxic pollutants, as identified in Subsection J of 20.6.4.900 NMAC, also apply to all tributaries of waters with a designated, existing or attainable aquatic life use.

H. Unclassified waters of the state: An unclassified surface water of the state is presumed to
 support the uses specified in Section 101(a)(2) of the federal Clean Water Act. As such, it is subject to 20.6.4.98
 NMAC if nonperennial or subject to 20.6.4.99 NMAC if perennial. The commission may include an ephemeral
 unclassified surface water of the state under 20.6.4.97 NMAC only if a use attainability analysis demonstrates
 pursuant to 20.6.4.15 NMAC that attainment of Section 101(a)(2) uses is not feasible.

44 I. Exceptions: Numeric criteria for temperature, dissolved solids, dissolved oxygen, sediment or
 45 turbidity adopted under the Water Quality Act do not apply when changes in temperature, dissolved solids,
 46 dissolved oxygen, sediment or turbidity in a surface water of the state are attributable to:

47 (1) natural causes (discharges from municipal separate storm sewers are not covered by this 48 exception.); or

(2) the reasonable operation of irrigation and flood control facilities that are not subject to
federal or state water pollution control permitting; major reconstruction of storage dams or diversion dams except
for emergency actions necessary to protect health and safety of the public are not covered by this exception.
[20.6.4.11 NMAC - Rp 20 NMAC 6.1.1103, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.10 NMAC, 5/23/2005; A,

53 5/23/2005; A, 12/1/2010; A, 4/23/2022] 54

55 **20.6.4.12 COMPLIANCE WITH WATER QUALITY STANDARDS:** The following provisions apply to determining compliance for enforcement purposes; they do not apply for purposes of determining attainment of

1 uses. The department has developed assessment protocols for the purpose of determining attainment of uses that are 2 available for review from the department's surface water quality bureau.

3 Compliance with acute water quality criteria shall be determined from the analytical results of a A. 4 single grab sample. Acute criteria shall not be exceeded.

5 Compliance with chronic water quality criteria shall be determined from the arithmetic mean of В. 6 the analytical results of samples collected using applicable protocols. Chronic criteria shall not be exceeded more 7 than once every three years.

Compliance with water quality standards for total ammonia shall be determined by performing the 8 С. 9 biomonitoring procedures set out in Subsections D and E of 20.6.4.14 NMAC, or by attainment of applicable 10 ammonia criteria set out in Subsections K, L and M of 20.6.4.900 NMAC.

11 D. Compliance with the human health-organism only criteria shall be determined from the analytical results of representative grab samples, as defined in the water quality management plan. Human health-organism 12 only criteria shall not be exceeded. 13

14 E. The commission may establish a numeric water quality criterion at a concentration that is below 15 the minimum quantification level. In such cases, the water quality standard is enforceable at the minimum 16 quantification level.

17 For compliance with hardness-dependent numeric criteria, hardness (as mg $CaCO_3/L$) shall be F. 18 determined from a sample taken at the same time that the sample for the contaminant is taken.

19 **Compliance schedules:** The commission may allow the inclusion of a schedule of compliance G. 20 in a NPDES permit issued to an existing facility on a case-by-case basis. Such schedule of compliance will be for 21 the purpose of providing a permittee with adequate time to make treatment facility modifications necessary to 22 comply with water quality based permit limitations determined to be necessary to implement new or revised water 23 quality standards or wasteload allocation. Compliance schedules may be included in NPDES permits at the time of 24 permit renewal or modification and shall be written to require compliance at the earliest practicable time. 25 Compliance schedules shall also specify milestone dates so as to measure progress towards final project completion (e.g., design completion, construction start, construction completion, date of compliance). 26

27 It is a policy of the commission to allow a temporary standard approved and adopted pursuant to H. Subsection H of 20.6.4.10 NMAC to be included in the applicable federal Clean Water Act permit as enforceable 28 29 limits and conditions. The temporary standard and any schedule of actions may be included at the earliest 30 practicable time, and shall specify milestone dates so as to measure progress towards meeting the original standard. 31 [20.6.4.12 NMAC - Rp 20 NMAC 6.1.1104, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.11 NMAC, 5/23/2005; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022] 32 33

34 **GENERAL CRITERIA:** General criteria are established to sustain and protect existing or 20.6.4.13 35 attainable uses of surface waters of the state. These general criteria apply to all surface waters of the state at all times, unless a specified criterion is provided elsewhere in this part. Surface waters of the state shall be free of any 36 37 water contaminant in such quantity and of such duration as may with reasonable probability injure human health, animal or plant life or property, or unreasonably interfere with the public welfare or the use of property. 38 A.

39

Bottom deposits and suspended or settleable solids:

Surface waters of the state shall be free of water contaminants including fine sediment 40 (1)particles (less than two millimeters in diameter), precipitates or organic or inorganic solids from other than natural 41 causes that have settled to form layers on or fill the interstices of the natural or dominant substrate in quantities that 42 43 damage or impair the normal growth, function or reproduction of aquatic life or significantly alter the physical or 44 chemical properties of the bottom.

45 (2)Suspended or settleable solids from other than natural causes shall not be present in 46 surface waters of the state in quantities that damage or impair the normal growth, function or reproduction of aquatic 47 life or adversely affect other designated uses.

48 Floating solids, oil and grease: Surface waters of the state shall be free of oils, scum, grease and В. 49 other floating materials resulting from other than natural causes that would cause the formation of a visible sheen or 50 visible deposits on the bottom or shoreline, or would damage or impair the normal growth, function or reproduction 51 of human, animal, plant or aquatic life.

Color: Color-producing materials resulting from other than natural causes shall not create an 52 С. aesthetically undesirable condition nor shall color impair the use of the water by desirable aquatic life presently 53 54 common in surface waters of the state.

55 D. **Organoleptic quality:**

1 (1) Flavor of fish: Water contaminants from other than natural causes shall be limited to 2 concentrations that will not impart unpalatable flavor to fish.

3 (2) Odor and taste of water: Water contaminants from other than natural causes shall be 4 limited to concentrations that will not result in offensive odor or taste arising in a surface water of the state or 5 otherwise interfere with the reasonable use of the water.

6 **E. Plant nutrients:** Plant nutrients from other than natural causes shall not be present in 7 concentrations that will produce undesirable aquatic life or result in a dominance of nuisance species in surface 8 waters of the state.

F. Toxic pollutants:

9

10 (1) Except as provided in 20.6.4.16 NMAC, surface waters of the state shall be free of toxic 11 pollutants from other than natural causes in amounts, duration, concentrations, or combinations that affect the 12 propagation of fish or that are toxic to humans, livestock or other animals, fish or other aquatic organisms, wildlife 13 using aquatic environments for habitation or aquatic organisms for food, or that will or can reasonably be expected 14 to bioaccumulate in tissues of fish, shellfish and other aquatic organisms to levels that will impair the health of 15 aquatic organisms or wildlife or result in unacceptable tastes, odors or health risks to human consumers of aquatic 16 organisms.

17 (2) Pursuant to this section, the human health-organism only criteria shall be as set out in 18 20.6.4.900 NMAC. When a human health-organism only criterion is not listed in 20.6.4.900 NMAC, the following 19 provisions shall be applied in accordance with 20.6.4.11, 20.6.4.12 and 20.6.4.14 NMAC.

(a) The human health-organism only criterion shall be the recommended human
 health criterion for "consumption of organisms only" published by the U.S. environmental protection agency
 pursuant to Section 304(a) of the federal Clean Water Act. In determining such criterion for a cancer-causing toxic
 pollutant, a cancer risk of 10⁻⁵ (one cancer per 100,000 exposed persons) shall be used.

(b) When a numeric criterion for the protection of human health for the
 consumption of organism only has not been published by the U.S. environmental protection agency, a quantifiable
 criterion may be derived from data available in the U.S. environmental protection agency's Integrated Risk
 Information System (IRIS) using the appropriate formula specified in *Methodology for Deriving Ambient Water Quality Criteria for The Protection Of Human Health (2000)*, EPA-822-B-00-004.

Pursuant to this section, the chronic aquatic life criteria shall be as set out in 20.6.4.900
 NMAC. When a chronic aquatic life criterion is not listed in 20.6.4.900 NMAC, the following provisions shall be applied in sequential order in accordance with 20.6.4.11, 20.6.4.12 and 20.6.4.14 NMAC.

(a) The chronic aquatic life criterion shall be the "freshwater criterion continuous
 concentration" published by the U.S. environmental protection agency pursuant to Section 304(a) of the federal
 Clean Water Act;

(b) If the U.S. environmental protection agency has not published a chronic aquatic life criterion, a geometric mean LC-50 value shall be calculated for the particular species, genus or group that is representative of the form of life to be preserved, using the results of toxicological studies published in scientific journals.

39 (i) The chronic aquatic life criterion for a toxic pollutant that does not
 40 bioaccumulate shall be ten percent of the calculated geometric mean LC-50 value; and

(ii) The chronic aquatic life criterion for a toxic pollutant that does
bioaccumulate shall be: the calculated geometric mean LC-50 adjusted by a bioaccumulation factor for the particular
species, genus or group representative of the form of life to be preserved, but when such bioaccumulation factor has
not been published, the criterion shall be one percent of the calculated geometric mean LC-50 value.

(4) Pursuant to this section, the acute aquatic life criteria shall be as set out in 20.6.4.900
NMAC. When an acute aquatic life criterion is not listed in 20.6.4.900 NMAC, the acute aquatic life criterion shall
be the "freshwater criterion maximum concentration" published by the U.S. environmental protection agency
pursuant to Section 304(a) of the federal Clean Water Act.

49 (5) Within 90 days of the issuance of a final NPDES permit containing a numeric criterion 50 selected or calculated pursuant to Paragraph (2), Paragraph (3) or Paragraph (4) of Subsection F of this section, the 51 department shall petition the commission to adopt such criterion into these standards.

52 **G. Radioactivity:** The radioactivity of surface waters of the state shall be maintained at the lowest 53 practical level and shall in no case exceed the criteria set forth in the New Mexico Radiation Protection Regulations, 54 20.3.1 and 20.3.4 NMAC. 1 **H. Pathogens:** Surface waters of the state shall be free of pathogens from other than natural causes 2 in sufficient quantity to impair public health or the designated, existing or attainable uses of a surface water of the 3 state.

I. Temperature: Maximum temperatures for surface waters of the state have been specified in 20.6.4.97 through 20.6.4.900 NMAC. However, the introduction of heat by other than natural causes shall not increase the temperature, as measured from above the point of introduction, by more than 2.7°C (5°F) in a stream, or more than 1.7°C (3°F) in a lake or reservoir. In no case will the introduction of heat be permitted when the maximum temperature specified for the reach would thereby be exceeded. These temperature criteria shall not apply to impoundments constructed offstream for the purpose of heat disposal. High water temperatures caused by unusually high ambient air temperatures are not violations of these criteria.

11 J. Turbidity: Turbidity attributable to other than natural causes shall not reduce light transmission to the point that the normal growth, function or reproduction of aquatic life is impaired or that will cause substantial 12 13 visible contrast with the natural appearance of the water. Activities or discharges shall not cause turbidity to 14 increase more than 10 NTU over background turbidity when the background turbidity, measured at a point 15 immediately upstream of the activity, is 50 NTU or less, nor to increase more than twenty percent when the 16 background turbidity is more than 50 NTU. However, limited-duration turbidity increases caused by dredging, 17 construction or other similar activities may be allowed provided all practicable turbidity control techniques have 18 been applied and all appropriate permits, certifications and approvals have been obtained.

K. Total dissolved solids (TDS): TDS attributable to other than natural causes shall not damage or impair the normal growth, function or reproduction of animal, plant or aquatic life. TDS shall be measured by either the "calculation method" (sum of constituents) or the filterable residue method. Approved test procedures for these determinations are set forth in 20.6.4.14 NMAC.

L. **Dissolved gases:** Surface waters of the state shall be free of nitrogen and other dissolved gases at levels above one hundred ten percent saturation when this supersaturation is attributable to municipal, industrial or other discharges.

M. Biological integrity: Surface waters of the state shall support and maintain a balanced and
 integrated community of aquatic organisms with species composition, diversity and functional organization
 comparable to those of natural or minimally impacted water bodies of a similar type and region.
 [20,6,4,13 NMAC - Rp 20 NMAC 6.1.1105, 10/12/2000; A. 10/11/2002; Rn. 20,6,4.12 NMAC, 5/23/2005; A

29 [20.6.4.13 NMAC - Rp 20 NMAC 6.1.1105, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.12 NMAC, 5/23/2005; A,
 30 5/23/2005; A, 12/1/2010; A, 4/23/2022]

31 32

38

39

42

43

44

20.6.4.14 SAMPLING AND ANALYSIS:

A. Sampling and analytical techniques shall conform with methods described in the following
 references unless otherwise specified by the commission pursuant to a petition to amend these standards:
 (1) *"Guidelines Establishing Test Procedures For The Analysis Of Pollutants Under The*

Clean Water Act," 40 CFR Part 136 or any test procedure approved or accepted by EPA using procedures provided in 40 CFR Parts 136.3(d), 136.4, and 136.5;

(2) *Standard Methods For The Examination Of Water And Wastewater*, latest edition, American public health association;

40 (3) *Methods For Chemical Analysis Of Water And Waste*, and other methods published by 41 EPA office of research and development or office of water;

(4) Techniques Of Water Resource Investigations Of The U.S. Geological Survey;

(5) Annual Book Of ASTM Standards: volumes 11.01 and 11.02, water (I) and (II), latest edition, ASTM international;

45 (6) *Federal Register*, latest methods published for monitoring pursuant to Resource
 46 Conservation and Recovery Act regulations;

47 (7) *National Handbook Of Recommended Methods For Water-Data Acquisition*, latest 48 edition, prepared cooperatively by agencies of the United States government under the sponsorship of the U.S.

49 geological survey; or

50 (8) *Federal Register*, latest methods published for monitoring pursuant to the Safe Drinking 51 Water Act regulations.

52 **B.** Bacteriological Surveys: The monthly geometric mean shall be used in assessing attainment of 53 criteria when a minimum of five samples is collected in a 30-day period.

54 C. Sampling Procedures:

55 (1) Streams: Stream monitoring stations below discharges shall be located a sufficient
 56 distance downstream to ensure adequate vertical and lateral mixing.

1 (2)Lakes: Sampling stations in lakes shall be located at least 250 feet from a discharge. 2 (3) Lakes: Except for the restriction specified in Paragraph (2) of this subsection, lake 3 sampling stations shall be located at any site where the attainment of a water quality criterion is to be assessed. Water quality measurements taken at intervals in the entire water column at a sampling station shall be averaged for 4 5 the epilimnion, or in the absence of an epilimnion, for the upper one-third of the water column of the lake to determine attainment of criteria, except that attainment of criteria for toxic pollutants shall be assessed during 6 7 periods of complete vertical mixing, e.g., during spring or fall turnover, or by taking depth-integrated composite 8 samples of the water column. 9 Acute toxicity of effluent to aquatic life shall be determined using the procedures specified in U.S. D. 10 environmental protection agency "Methods for Measuring The Acute Toxicity of Effluents and Receiving Waters To 11 Freshwater and Marine Organisms" (5th Ed., 2002, EPA 821-R-02-012), or latest edition thereof if adopted by EPA at 40 CFR Part 136, which is incorporated herein by reference. Acute toxicities of substances shall be determined 12 using at least two species tested in whole effluent and a series of effluent dilutions. Acute toxicity due to discharges 13 14 shall not occur within the wastewater mixing zone in any surface water of the state with an existing or designated 15 aquatic life use. 16 E. Chronic toxicity of effluent or ambient surface waters of the state to aquatic life shall be 17 determined using the procedures specified in U.S. environmental protection agency "Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms" (4th Ed., 2002, 18 19 EPA 821-R-02-013), or latest edition thereof if adopted by EPA at 40 CFR Part 136, which is incorporated herein by 20 reference. Chronic toxicities of substances shall be determined using at least two species tested in ambient surface 21 water or whole effluent and a series of effluent dilutions. Chronic toxicity due to discharges shall not occur at the 22 critical low flow, or any flow greater than the critical low flow, in any surface water of the state with an existing or 23 designated aquatic life use more than once every three years. Emerging Contaminants Monitoring: The department may require monitoring, analysis and 24 F. reporting of emerging contaminants as a condition of a federal permit under Section 401 of the federal Clean Water 25 26 Act. [20.6.4.14 NMAC - Rp 20 NMAC 6.1.1106, 10/12/2000; Rn, 20.6.4.13 NMAC, 5/23/2005 & A, 5/23/2005; A, 27 28 12/1/2010; A 4/23/2022] 29 30 20.6.4.15 **USE ATTAINABILITY ANALYSIS:** Regulatory requirements for a use attainability analysis. Whenever a use attainability analysis 31 A. is conducted, it shall be subject to the requirements and limitations set forth in 40 CFR Part 131, Water Quality 32 33 Standards; specifically, Subsections 131.3(g), 131.10(g), 131.10(h) and 131.10(j) shall be applicable. In accordance 34 with 40 CFR 131.10(i), and 20.6.4.10 NMAC, the amendment of a designated use, based on an existing use with 35 more stringent criteria, does not require a use attainability analysis. The commission may remove a designated use, that is not an existing use, specified in 36 (1)Section 101(a)(2) of the federal Clean Water Act or adopt subcategories of a use in Section 101(a)(2) of the federal 37 Clean Water Act requiring less stringent criteria only if a use attainability analysis demonstrates that attaining the 38 use is not feasible because of a factor listed in 40 CFR 131.10(g). Uses in Section 101(a)(2) of the federal Clean 39 Water Act, which refer to the protection and propagation of fish, shellfish and wildlife and recreation in and on the 40 water, are also specified in Subsection B of 20.6.4.6 NMAC. 41 (2) 42 A designated use cannot be removed if it is an existing use unless a use requiring more 43 stringent criteria is designated. 44 R Methods for developing a use attainability analysis. A use attainability analysis shall assess the 45 physical, chemical, biological, economic or other factors affecting the attainment of a use. The analysis shall rely on scientifically defensible methods such as the methods described in the following documents: 46 47 Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use (1) Attainability Analyses, volume I (November 1983) and volume III (November 1984) or latest editions, United States 48 49 environmental protection agency, office of water, regulations and standards, Washington, D.C., for the evaluation of 50 aquatic life or wildlife uses; 51 the department's Hydrology Protocol, latest edition, approved by the commission, for (2) identifying ephemeral, intermittent, and perennial waters; or 52 Interim Economic Guidance For Water Quality Standards - Workbook, March 1995, 53 (3) United States environmental protection agency, office of water, Washington, D.C. for evaluating economic impacts. 54 Determining the highest attainable use. If the use attainability analysis determines that the 55 С. designated use is not attainable based on one of the factors in 40 CFR 131.10(g), the use attainability analysis shall 56 20.6.4 NMAC Page | 19

1 demonstrate the support for removing the designated use and then determine the highest attainable use, as defined in 2 40 CFR 131.3(m), for the protection and propagation of fish, shellfish and wildlife and recreation in and on the 3 water based on methods described in Subsection B of this section. 4 Process to amend a designated use through a use attainability analysis. D. 5 The process for developing a use attainability analysis and petitioning the commission for (1) removing a designated use and establishing the highest attainable use shall be done in accordance with the State's 6 7 current Water Quality Management Plan/Continuing Planning Process. 8 If the findings of a use attainability analysis, conducted by the department, in accordance (2)9 with the department's Hydrology Protocol (latest edition) demonstrates that federal Clean Water Act Section 10 101(a)(2) uses, that are not existing uses, are not feasible in an ephemeral water body due to the factor in 40 CFR 11 131.10(g)(2), the department may consider proceeding with the expedited use attainability analysis process in 12 accordance with the State's current Water Quality Management Plan/Continuing Planning Process. The following elements must be met for the expedited use attainability analysis process to be authorized and implemented: 13 The department is the primary investigator of the use attainability analysis; 14 (a) 15 **(b)** The use attainability analysis determined, through the application of the 16 Hydrology Protocol, that the water being investigated is ephemeral and has no effluent discharges of sufficient 17 volume that could compensate for the low-flow; 18 The use attainability analysis determined that the criteria associated with the (c) 19 existing uses of the water being investigated are not more stringent than those in 20.6.4.97 NMAC; 20 The designated uses in 20.6.4.97 NMAC have been determined to be the highest (**d**) 21 attainable uses for the water being analyzed; 22 (e) The department posted the use attainability analysis on its water quality 23 standards website and notified its interested parties list of a 30-day public comment period; 24 The department reviewed and responded to any comments received during the **(f)** 25 30-day public comment period ; and 26 The department submitted the use attainability analysis and response to (g) 27 comments to region 6 EPA for technical approval. If EPA approves the revision under section 303(c) of the Clean Water Act, the water shall be subject to 20.6.4.97 28 29 NMAC for federal Clean Water Act purposes. The use attainability analysis, the technical support document, and 30 the applicability of 20.6.4.97 NMAC to the water shall be posted on the department's water quality standards 31 website. The department shall periodically petition the commission to list ephemeral waters under Subsection C of 32 20.6.4.97 NMAC and to incorporate changes to classified segments as appropriate. 33 Use attainability analysis conducted by an entity other than the department. Any person may E. 34 submit notice to the department stating their intent to conduct a use attainability analysis. 35 The proponent shall provide such notice along with a work plan supporting the (1) development of a use attainability analysis to the department and region 6 EPA for review and comment. 36 Upon approval of the work plan by the department, the proponent shall conduct the use 37 (2)attainability analysis in accordance with the applicable portions of Subsections A through D of this Section and 38 39 implement public noticing in accordance with the approved work plan. 40 Work plan elements. The work plan shall identify, at a minimum: (3) 41 (a) the waterbody of concern and the reasoning for conducting a use attainability 42 analysis; 43 **(b)** the source and validity of data to be used to demonstrate whether the current 44 designated use is not attainable; 45 the factors in 40 CFR 131.10(g) affecting the attainment of that use; (c) 46 (**d**) a description of the data being proposed to be used to demonstrate the highest 47 attainable use: 48 **(e)** the provisions for consultation with appropriate state and federal agencies; 49 a description of how stakeholders and potentially affected tribes will be **(f)** 50 identified and engaged; 51 (g) a description of the public notice mechanisms to be employed; and 52 the expected timelines outlining the administrative actions to be taken for a (h) rulemaking petition, pending the outcome of the use attainability analysis. 53 54 Upon completion of the use attainability analysis, the proponent shall submit the data, (4) findings and conclusions to the department, and provide public notice of the use attainability analysis in accordance 55 56 with the approved work plan.

Pending the conclusions of the use attainability analysis and as described in the approved 1 (5) 2 work plan, the department or the proponent may petition the commission to modify the designated use. The cost of 3 such use attainability analysis shall be the responsibility of the proponent. Subsequent costs associated with the administrative rulemaking process shall be the responsibility of the petitioner. 4 [20.6.4.15 NMAC - Rp 20 NMAC 6.1.1107, 10/12/2000; Rn, 20.6.4.14 NMAC, 5/23/2005; A, 5/23/2005; A, 5 7/17/2005; A, 12/1/2010; A, 4/23/2022] 6 7 PLANNED USE OF A PISCICIDE: The use of a piscicide registered under the Federal 8 20.6.4.16 Insecticide, Fungicide, and Rodenticide Act (FIFRA), 7 U.S.C. Section 136 et seq., and under the New Mexico 9 Pesticide Control Act (NMPCA), Section 76-4-1 et seq. NMSA 1978 (1973) in a surface water of the state, shall not 10 11 be a violation of Subsection F of 20.6.4.13 NMAC when such use is covered by a federal national pollutant discharge elimination system (NPDES) permit or has been approved by the commission under procedures provided 12 13 in this section. The use of a piscicide which is covered by a NPDES permit shall require no further review by the commission and the person whose application is covered by the NPDES permit shall meet the additional notification 14 and monitoring requirements outlined in Subsection G of 20.6.4.16 NMAC. The commission may approve the 15 16 reasonable use of a piscicide under this section if the proposed use is not covered by a NPDES permit to further a 17 Clean Water Act objective to restore and maintain the physical or biological integrity of surface waters of the state, 18 including restoration of native species. 19 Any person seeking commission approval of the use of a piscicide not covered by a NPDES A. 20 permit shall file a written petition concurrently with the commission and the surface water bureau of the department. 21 The petition shall contain, at a minimum, the following information: petitioner's name and address; 22 (1) 23 identity of the piscicide and the period of time (not to exceed five years) or number of (2) 24 applications for which approval is requested; 25 documentation of registration under FIFRA and NMPCA and certification that the (3) 26 petitioner intends to use the piscicide according to the label directions, for its intended function; 27 (4) target and potential non-target species in the treated waters and adjacent riparian area, 28 including threatened or endangered species; 29 potential environmental consequences to the treated waters and the adjacent riparian area, (5) 30 and protocols for limiting such impacts; 31 surface water of the state proposed for treatment; (6) (7) 32 results of pre-treatment survey; 33 (8) evaluation of available alternatives and justification for selecting piscicide use; documentation of notice requesting public comment on the proposed use within a 30-day 34 (9) 35 period, including information as described in Paragraphs (1), (2) and (6) of Subsection A of 20.6.4.16 NMAC, 36 provided to: 37 (a) local political subdivisions; local water planning entities; 38 **(b)** local conservancy and irrigation districts; and 39 (c) 40 (**d**) local media outlets, except that the petitioner shall only be required to publish notice in a newspaper of circulation in the locality affected by the proposed use. 41 42 (10)copies of public comments received in response to the publication of notice and the 43 petitioner's responses to public comments received; 44 (11) post-treatment assessment monitoring protocol; and 45 (12)any other information required by the commission. Within 30 days of receipt of the petition, the department shall review the petition and file a 46 В. 47 recommendation with the commission to grant, grant with conditions or deny the petition. The recommendation shall include reasons, and a copy shall be sent to the petitioner by certified mail. 48 The commission shall review the petition, the public comments received under Paragraphs (9) and 49 C. 50 (10) of Subsection A of 20.6.4.16 NMAC, the petitioner's responses to public comments and the department's technical recommendations for the petition. A public hearing shall be held if the commission determines there is 51 substantial public interest. The commission shall notify the petitioner and those commenting on the petition of the 52 53 decision whether to hold a hearing and the reasons therefore in writing. 54 D. If the commission determines there is substantial public interest a public hearing shall be held within 90 days of receipt of the department's recommendation in the locality affected by the proposed use in 55 accordance with 20.1.3 NMAC, Adjudicatory Procedures - Water Quality Control Commission. Notice of the 56

1 hearing shall be given in writing by the petitioner to individuals listed under Subsection A of 20.6.4.16 NMAC as

2 well as to individuals who provided public comment under that subsection at least 30 days prior to the hearing.

3 E. In a hearing provided for in this section or, if no hearing is held, in a commission meeting, the registration of a piscicide under FIFRA and NMPCA shall provide a rebuttable presumption that the determinations 4 of the EPA Administrator in registering the piscicide, as outlined in 7 U.S.C. Section 136a(c)(5), are valid. For 5 6 purposes of this Section the rebuttable presumptions regarding the piscicide include:

7

11

28

35

42

44

Its composition is such as to warrant the proposed claims for it; (1)

8 (2)Its labeling and other material submitted for registration comply with the requirements of 9 FIFRA and NMPCA;

10

It will perform its intended function without unreasonable adverse effects on the (3) environment; and

12 When used in accordance with all FIFRA label requirements it will not generally cause (4) 13 unreasonable adverse effects on the environment.

14 (5) "Unreasonable adverse effects on the environment" has the meaning provided in FIFRA, 15 7 U.S.C. Section 136(bb): "any unreasonable risk to man or the environment, taking into account the economic, 16 social, and environmental costs and benefits of the use of any pesticide."

17 After a public hearing, or commission meeting if no hearing is held, the commission may grant the F. petition in whole or in part, may grant the petition subject to conditions, or may deny the petition. In granting any 18 petition in whole or part or subject to conditions, the commission shall require the petitioner to implement post-19 20 treatment assessment monitoring and provide notice to the public in the immediate and near downstream vicinity of the application prior to and during the application. 21

22 G. Any person whose application is covered by a NPDES permit shall provide written notice to local 23 entities as described in Subsection A of 20.6.4.16 NMAC and implement post-treatment assessment monitoring within the application area as described in Subsection F of 20.6.4.16 NMAC. 24

25 [20.6.4.16 NMAC - Rn, Paragraph (6) of Subsection F of 20.6.4.12 NMAC, 5/23/2005; A, 5/23/2005; A, 3/2/2017] 26

27 20.6.4.17 - 20.6.4.49 [RESERVED]

29 20.6.4.50 **BASINWIDE PROVISIONS - Special provisions arising from interstate compacts,** 30 international treaties or court decrees or that otherwise apply to a basin are contained in 20.6.4.51 through 31 20.6.4.59 NMAC.

[20.6.4.50 NMAC - N, 5/23/2005] 32 33

34 20.6.4.51 [RESERVED]

20.6.4.52 PECOS RIVER BASIN - In order to protect existing and designated uses, it is a goal of the state 36 of New Mexico to prevent increases in TDS in the Pecos river above the following benchmark values, which are 37 expressed as flow-weighted, annual average concentrations, at three USGS gaging stations: at Santa Rosa 500 mg/L; 38 near Artesia 2,700 mg/L; and near Malaga 3,600 mg/L. The benchmark values serve to guide state action. They are 39 40 adopted pursuant to the New Mexico Water Quality Act, not the Clean Water Act.

41 [20.6.4.52 NMAC - N, 12/1/2010]

43 20.6.4.53 [RESERVED]

45 20.6.4.54 COLORADO RIVER BASIN - For the tributaries of the Colorado river system, the state of 46 New Mexico will cooperate with the Colorado river basin states and the federal government to support and 47 implement the salinity policy and program outlined in the most current "review, water quality standards for 48 salinity, Colorado river system" or equivalent report by the Colorado river salinity control forum.

Numeric criteria expressed as the flow-weighted annual average concentration for salinity are 49 A. 50 established at three points in the Colorado river basin as follows: below Hoover dam, 723 mg/L; below Parker dam, 747 mg/L; and at Imperial dam, 879 mg/L. 51

As a part of the program, objectives for New Mexico shall include the elimination of discharges of 52 B. water containing solids in solution as a result of the use of water to control or convey fly ash from coal-fired electric 53 54 generators, wherever practicable.

55 [20.6.4.54 NMAC - Rn, Paragraphs (1) through (3) of Subsection K of 20.6.4.12 NMAC, 5/23/2005; A, 5/23/2005] 56

1 20.6.4.55 - 20.6.4.96 [RESERVED] 2 3 20.6.4.97 EPHEMERAL WATERS: Ephemeral surface waters of the state as identified below and additional ephemeral waters as identified on the department's water quality standards website pursuant to 4 Paragraph (2) of Subsection D of 20.6.4.15 NMAC are subject to the designated uses and criteria as specified 5 in this section. Ephemeral waters classified in 20.6.4.101-899 NMAC are subject to the designated uses and 6 7 criteria as specified in those sections. 8 Designated uses: livestock watering, wildlife habitat, limited aquatic life and secondary contact. Α. 9 Criteria: the use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses. B. 10 C. Waters: 11 (1) the following waters are designated in the Rio Grande basin: Cunningham gulch from Santa Fe county road 55 upstream 1.4 miles to a point 12 (a) 13 upstream of the Lac minerals mine, identified as Ortiz mine on U.S. geological survey topographic maps; an unnamed tributary from Arroyo Hondo upstream 0.4 miles to the Village of 14 **(b)** 15 Oshara water reclamation facility outfall; 16 an unnamed tributary from San Pedro creek upstream 0.8 miles to the PAA-KO (c) 17 community sewer outfall; 18 (**d**) Inditos draw from the crossing of an unnamed road along a power line one-19 quarter mile west of McKinley county road 19 upstream to New Mexico highway 509; 20 an unnamed tributary from the diversion channel connecting Blue canyon and **(e)** Socorro canyon upstream 0.6 miles to the New Mexico firefighters academy treatment facility outfall; 21 22 an unnamed tributary from the Albuquerque metropolitan arroyo flood control (**f**) 23 authority (AMAFCA) Rio Grande south channel upstream of the crossing of New Mexico highway 47 upstream to 24 I-25; 25 the south fork of Cañon del Piojo from Cañon del Piojo upstream 1.2 miles to an (g) 26 unnamed tributary; 27 (h) an unnamed tributary from the south fork of Cañon del Piojo upstream 1 mile to 28 the Resurrection mine outfall; 29 Arroyo del Puerto from San Mateo creek upstream 6.8 miles to the Ambrosia **(i)** 30 Lake mine entrance road: an unnamed tributary from San Mateo creek upstream 1.5 miles to the Roca 31 (j) 32 Honda mine facility outfall; 33 San Isidro arroyo, including unnamed tributaries to San Isidro arroyo, from (k) 34 Arroyo Chico upstream to its headwaters; 35 Arroyo Tinaja, including unnamed tributaries to Arroyo Tinaja, from San Isidro **(l)** 36 arroyo upstream to 2 miles northeast of the Cibola national forest boundary; 37 Mulatto canyon from Arroyo Tinaja upstream to 1 mile northeast of the Cibola (m) 38 national forest boundary: and 39 Doctor arroyo, including unnamed tributaries to Doctor arroyo, from San Isidro **(n)** 40 arroyo upstream to its headwaters, and excluding Doctor Spring and Doctor arroyo from the spring to its confluence with the unnamed tributary approximately one-half mile downstream of the spring. 41 42 (2)the following waters are designated in the Pecos river basin: 43 (a) an unnamed tributary from Hart canyon upstream 1 mile to South Union road; 44 **(b)** Aqua Chiquita from Rio Peñasco upstream to McEwan canyon; and 45 (c) Grindstone canyon upstream of Grindstone reservoir. the following waters are designated in the Canadian river basin: 46 (3) 47 Bracket canyon upstream of the Vermejo river; **(a)** an unnamed tributary from Bracket canyon upstream 2 miles to the Ancho mine; 48 **(b)** 49 and 50 Gachupin canyon from the Vermejo river upstream 2.9 miles to an unnamed (c) 51 west tributary near the Ancho mine outfall. in the San Juan river basin an unnamed tributary of Kim-me-ni-oli wash upstream of the 52 (4) 53 mine outfall. 54 (5) the following waters are designated in the Little Colorado river basin: 55 (a) Defiance draw from County Road 1 to upstream of West Defiance Road; and

1			(b)	an unnamed tributary of Defiance draw from McKinley county road 1 upstream
2	to New Mexico			
3 4		(6)	the fol (a)	lowing waters are designated in the closed basins: in the Tularosa river closed basin San Andres canyon downstream of South San
5	Andres canyon;	and		
6	5		(b)	in the Mimbres river closed basin San Vicente arroyo from the Mimbres river
7	upstream to Ma	udes cany	. ,	
8 9				; A, 12/1/2010; A, 3/2/2017; A, 12/17/2019; A, 4/23/2022]
9 10	20.6.4.98	INTER	MITTE	ENT WATERS: All non-perennial surface waters of the state, except those
11				er section 20.6.4.97 NMAC or classified in 20.6.4.101-899 NMAC.
12	A.			es: livestock watering, wildlife habitat, marginal warmwater aquatic life and
13	primary contact	-	area ase	st nyestoek watering, whenre habrat, marginar warmwater aquate nie and
14	B.		a: the u	se-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses,
15				cific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100
16				/100 mL or less.
17				(; A, 12/1/2010; A, 3/2/2017]
18		10 10,0		, . ,
19	20.6.4.99	PEREN	INIAL	WATERS: All perennial surface waters of the state except those classified in
20	20.6.4.101-899			
21	A.		ated use	s: Warmwater aquatic life, livestock watering, wildlife habitat and primary
22	contact.	Design	area ase	or mainimater aquate inte, intesteek matering, maine naorat and printary
23	B.	Criteri	a: The	use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses,
24				cific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100 mL
25	or less, single s			
26				; A, 12/1/2010; A, 3/2/2017]
27		10 10,0		, . ,
28	20.6.4.100	RESE	RVED	
29	20000 11200	[11202	11, 22, 1	
30	20.6.4.101	RIO G	RANDE	E BASIN: The main stem of the Rio Grande from the international boundary
31				ile downstream of Percha dam.
32	A.			es: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
33	and primary con	-		
34	B.	Criteri	a:	
35	<i>D</i> .	(1)		e-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
36	designated uses	· ·		llowing segment-specific criterion applies: temperature 34°C (93.2°F) or less.
37	actignated ates	(2)		an monthly flows above 350 cfs, the monthly average concentration for: TDS 2,000
38	mg/L or less sr			eless and chloride 400 mg/L or less.
39	C.			tained flow in the Rio Grande below Caballo reservoir is dependent on release from
40				ation season; at other times of the year, there may be little or no flow.
41				AC 6.1.2101, 10/12/2010; A, 12/15/2001; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017]
42	[20:0: 1:101 1:11	nie np	2010101	
43	20.6.4.102	RIO G	RANDE	E BASIN: The main stem of the Rio Grande from one mile downstream of
44	Percha dam uj			
45	A.	•		es: irrigation, livestock watering, wildlife habitat, primary contact and warmwater
46	aquatic life.	Design	area ase	5. Inigation, nyestoek watering, whente habiait, printary contact and warmwater
47	B.	Criteri	a• the u	se-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
48				blowing segment-specific criteria apply: the monthly geometric mean of E. coli
49				single sample 235 cfu/100 mL or less.
50	C.			tained flow in the Rio Grande downstream of Caballo reservoir is dependent on
51				ring the irrigation season; at other times of the year, there may be little or no flow.
52				AC 6.1.2102, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017]
52 53	120.0.1.102140			10 0112102, 10/10/2010, 11, 0/20/2000, 11, 12/112010, 11, 0/2/2017]
55 54	20.6.4.103	RIOC	RANDE	E BASIN: Perennial reaches of tributaries to the Rio Grande in Sierra and
55				y identified under other sections of 20.6.4 NMAC, excluding waters on tribal
56	lands.			,

1	А.	Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life,
2	secondary contac	et and warmwater aquatic life.
3	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
4	designated uses.	
5	[20.6.4.103 NMA	AC - Rp 20 NMAC 6.1.2103, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022]
6	[NOTE: This se	gment was divided effective 4/23/2022. The standards for the main stem of the Rio Grande from
7	the headwaters of	f Caballo reservoir upstream to Elephant Butte dam, perennial reaches of Palomas creek, perennial
8	reaches of Rio Sa	alado, perennial reaches of Percha creek, perennial reaches of Alamosa creek, Las Animas creek,
9	and perennial rea	iches of Abo arroyo are under 20.6.4.112 NMAC.]
10	•	•
11	20.6.4.104	RIO GRANDE BASIN: Caballo and Elephant Butte reservoir.
12	А.	Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and
13	warmwater aquat	
14	B. ¹	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
15	designated uses.	except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
16		100 mL or less, single sample 235 cfu/100 mL or less.
17		AC - Rp 20 NMAC 6.1.2104, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
18		I
19	20.6.4.105	RIO GRANDE BASIN: The main stem of the Rio Grande from the headwaters of Elephant
20		upstream to Alameda bridge (Corrales bridge), excluding waters on Isleta pueblo.
21	A.	Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, public water
22		habitat and primary contact.
23	В.	Criteria:
24		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
25	designated uses.	
26	designated disest	(2) At mean monthly flows above 100 cfs, the monthly average concentration for: TDS 1,500
27	mg/L or less sulf	fate 500 mg/L or less and chloride 250 mg/L or less.
28		AC - Rp 20 NMAC 6.1.2105, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
29		
30	20.6.4.106	RIO GRANDE BASIN: The main stem of the Rio Grande from Alameda bridge (Corrales
31		m to the Angostura diversion works, excluding waters on Santa Ana pueblo, and intermittent
32		nez river below the Jemez pueblo boundary, excluding waters on Santa Ana and Zia pueblos,
33		nain stem of the Rio Grande. Portions of the Rio Grande in this segment are under the joint
34		he state and Sandia pueblo.
35	A.	Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
36		fact; and public water supply on the Rio Grande.
37	B.	Criteria:
38	Б.	(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
39	designated uses.	(1) The use-specific numeric enteria set forth in 20.0.4.900 NWIAC are applicable to the
40	designated uses.	(2) At mean monthly flows above 100 cfs, the monthly average concentration for: TDS 1,500
41	mg/L or less sulf	fate 500 mg/L or less and chloride 250 mg/L or less.
42		AC - Rp 20 NMAC 6.1.2105.1, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
42	[20.0.4.100 NIVIA	AC - KP 20 MMAC 0.1.2105.1, 10/12/2000, A, 5/25/2005, A, 12/1/2010]
43	20.6.4.107	RIO GRANDE BASIN: The Jemez river from the Jemez pueblo boundary upstream to
44 45		the town of Jemez Springs and perennial reaches of Vallecito creek.
		Designated uses: coldwater aquatic life, primary contact, irrigation, livestock watering and
46 47	A.	
47 48		and public water supply on Vallecito creek.
48	B.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the exact that the following segment specific criterian applies temperature $25^{\circ}C$ (77°F)
49 50		except that the following segment-specific criterion applies: temperature 25°C (77°F).
50	[20.0.4.107 INIMA	AC - Rp 20 NMAC 6.1.2105.5, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
51	20 6 4 100	DIA CDANDE DAGINA Devenuiel receive of the James street successful and a second
52	20.6.4.108	RIO GRANDE BASIN: Perennial reaches of the Jemez river upstream of Soda dam near
53		ez Springs and perennial reaches of tributaries to the Jemez river except those not specifically
54		other sections of 20.6.4 NMAC, and perennial reaches of the Guadalupe river and perennial
55	reaches of tribu	taries to the Guadalupe river, and Calaveras canyon.

Designated uses: domestic water supply, fish culture, high quality coldwater aquatic life, 1 A. 2 irrigation, livestock watering, wildlife habitat and primary contact. 3 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the В. designated uses, except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less 4 5 (800 µS/cm or less on Sulphur creek); the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less; and pH within the range of 2.0 to 8.8 on Sulphur creek. 6 [20.6.4.108 NMAC - Rp 20 NMAC 6.1.2106, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A, 4/23/2022] 7 8 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 9 segment are under 20.6.4.124 NMAC. The standards for San Gregorio lake are in 20.6.4.134 NMAC, effective 10 7/10/2012] 11 12 20.6.4.109 RIO GRANDE BASIN: Perennial reaches of Bluewater creek excluding Bluewater lake and 13 waters on tribal lands, Rio Moquino upstream of Laguna pueblo, Seboyeta creek, Rio Paguate upstream of Laguna pueblo, the Rio Puerco upstream of the northern boundary of Cuba, and all other perennial reaches 14 15 of tributaries to the Rio Puerco, including the Rio San Jose in Cibola county from the USGS gaging station at 16 Correo upstream to Horace springs excluding waters on tribal lands. 17 **Designated uses:** coldwater aquatic life, domestic water supply, fish culture, irrigation, livestock A. 18 watering, wildlife habitat and primary contact; and public water supply on La Jara creek. 19 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. 20 designated uses, except that the following segment-specific criteria apply: phosphorus (unfiltered sample) 0.1 mg/L 21 or less; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or 22 less. 23 [20.6.4.109 NMAC - Rp 20 NMAC 6.1.2107, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] [NOTE: The standards for Bluewater lake are in 20.6.4.135 NMAC, effective 7/10/2012] 24 25 26 20.6.4.110 RIO GRANDE BASIN: The main stem of the Rio Grande from Angostura diversion works 27 upstream to Cochiti dam, excluding the reaches on San Felipe, Kewa and Cochiti pueblos. Designated uses: irrigation, livestock watering, wildlife habitat, primary contact, coldwater 28 Α. 29 aquatic life and warmwater aquatic life. 30 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the **B**. 31 designated uses, except that the following segment-specific criteria apply: pH within the range of 6.6 to 9.0 and temperature 25°C (77°F) or less. 32 33 [20.6.4.110 NMAC - Rp 20 NMAC 6.1.2108, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 34 35 RIO GRANDE BASIN: Perennial reaches of Las Huertas creek from the San Felipe pueblo 20.6.4.111 boundary to the headwaters. 36 37 Designated uses: high quality coldwater aquatic life, irrigation, livestock watering, wildlife Α. 38 habitat and primary contact. 39 B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 40 designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. [20.6.4.111 NMAC - Rp 20 NMAC 6.1.2108.5, 10/12/2000; A, 7/25/2001; A, 5/23/2005; A-12/1/2010] 41 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 42 43 segment are under 20.6.4.125 NMAC.] 44 45 20.6.4.112 RIO GRANDE BASIN: The main stem of the Rio Grande from the headwaters of Caballo reservoir upstream to Elephant Butte dam, perennial reaches of Palomas creek, perennial reaches of Rio 46 47 Salado, perennial reaches of Percha creek, perennial reaches of Alamosa creek, Las Animas creek, and 48 perennial reaches of Abo arroyo. Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life, 49 A. primary contact and warmwater aquatic life. 50 51 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. 52 designated uses. 53 С. **Remarks:** flow in this reach of the Rio Grande main stem is dependent upon release from 54 Elephant Butte dam. 55 [20.6.4.112 NMAC - Rp 20 NMAC 6.1.2109, 10/12/2000; A, 5/23/2005; Repealed, 12/1/2010; A, 4/23/2022] 56

120.6.4.113RIO GRANDE BASIN: The Santa Fe river and perennial reaches of its tributaries from the2Cochiti pueblo boundary upstream to the outfall of the Santa Fe wastewater treatment facility.

A. Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and coolwater
 aquatic life.

5 **B.** Criteria: The use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses, 6 except that the following segment-specific criterion applies: temperature 30°C (86°F) or less.

7 [20.6.4.113 NMAC - Rp 20 NMAC 6.1.2110, 10/12/2000; A, 10/11/2002; A, 5/23/2005; A, 12/1/2010; A,

8 2/14/2013] 9

10 **20.6.4.114 RIO GRANDE BASIN:** The main stem of the Rio Grande from the Cochiti pueblo

11 boundary upstream to Rio Pueblo de Taos excluding waters on San Ildefonso, Santa Clara and Ohkay

12 Owingeh pueblos, Embudo creek from its mouth on the Rio Grande upstream to the Picuris Pueblo

13 boundary, the Santa Cruz river from the Santa Clara pueblo boundary upstream to the Santa Cruz dam, the

Rio Tesuque except waters on the Tesuque and Pojoaque pueblos, and the Pojoaque river from the San Ildefonso pueblo boundary upstream to the Pojoaque pueblo boundary. Some Rio Grande waters in this

16 segment are under the joint jurisdiction of the state and San Ildefonso pueblo.

A. Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life,
 primary contact and warmwater aquatic life; and public water supply on the main stem Rio Grande.

19 **B.**

(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: 6T3 temperature 22°C (71.6°F) and maximum temperature 25°C (78.8°F). In addition, the following criteria based on a 12-month rolling average are applicable to the public water supply use for monitoring and public disclosure purposes only:

24

Radionuclide	pCi/L
Americium-241	1.9
Cesium-137	6.4
Plutonium-238	1.5
Plutonium-239/240	1.5
Strontium-90	3.5
Tritium	4,000

25

26 (2) At mean monthly flows above 100 cfs, the monthly average concentration for: TDS 500 27 mg/L or less, sulfate 150 mg/L or less and chloride 25 mg/L or less.

28 [20.6.4.114 NMAC - Rp 20 NMAC 6.1.2111, 10/12/2000; A, 5/23/2005; A, 12/1/2010]

29

3020.6.4.115RIO GRANDE BASIN: The perennial reaches of Rio Vallecitos, perennial reaches of31tributaries to Rio Vallecitos except Hopewell lake, and perennial reaches of Rio del Oso and perennial

32 reaches of El Rito creek above the town of El Rito.

Criteria:

A. Designated uses: domestic water supply, irrigation, high quality coldwater aquatic life, livestock
 watering, wildlife habitat and primary contact; public water supply on the Rio Vallecitos and El Rito creek.

B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
designated uses, except that the following segment-specific criteria apply: specific conductance 300 μS/cm or less;
the monthly geometric mean of *E. coli* bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
[20.6.4.115 NMAC - Rp 20 NMAC 6.1.2112, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A, 4/23/2022]
[NOTE: The standards for Hopewell lake are in 20.6.4.134 NMAC, effective 7/10/2012]

40

20.6.4.116 RIO GRANDE BASIN: The Rio Chama from its mouth on the Rio Grande upstream to
 Abiquiu reservoir, perennial reaches of the Rio Tusas, perennial reaches of the Rio Ojo Caliente, perennial
 reaches of Abiquiu creek and perennial reaches of El Rito creek downstream of the town of El Rito.

44 **A. Designated uses:** irrigation, livestock watering, wildlife habitat, coldwater aquatic life, 45 warmwater aquatic life and primary contact.

B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
designated uses, except that the following segment-specific criterion applies: temperature 31°C (87.8°F) or less.
[20.6.4.116 NMAC - Rp 20 NMAC 6.1.2113, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]

1		
2	20.6.4.117	RIO GRANDE BASIN: Abiquiu reservoir.
3	А.	Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact,
4	coldwater aqua	atic life and warmwater aquatic life.
5	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
6	designated use	s, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less.
7 8	[20.6.4.117 NN	MAC - Rp 20 NMAC 6.1.2114, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
9	20.6.4.118	RIO GRANDE BASIN: The Rio Chama from the headwaters of Abiquiu reservoir
10	upstream to E	21 Vado reservoir and perennial reaches of the Rio Gallina and Rio Puerco de Chama north of
11	state highway	96. Some Rio Chama waters in this segment are under the joint jurisdiction of the state and
12	the Jicarilla A	
13	А.	Designated uses: irrigation, livestock watering, wildlife habitat, coldwater aquatic life,
14	warmwater ag	uatic life and primary contact.
15	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
16		s, except that the following segment-specific criterion applies: temperature $26^{\circ}C$ (78.8°F) or less.
17		MAC - Rp 20 NMAC 6.1.2115, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
18	[20.0.4.11010	$m \in \mathbb{R}^{p} \ge 0 \mod \mathbb{R}^{p} \ge 0 \mod \mathbb{R}^{p} \ge 0 \pmod{1} = 0 \pmod{1} = 0 \pmod{1} = 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0$
19	20.6.4.119	RIO GRANDE BASIN: All perennial reaches of tributaries to the Rio Chama above
20		except Canjilon lakes a, c, e and f and the Rio Gallina and Rio Puerco de Chama north of state
20		except Canjnon takes a, c, e and r and the Kio Gamma and Kio r derco de Chama north of state id excluding waters on Jicarilla Apache reservation, and the main stem of the Rio Chama from
21		s of El Vado reservoir upstream to the New Mexico-Colorado line. Some Cañones creek and
23		aters in this segment are under the joint jurisdiction of the state and the Jicarilla Apache tribe.
24	A.	Designated uses: domestic water supply, fish culture, high quality coldwater aquatic life,
25		stock watering, wildlife habitat and primary contact; and public water supply on the Rio Brazos and
26	Rio Chama.	
27	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
28		s, except that the following segment-specific criteria apply: specific conductance 500 μ S/cm or less
29		ess for Coyote creek); the monthly geometric mean of <i>E. coli</i> bacteria 126 cfu/100 mL or less, single
30		a/100 mL or less.
31		MAC - Rp 20 NMAC 6.1.2116, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012]
32	[NOTE: The s	tandards for Canjilon lakes a, c, e and f are in 20.6.4.134 NMAC, effective 7/10/2012]
33		
34	20.6.4.120	RIO GRANDE BASIN: El Vado and Heron reservoirs.
35	А.	Designated uses: irrigation storage, livestock watering, wildlife habitat, public water supply,
36	primary contac	et and coldwater aquatic life.
37	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
38	designated use	s, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
39	bacteria 126 cf	fu/100 mL or less, single sample 235 cfu/100 mL or less.
40	[20.6.4.120 NN	MAC - Rp 20 NMAC 6.1.2117, 10/12/2000; A. 5/23/2005; A, 12/1/2010]
41		
42	20.6.4.121	RIO GRANDE BASIN: Perennial tributaries to the Rio Grande in Bandelier national
43	monument an	d their headwaters in Sandoval county and all perennial reaches of tributaries to the Rio
44		nta Fe county unless included in other segments and excluding waters on tribal lands.
45	А.	Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock
46	watering, wild	life habitat and primary contact; and public water supply on Little Tesuque creek, the Rio en Medio,
47	and the Santa I	
48	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
49		s, except that the following segment-specific criteria apply: specific conductance 300μ S/cm or less;
50	0	cometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
51		MAC - Rp 20 NMAC 6.1.2118, 10/12/2000; A. 5/23/2005; A, 12/1/2010; A, 2/14/2013]
52		egment covered by this section was divided effective 5/23/2005. The standards for the additional
52 53		nder 20.6.4.126, 20.6.4.127 and 20.6.4.128 NMAC.]
55 54	segments are u	inder 20.0.4.120, 20.0.4.127 and 20.0.4.120 INPICC.]
54 55	20.6.4.122	RIO GRANDE BASIN: The main stem of the Rio Grande from Rio Pueblo de Taos
56	upsiream to t	he New Mexico-Colorado line, the Red river from its mouth on the Rio Grande upstream to the

1 2	of the Rio Gra	er creek, and the Rio Pueblo de Taos from its mouth on the Rio Grande upstream to the mouth inde del Rancho. Some Rio Grande and Rio Pueblo de Taos waters in this segment are under
3	•	diction of the state and Taos pueblo.
4	A.	Designated uses: coldwater aquatic life, fish culture, irrigation, livestock watering, wildlife
5	habitat and prin	
6	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
7		s, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
8		u/100 mL or less, single sample 235 cfu/100 mL or less.
9	[20.6.4.122 NN	/AC - Rp 20 NMAC 6.1.2119, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
10		
11 12		RIO GRANDE BASIN: Perennial reaches of the Red river upstream of the mouth of Placer nnial reaches of tributaries to the Red river, and all other perennial reaches of tributaries to
13		le in Taos and Rio Arriba counties unless included in other segments and excluding waters on
14		Dhkay Owingeh, Picuris and Taos pueblos.
15	A.	Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock
16	-	ife habitat and primary contact; and public water supply on the Rio Pueblo and Rio Fernando de
17	Taos.	
18	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
19		s, except that the following segment-specific criteria apply: specific conductance 400μ S/cm or less
20		less for the Rio Fernando de Taos); the monthly geometric mean of E. coli bacteria 126 cfu/100 mL
21	-	ample 235 cfu/100 mL or less; and phosphorus (unfiltered sample) less than 0.1 mg/L for the Red
22	river.	
23	-	IAC - Rp 20 NMAC 6.1.2120, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
24		segment covered by this section was divided effective 5/23/2005. The standards for the additional
25	segment are un	der 20.6.4.129 NMAC.]
26		
27	20.6.4.124	RIO GRANDE BASIN: Perennial reaches of Sulphur creek from its confluence with
28		k upstream to its headwaters.
29	A.	Designated uses: limited aquatic life, wildlife habitat, livestock watering and secondary contact.
30	В.	Criteria: the use-specific criteria set forth in 20.6.4.900 NMAC are applicable to the designated
31	uses, except the	at the following segment-specific criteria apply: pH within the range of 2.0 to 9.0, maximum
32		°C (86°F), and the chronic aquatic life criteria of Subsections I and J of 20.6.4.900 NMAC.
33	[20.6.4.124 NN	/IAC - N, 5/23/2005; A, 12/1/2010; A, 3/2/2017]
34		
35	20.6.4.125	RIO GRANDE BASIN: Perennial reaches of San Pedro creek from the San Felipe pueblo
36	•	he headwaters.
37	A.	Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and
38	primary contac	
39	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
40		s, except that the following segment-specific criterion applies: temperature 25° C (77°F) or less.
41	[20.6.4.125 NN	/IAC - N, 5/23/2005; A, 12/1/2010]
42	<u> </u>	
43	20.6.4.126	RIO GRANDE BASIN: Perennial waters within lands managed by the U.S. department of
44		within Los Alamos National Laboratory (LANL), including but not limited to: Cañon de Valle
45		ream gage E256 upstream to Burning Ground spring, Sandia canyon from Sigma canyon
46		ANL NPDES outfall 001, Pajarito canyon from 0.5 miles below Arroyo de La Delfe upstream to
47		ring, Arroyo de la Delfe from Pajarito canyon to Kieling spring, Starmers gulch and Starmers
48		ater canyon from Area-A canyon upstream to State Route 501.
49 50	А.	Designated uses: coldwater aquatic life, livestock watering, wildlife habitat and secondary
50	contact.	
51	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
52	designated uses	
53	[20.6.4.126 NN	/IAC - N, 5/23/2005; A, 12/1/2010; A, 4/23/2022]
54	20 (1 125	
55 5 (20.6.4.127	RIO GRANDE BASIN: Perennial portions of Los Alamos canyon upstream from Los
56	Alamos reserv	oir and Los Alamos reservoir.

Designated uses: coldwater aquatic life, livestock watering, wildlife habitat, irrigation and 1 А. 2 primary contact. 3 B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 4 designated uses. 5 [20.6.4.127 NMAC - N, 5/23/2005; A, 12/1/2010] 6 7 **RIO GRANDE BASIN:** Ephemeral and intermittent waters within lands managed by U.S. 20.6.4.128 department of energy (DOE) within LANL, including but not limited to: Mortandad canyon, Cañada del 8 Buey, Ancho canyon, Chaquehui canyon, Indio canyon, Fence canyon, Potrillo canyon, and portions of Cañon 9 10 de Valle, Los Alamos canyon, Sandia canyon, Pajarito canyon and Water canyon not identified in 20.6.4.126 11 NMAC or 20.6.4.140 NMAC. (Surface waters within lands scheduled for transfer from DOE to tribal, state or local authorities are specifically excluded.) 12 13 A. Designated uses: livestock watering, wildlife habitat, limited aquatic life and secondary contact. 14 В. Criteria: the use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses, 15 except that the following segment-specific criteria apply: the acute total ammonia criteria set forth in Subsection L of 20.6.4.900 NMAC (Oncorhynchus spp. absent). 16 [20.6.4.128 NMAC - N, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 17 18 **NOTE:** This section was divided effective 4/23/2022. The standards for some intermittent waters within LANL are 19 in 20.6.4.140 NMAC.] 20 21 20.6.4.129 **RIO GRANDE BASIN:** Perennial reaches of the Rio Hondo. 22 **Designated uses:** domestic water supply, high quality coldwater aquatic life, irrigation, livestock A. 23 watering, wildlife habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 24 R. 25 designated uses, except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less and phosphorus (unfiltered sample) less than 0.1 mg/L. 26 27 [20.6.4.129 NMAC - N, 5/23/2005; A, 12/1/2010] 28 29 20.6.4.130 RIO GRANDE BASIN: The Rio Puerco from the Rio Grande upstream to Arroyo Chijuilla, 30 excluding the reaches on Isleta, Laguna and Cañoncito Navajo pueblos. Some waters in this segment are under the joint jurisdiction of the state and Isleta, Laguna or Cañoncito Navajo pueblos. 31 32 A. Designated uses: irrigation, warmwater aquatic life, livestock watering, wildlife habitat and 33 primary contact. 34 B. **Criteria:** 35 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 36 designated uses. (2) 37 At mean monthly flows above 100 cfs, the monthly average concentration for: TDS 1,500 mg/L or less, sulfate 500 mg/L or less and chloride 250 mg/L or less. 38 [20.6.4.130 NMAC - N, 12/1/2010] 39 40 41 20.6.4.131 **RIO GRANDE BASIN:** The Rio Puerco from the confluence of Arroyo Chijuilla upstream 42 to the northern boundary of Cuba. 43 A. Designated uses: warmwater aquatic life, irrigation, livestock watering, wildlife habitat and 44 primary contact. 45 B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. 46 47 [20.6.4.131 NMAC - N, 12/1/2010] 48 49 20.6.4.132 **RIO GRANDE BASIN:** Rio Grande (Klauer) spring 50 Designated uses: domestic water supply, wildlife habitat, livestock watering, coldwater aquatic A. 51 life use and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 52 B. 53 designated uses. 54 [20.6.4.132 NMAC - N, 12/1/2010] 55

20.6.4.133 RIO GRANDE BASIN: Bull Creek lake, Cow lake, Elk lake, Goose lake, Heart lake, 1 2 Hidden lake (Lake Hazel), Horseshoe lake, Horseshoe (Alamitos) lake, Jose Vigil lake, Lost lake, Middle Fork 3 lake, Nambe lake, Nat II lake, Nat IV lake, No Fish lake, Pioneer lake, San Leonardo lake, Santa Fe lake, Serpent lake, South Fork lake, Trampas lakes (east and west) and Williams lake. 4 5 Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary A. contact, livestock watering and wildlife habitat. 6 7 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the В. designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 8 9 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 10 [20.6.4.133 NMAC - N, 7/10/2012] 11 12 20.6.4.134 RIO GRANDE BASIN: Cabresto lake, Canjilon lakes a, c, e and f, Fawn lakes (east and 13 west), Hopewell lake and San Gregorio lake. 14 A. Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary 15 contact, livestock watering and wildlife habitat. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 16 В. designated uses, except that the following segment-specific criteria apply: specific conductance 300 μ S/cm or less; 17 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 18 [20.6.4.134 NMAC - N, 7/10/2012] 19 20 21 20.6.4.135 **RIO GRANDE BASIN: Bluewater lake.** 22 A. **Designated uses:** coldwater aquatic life, irrigation, domestic water supply, primary contact, 23 livestock watering and wildlife habitat. 24 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the R. 25 designated uses except that the following segment-specific criteria apply: phosphorus (unfiltered sample) 0.1 mg/L or less; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or 26 27 less. 28 [20.6.4.135 NMAC - N, 7/10/2012] 29 30 **RIO GRANDE BASIN:** The Santa Fe river from the outfall of the Santa Fe wastewater 20.6.4.136 31 treatment facility to Guadalupe street. 32 A. Designated uses: limited aquatic life, wildlife habitat, primary contact, livestock watering, and 33 irrigation. 34 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 35 designated uses. 36 [20.6.4.136 NMAC - N, 2/14/2013] 37 38 20.6.4.137 **RIO GRANDE BASIN:** The Santa Fe river from Guadalupe street to Nichols reservoir. 39 Designated uses: coolwater aquatic life, wildlife habitat, primary contact, livestock watering, and Α. 40 irrigation. 41 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 42 designated uses. 43 [20.6.4.137 NMAC - N, 2/14/2013] 44 45 20.6.4.138 **RIO GRANDE BASIN: Nichols and McClure reservoirs.** Designated uses: high quality coldwater aquatic life, wildlife habitat, primary contact, public 46 Α. 47 water supply and irrigation. 48 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. designated uses, except that the following segment-specific criteria apply: specific conductance 300 uS/cm or less: 49 50 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.138 NMAC - N, 2/14/2013] 51 52 53 20.6.4.139 RIO GRANDE BASIN: Perennial reaches of Galisteo creek and perennial reaches of its 54 tributaries from Kewa pueblo upstream to 2.2 miles upstream of Lamy. 55 Designated uses: coolwater aquatic life, primary contact, irrigation, livestock watering, domestic A. 56 water supply and wildlife habitat; and public water supply on Cerrillos reservoir.

1 2 3 4 5	B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.139 NMAC - N, 2/14/2013]
6 7 8 9 10	20.6.4.140 RIO GRANDE BASIN: Effluent canyon from Mortandad canyon to its headwaters, intermittent portions of S-Site canyon from monitoring well MSC 16-06293 to Martin spring, and intermittent portions of Twomile canyon from its confluence with Pajarito canyon to Upper Twomile canyon. (Surface waters within lands scheduled for transfer from DOE to tribal, state or local authorities are specifically excluded.)
11	A. Designated uses: livestock watering, wildlife habitat, marginal warmwater aquatic life and
12 13	secondary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
14 15	designated uses. [20.6.4.140 NMAC - N, 4/23/2022]
16 17 18	20.6.4.141 - 20.6.4.200 [RESERVED]
19 20	20.6.4.201 PECOS RIVER BASIN: The main stem of the Pecos river from the New Mexico-Texas line upstream to the mouth of the Black river (near Loving).
20	A. Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and warmwater
21	aquatic life.
22	B. Criteria:
23 24	(I) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
25	designated uses, except that the following segment-specific criterion applies: dissolved boron for irrigation use
26	2,000 µg/L or less.
27	(2) At all flows above 50 cfs: TDS 20,000 mg/L or less, sulfate 3,000 mg/L or less and
28	chloride 10,000 mg/L or less.
29	[20.6.4.201 NMAC - Rp 20 NMAC 6.1.2201, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
30	
31 32	20.6.4.202 PECOS RIVER BASIN: The main stem of the Pecos river from the mouth of the Black river upstream to lower Tansil dam, including perennial reaches of the Black river, the Delaware river and
33	Blue spring.
34	A. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, primary
35	contact and warmwater aquatic life.
36	B. Criteria:
37	(I) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
38	
	designated uses, except that the following segment-specific criterion applies: temperature $34^{\circ}C$ (93.2°F) or less.
39	(2) At all flows above 50 cfs: TDS 8,500 mg/L or less, sulfate 2,500 mg/L or less and chloride
40	3,500 mg/L or less.
41	C. Remarks: diversion for irrigation frequently limits summer flow in this reach of the main stem
42	Pecos river to that contributed by springs along the watercourse.
43	[20.6.4.202 NMAC - Rp 20 NMAC 6.1.2202, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
44	[NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for Lower Tansil
45	Lake and Lake Carlsbad are under 20.6.4.218 NMAC.]
46	
47	20.6.4.203 PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Lake
48	Carlsbad upstream to Avalon dam.
49	A. Designated uses: industrial water supply, livestock watering, wildlife habitat, primary contact
50	and warmwater aquatic life.
51	B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
52	designated uses, except that the following segment-specific criteria apply: temperature 34°C (93.2°F) or less; the
53	monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
55 54	[20.6.4.203 NMAC - Rp 20 NMAC 6.1.2203, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
54 55	[NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for Lower Tansil
56	Lake and Lake Carlsbad are under 20.6.4.218 and for Avalon Reservoir are under 20.6.4.219 NMAC.]

 reservoir upstream to Brantley dam. A. Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and warmw aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. [20.6.4.204 NMAC - Rp 20 NMAC 6.1.2204, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for Avalon Reser are under 20.6.4.219 NMAC.] 20.6.4.205 PECOS RIVER BASIN: Brantley reservoir. A. Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. [20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: 		
aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. [20.6.4.204 NMAC - Rp 20 NMAC 6.1.2204, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for Avalon Reset are under 20.6.4.219 NMAC.] 20.6.4.205 PECOS RIVER BASIN: Brantley reservoir. A. Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. Irrigation, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. Irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) A tall flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (2) A tall flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (2) A tall flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 4,000 mg/L or less. (2) A tall flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 4,000 mg/L or less. (3) A tall flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 4,200 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/22/017; A, 4/23/202 (3) A tall flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 4,000 mg/L or less. (4) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses: (5) A tall flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,		PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Avalo ream to Brantley dam.
 B. Criteria: the use-specific numeric criteria set forth in 20.64.900 NMAC are applicable to the designated uses. (NOTE: The segment covered by this section was divided effective 5/23/2005; A, 12/1/2010; A, 4/23/2022] (NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for Avalon Reserver are under 20.64.219 NMAC.] 20.6.4.205 PECOS RIVER BASIN: Brantley reservoir. A. Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation. livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) A tall flows above 50 cfs: TDS 14.000 mg/L or less, sulfate 3.000 mg/L or less and chloride 6.000 mg/L or less. (2) A tall flows above 50 cfs: TDS 14.000 mg/L or less, sulfate 3.000 mg/L or less and chloride 4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/22017; A, 4/23/20 NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from Salt creek (near Acme) perinalial reaches of the Rio Hondo are under 20.6.4.231 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sum	A.	Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and warmwa
designated uses. [20.64.204 NMAC - Rp 20 NMAC 6.1.2204, 10/12/2000; A. 5/23/2005; A. 12/1/2010; A. 4/23/2022] [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for Avalon Reset are under 20.64.219 NMAC.] 20.64.205 PECOS RIVER BASIN: Brantley reservoir. A. Designated uses: [20.64.205 PECOS RIVER BASIN: Brantley reservoir. A. Designated uses. [20.64.205 PECOS RIVER BASIN: Peremial reaches of the Rio Felix and peremial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses. [20.64.206 PECOS RIVER BASIN: Peremial reaches of the Rio Felix and peremial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: [20.64.206 PECOS RIVER BASIN: Peremial reaches of the Rio Felix and peremial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: [20.64.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [20.64.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [20.64.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [20.64.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [20.64.207 MAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [20.64.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. [20.64.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.64.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/	aquatic life.	
 [20.5.4.204 NMAC - Rp 20 NMAC 6.1.2204, 10/12/2000; A. 5/23/2005; A, 12/1/2010; A, 4/23/2022] [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for Avalon Reservare under 20.6.4.219 NMAC.] 20.6.4.205 PECOS RIVER BASIN: Brantley reservoir. A. Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. 20.6.4.205 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses.		Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for Avalon Resei are under 20.6.4.219 NMAC.] 20.6.4.205 PECOS RIVER BASIN: Brantley reservoir. A. Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. [20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria:	0	
 20.6.4.205 PECOS RIVER BASIN: Brantley reservoir. A. Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. [20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are applicable to the designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate	[NOTE: The se	egment covered by this section was divided effective 5/23/2005. The standards for Avalon Reserv
 A. Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. 20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria:	are under 20.6.	4.219 NMAC.]
 A. Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and warmwater aquatic life. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. 20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria:		
 warmwater aquatic life B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. [20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Deñasco a		•
 B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. [20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. 20.6.4.207 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennia reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennia reaches of tributaries to the Rio Peñ		
 designated uses. [20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from beadwaters of Brantley reservoir upstream to Salt creek (near Arcme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Arcme) upstream to Salt creek (near Arcme), perennial reaches of the Rio Peñasco downstream to and criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perenni reaches of 110 Unitaries to the Rio Peñasco above state highway 24 near Dunken, perenni (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or	-	
 [20.6.4.205 NMAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. (2) At all flows above 50 cfs: TD		1 11
 20.6.4.206 PECOS RIVER BASIN: Perennial reaches of the Rio Felix and perennial reaches of tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/202 (NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river for headvaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Salt creek (near Acme), perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasc		
 tributaries to the Rio Hondo downstream of Bonney canyon, excluding North Spring river. A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warmwater aquatic life. B. Critteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less and the Pecos river from Salt creek (near Acme) perform from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 ne Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 24 ne Dunken, perennial reaches of the Rio Peña	[20.6.4.205 NN	IAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
 A. Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and warnwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20[NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perenniar reaches of Cox canyon, perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perenniar reaches of Gox canyon, perennial reaches of the Rio Beñasco above state highway 48 (near Ange the Rio Hoidoo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-speci		
 warmwater aquatic life. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. (20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. 20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennia reaches of the Rio Boñito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to	tributaries to t	
 B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perenni reaches of Cox canyon, perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perenni reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ange the Rio Hoido upstream for Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat ife and primary contact. 		
 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 48 (near Ang the Rio Ruidoso downstream from state highway 70 bridge near Seeping Springs lakes, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches of the Rio Bunita, coldwater aquat life and primary contact. B. Criteria: he use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat hi	warmwater aqu	atic life.
 designated uses. (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. [20.64.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Bonito downstream from state highway 24 (near Ang the Rio Ruidoso downstream from state highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Boney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat the Rio Hondo upstream from Boney canyon and perennial reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near	В.	Criteria:
 (2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and chloride 6,000 mg/L or less. [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/20 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Peñasco modernation of the Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 24 near Acme 24 no Dunken, perennial reaches of the Rio Peñasco above state highway 24 near Acme 48 (near Ange 48 (near Ange 48 Near Ang		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
 chloride 6,000 mg/L or less. [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/202 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquatifie and primary contact. 	designated uses) .
 [20.6.4.206 NMAC - Rp 20 NMAC 6.1.2206, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/202 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) (2) (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquatifie and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific crite		(2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and
 [NOTE: This segment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 24 near Acme punken, perennial reaches of the Rio Peñasco above state highway 48 (near Ange the Rio Ruidoso downstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquatil reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquatile and primary contact. 	chloride 6,000	mg/L or less.
 headwaters of Brantley reservoir upstream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Beñasco above state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 downstream from state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Summer dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	[NOTE: This s	egment was divided effective 4/23/2022. The standards for the main stem of the Pecos river from
 NMAC.] 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of the Rio Peñasco above state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 ne Dunken, perennial reaches of the Rio Peñasco above state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquatilife and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		m state highway 24 near Dunken, and perennial reaches of the Rio Hondo are under 20.6.4.231
 upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 ne Dunken, perennial reaches of the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	NMAC.]	
 upstream to Sumner dam. A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 ne Dunken, perennial reaches of the Rio Peñasco above state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	20 6 4 207	BECOS DIVED DASING The main stom of the Decos viver from Solt events (near Asme)
 A. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife ha and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 na Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 and primary contact. B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 na Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	-	
 B. Criteria: (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of the Rio Peñasco above state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of tributaries to the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 designated uses. (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	Б.	
 (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	decign at a d user	
 chloride 4,000 mg/L or less. [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	designated uses	
 [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perennial reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ang the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	ablamida 1 000	
 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco above state highway 24 n Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perenniareaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Angerthe Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perenni reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Angerthe Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	[20.0.4.207 10]	[AC - Kp 20 MMAC 0.1.2207, 10/12/2000, A, 5/25/2005, A, 12/1/2010, A, 4/25/2022]
 Dunken, perennial reaches of tributaries to the Rio Peñasco above state highway 24 near Dunken, perenni reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Angerthe Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 	20 6 4 208	DECOS DIVED PASIN. Demonsial reaches of the Die Deficience above state highway 24 no
 reaches of Cox canyon, perennial reaches of the Rio Bonito downstream from state highway 48 (near Ange the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial reaches the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
 A. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquat life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L. 		
life and primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L.		
B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L.		
designated uses, except that the following segment-specific criteria apply: temperature $30^{\circ}C$ ($86^{\circ}F$) or less, and phosphorus (unfiltered sample) less than 0.1 mg/L.		
phosphorus (unfiltered sample) less than 0.1 mg/L.		
[2000, 1.200, 1001, 12, 2010, 10, 12, 2000, 13, 3, 25, 2005, 13, 12, 1/2010, 13, 4/25, 2022]		
	L20.0.7.200 ININ	[110 - Rp 20 1001 R 0.1.2200, 10/12/2000, R, 5/25/2005, R, 12/1/2010, R, 4/25/2022]

20.6.4.209 PECOS RIVER BASIN: Perennial reaches of Eagle creek upstream of Alto dam to the 1 2 Mescalero Apache boundary, perennial reaches of the Rio Bonito upstream of state highway 48 (near Angus) 3 excluding Bonito lake, perennial reaches of tributaries to the Rio Bonito upstream of state highway 48 (near Angus), perennial reaches of the Rio Ruidoso upstream of the U.S. highway 70 bridge near Seeping Springs 4 5 lakes above and below the Mescalero Apache boundary and perennial reaches of tributaries to the Rio Ruidoso upstream of the U.S. highway 70 bridge near Seeping Springs lakes above and below the Mescalero 6 7 Apache boundary. 8 A. Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock 9 watering, wildlife habitat, public water supply and primary contact. 10 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 11 designated uses, except that the following segment-specific criteria apply: specific conductance 600 µS/cm or less in Eagle creek, 1,100 µS/cm or less in Bonito creek and 1,500 µS/cm or less in the Rio Ruidoso; phosphorus (unfiltered 12 13 sample) less than 0.1 mg/L; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 14 235 cfu/100 mL or less. [20.6.4.209 NMAC - Rp 20 NMAC 6.1.2209, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A, 4/23/2022] 15 16 [NOTE: The standards for Bonito lake are in 20.6.4.223 NMAC, effective 7/10/2012] 17 18 PECOS RIVER BASIN: Sumner reservoir. 20.6.4.210 19 A. **Designated uses:** irrigation storage, livestock watering, wildlife habitat, primary contact and 20 warmwater aquatic life. 21 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 22 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 23 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 24 [20.6.4.210 NMAC - Rp 20 NMAC 6.1.2210, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 25 20.6.4.211 26 PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Sumner 27 reservoir upstream to Tecolote creek excluding Santa Rosa reservoir. 28 Α. Designated uses: fish culture, irrigation, marginal warmwater aquatic life, livestock watering, 29 wildlife habitat and primary contact. 30 Criteria: B. 31 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 32 designated uses. At all flows above 50 cfs: TDS 3,000 mg/L or less, sulfate 2,000 mg/L or less and 33 (2) 34 chloride 400 mg/L or less. [20.6.4.211 NMAC - Rp 20 NMAC 6.1.2211, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 35 [NOTE: The standards for Santa Rosa reservoir are in 20.6.4.225 NMAC, effective 7/10/2012] 36 37 38 20.6.4.212 PECOS RIVER BASIN: Perennial tributaries to the main stem of the Pecos river from the 39 headwaters of Sumner reservoir upstream to Santa Rosa dam. 40 A. Designated uses: irrigation, coldwater aquatic life, livestock watering, wildlife habitat and 41 primary contact. 42 B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 43 designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. 44 [20.6.4.212 NMAC - Rp 20 NMAC 6.1.2211.1, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 45 PECOS RIVER BASIN: McAllister lake. 46 20.6.4.213 47 Designated uses: coldwater aquatic life, secondary contact, livestock watering and wildlife A. 48 habitat. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 49 50 designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. [20.6.4.213 NMAC - Rp 20 NMAC 6.1.2211.3, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 51 52 53 20.6.4.214 PECOS RIVER BASIN: Storrie lake. 54 Designated uses: coldwater aquatic life, warmwater aquatic life, primary contact, livestock A. 55 watering, wildlife habitat, public water supply and irrigation storage.

1 2	B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
3 4 5	bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.214 NMAC - Rp 20 NMAC 6.1.2211.5, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
6 7 8	20.6.4.215 PECOS RIVER BASIN: Perennial reaches of the Gallinas river upstream of the diversion for the Las Vegas municipal reservoir, perennial reaches of tributaries to the Gallinas river upstream of the diversion for the Las Vegas municipal reservoir, perennial reaches of Tecolote creek upstream of Blue creek
9	and all perennial reaches of tributaries to Tecolote creek upstream of Blue creek.
10	A. Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock
11 12	watering, wildlife habitat, industrial water supply and primary contact; and public water supply on the Gallinas river B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
13 14	designated uses, except that the following segment-specific criteria apply: specific conductance 300 μ S/cm or less (450 μ S/cm or less in Wright Canyon creek); the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or
15	less, single sample 235 cfu/100 mL or less.
16 17	[20.6.4.215 NMAC - Rp 20 NMAC 6.1.2212, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 2/13/2018; A, 4/23/2022] [NOTE: This segment was divided effective 2/13/2018. The standards for Tecolote creek from I-25 to Blue creek
18 19	are under 20.6.4.230 NMAC.]
20	20.6.4.216 PECOS RIVER BASIN: The main stem of the Pecos river from Tecolote creek upstream to
21	Cañon de Manzanita.
22	A. Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life
23	and primary contact.
24	B. Criteria:
25	(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
26 27	 designated uses, except that the following segment-specific criterion applies: temperature 30°C (86°F) or less. (2) At all flows above 10 cfs: TDS 250 mg/L or less, sulfate 25 mg/L or less and chloride 5
28	mg/L or less.
29	[20.6.4.216 NMAC - Rp 20 NMAC 6.1.2213, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
30	
31 32 33	20.6.4.217 PECOS RIVER BASIN: Perennial reaches of Cow creek and all perennial reaches of its tributaries and the main stem of the Pecos river from Cañon de Manzanita upstream to its headwaters, including perennial reaches of all tributaries thereto except lakes identified in 20.6.4.222 NMAC.
34	A. Designated uses: domestic water supply, fish culture, high quality coldwater aquatic life,
35	irrigation, livestock watering, wildlife habitat and primary contact; and public water supply on the main stem of the
36	Pecos river.
37	B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
38 39	designated uses, except that the following segment-specific criteria apply: specific conductance 300μ S/cm or less; the monthly geometric mean of <i>E. coli</i> bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
40	[20.6.4.217 NMAC - Rp 20 NMAC 6.1.2214, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012]
41	[NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional
42	segments are under 20.6.4.220 and 20.6.4.221 NMAC.]
43	
44	20.6.4.218 PECOS RIVER BASIN: Lower Tansil lake and Lake Carlsbad.
45	A. Designated uses: industrial water supply, livestock watering, wildlife habitat, primary contact
46	and warmwater aquatic life.
47	B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
48	designated uses, except that the following segment-specific criterion applies: temperature $34^{\circ}C$ (93.2°F) or less.
49	[20.6.4.218 NMAC - N, 5/23/2005; A, 12/1/2010]
50	
51	20.6.4.219 PECOS RIVER BASIN: Avalon reservoir.
52	A. Designated uses: irrigation storage, livestock watering, wildlife habitat, secondary contact and
53	warmwater aquatic life.
54	B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
55 56	designated uses. [20.6.4.219 NMAC - N, 5/23/2005; A, 12/1/2010]

2 20.6.4.220 PECOS RIVER BASIN: Perennial reaches of the Gallinas river and perennial reaches of 3 tributaries to the Gallinas river from its mouth upstream to the diversion for the Las Vegas municipal reservoir, except Pecos Arrovo. 4 Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life 5 A. 6 and primary contact. 7 **Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the В. designated uses, except that the following segment-specific criterion applies: temperature 30°C (86°F) or less. 8 [20.6.4.220 NMAC - N, 5/23/2005; A, 12/1/2010; A, 4/23/2022] 9 10 11 20.6.4.221 PECOS RIVER BASIN: Pecos Arroyo. 12 Designated uses: livestock watering, wildlife habitat, warmwater aquatic life and primary A. 13 contact. 14 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 15 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 16 bacteria 206 cfu/100 mL, single sample 940 cfu/100 mL. [20.6.4.221 NMAC - N, 5/23/2005; A, 12/1/2010] 17 18 19 20.6.4.222 PECOS RIVER BASIN: Johnson lake, Katherine lake, Lost Bear lake, Pecos Baldy lake, 20 Spirit lake, Stewart lake and Truchas lakes (north and south). 21 A. **Designated uses:** high quality coldwater aquatic life, irrigation, domestic water supply, primary 22 contact, livestock watering and wildlife habitat. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 23 R designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 24 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 25 [20.6.4.222 NMAC - N, 7/10/2012] 26 27 28 20.6.4.223 PECOS RIVER BASIN: Bonito lake. 29 Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary Α. 30 contact, livestock watering, wildlife habitat and public water supply. 31 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. designated uses except that the following segment-specific criteria apply: specific conductance 1100 µS/cm or less; 32 33 phosphorus (unfiltered sample) less than 0.1 mg/L; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL 34 or less, single sample 235 cfu/100 mL or less. 35 [20.6.4.223 NMAC - N, 7/10/2012] 36 37 20.6.4.224 PECOS RIVER BASIN: Monastery lake. Designated uses: coolwater aquatic life, primary contact, livestock watering and wildlife habitat. 38 A. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 39 B. 40 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100 mL or less, single sample 940 cfu/100 mL or less. 41 42 [20.6.4.224 NMAC - N, 7/10/2012] 43 44 20.6.4.225 PECOS RIVER BASIN: Santa Rosa reservoir. 45 Designated uses: coolwater aquatic life, irrigation, primary contact, livestock watering and Α. wildlife habitat. 46 47 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the **B**. 48 designated uses. 49 [20.6.4.225 NMAC - N, 7/10/2012] 50 20.6.4.226 PECOS RIVER BASIN: Perch lake. 51 Designated uses: coolwater aquatic life, primary contact, livestock watering and wildlife habitat. 52 A. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 53 **B**. designated uses except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 54 55 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.226 NMAC - N, 7/10/2012] 56 20.6.4 NMAC Page | 36

1

1	<u> </u>	
2	20.6.4.227	PECOS RIVER BASIN: Lea lake.
3 4	А. В.	Designated uses: warmwater aquatic life, primary contact and wildlife habitat. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
4 5		except that the following segment-specific criteria apply: the monthly geometric mean of <i>E. coli</i>
6		/100 mL or less, single sample 235 cfu/100 mL or less.
7		AC - N, 7/10/2012]
8	[20.0.4.227]14141	AC - N, 7/10/2012]
9	20.6.4.228	PECOS RIVER BASIN: Cottonwood lake and Devil's Inkwell.
10	A.	Designated uses: coolwater aquatic life, primary contact and wildlife habitat.
11	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
12		except that the following segment-specific criteria apply: the monthly geometric mean of <i>E. coli</i>
13		/100 mL or less, single sample 940 cfu/100 mL or less.
14		AC - N, 7/10/2012]
15	[20:0: 1.220 1111	
16	20.6.4.229	PECOS RIVER BASIN: Mirror lake.
17	A.	Designated uses: warmwater aquatic life, primary contact and wildlife habitat.
18	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
19	designated uses,	except that the following segment-specific criteria apply: the monthly geometric mean of <i>E. coli</i>
20		/100 mL or less, single sample 940 cfu/100 mL or less.
21	[20.6.4.229 NM	AC - N, 7/10/2012]
22		
23	20.6.4.230	PECOS RIVER BASIN: Perennial reaches of Tecolote creek from I-25 to Blue creek.
24	А.	Designated uses: domestic water supply, coolwater aquatic life, irrigation, livestock watering,
25	wildlife habitat,	and primary contact.
26	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
27		except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
28		/100 mL or less, single sample 235 cfu/100 mL or less.
29	[20.6.4.230 NM]	AC - N, 2/13/2018]
30		
31	20.6.4.231	PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Brantley
32		eam to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state
33		r Dunken, perennial reaches of North Spring river and perennial reaches of the Rio Hondo
34		Bonney canyon.
35	A.	Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and warmwater
36 37	aquatic life.	Criteria:
37 38	В.	
38 39	designated uses.	(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
40	designated uses.	(2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and
41	chloride 6,000 m	
42		AC - N, 4/23/2022]
43	L=0.0.1.201 1000	
44	20.6.4.232 - 20.6	5.4.300 [RESERVED]
45		
46	20.6.4.301	CANADIAN RIVER BASIN: The main stem of the Canadian river from the New Mexico-
47		ream to Ute dam, and any flow that enters the main stem from Revuelto creek.
48	A. [–]	Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
49	and primary con	tact.
50	B.	Criteria:
51		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
52	designated uses.	
53		(2) TDS $6,500 \text{ mg/L}$ or less at flows above 25 cfs.
54	[20.6.4.301 NM	AC - Rp 20 NMAC 6.1.2301, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
55	20 (1 202	
56	20.6.4.302	CANADIAN RIVER BASIN: Ute reservoir.
	20.6.4 NMAC	

1	А.	Designated uses: livestock watering, wildlife habitat, public water supply, industrial water
2	supply, primary	contact and warmwater aquatic life.
3	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
4	designated uses,	except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
5	bacteria 126 cfu/	/100 mL or less, single sample 235 cfu/100 mL or less.
6 7	[20.6.4.302 NM	[AC - Rp 20 NMAC 6.1.2302, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
8	20.6.4.303	CANADIAN RIVER BASIN: The main stem of the Canadian river from the headwaters of
9		pstream to Conchas dam, the perennial reaches of Pajarito and Ute creeks and their perennial
10	tributaries.	por cuin co conclus duin, inc per chinar reaches of rajarito and che creeks and their per chinar
11	A.	Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
12	and primary con	
13	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
14	designated uses.	enteria: the use specific numeric enteria set forth in 20.0.4.900 former are applicable to the
15		AC - Rp 20 NMAC 6.1.2303, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
16	[20.0.4.303 1414]	$\mathbf{AC} = \mathbf{KP} \ 20 \ \mathbf{MMAC} \ 0.1.2303, \ 10 \ 12 \ 2000, \ \mathbf{K}, \ 3 \ 23 \ 2003, \ \mathbf{K}, \ 12 \ 1 \ 2010 \ \mathbf{J}$
17	20.6.4.304	CANADIAN RIVER BASIN: Conchas reservoir.
18	20.0.4.304 A.	Designated uses: irrigation storage, livestock watering, wildlife habitat, public water supply,
19 20		and warmwater aquatic life. Gritorica the use specific numeric criteric set forth in $20.64,000$ NMAC are emplicable to the
20	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
21		except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
22		/100 mL or less, single sample 235 cfu/100 mL or less.
23	[20.6.4.304 NM]	AC - Rp 20 NMAC 6.1.2304, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
24		
25	20.6.4.305	CANADIAN RIVER BASIN: The main stem of the Canadian river from the headwaters of
26		oir upstream to the New Mexico-Colorado line, perennial reaches of the Conchas river, the
27		nstream from the USGS gaging station near Shoemaker, the Vermejo river downstream from
28		d perennial reaches of Raton, Chicorica (except Lake Maloya and Lake Alice) and Uña de
29	Gato creeks.	
30	Α.	Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
31	and primary con	
32	В.	Criteria:
33		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
34	designated uses.	
35		(2) TDS $3,500 \text{ mg/L}$ or less at flows above 10 cfs.
36		AC - Rp 20 NMAC 6.1.2305, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017]
37		gment was divided effective 12/1/2010. The standards for Lake Alice and Lake Maloya are under
38	20.6.4.311 and 2	0.6.4.312 NMAC, respectively.]
39		
40	20.6.4.306	CANADIAN RIVER BASIN: The Cimarron river downstream from state highway 21 in
41	Cimarron to the	e Canadian river and all perennial reaches of tributaries to the Cimarron river downstream
42	from state high	way 21 in Cimarron.
43	А.	Designated uses: irrigation, warmwater aquatic life, livestock watering, wildlife habitat and
44	primary contact;	and public water supply on Cimarroncito creek.
45	В.	Criteria:
46		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
47	designated uses.	
48		(2) TDS 3,500 mg/L or less at flows above 10 cfs.
49	[20.6.4.306 NM	AC - Rp 20 NMAC 6.1.2305.1, 10/12/2000; A, 7/19/2001; A, 5/23/2005; A, 12/1/2010]
50		
51	20.6.4.307	CANADIAN RIVER BASIN: Perennial reaches of the Mora river from the USGS gaging
52	station near Sho	oemaker upstream to the state highway 434 bridge in Mora, all perennial reaches of
53		e Mora river downstream from the USGS gaging station at La Cueva in San Miguel and
54		except lakes identified in 20.6.4.313 NMAC, perennial reaches of Ocate creek downstream of
55		Il reaches of tributaries to Ocate creek downstream of Ocate, and perennial reaches of Rayado
56	· -	am of Miami lake diversion in Colfax county.
		· · · · · · · · · · · · · · · · · · ·

1	А.	Designated uses: marginal coldwater aquatic life, warmwater aquatic life, primary contact,
2	irrigation, livest	ock watering and wildlife habitat.
3	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
4	designated uses.	
5		AC - Rp 20 NMAC 6.1.2305.3, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012; A,
6	4/23/2022]	
7		
8	20.6.4.308	CANADIAN RIVER BASIN: Charette lakes.
9	A.	Designated uses: coldwater aquatic life, warmwater aquatic life, secondary contact, livestock
10	watering and wi	
11	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
12	designated uses.	
13 14	[20.6.4.308 NM	AC - Rp 20 NMAC 6.1.2305.5, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
14 15	20.6.4.309	CANADIAN RIVER BASIN: The Mora river and perennial reaches of its tributaries
16		the state highway 434 bridge in Mora except lakes identified in 20.6.4.313 NMAC, all
17		the state lightway 454 bridge in Fronta except faces iteratined in 20.04.515 (1914), and the of tributaries to the Mora river upstream from the USGS gaging station at La Cueva,
18		nes of Coyote creek, perennial reaches of tributaries to Coyote creek, the Cimarron river above
19		1 in Cimarron, perennial reaches of tributaries to the Cimarron river above state highway 21
20		ccept Eagle Nest lake, all perennial reaches of tributaries to the Cimarron river north and
21		ghway 64 except north and south Shuree ponds, perennial reaches of Rayado creek above
22		ersion, perennial reaches of tributaries to Rayado creek above Miami lake diversion, Ocate
23		nnial reaches of its tributaries upstream of Ocate, perennial reaches of the Vermejo river
24	upstream from	Rail canyon and all other perennial reaches of tributaries to the Canadian river northwest
25	and north of U.	S. highway 64 in Colfax county unless included in other segments.
26	А.	Designated uses: domestic water supply, irrigation, high quality coldwater aquatic life, livestock
27		fe habitat, and primary contact; and public water supply on the Cimarron river upstream from
28	Cimarron, on pe	rennial reaches of Rayado creek and on perennial reaches of tributaries to Rayado creek.
29	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
30		except that the following segment-specific criteria apply: specific conductance 500 µS/cm or less;
31		metric mean of <i>E. coli</i> bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
32		AC - Rp 20 NMAC 6.1.2306, 10/12/2000; A, 7/19/2001; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012;
33	A, 4/23/2022]	
34		gment covered by this section was divided effective $5/23/2005$. The standards for the additional
35		ler 20.6.4.310 NMAC. The standards for Shuree ponds are in 20.6.4.314 NMAC and the standards
36 37	for Eagle Nest is	ake are in 20.6.4.315 NMAC, effective 7/10/2012]
38	20.6.4.310	CANADIAN RIVER BASIN: Perennial reaches of Corrumpa creek.
39	20.0.4.310 A.	Designated uses: livestock watering, wildlife habitat, irrigation, primary contact and coldwater
40	aquatic life.	Designated uses. Investock watering, whethe habitat, intgation, primary contact and coldwater
41	B.	Criteria:
42	21	(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
43	designated uses.	except that the following segment-specific criteria apply: temperature 25°C (77°F) or less; the
44		ric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
45	, e	(2) TDS 1,200 mg/L or less, sulfate 600 mg/L or less, chloride 40 mg/L or less.
46	[20.6.4.310 NM	AC - N, 5/23/2005; A, 12/1/2010]
47		
48	20.6.4.311	CANADIAN RIVER BASIN: Lake Alice.
49	А.	Designated uses: marginal coldwater aquatic life, irrigation, livestock watering, wildlife habitat,
50		and public water supply.
51	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
52	designated uses.	
53	[20.6.4.311 NM	AC - N, 12/1/2010; A, 4/23/2022]
54	20 (4 212	CANADIAN DIVED DACINI. I -1 - N -1
55	20.6.4.312	CANADIAN RIVER BASIN: Lake Maloya.

- Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat, primary 1 A. 2 contact and public water supply. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 3 B. designated uses. 4 [20.6.4.312 NMAC - N. 12/1/2010; A. 4/23/2022] 5 6 7 CANADIAN RIVER BASIN: Encantada lake, Maestas lake, Middle Fork lake of Rio de la 20.6.4.313 8 Casa, North Fork lake of Rio de la Casa and Pacheco lake. 9 Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary A. 10 contact, livestock watering and wildlife habitat. 11 В. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 12 13 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 14 [20.6.4.313 NMAC - N, 7/10/2012] 15 16 20.6.4.314 CANADIAN RIVER BASIN: Shuree ponds (north and south). Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary 17 А. contact, livestock watering and wildlife habitat. 18 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 19 B. 20 designated uses except that the following segment-specific criteria apply: specific conductance 500 µS/cm or less; 21 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 22 [20.6.4.314 NMAC - N, 7/10/2012] 23 24 20.6.4.315 CANADIAN RIVER BASIN: Eagle Nest lake. Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary 25 A. contact, livestock watering, wildlife habitat and public water supply. 26 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 27 В. designated uses except that the following segment-specific criteria apply: specific conductance 500μ S/cm or less; 28 29 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 30 [20.6.4.315 NMAC - N, 7/10/2012] 31 32 20.6.4.316 **CANADIAN RIVER BASIN: Clayton lake.** 33 Designated uses: coolwater aquatic life, primary contact, livestock watering and wildlife habitat. A. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 34 В.
- designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of *E. coli* bacteria 206 cfu/100 mL or less, single sample 940 cfu/100 mL or less.
 [20.6.4.316 NMAC N, 7/10/2012]
- 37 [20.0.4.310 NMAC N, 7/10/2012 38

20.6.4.317 CANADIAN RIVER BASIN: Springer lake.

- 40 **A. Designated uses:** coolwater aquatic life, irrigation, primary contact, livestock watering, wildlife 41 habitat, and public water supply.
- 42 **B. Criteria:** The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 43 designated uses.
- 44 [20.6.4.317 NMAC N, 7/10/2012; A, 3/2/2017] 45

46 20.6.4.318 CANADIAN RIVER BASIN: Doggett creek.

- 47 A. Designated uses: Warm water aquatic life, livestock watering, wildlife habitat and primary
- 48 contact.
- B. Criteria: The use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses,
 except that the following site-specific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100
 mL or less, single sample 940 cfu/100 mL or less.
- 52 53 54

55

56

39

Discharger-specific temporary standard:

- (1) **Discharger:** City of Raton wastewater treatment plant
- (2) NPDES permit number: NM0020273, Outfall 001
- (3) **Receiving waterbody:** Doggett creek, 20.6.4.318 NMAC
 - (4) **Discharge latitude/longitude:** 36° 52' 13.91" N / 104° 25' 39.18" W

C.

1 (5) **Pollutant(s):** nutrients; total nitrogen and total phosphorus 2 (6) Factor of issuance: substantial and widespread economic and social impacts (40 CFR 3 131.10(g)(6)) 4 (7) Highest attainable condition: interim effluent condition of 8.0 mg/L total nitrogen and 5 1.6 mg/L total phosphorus as 30-day averages. The highest attainable condition shall be either the highest attainable condition identified at the time of the adoption, or any higher attainable condition later identified during any 6 7 reevaluation, whichever is more stringent (40 CFR 131.14(b)(1)(iii)). 8 Effective date of temporary standard: This temporary standard becomes effective for (8) 9 Clean Water Act purposes on the date of EPA approval. 10 (9) Expiration date of temporary standard: no later than 20 years from the effective date. 11 (10)Reevaluation period: at each succeeding review of water quality standards and at least once every five years from the effective date of the temporary standard (Paragraph (8) of Subsection H of 20.6.4.10 12 NMAC, 40 CFR 131.14(b)(1)(v)). If the discharger cannot demonstrate that sufficient progress has been made the 13 commission may revoke approval of the temporary standard or provide additional conditions to the approval of the 14 temporary standard. If the reevaluation is not completed at the frequency specified or the Department does not 15 16 submit the reevaluation to EPA within 30 days of completion, the underlying designated use and criterion will be the 17 applicable water quality standard for Clean Water Act purposes until the Department completes and submits the reevaluation to EPA. Public input on the reevaluation will be invited during NPDES permit renewals or triennial 18 19 reviews, as applicable, in accordance with the State's most current approved water quality management plan and 20 continuing planning process. 21 (11) Timeline for proposed actions. Tasks and target completion dates are listed in the most 22 recent, WQCC-approved version of the New Mexico Environment Department, Surface Water Quality Bureau's 23 "Nutrient Temporary Standards for City of Raton Wastewater Treatment Plant, NPDES No. NM0020273 to Doggett Creek." 24 25 [20.6.4.318 NMAC - N, 05/22/2020; A, 4/23/2022] 26 27 20.6.4.319 - 20.6.4.400 [RESERVED] 28 29 20.6.4.401 SAN JUAN RIVER BASIN: The main stem of the San Juan river from the Navajo Nation 30 boundary at the Hogback upstream to its confluence with the Animas river. Some waters in this segment are under the joint jurisdiction of the state and the Navajo Nation. 31 **Designated uses:** public water supply, industrial water supply, irrigation, livestock watering, 32 A. 33 wildlife habitat, primary contact, marginal coldwater aquatic life and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 34 В. 35 designated uses, except that the following segment-specific criterion applies: temperature 32.2°C (90°F) or less. [20.6.4.401 NMAC - Rp 20 NMAC 6.1.2401, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 36 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 37 segment are under 20.6.4.408 NMAC.] 38 39 40 SAN JUAN RIVER BASIN: La Plata river from its confluence with the San Juan river 20.6.4.402 41 upstream to the New Mexico-Colorado line. 42 A. Designated uses: irrigation, marginal warmwater aquatic life, marginal coldwater aquatic life, 43 livestock watering, wildlife habitat and primary contact. 44 R Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 45 designated uses, except that the following segment-specific criterion applies: temperature 32.2°C (90°F) or less. [20.6.4.402 NMAC - Rp 20 NMAC 6.1.2402, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 46 47 SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river 48 20.6.4.403 49 upstream to Estes arrovo. Designated uses: Public water supply, industrial water supply, irrigation, livestock watering, 50 A. wildlife habitat, coolwater aquatic life, and primary contact. 51 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 52 R designated uses, except that the following segment-specific criterion applies: temperature 29°C (84.2°F) or less. 53 [20.6.4.403 NMAC - Rp 20 NMAC 6.1.2403, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 54 55

1	20.6.4.404	SAN JUAN RIVER BASIN: The Animas river from Estes arroyo upstream to the Southern
2	Ute Indian triba	l boundary.
3	А.	Designated uses: Coolwater aquatic life, irrigation, livestock watering, wildlife habitat, public
4	water supply, ind	ustrial water supply and primary contact.
5	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
6	designated uses, o	except that the following segment-specific criterion applies: phosphorus (unfiltered sample) 0.1
7	mg/L or less.	
8	[20.6.4.404 NMA	AC - Rp 20 NMAC 6.1.2404, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017]
9		
10	20.6.4.405	SAN JUAN RIVER BASIN: The main stem of the San Juan river from Cañon Largo
11	upstream to the	
12	А.	Designated uses: high quality coldwater aquatic life, irrigation, livestock watering, wildlife
13	habitat, public wa	ater supply, industrial water supply and primary contact.
14	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
15		except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less;
16		netric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
17	[20.6.4.405 NMA	AC - Rp 20 NMAC 6.1.2405, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 4/23/2022]
18		
19	20.6.4.406	SAN JUAN RIVER BASIN: Navajo reservoir in New Mexico.
20	А.	Designated uses: coldwater aquatic life, warmwater aquatic life, irrigation storage, livestock
21	watering, wildlife	e habitat, public water supply, industrial water supply and primary contact.
22	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
23		except that the following segment-specific criteria apply: phosphorus (unfiltered sample) 0.1 mg/L
24		nly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or
25	less.	
26	[20.6.4.406 NMA	AC - Rp 20 NMAC 6.1.2406, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
27		
28	20.6.4.407	SAN JUAN RIVER BASIN: Perennial reaches of the Navajo river from the Jicarilla
29		ion boundary to the Colorado border and perennial reaches of Los Pinos river in New
30	Mexico.	
31	A.	Designated uses: coldwater aquatic life, irrigation, livestock watering, public water supply,
32		nd primary contact.
33	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
34		except that the following segment-specific criteria apply: phosphorus (unfiltered sample) 0.1 mg/L
35		nly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or
36	less.	
37	[20.6.4.407 NMA	AC - Rp 20 NMAC 6.1.2407, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
38	20 (1 100	
39	20.6.4.408	SAN JUAN RIVER BASIN: The main stem of the San Juan river from its confluence with
40		r upstream to its confluence with Cañon Largo.
41	A.	Designated uses: public water supply, industrial water supply, irrigation, livestock watering,
42	B.	orimary contact, marginal coldwater aquatic life and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
43		except that the following segment-specific criterion applies: temperature $32.2^{\circ}C$ (90°F) or less.
44		AC - N, $5/23/2005$; A, $12/1/2010$; A, $4/23/2022$]
45 46	[20.0.4.406 INIVIA	AC = IN, 5/25/2005, A, 12/1/2010, A, 4/25/2022]
46	20.6.4.409	SAN ILLAN DIVED DASIN. Laka Formington
47 48	20.0.4.409 A.	SAN JUAN RIVER BASIN: Lake Farmington. Designated uses: public water supply, wildlife habitat, livestock watering, primary contact,
48 49		c life and warmwater aquatic life.
49 50	B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
51		except that the following segment-specific criterion applies: temperature 25°C (77°F) or less.
52		AC - N, $12/1/2010$]
53		
55 54	20.6.4.410	SAN JUAN RIVER BASIN: Jackson lake.
55	20.0.4.410 A.	Designated uses: coolwater aquatic life, irrigation, primary contact, livestock watering and
56	wildlife habitat.	2 congration used coordinate aquate me, migation, primary contact, investors watering and
20		

1	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
2	designated uses	except that the following segment-specific criteria apply: the monthly geometric mean of <i>E. coli</i>
3		/100 mL or less, single sample 940 cfu/100 mL or less.
4	[20.6.4.410 NM	AC - N, 7/10/2012]
5		
6	20 6 4 411 - 20 6	5.4.450: [RESERVED]
	20.0.4.411 - 20.0	,,,,,,,, [RESERVED]
7		
8	20.6.4.451	LITTLE COLORADO RIVER BASIN: The Rio Nutria upstream of the Zuni pueblo
9	boundary, Tam	pico draw, Agua Remora, Tampico springs.
10	Ă.	Designated uses: coolwater aquatic life, livestock watering, wildlife habitat and primary contact.
11	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
		Chiefra: the use-spectric numeric criteria set forum in 20.0.4.900 NMAC are appreciate to the
12	designated uses.	
13	[20.6.4.451 NM	AC - N, 12/1/2010]
14		
15	20.6.4.452	LITTLE COLORADO RIVER BASIN: Ramah lake.
16	A.	Designated uses: coldwater aquatic life, warmwater aquatic life, irrigation, livestock watering,
17	wildlife habitat a	and primary contact.
18	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
19	designated uses	except that the following segment-specific criterion applies: temperature $25^{\circ}C$ ($77^{\circ}F$) or less.
20		AC - N, $12/1/2010$]
	[20.0.4.452 INIVI	AC - N, 12/1/2010]
21		
22	20.6.4.453	LITTLE COLORADO RIVER BASIN: Quemado lake.
23	А.	Designated uses: coolwater aquatic life, primary contact, livestock watering and wildlife habitat.
24	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
		ornerational sectore and a sec
25	designated uses.	
26	[20.6.4.453 NM	AC - N, 7/10/2012]
27		
28	20.6.4.454 - 20.6	5.4.500 [RESERVED]
20		
29 20	20 (4 501	CH A DIVED DAGIN. The main stars of the Cile vision from the New Marries Avinese line
30	20.6.4.501	GILA RIVER BASIN: The main stem of the Gila river from the New Mexico-Arizona line
30 31		drock canyon and perennial reaches of streams in Hidalgo county.
30		drock canyon and perennial reaches of streams in Hidalgo county.
30 31 32	upstream to Re A.	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
30 31 32 33	upstream to Re A. and primary con	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact.
30 31 32 33 34	upstream to Re A. and primary con B.	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
30 31 32 33 34 35	upstream to Re A. and primary con B. designated uses.	drock canyon and perennial reaches of streams in Hidalgo county.Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact.Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
30 31 32 33 34	upstream to Re A. and primary con B. designated uses.	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact.
30 31 32 33 34 35 36	upstream to Re A. and primary con B. designated uses.	drock canyon and perennial reaches of streams in Hidalgo county.Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact.Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
30 31 32 33 34 35 36 37	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM.	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
30 31 32 33 34 35 36 37 38	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to
30 31 32 33 34 35 36 37 38 39	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to
30 31 32 33 34 35 36 37 38 39 40	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek.
30 31 32 33 34 35 36 37 38 39	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to
30 31 32 33 34 35 36 37 38 39 40 41	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A.	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal
30 31 32 33 34 35 36 37 38 39 40 41 42	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life.
30 31 32 33 34 35 36 37 38 39 40 41 42 43	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B.	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses,	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less.
30 31 32 33 34 35 36 37 38 39 40 41 42 43	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses,	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses,	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less.
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM.	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017]
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of and including tributaries to the Gila river upstream of a
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A.	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including the following segment supply, high quality coldwater aquatic life, irrigation, livestock
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A.	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including the babitat and primary contact.
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A.	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including the babitat and primary contact.
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A. watering, wildlif B.	 drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including the babitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less.
30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A. watering, wildlift B. designated uses,	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock te habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less.
$\begin{array}{c} 30\\ 31\\ 32\\ 33\\ 34\\ 35\\ 36\\ 37\\ 38\\ 39\\ 40\\ 41\\ 42\\ 43\\ 44\\ 45\\ 46\\ 47\\ 48\\ 49\\ 50\\ 51\\ 52\\ 53\\ \end{array}$	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A. watering, wildlif B. designated uses, for all perennial	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock te habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock te habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criteria apply: specific conductance of 400 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less
$\begin{array}{c} 30\\ 31\\ 32\\ 33\\ 34\\ 35\\ 36\\ 37\\ 38\\ 39\\ 40\\ 41\\ 42\\ 43\\ 44\\ 45\\ 46\\ 47\\ 48\\ 49\\ 50\\ 51\\ 52\\ 53\\ 54\\ \end{array}$	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A. watering, wildlif B. designated uses, for all perennial 32.2°C (90°F) or	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock te habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criteria set to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock te habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criteria apply: specific conductance of 400 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less; r less in the east fork of the Gila river and Sapillo creek downstream of Lake Roberts; the monthly
$\begin{array}{c} 30\\ 31\\ 32\\ 33\\ 34\\ 35\\ 36\\ 37\\ 38\\ 39\\ 40\\ 41\\ 42\\ 43\\ 44\\ 45\\ 46\\ 47\\ 48\\ 49\\ 50\\ 51\\ 52\\ 53\\ \end{array}$	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A. watering, wildlif B. designated uses, for all perennial 32.2°C (90°F) of geometric mean	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogolon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock fe habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criteria apply: specific conductance of 400 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 400 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less tributaries the east fork of the Gila river and Sapillo creek downstream of Lake Roberts; the monthly of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
$\begin{array}{c} 30\\ 31\\ 32\\ 33\\ 34\\ 35\\ 36\\ 37\\ 38\\ 39\\ 40\\ 41\\ 42\\ 43\\ 44\\ 45\\ 46\\ 47\\ 48\\ 49\\ 50\\ 51\\ 52\\ 53\\ 54\\ \end{array}$	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A. watering, wildlif B. designated uses, for all perennial 32.2°C (90°F) of geometric mean	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock te habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criteria set to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock te habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criteria apply: specific conductance of 400 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less; r less in the east fork of the Gila river and Sapillo creek downstream of Lake Roberts; the monthly
$\begin{array}{c} 30\\ 31\\ 32\\ 33\\ 34\\ 35\\ 36\\ 37\\ 38\\ 39\\ 40\\ 41\\ 42\\ 43\\ 44\\ 45\\ 46\\ 47\\ 48\\ 49\\ 50\\ 51\\ 52\\ 53\\ 54\\ 55\\ \end{array}$	upstream to Re A. and primary con B. designated uses. [20.6.4.501 NM. 20.6.4.502 the confluence of the Gila river d A. coldwater aquati B. designated uses, [20.6.4.502 NM. 20.6.4.503 Mogollon creek A. watering, wildlif B. designated uses, for all perennial 32.2°C (90°F) of geometric mean	drock canyon and perennial reaches of streams in Hidalgo county. Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat tact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the AC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to ownstream of Mogolon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal c life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: 28°C (82.4°F) or less. AC - Rp 20 NMAC 6.1.2502, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock fe habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criteria apply: specific conductance of 400 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 400 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less tributaries the east fork of the Gila river and Sapillo creek downstream of Lake Roberts; the monthly of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.

20.6.4.504 A.	GILA RIVER BASIN: Wall lake, Lake Roberts and Snow lake. Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and
primary contact.	
B. designated uses,	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: specific conductance 300 µS/cm or
less.	
	AC - Rp 20 NMAC 6.1.2504, 10/12/2000; A, 5/23/2005; A, 12/1/2010] gment covered by this section was divided effective 5/23/2005. The standards for the additional
	er 20.6.4.806 NMAC.]
20.6.4.505	GILA RIVER BASIN: Bill Evans lake.
А.	Designated uses: coolwater aquatic life, primary contact, livestock watering and wildlife habitat.
В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
designated uses.	
0	AC - N, 7/10/2012]
20.6.4.506 - 20.6	5.4.600 [RESERVED]
20.0.4.300 - 20.0	
20.6.4.601 Maxico-Arizona	SAN FRANCISCO RIVER BASIN: The main stem of the San Francisco river from the New a line upstream to state highway 12 at Reserve and perennial reaches of Mule creek.
A.	Designated uses: irrigation, marginal warmwater and marginal coldwater aquatic life, livestock
0	e habitat and primary contact.
B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
designated uses.	
[20.6.4.601 NM	AC - Rp 20 NMAC 6.1.2601, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
20.6.4.602	SAN FRANCISCO RIVER BASIN: The main stem of the San Francisco river from state
•	Reserve upstream to the New Mexico-Arizona line.
A.	Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and
primary contact.	
B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: temperature 25°C (77°F) or less.
	AC - Rp 20 NMAC 6.1.2602, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
20.6.4.603	SAN FRANCISCO RIVER BASIN: All perennial reaches of tributaries to the San
Francisco river	above the confluence of Whitewater creek and including Whitewater creek.
A.	Designated uses: domestic water supply, fish culture, high quality coldwater aquatic life,
irrigation, livesto	ock watering, wildlife habitat and primary contact.
B.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
	except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less;
the monthly geor	metric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less; and
temperature 25°C	C (77°F) or less in Tularosa creek.
	AC - Rp 20 NMAC 6.1.2603, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
20.6.4.604 - 20.6	5.4.700 [RESERVED]
_ 5101 1100-f - 2010	
20.6.4.701	DRY CIMARRON RIVER: Perennial portions of the Dry Cimarron river above Oak creek
	eaches of Oak creek.
A.	Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and
primary contact.	
В.	Criteria:
	(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
designated uses,	except that the following segment-specific criteria apply: temperature 25°C (77°F) or less, the
	ric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.

[20.6.4.701 NMAC - Rp 20 NMAC 6.1.2701, 10/12/2000; A, 5/23/2005 A, 12/1/2010] 1 2 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 3 segment are under 20.6.4.702 NMAC.] 4 5 DRY CIMARRON RIVER: Perennial portions of the Dry Cimarron river below Oak creek, 20.6.4.702 6 and perennial portions of Long canyon and Carrizozo creeks. 7 **Designated uses:** coolwater aquatic life, irrigation, livestock watering, wildlife habitat and Α. 8 primary contact. 9 B. Criteria: 10 The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the (1) 11 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 12 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. TDS 1,200 mg/L or less, sulfate 600 mg/L or less and chloride 40 mg/L or less. 13 (2)[20.6.4.702 NMAC - N, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 14 15 16 20.6.4.703 - 20.6.4.800 [RESERVED] 17 18 CLOSED BASINS: Rio Tularosa upstream of the old U.S. highway 70 bridge crossing east 20.6.4.801 19 of Tularosa and all perennial tributaries to the Tularosa basin except Three Rivers and Dog Canyon creek, 20 and excluding waters on the Mescalero tribal lands. **Designated uses:** coldwater aquatic life, irrigation, livestock watering, wildlife habitat, public 21 A. water supply and primary contact. 22 23 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 24 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 25 [20.6.4.801 NMAC - Rp 20 NMAC 6.1.2801, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 2/13/2018] 26 **NOTE:** This segment was divided effective 2/13/2018. The standards for Dog Canyon creek are under 20.6.4.810 27 28 NMAC.] 29 30 20.6.4.802 **CLOSED BASINS:** Perennial reaches of Three Rivers. 31 Designated uses: irrigation, domestic water supply, high quality coldwater aquatic life, primary A. 32 contact, livestock watering and wildlife habitat. 33 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the В. 34 designated uses, except that the following segment-specific criteria apply: specific conductance 500 µS/cm or less; 35 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.802 NMAC - Rp 20 NMAC 6.1.2802, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 36 37 38 20.6.4.803 CLOSED BASINS: Perennial reaches of the Mimbres river downstream of the confluence 39 with Allie canyon and all perennial reaches of tributaries thereto. 40 Designated uses: Coolwater aquatic life, irrigation, livestock watering, wildlife habitat and A. 41 primary contact. 42 В. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 43 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 44 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less and temperature of 30°C (86°F) or less. 45 [20.6.4.803 NMAC - Rp 20 NMAC 6.1.2803, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 46 47 CLOSED BASINS: Perennial reaches of the Mimbres river upstream of the confluence with 20.6.4.804 Allie canyon to Cooney canyon, and all perennial reaches of East Fork Mimbres (McKnight canyon) 48 downstream of the fish barrier, and all perennial reaches thereto. 49 50 Designated uses: Irrigation, domestic water supply, coldwater aquatic life, livestock watering, A. 51 wildlife habitat and primary contact. 52 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 53 54 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 55 [20.6.4.804 NMAC - Rp 20 NMAC 6.1.2804, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 2/28/2018; A, 3/2/2017]

1 **[NOTE:** The segment covered by this section was divided effective 3/2/2017. The standards for the additional 2 segment are covered under 20.6.4.807 NMAC.] 3 4 20.6.4.805 CLOSED BASINS: Perennial reaches of the Sacramento river (Sacramento-Salt Flat closed 5 basin) and all perennial tributaries thereto. Designated uses: domestic water supply, livestock watering, wildlife habitat, marginal coldwater 6 Α. 7 aquatic life and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 8 B. 9 designated uses. 10 [20.6.4.805 NMAC - Rp 20 NMAC 6.1.2805, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 11 12 20.6.4.806 **CLOSED BASINS: Bear canyon reservoir.** 13 A. Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and 14 primary contact. 15 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the В. 16 designated uses, except that the following segment-specific criterion applies: specific conductance 300 µS/cm or 17 less. 18 [20.6.4.806 NMAC - N, 5/23/2005; A, 12/1/2010] 19 20 20.6.4.807 CLOSED BASINS: Perennial reaches of the Mimbres river upstream of Cooney canyon and 21 all perennial reaches thereto, including perennial reaches of East Fork Mimbres river (McKnight canyon) upstream of the fish barrier. 22 23 Designated uses: Irrigation, domestic water supply, high quality coldwater aquatic life, livestock A. 24 watering, wildlife habitat and primary contact. 25 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the R designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 26 27 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.807 NMAC - N, 3/2/2017] 28 29 30 **CLOSED BASINS:** Perennial and intermittent watercourses within Smelter Tailing Soils 20.6.4.808 Investigation Unit lands at the Chino mines company, excluding those ephemeral waters listed in 20.6.4.809 31 NMAC and including, but not limited to the mainstem of Lampbright draw, beginning at the confluence of 32 33 Lampbright Draw with Rustler canyon, all tributaries that originate west of Lampbright draw to the intersection of Lampbright draw with U.S. 180, and all tributaries of Whitewater creek that originate east of 34 35 Whitewater creek from the confluence of Whitewater creek with Bayard canyon downstream to the intersection of Whitewater creek with U.S. 180. 36 37 Designated uses: Warmwater aquatic life, livestock watering, wildlife habitat and primary Α. 38 contact. 39 В. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 40 designated uses, except that the following segment-specific criteria apply: the acute and chronic aquatic life criteria for copper set forth in Subsection I of 20.6.4.900 NMAC shall be determined by multiplying that criteria by the 41 42 water effect ratio ("WER") adjustment expressed by the following equation: WER = $\frac{[10^{0.588+(0.703 \times \log \text{DOC})+(0.395 \times \log \text{Alkalinity})}] \times (\frac{100}{\text{Hardness}})^{0.9422}}{(\frac{100}{\text{Hardness}})^{0.9422}}$ 43 19.31 44 For purposes of this section, dissolved organic carbon (DOC) is expressed in units of milligrams carbon per liter or mg C/L; alkalinity is expressed in units of mg/L as CaCO₃, and hardness is expressed in units of mg/L as CaCO₃. 45 In waters that contain alkalinity concentrations greater than 250 mg/L, a value of 250 mg/L shall be used in the 46 equation. In waters that contain DOC concentrations greater than 16 mg C/L, a value of 16 mg C/L shall be used in 47 48 the equation. In waters that contain hardness concentrations greater than 400 mg/L, a value of 400 mg/L shall be 49 used in the equation. The alkalinity, hardness and DOC concentrations used to calculate the WER value are those 50 measured in the subject water sample. 51 [20.6.4.808 NMAC - N, 3/2/2017] 52 53 20.6.4.809 **CLOSED BASINS:** Ephemeral watercourses within smelter tailing soils investigation unit lands at the Chino mines company, limited to Chino mines property subwatershed drainage A and tributaries 54

thereof, Chino mines property subwatershed drainage B and tributaries thereof (excluding the northwest 1

2 tributary containing Ash spring and the Chiricahua leopard frog critical habitat transect); Chino mines

3 property subwatershed drainage C and tributaries thereof (excluding reaches containing Bolton spring, the

Chiricahua leopard frog critical habitat transect and all reaches in subwatershed C that are upstream of the 4

5 Chiricahua leopard frog critical habitat); subwatershed drainage D and tributaries thereof (drainages D-1,

D-2 and D-3, excluding the southeast tributary in drainage D1 that contains Brown spring) and subwatershed 6 7 drainage E and all tributaries thereof (drainages E-1, E-2 and E-3).

Designated uses: Limited aquatic life, livestock watering, wildlife habitat and secondary contact. 8 A.

Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 9 B.

10 designated uses, except that the following segment-specific criteria apply: the acute aquatic life criteria for copper 11 set forth in Subsection I of 20.6.4.900 NMAC shall be determined by multiplying that criteria by the water effect

12 ratio ("WER") adjustment expressed by the following equation:

13

23

 $\underbrace{[10^{\ 0.588+(0.703\times\log\text{DOC})+(0.395\times\log\text{Alkalinity})}_{\text{Hardness}}]\times(\frac{100}{\text{Hardness}})^{0.9422}$ WER =

For purposes of this section, dissolved organic carbon (DOC) is expressed in units of milligrams carbon per liter or 14 15 mg C/L; alkalinity is expressed in units of mg/L as $CaCO_3$, and hardness is expressed in units of mg/L as $CaCO_3$. In waters that contain alkalinity concentrations greater than 250 mg/L, a value of 250 mg/L shall be used in the 16 equation. In waters that contain DOC concentrations greater than 16 mg C/L, a value of 16 mg C/L shall be used in 17 the equation. In waters that contain hardness concentrations greater than 400 mg/L, a value of 400 mg/L shall be 18 used in the equation. The alkalinity, hardness and DOC concentrations used to calculate the WER value are those 19

20 measured in the subject water sample.

21 [20.6.4.809 NMAC - N, 3/2/2017]

22

20.6.4.810 **CLOSED BASINS:** Perennial reaches of Dog Canyon creek.

24 Designated uses: coolwater aquatic life, irrigation, livestock watering, wildlife habitat, public A. 25 water supply, and primary contact.

Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 26 В. 27 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 28 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.

29 [20.6.4.810 NMAC - N, 2/13/2018] 30

20.6.4.811 - 20.6.4.899 31 [RESERVED]

(1)

32 33

34

CRITERIA APPLICABLE TO EXISTING, DESIGNATED OR ATTAINABLE USES 20.6.4.900 UNLESS OTHERWISE SPECIFIED IN 20.6.4.97 THROUGH 20.6.4.899 NMAC:

35 Fish culture and water supply: Fish culture, public water supply and industrial water supply are A. designated uses in particular classified waters of the state where these uses are actually being realized. However, no 36 37 numeric criteria apply uniquely to these uses. Water quality adequate for these uses is ensured by the general 38 criteria and numeric criteria for bacterial quality, pH and temperature.

39 Domestic water supply: Surface waters of the state designated for use as domestic water supplies В. 40 shall not contain substances in concentrations that create a lifetime cancer risk of more than one cancer per 100,000 exposed persons. Those criteria listed under domestic water supply in Subsection J of this section apply to this use. 41

Irrigation and irrigation storage: the following numeric criteria and those criteria listed under 42 С. 43 irrigation in Subsection J of this section apply to this use: 0.13 mg/L

44 45

dissolved selenium

(2)dissolved selenium in presence of $>500 \text{ mg/L SO}_4$ 0.25 mg/L.

46 D. Primary contact: The monthly geometric mean of E. coli bacteria of 126 cfu/100 mL or 47 MPN/100 ml, a single sample of E. coli bacteria of 410 cfu/100 mL or MPN/100 mL, a single sample of total microcystins of 8 µg/L with no more than three exceedances within a 12-month period and a single sample of 48 49 cylindrospermopsin of 15 µg/L with no more than three exceedances within a 12-month period, and pH within the 50 range of 6.6 to 9.0 apply to this use. The results for *E. coli* may be reported as either colony forming units (CFU) or 51 the most probable number (MPN) depending on the analytical method used.

52 E. Secondary contact: The monthly geometric mean of E. coli bacteria of 548 cfu/100 mL or 53 MPN/100 mL and single sample of 2507 cfu/100 mL or MPN/100 mL apply to this use. The results for E. coli may

1 be reported as either colony forming units (CFU) or the most probable number (MPN), depending on the analytical 2 method used. 3 F. Livestock watering: the criteria listed in Subsection J of this section for livestock watering apply 4 to this use. 5 Wildlife habitat: Wildlife habitat shall be free from any substances at concentrations that are G. 6 toxic to or will adversely affect plants and animals that use these environments for feeding, drinking, habitat or 7 propagation; can bioaccumulate; or might impair the community of animals in a watershed or the ecological 8 integrity of surface waters of the state. The numeric criteria listed in Subsection J for wildlife habitat apply to this 9 use. 10 H. Aquatic life: Surface waters of the state with a designated, existing or attainable use of aquatic 11 life shall be free from any substances at concentrations that can impair the community of plants and animals in or 12 the ecological integrity of surface waters of the state. Except as provided in Paragraph (7) of this subsection, the 13 acute and chronic aquatic life criteria set out in Subsections I, J, K and L of this section and the human health-14 organism only criteria set out in Subsection J of this section are applicable to all aquatic life use subcategories. In 15 addition, the specific criteria for aquatic life subcategories in the following paragraphs apply to waters classified 16 under the respective designations. 17 High quality coldwater: dissolved oxygen 6.0 mg/L or more, 4T3 temperature 20°C (1) 18 (68°F), maximum temperature 23°C (73°F), pH within the range of 6.6 to 8.8 and specific conductance a segment-19 specific limit between 300 µS/cm and 1,500 µS/cm depending on the natural background in the particular surface 20 water of the state (the intent of this criterion is to prevent excessive increases in dissolved solids which would result 21 in changes in community structure). Where a single segment-specific temperature criterion is indicated in 22 20.6.4.101-899 NMAC, it is the maximum temperature and no 4T3 temperature applies. 23 Coldwater: dissolved oxygen 6.0 mg/L or more, 6T3 temperature 20°C (68°F), (2)maximum temperature 24° C (75°F) and pH within the range of 6.6 to 8.8. Where a single segment-specific 24 25 temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature and no 6T3 temperature 26 applies. 27 (3) **Marginal coldwater:** dissolved oxygen 6 mg/L or more, 6T3 temperature 25°C (77°F), 28 maximum temperature 29°C (84°F) and pH within the range from 6.6 to 9.0. Where a single segment-specific 29 temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature and no 6T3 temperature 30 applies. 31 (4) Coolwater: dissolved oxygen 5.0 mg/L or more, maximum temperature 29°C (84°F) 32 and pH within the range of 6.6 to 9.0. 33 Warmwater: dissolved oxygen 5 mg/L or more, maximum temperature 32.2°C (90°F) (5) 34 and pH within the range of 6.6 to 9.0. Where a segment-specific temperature criterion is indicated in 20.6.4.101-899 35 NMAC, it is the maximum temperature. Marginal warmwater: dissolved oxygen 5 mg/L or more, pH within the range of 6.6 to 36 (6) 9.0 and temperatures that may routinely exceed 32.2°C (90°F). Where a segment-specific temperature criterion is 37 indicated in 20.6.4.101-899 NMAC, it is the maximum temperature. 38 Limited aquatic life: The acute aquatic life criteria of Subsections I and J of this section 39 (7) 40 apply to this subcategory. Chronic aquatic life criteria do not apply unless adopted on a segment-specific basis. 41 Human health-organism only criteria apply only for persistent toxic pollutants unless adopted on a segment-specific 42 basis. 43 I. Hardness-dependent acute and chronic aquatic life criteria for metals are calculated using the 44 following equations excluding copper (Cu) criteria for the Pajarito plateau surface waters as described in paragraph 45 4 of this subsection. The criteria are expressed as a function of hardness (as mg $CaCO_3/L$). With the exception of 46 aluminum, the equations are valid only for hardness concentrations of 0-400 mg/L. For hardness concentrations 47 above 400 mg/L, the criteria for 400 mg/L apply. For aluminum the equations are valid only for hardness 48 concentrations of 0-220 mg/L. For hardness concentrations above 220 mg/L, the aluminum criteria for 220 mg/L 49 apply. Calculated criteria must adhere to the treatment of significant figures and rounding identified in *Standard* 50 Methods For The Examination Of Water And Wastewater, latest edition, American public health association. 51 Acute aquatic life criteria for metals: The equation to calculate acute criteria in µg/L is (1) $exp(m_A[ln(hardness)] + b_A)(CF)$. Except for aluminum, the criteria are based on analysis of dissolved metal. For 52 aluminum, the criteria are based on analysis of total recoverable aluminum in a sample that has a pH between 6.5 53 and 9.0 and is filtered to minimize mineral phases as specified by the department. The equation parameters are as 54 55 follows: Metal **Conversion factor (CF)** mA bA

Aluminum (Al)	1.3695	1.8308	
Cadmium (Cd)	0.9789	-3.866	1.136672-[(ln hardness)(0.041838)]
Chromium (Cr) III	0.8190	3.7256	0.316
Copper (Cu)	0.9422	-1.700	0.960
Lead (Pb)	1.273	-1.460	1.46203-[(ln hardness)(0.145712)]
Manganese (Mn)	0.3331	6.4676	
Nickel (Ni)	0.8460	2.255	0.998
Silver (Ag)	1.72	-6.59	0.85
Zinc (Zn)	0.9094	0.9095	0.978

1

(2) Chronic aquatic life criteria for metals: The equation to calculate chronic criteria in

 $\mu g/L$ is exp(m_c[ln(hardness)] + b_c)(\overline{CF}). Except for aluminum, the criteria are based on analysis of dissolved metal.

2 3 For aluminum, the criteria are based on analysis of total recoverable aluminum in a sample that has a pH between

4 6.5 and 9.0 and is filtered to minimize mineral phases as specified by the department. The equation parameters are

5

Metal	mc	bc	Conversion factor (CF)
Aluminum (Al)	1.3695	0.9161	
Cadmium (Cd)	0.7977	-3.909	1.101672-[(ln hardness)(0.041838)]
Chromium (Cr) III	0.8190	0.6848	0.860
Copper (Cu)	0.8545	-1.702	0.960
Lead (Pb)	1.273	-4.705	1.46203-[(ln hardness)(0.145712)]
Manganese (Mn)	0.3331	5.8743	
Nickel (Ni)	0.8460	0.0584	0.997
Zinc (Zn)	0.9094	0.6235	0.986

6

Zinc (Zn)			0.9094		0.623		0.986			
	(3) Se	elected valu	es of calc	culated act	ite and c	chronic ci	riteria (µg/	L).		 i
Hardness as CaCO ₃ , dissolved (mg/L)		Al	Cd	Cr III	Cu	Pb	Mn	Ni	Ag	Zn
25.0	Acute	512	0.490	183	3.64	13.9	1,880	145	0.30	45.4
23.0	Chronic	205	0.253	23.8	2.74	0.541	1,040	16.1		34.4
30.0	Acute	658	0.581	212	4.32	17.0	2,000	169	0.40	53.5
50.0	Chronic	263	0.290	27.6	3.20	0.664	1,100	18.8		40.5
40.0	Acute	975	0.761	269	5.67	23.5	2,200	216	0.66	69.5
+0.0	Chronic	391	0.360	35.0	4.09	0.916	1,220	24.0		52.7
50.0	Acute	1,320	0.938	323	6.99	30.1	2,370	260	0.98	85.2
50.0	Chronic	530	0.426	42.0	4.95	1.17	1,310	28.9		64.5
	Acute	1,700	1.11	375	8.30	36.9	2,520	304	1.3	100
60.0	Chronic	681	0.489	48.8	5.79	1.44	1,390	33.8		76.2
70.0	Acute	2,100	1.28	425	9.60	43.7	2,650	346	1.7	116
70.0	Chronic	841	0.549	55.3	6.60	1.70	1,460	38.5		87.6
80.0	Acute	2,520	1.46	474	10.9	50.6	2,770	388	2.2	131
80.0	Chronic	1,010	0.607	61.7	7.40	1.97	1,530	43.0		98.9
90.0	Acute	2,960	1.62	523	12.2	57.6	2,880	428	2.7	145
50.0	Chronic	1,190	0.664	68.0	8.18	2.24	1,590	47.6		110
100	Acute	3,420	1.79	570	13.4	64.6	2,980	468	3.2	160
100	Chronic	1,370	0.718	74.1	8.96	2.52	1,650	52.0		121
200	Acute	8,840	3.43	1,000	25.8	136	3,760	842	10	300
200	Chronic	3,540	1.21	131	16.2	5.30	2,080	93.5		228

Hardness as CaCO ₃ , dissolved (mg/L)		Al	Cd	Cr III	Cu	Pb	Mn	Ni	Ag	Zn
220	Acute	10,100	3.74	1,090	28.2	151	3,880	912	12	328
	Chronic	4,030	1.30	141	17.6	5.87	2,140	101		248
300	Acute		5.00	1,400	37.8	208	4,300	1,190	21	434
	Chronic		1.64	182	22.9	8.13	2,380	132		329
400 and	Acute		6.54	1,770	49.6	281	4,740	1,510	35	564
above	Chronic		2.03	231	29.3	10.9	2,620	168		428

1

Copper criteria for Pajarito plateau surface waters: from Guaje canyon in the north to (4)

the Rito de los Frijoles watershed in the south, from their headwaters to their confluence with the Rio Grande and all 2 3

tributaries and streams thereto is as follows. For purposes of this Section, dissolved organic carbon (DOC) is in

4 units of milligrams carbon per liter (mg C/L); and hardness is expressed in units of mg/L as CaCO₃. In waters that contain DOC concentrations greater than 29.7 mg/L, a value of 29.7 mg/L shall be used in the equation. In waters 5

6 that contain hardness concentrations greater than 207 mg/L, a value of 207 mg/L shall be used in the following

- 7 equations.
- 8

9

Acute aquatic life criteria: The equation to calculate acute criteria in µg/L is **(a)** exp(-22.914+1.017×ln(DOC)+0.045×ln(hardness)+5.176×pH-0.261×pH²).

- (b) Chronic aquatic life criteria: The equation to calculate chronic criteria in µg/L 10 11 is $\exp(-23.391+1.017\times\ln(DOC)+0.045\times\ln(hardness)+5.176\times pH-0.261\times pH^2)$.
- 12

J.

Use-specific numeric criteria.

13 Table of numeric criteria: The following table sets forth the numeric criteria applicable (1)

to existing, designated and attainable uses. For metals, criteria represent the total sample fraction unless otherwise 14

specified in the table. Additional criteria that are not compatible with this table are found in Subsections A through 15 I, K, and L, and M of this section. 16

	CAS Number	DWS	Irr/Irr storage	LW	wн	Aquatic Life			
Pollutant						Acute	Chronic	нн-оо	Туре
Aluminum, dissolved	7429-90-5		5,000			750 i	87 i		
Aluminum, total									
recoverable	7429-90-5					а	а		
Antimony, dissolved	7440-36-0	6						640	Р
Arsenic, dissolved	7440-38-2	10	100	200		340	150	9.0	C,P
		7,000,000							
Asbestos	1332-21-4	fibers/L							
Barium, dissolved	7440-39-3	2,000							
Beryllium, dissolved	7440-41-7	4							
Boron, dissolved	7440-42-8		750	5,000					
Cadmium, dissolved	7440-43-9	5	10	50		а	а		
Chloride	1688-70-06					860,000	230,000		
Chlorine residual	7782-50-5				11	19	11		
Chromium III, dissolved	16065-83-1					а	а		
Chromium VI, dissolved	18540-29-9					16	11		
Chromium, dissolved	7440-47-3	100	100	1,000					
Cobalt, dissolved	7440-48-4		50	1,000					
Copper, dissolved	7440-50-8	1300	200	500		а	а		
Cyanide, total									
recoverable	57-12-5	200			5.2	22.0	5.2	400	
Iron	7439-89-6						1,000		

	CAS		T /T			Aquati	c Life	-	
NumberDWSstoLead, dissolved7439-92-1155,0Manganese, dissolved7439-96-5		Irr/Irr storage	LW	WH	Acute	Chronic	нн-оо	Туре	
Lead, dissolved	7439-92-1	15	5,000	100		а	а		
Manganese, dissolved	7439-96-5					а	а		
Mercury	7439-97-6	2		10	0.77				
Mercury, dissolved	7439-97-6					1.4	0.77		
								0.3 mg/kg in fish	
Methylmercury	22967-92-6							tissue	Р
Molybdenum, dissolved	7439-98-7		1,000						
Molybdenum, total									
recoverable	7439-98-7					7,920	1,895		
Nickel, dissolved	7440-02-0	700				а	а	4,600	Р
Nitrate as N		10 mg/L							
				132					
Nitrite + Nitrate				mg/L					
Selenium, dissolved	7782-49-2	50	b	50				4,200	Р
Selenium, total									
recoverable	7782-49-2				5.0	20.0	5.0		
Silver, dissolved	7440-22-4					а			
Thallium, dissolved	7440-28-0	2						0.47	Р
Uranium, dissolved	7440-61-1	30							
Vanadium, dissolved	7440-62-2		100	100					
Zinc, dissolved	7440-66-6	10,500	2,000	25,000		а	а	26,000	Р
	/ 110 00 0	10,500	2,000	15		u	u	20,000	
Adjusted gross alpha		15 pCi/L		pCi/L					
Radium 226 + Radium		10 pei/2		30.0					
228		5 pCi/L		pCi/L					
Strontium 90		8 pCi/L		pei/L					
Suomum 70		20,000		20,000					
Tritium		20,000 pCi/L		20,000 pCi/L					
Acenaphthene	83-32-9	2,100		pei/L				90	
Acrolein	107-02-8	18				3.0	3.0	400	
Acrylonitrile	107-02-8	0.65				5.0	5.0	70	С
Aldrin		0.03				3.0	-	0.0000077	
	309-00-2 120-12-7					5.0		400	C,P
Anthracene		10,500							C
Benzene	71-43-2	5						160	C
Benzidine	92-87-5	0.0015						0.11	C
Benzo(a)anthracene	56-55-3	0.048						0.013	C
Benzo(a)pyrene	50-32-8	0.2		}			+	0.0013	C,P
Benzo(b)fluoranthene	205-99-2	0.048						0.013	C
Benzo(k)fluoranthene	207-08-9	0.048						0.13	C
alpha-BHC	319-84-6	0.056				_	_	0.0039	С
beta-BHC	319-85-7	0.091					_	0.14	С
gamma-BHC (Lindane)	58-89-9	0.20			1	0.95		4.4	
Bis(2-chloroethyl) ether	111-44-4	0.30			1			22	С
Bis(2-chloro-1-					1				
methylethyl) ether	108-60-1	1,400						4,000	
Bis(2-ethylhexyl)									
phthalate	117-81-7	6						3.7	С
Bis(chloromethyl) ether	542-88-1							0.17	С
Bromoform	75-25-2	44						1,200	С
Butylbenzyl phthalate	85-68-7	7,000						1	С

Dollutont	CAS		Tum/Tum			Aquati	c Life	•	
Pollutant	CAS Number	DWS	Irr/Irr storage	LW	WH	Acute	Chronic	нн-оо	Туре
Carbaryl	63-25-2					2.1	2.1		
Carbon tetrachloride	56-23-5	5						50	С
Chlordane	57-74-9	2				2.4	0.0043	0.0032	C,P
Chlorobenzene	108-90-7	100						800	- /
Chlorodibromomethane	124-48-1	4.2						210	С
Chloroform	67-66-3	57						2,000	_
Chlorpyrifos	2921-88-2					0.083	0.041	,	
2-Chloronaphthalene	91-58-7	2,800						1,000	
2-Chlorophenol	95-57-8	175						800	
Chrysene	218-01-9	0.048						1.3	С
Demeton	8065-48-3	01010					0.1		
Diazinon	333-41-5					0.17	0.17		
2,4-	555 11 5					0.17	0.17		
Dichlorophenoxyacetic									
	94-75-7							12,000	
Dichlorodiphenyldichlor	21 12 1							12,000	
	72-54-8							0.0012	С
Dichlorodiphenyldichlor	12010							0.0012	0
	72-55-9							0.00018	С
Dichlorodiphenyltrichlor	1200 3							0.00010	0
	50-29-3							0.0003	C,P
4,4'-DDT and derivatives		1.0			0.001	1.1	0.001	0.0000	0,1
	53-70-3	0.048			0.001	1.1	0.001	0.0013	С
	84-74-2	3,500						30	
1,2-Dichlorobenzene	95-50-1	600						3,000	
1,3-Dichlorobenzene	541-73-1	469						10	
1,4-Dichlorobenzene	106-46-7	75						900	
3,3'-Dichlorobenzidine	91-94-1	0.78						1.5	С
	75-27-4	5.6						270	C
1,2-Dichloroethane	107-06-2	5						6,500	C
1,1-Dichloroethylene	75-35-4	7						20,000	C
2,4-Dichlorophenol	120-83-2	105						60	
1,2-Dichloropropane	78-87-5	5.0						310	С
	542-75-6	3.5						120	C
1,3-Dichloropropene	60-57-1	0.022				0.24	0.056	0.000012	C,P
Dieldrin Diethyl phthalate	84-66-2	28,000				0.24	0.050	600	C,r
Dimethyl phthalate	131-11-3	350,000						2,000	
•		700						3,000	
2,4-Dimethylphenol Dinitrophenols	105-67-9 25550-58-7	/00		+	+	+	1	3,000	+
		70						300	1
2,4-Dinitrophenol	51-28-5							17	С
2,4-Dinitrotoluene	121-14-2	1.1							
Dioxin	1746-01-6	3.0E-05						5.1E-08	C,P
1,2-Diphenylhydrazine	122-66-7	0.44				0.22	0.050	2.0	С
alpha-Endosulfan	959-98-8	62				0.22	0.056	30	
beta-Endosulfan	33213-65-9	62				0.22	0.056	40	
Endosulfan sulfate	1031-07-8	62				0.007	0.027	40	
Endrin	72-20-8	2			_	0.086	0.036	0.03	+
Endrin aldehyde	7421-93-4	10.5						120	
Ethylbenzene	100-41-4	700						130	
Fluoranthene	206-44-0	1,400						20	

Dollutont	CAS		Tum/Tum			Aquati	c Life	-	
Pollutant	CAS Number	DWS	Irr/Irr storage	LW	WH	Acute	Chronic	нн-оо	Туре
Fluorene	86-73-7	1,400						70	
Guthion	86-50-0						0.01		
Heptachlor	76-44-8	0.40				0.52	0.0038	0.000059	С
Heptachlor epoxide	1024-57-3	0.20				0.52	0.0038	0.00032	С
Hexachlorobenzene	118-74-1	1						0.00079	C,P
Hexachlorobutadiene	87-68-3	4.5						0.1	Ć
Hexachlorocyclohexane (HCH)-Technical	608-73-1							0.1	С
Hexachlorocyclopen-									
tadiene	77-47-4	50						4	
Hexachloroethane	67-72-1	25						1	С
Ideno(1,2,3-cd)pyrene	193-39-5	0.048						0.013	С
Isophorone	78-59-1	368						18,000	С
Malathion	121-75-5			1			0.1	,	
Methoxychlor	72-43-5						0.03	0.02	
Methyl bromide	74-83-9	49		1				10,000	1
3-Methyl-4-chlorophenol				1				2,000	1
2-Methyl-4,6-	57 50 7							2,000	
dinitrophenol	534-52-1	14						30	
Methylene chloride	75-09-2	5						10,000	С
Mirex	2385-85-5	5					0.001	10,000	0
Nitrobenzene	98-95-3	18					0.001	600	
Nitrosamines	Various	10						12.4	С
Nitrosodibutylamine	924-16-3							2.2	C
Nitrosodiethylamine	55-18-5							12.4	C
N-Nitrosodimethylamine		0.0069						30	C
N-Nitrosodi-n-	02 13 7	0.0007						50	
propylamine	621-64-7	0.050						5.1	С
N-Nitrosodiphenylamine		71						60	C
N-Nitrosopyrrolidine	930-55-2	71						340	C
Nonylphenol	84852-15-3					28	6.6	510	C
	04052 15 5					20	0.0		
Parathion	56-38-2					0.065	0.013		
	50 50 2					0.005	0.015		
Pentachlorobenzene	608-93-5							0.1	
Pentachlorophenol	87-86-5	1.0				19	15	0.1	С
Phenol	108-95-2	10,500		-		1.7	1.5	300,000	
Polychlorinated	100-95-2	10,500						500,000	
Biphenyls (PCBs)	1336-36-3	0.50			0.014	2	0.014	0.00064	C,P
Pyrene	129-00-0	1,050			0.014		0.014	30	C,1
1,2,4,5-	127-00-0	1,050		-				50	+
Tetrachlorobenzene	95-94-3							0.03	
1,1,2,2- Tetrachloroethane	79-34-5	1.8						30	С
Tetrachloroethylene	127-18-4	5						290	C,P
Toluene	108-88-3	1,000						520	
Toxaphene	8001-35-2	3				0.73	0.0002	0.0071	С
1,2-Trans-									
dichloroethylene Tributyltin (TBT)	156-60-5 Various	100				0.46	0.072	4,000	-
1110uty1ull (1D1)	v arious	1		I	1	0.40	0.072		1

Pollutant	CAS		Tun/Tun			Aquati	c Life		
Ponutant	CAS Number	DWS	Irr/Irr storage	LW	WH	Acute	Chronic	нн-оо	Тур
1,2,4-Trichlorobenzene	120-82-1	70						0.76	С
1,1,1-Trichloroethane	71-55-6	200						200,000	
1,1,2-Trichloroethane	79-00-5	5						89	С
Trichloroethylene	79-01-6	5						70	С
2,4,5-Trichlorophenol	95-95-4							600	
2,4,6-Trichlorophenol	88-06-2	32						28	С
2-(2,4,5-									
Trichlorophenoxy)propic)								
nic acid (Silvex)	93-72-1							400	
Vinyl chloride	75-01-4	2						16	С
(2)		licable to the							
		Vhere the let						ness -based	<u>on</u>
receiving water character									
		Vhere the let	tter "b" is in	dicated	in a cell,	the crite	rion can be	referenced	in
Subsection C of 20.6.4.90			~ .			_			
		Criteria are ii							
6 4 C 4 C 4 C 4 C 4 C 4 C 4 C 4 C 4 C 4		bbreviation							
for "CAS number" in 20.									
storage; LW - livestock w	0			-00 - hi	iman he	alth-orgai	nism only;	C – criteria	based
on cancer-causing endpoi				onolucio	oforw	filtand		and otherwise	~ ~
indicated. The acute and		he criteria a							
aluminum in a sample that								recoverable	-
aiummum m a sample una		The criteria li						()) are inter	ndad tu
protect human health whe									
not protect the aquatic lif									iu uo
organisms.	• 100011, 1401	er, meg prot				o ingest i		aquant	
8	(g) T	he dioxin ci	riteria apply	to the su	um of th	e dioxin t	oxicity equ	ivalents ex	presse
as 2,3,7,8-TCDD dioxin.			11 2				5 1		1
		he criteria f	or polychlor	rinated b	iphenyls	s (PCBs)	apply to the	e sum of all	1
congeners, to the sum of	all homolog	s or to the su	um of all arc	oclors.					
		The acute and							
when the concurrent pH i									
then the hardness-depend		overable alu	minum crite	eria in Pa	aragraph	is (1) and	(2) of Sub	section I of	
20.6.4.900 NMAC apply.						-			
	teria for tota						1	•	
Unionidae, freshwater no									
hence further protecting t									
Ammonia Nitrogen (TAN		AN 1s the su	m of NH_4^+ a	nd NH_3 .	TAN m	g/L magi	nitude is de	rived as a f	unctic
of pH and temperature (E		: . :	TAN (ma	Л)	4 4	has the D	DA (2012)	1	
	ute aquatic l								
average concentration of EPA acute criterion magn						e every t	mee years	on average	. The
		e TAN Crite		<u> </u>		vorago-			
/	Acute	r AN Chie	0.275	uue 101	1-110ul a 9 \	verage_		\ \	
	(0.7249x($\left(\frac{1}{1+1}\right)$	$\frac{10^{7.204-pH}}{10^{7.204-pH}}$ +	$\frac{1}{1+10^{pH}}$	(1-7.204)	,			
MIN	0 7240 (0.0114	1.618	81)	(22.42		36(20-T)	\)	
	11/249x1		-+	I X	a 73.12	$\times 10^{0.0}$	55(20-1)	17	
		1+10 ^{7.204-pF}	^H ' 1+10 ^{pH}	-7.204 J 🕯	(_0.12)	//	
		1+10 ^{7.204} - <i>pF</i>	^H ' 1+10 ^{pH-}	-7.204 J	(_011_),	//	

3 4

(1) Temperature and pH-dependent values of the acute TAN criterion magnitude -when

Oncorhynchus spp. absent.

	Tem	pera	ture	(°C)																	
pН	0-10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
6.5	51	48	44	41	37	34	32	29	27	25	23	21	19	18	16	15	14	13	12	11	9.9
6.6	49	46	42	39	36	33	30	28	26	24	22	20	18	17	16	14	13	12	11	10	9.5
6.7	46	44	40	37	34	31	29	27	24	22	21	19	18	16	15	14	13	12	11	9.8	9
6.8	44	41	38	35	32	30	27	25	23	21	20	18	17	15	14	13	12	11	10	9.2	8.5
6.9		38	35	32	30	28	25	23	21	20	18	17	15	14	13	12	11	10	9.4	8.6	7.9
7.0		35	33	30	28	25	23	21	20	18	17	15	14	13	12	11		9.4	8.6	7.9	7.3
		32	30	27	25	23	21	20	18	17	15	14	13	12	11			8.5	7.9	7.2	6.7
7.2		29	27	25	23	21	19	18	16	15	14	13	12	11			8.3	7.7	7.1	6.5	6
7.3		26	24	22	20	18	17	16	14	13	12	11	10	9.5		8		6.8	6.3	5.8	5.3
7.4		22	21	19	18	16	15	14	13	12	11	9.8	9	8.3		7		6	5.5	5.1	4.7
7.5	21	19	18	17	15	14	13	12	11		9.2	8.5	7.8	7.2			5.6	5.2	4.8	4.4	4
7.6		17	15	14	13	12	11	10	9.3		7.9	7.3	6.7	6.2		5.2		4.4	4.1	3.8	3.5
7.7		14	13	12	11	10	9.3	8.6	7.9		6.7	6.2	5.7	5.2			4.1	3.8	3.5	3.2	2.9
7.8		12	11	10	9.3	8.5	7.9	7.2	6.7 5.6		5.6	5.2	4.8	4.4		3.7	3.4	3.2	2.9	2.7	2.5
7.9 8.0		9.9 8.2	9.1 7.6	8.4 7	7.7 6.4	7.1 5.9	6.6 5.4	3 5	5.6 4.6		4.7 3.9	4.3 3.6	4 3.3	3.7 3		3.1 2.6	2.9 2.4	2.6 2.2	2.4 2	2.2 1.9	2.1 1.7
8.1		0.2 6.8	6.3	7 5.8	5.3	5.9 4.9	4.5	4.1	4.0 3.8		3.9 3.2	3.0	2.7	2.5		2.0 2.1	2.4	1.8	1.7	1.9	1.7
8.2		5.6	5.2	4.8	4.4	4	3.7	3.4	3.1		3.2 2.7	2.4	2.7	2.1	1.9	1.8	1.6	1.5	1.4	1.3	1.4
		4.6	4.3	3.9	3.6	3.3	3.1	2.8	2.6		2.2	2	1.9	1.7	1.6	1.4	1.3	1.2	1.1	1.5	0.96
		3.8	3.5	3.2	3	2.7	2.5	2.3	2.0	2	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1		0.86	
8.5		3.1	2.9	2.7	2.4	2.3	2.1	1.9	1.8		1.5	1.4	1.3	1.2		0.98			0.77		0.65
8.6	2.8	2.6	2.4	2.2	2	1.9	1.7	1.6	1.5	1.3	1.2	1.1	1	0.96	0.88	0.81	0.75	0.69	0.63	0.58	0.54
8.7	2.3	2.2	2	1.8	1.7	1.6	1.4	1.3	1.2	1.1	1	0.94	0.87	0.8	0.74	0.68	0.62	0.57	0.53	0.49	0.45
8.8	1.9	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1	0.93	0.86	0.79	0.73	0.67	0.62	0.57	0.52	0.48	0.44	0.41	0.37
8.9	1.6	1.5	1.4	1.3	1.2	1.1	1	0.93	0.85	0.79	0.72	0.67	0.61	0.56	0.52	0.48	0.44	0.4	0.37	0.34	0.32
9.0	1.4	1.3	1.2	1.1	1			0.79													
	0	,	(2)					and	pH-d	epen	dent	valu	es for	the a	acute	TAN	crite	erion	mag	nitud	.e-
whei	<u>n Onc</u>					pres	ent.														
		-	eratu	т <u>,</u>	-						-					1					
pН			15	16	17	' 1	8	19	20	21	22	2 2	23	24	25	26	2	7	28	29	30
6.5	33	;	33	32	29	2	27	25	23	21	19	9	18	16	15	14	1	3	12	11	9.9
6.6	31		31	30	28	2	6	24	22	20	1	8	17	16	14	13	1	2	11	10	9.5
6.7	30)	30	29	27	2	24	22	21	19	1	8	16	15	14	13	1	2	11	9.8	9
6.8	28	3	28	27	25	2	3	21	20	18	1	7	15	14	13	12	1	1	10	9.2	8.5
6.9			26	25	23		1	20	18	17	1:		14	13	12	11	_		9.4	8.6	7.9
7.0			24	23	21		20	18	17	15	14		13	12	11	10	_		8.6	8	7.3
7.1	27		24		-											_					-
				21	20		8	17	15	14	1		12	11	10	9.3	_		7.9	7.2	6.7
7.2			20	19	18		6	15	14	13	12		11	9.8	9.1	8.3	_		7.1	6.5	6
7.3			18	17	16		4	13	12	11	10		9.5	8.7	8	7.4	_		6.3	5.8	5.3
7.4		5	15	15	14	. 1	3	12	11	9.8	9		8.3	7.7	7	6.5			5.5	5.1	4.7
7.5	13	;	13	13	12	1	1	10	9.2	8.5	7.	.8 ′	7.2	6.6	6.1	5.6	5 5	.2	4.8	4.4	4
7.6	11		11	11	10	9	9.3	8.6	7.9	7.3	6.	.7	6.2	5.7	5.2	4.8	3 4	.4	4.1	3.8	3.5

¹ 2

7.7	9.6	9.6	9.3	8.6	7.9	7.3	6.7	6.2	5.7	5.2	4.8	4.4	4.1	3.8	3.5	3.2	3
7.8	8.1	8.1	7.9	7.2	6.7	6.1	5.6	5.2	4.8	4.4	4	3.7	3.4	3.2	2.9	2.7	2.5
7.9	6.8	6.8	6.6	6	5.6	5.1	4.7	4.3	4	3.7	3.4	3.1	2.9	2.6	2.4	2.2	2.1
8.0	5.6	5.6	5.4	5	4.6	4.2	3.9	3.6	3.3	3	2.8	2.6	2.4	2.2	2	1.9	1.7
8.1	4.6	4.6	4.5	4.1	3.8	3.5	3.2	3	2.7	2.5	2.3	2.1	2	1.8	1.7	1.5	1.4
8.2	3.8	3.8	3.7	3.5	3.1	2.9	2.7	2.4	2.3	2.1	1.9	1.8	1.6	1.5	1.4	1.3	1.2
8.3	3.1	3.1	3.1	2.8	2.6	2.4	2.2	2	1.9	1.7	1.6	1.4	1.3	1.2	1.1	1	1
8.4	2.6	2.6	2.5	2.3	2.1	2	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1	0.9	0.9	0.8
8.5	2.1	2.1	2.1	1.9	1.8	1.6	1.5	1.4	1.3	1.2	1.1	1	0.9	0.8	0.8	0.7	0.7
8.6	1.8	1.8	1.7	1.6	1.5	1.3	1.2	1.1	1	1	0.9	0.8	0.8	0.7	0.6	0.6	0.5
8.7	1.5	1.5	1.4	1.3	1.2	1.1	1	0.9	0.9	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.5
8.8	1.2	1.2	1.2	1.1	1	0.9	0.9	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.4
8.9	1	1	1	0.9	0.9	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.4	0.3	0.3
9.0	0.88	0.9	0.9	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3

1 2 **M.** The chronic aquatic life criteria for TAN (mg/L) was derived by the EPA (2013) as a thirty-day rolling average concentration of TAN mg/L that shall not be exceeded more than once every three years on average.

3 In addition, the highest four-day average within the 30-day averaging period should not be more than 2.5 times the

4 CCC (e.g., 2.5 x 1.9 mg TAN/L at pH 7 and 20°C, or 4.8 mg TAN/L) more than once in three years on average. The

5 EPA chronic criterion magnitude was derived using the following equation:

Chronic TAN Criterion Magnitude for 30-day average=

$$0.8876 \times \left(\frac{0.0278}{1+10^{7.688-pH}} + \frac{1.1994}{1+10^{pH-7.688}}\right) \times \left(2.126 \times 10^{0.028 \times (20 - MAX(T,7))}\right)$$

T (temperature °C) and pH are defined as the paired values associated with the TAN sample.

6

Tem	perature and	l pH-Dependent	t Values of the	Chronic TAN	Criterion Magnitude.

	Temp	erat	ure	(°C)																				
pН	0-7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
6.5	4.9	4.6	4.3	4.1	3.8	3.6	3.3	3.1	2.9	2.8	2.6	2.4	2.3	2.1	2	1.9	1.8	1.6	1.5	1.5	1.4	1.3	1.2	1.1
6.6	4.8	4.5	4.3	4	3.8	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1
6.7	4.8	4.5	4.2	3.9	3.7	3.5	3.2	3	2.8	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1
6.8	4.6	4.4	4.1	3.8	3.6	3.4	3.2	3	2.8	2.6	2.4	2.3	2.1	2	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1
6.9	4.5	4.2	4	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1
7.0	4.4	4.1	3.8	3.6	3.4	3.2	3	2.8	2.6	2.4	2.3	2.2	2	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1
7.1	4.2	3.9	3.7	3.5	3.2	3	2.8	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1	1
7.2	4	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1	1	0.9
7.3	3.8	3.5	3.3	3.1	2.9	2.7	2.6	2.4	2.2	2.1	2	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1	1	0.9	0.9
7.4	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1	1	0.9	0.9	0.8
7.5	3.2	3	2.8	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1	1	0.9	0.8	0.8	0.7
7.6	2.9	2.8	2.6	2.4	2.3	2.1	2	1.9	1.8	1.6	1.5	1.4	1.4	1.3	1.2	1.1	1.1	1	0.9	0.9	0.8	0.8	0.7	0.7
7.7	2.6	2.4	2.3	2.2	2	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.6
7.8	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1	1	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.5
7.9	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1	1	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.5
8.0	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.4	0.4	0.4
8.1	1.5	1.5	1.4	1.3	1.2	1.1	1.1	1	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4
8.2	1.3	1.2	1.2	1.1	1	1	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3
8.3	1.1	1.1	1	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3
8.4	1	0.9	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2

	8.5 0.8 0.8 0.7 0.7 0.6 0.6 0.6 0.5 0.5 0.5 0.4 0.4 0.4 0.4 0.3 0.3 0.3 0.3 0.3 0.2 0.2 0.2 0.2 0.2 0.2
	8.6 0.7 0.6 0.6 0.6 0.5 0.5 0.5 0.4 0.4 0.4 0.4 0.3 0.3 0.3 0.3 0.3 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2
	8.7 0.6 0.5 0.5 0.5 0.4 0.4 0.4 0.4 0.3 0.3 0.3 0.3 0.3 0.3 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.1 0.1
	8.8 0.5 0.5 0.4 0.4 0.4 0.4 0.3 0.3 0.3 0.3 0.3 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.1 0.1 0.1 0.1 0.1
	8.9 0.4 0.4 0.3 0.3 0.3 0.3 0.3 0.2 0.2 0.2 0.2 0.2 0.2 0.1
	9.0 0.4 0.3 0.3 0.3 0.3 0.3 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2
1	[20.6.4.900 NMAC - Rp 20 NMAC 6.1.3100, 10/12/2010; A, 10/11/2002; A, 5/23/2005; A, 7/17/2005; A,
2	12/1/2010; A, 3/2/2017; A, 4/23/2022]
3	
4	20.6.4.901 PUBLICATION REFERENCES: These documents are intended as guidance and are available
5	for public review during regular business hours at the offices of the surface water quality bureau. Copies of these
6	documents have also been filed with the New Mexico state records center in order to provide greater access to this
7	information.
8	A. American public health association. 1992. <i>Standard Methods for The Examination of Water and</i>
9	Wastewater, 18th Edition. Washington, D.C. 1048 p.
10	B. American public health association. 1995. <i>Standard Methods for The Examination of Water and</i>
11	Wastewater, 19th Edition. Washington, D.C. 1090 p.
12	C. American public health association. 1998. <i>Standard Methods for The Examination of Water and</i>
13	Wastewater, 20th Edition. Washington, D.C. 1112 p.
14	D. American public health association. 2018. <i>Standard Methods for The Examination of Water and</i>
15	Wastewater, 23rd Edition. Washington, D.C. 1796 p.
16	E. United States geological survey. 1989. Methods For Determination of Inorganic Substances In
17	Water And Fluvial Sediments, Techniques of Water-Resource Investigations of The United States Geological Survey.
18	Washington, D.C. 545 p.
19 20	F. United States geological survey. 1987. <i>Methods For The Determination Of Organic Substances</i>
20 21	In Water And Fluvial Sediments, Techniques Of Water-Resource Investigations Of The United States Geological
2.1	
	Survey. Washington, D.C. 80 p.
22	G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water
22 23	G. United States environmental protection agency. 1983. <i>Methods For Chemical Analysis Of Water And Wastes.</i> Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p.
22 23 24	 G. United States environmental protection agency. 1983. <i>Methods For Chemical Analysis Of Water And Wastes</i>. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. <i>State Of New Mexico Water Quality</i>
22 23 24 25	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p.
22 23 24 25 26	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For
22 23 24 25 26 27	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p.
22 23 24 25 26 27 28	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity
22 23 24 25 26 27 28 29	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development,
22 23 24 25 26 27 28 29 30	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p.
22 23 24 25 26 27 28 29 30 31	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The
22 23 24 25 26 27 28 29 30 31 32	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems
22 23 24 25 26 27 28 29 30 31 32 33	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p.
22 23 24 25 26 27 28 29 30 31 32 33 34	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical
22 23 24 25 26 27 28 29 30 31 32 33 34 35	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p.
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1983. Technical Support Manual: Waterbody
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I:. Office of water, regulations and
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I:. Office of water, regulations and standards, Washington, D.C. 232 p.
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I:. Office of water, regulations and standards, Washington, D.C. 232 p.
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume II: Coffice of water, regulations and standards, Washington, D.C. 232 p.
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I:. Office of water, regulations and standards, Washington, D.C. 208 p.
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume II: Coffice of water, regulations and standards, Washington, D.C. 232 p.
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I:. Office of water, regulations and standards, Washington, D.C. 208 p. [20.6.4.901 NMAC - Rp 20 NMAC 6.1.4000, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I:. Office of water, regulations and standards, Washington, D.C. 208 p. [20.6.4.901 NMAC - Rp 20 NMAC 6.1.4000, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms. Environmental monitoring systems laboratory, Clincinnati, Ohio. (4th Ed., EPA 821-R-02-013), 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I:. Office of water, regulations and standards, Washington, D.C. 208 p. [20.6.4.901 NMAC - Rp 20 NMAC 6.1.4000, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45	 G. United States environmental protection agency. 1983. Methods For Chemical Analysis Of Water And Wastes. Office of research and development, Washington, DC. (EPA/600/4-79/020). 491 p. H. New Mexico water quality control commission. 2020. State Of New Mexico Water Quality Management Plan and Continuing Planning Process. Santa Fe, New Mexico. 277 p. I. Colorado river basin salinity control forum. 2020. 2020 Review, Water Quality Standards For Salinity, Colorado River System. Phoenix, Arizona. 97 p. J. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development, Washington, D.C. (5th Ed., EPA 821-R-02-012). 293 p. K. United States environmental protection agency. 2002. Short-Term Methods For Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater To Freshwater Organisms. Environmental monitoring systems laboratory, Cincinnati, Ohio. (4th Ed., EPA 821-R-02-013). 335 p. L. United States environmental protection agency. 1991. Ambient-induced mixing, in Technical Support Document For Water Quality-Based Toxics Control. Office of water, Washington, D.C. (EPA/505/2-90-001). 335 p. M. United States environmental protection agency. 1983. Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume I:. Office of water, regulations and standards, Washington, D.C. 208 p. [20.6.4.901 NMAC - Rp 20 NMAC 6.1.4000, 10/12/2010; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 4/23/2022]

49 WQC 67-1, Water Quality Standards, filed 7/17/1967, effective 8/18/1967

- 1 WQC 67-1, Amendment Nos. 1-6, filed 3/21/1968, effective 4/22/1968
- 2 WQC 67-1, Amendment No. 7, filed 2/27/1969, effective 3-30/1969
- 3 WQC 67-1, Amendment No. 8, filed 7/14/1969, effective 8/15/1969
- 4 WQC 70-1, Water Quality Standards for Intrastate Waters and Tributaries to Interstate Streams, filed July 17, 1970;
- 5 WQC 67-1, Amendment Nos. 9 and 10, filed 2/12/1971, effective 3/15/1971
- 6 WQC 67-1, Amendment No. 11, filed 3/4/1971, effective 4/5/1971
- 7 WQC 73-1, New Mexico Water Quality Standards, filed 9/17/1973, effective 10/23/1973
- 8 WQC 73-1, Amendment Nos. 1 and 2, filed 10/3/1975, effective 11/4/1975
- 9 WQC 73-1, Amendment No. 3, filed 1/19/1976, effective 2/14/1976
- 10 WQC 77-2, Amended Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed
- 11 2/24/1977, effective 3/11/1977
- 12 WQC 77-2, Amendment No. 1, filed 3/23/1978, effective 4/24/1978
- 13 WQC 77-2, Amendment No. 2, filed 6/12/1979, effective 7/13/1979
- 14 WQCC 80-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 8/28/1980,
- 15 effective 9/28/1980
- WQCC 81-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 5/5/1981, effective
 6/4/1981
- 18 WQCC 81-1, Amendment No. 1, filed 5/19/1982, effective 6/18/1982
- 19 WQCC 81-1, Amendment No. 2, filed 6/24/1982, effective 7/26/1982
- 20 WQCC 85-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 1/16/1985,
- 21 effective 2/15/1985
- 22 WQCC 85-1, Amendment No. 1, filed 8/28/1987, effective 9/28/1987
- 23 WQCC 88-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 3/24/1988,
- 24 effective 4/25/1988
- 25 WQCC 91-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 5/29/1991,
- 26 effective 6/29/1991
- 27 WQCC 91-1, Amendment No. 1, filed 10/11/1991, effective 11/12/1991
- 28

29 History of the Repealed Material:

- 30 WQC 67-1, Water Quality Standards, Superseded, 10/23/1973
- 31 WQC 73-1, New Mexico Water Quality Standards, Superseded, 3/11/1977
- WQC 77-2, Amended Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded,
 9/28/1980
- 34 WQCC 80-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 6/4/1981
- 35 WQCC 81-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 2/15/1985
- 36 WQCC 85-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 4/25/1988
- 37 WQCC 88-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 6/29/1991
- 38 WOCC 91-1. Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 1/23/1995
- 39 20 NMAC 6.1, Standards for Interstate and Intrastate Streams, Repealed, 2/23/2000
- 40 20 NMAC 6.1, Standards for Interstate and Intrastate Surface Waters, Repealed, 10/12/2000