

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-A005-150812-21	A005	72608-12-9	Alkalinity, Total (As CaCO3)	N	177.2	MG/L CaCO3	Y		8/12/2015	10:55	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A005-150812-21	A005	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	10:55	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7429-90-5	Aluminum	T	74	ug/L	Y	J+	8/12/2015	10:55	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	10:55	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	10:55	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-38-2	Arsenic	D	0.64	ug/L	Y	J	8/12/2015	10:55	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-38-2	Arsenic	T	0.64	ug/L	Y	J	8/12/2015	10:55	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-39-3	Barium	D	40	ug/L	Y		8/12/2015	10:55	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-39-3	Barium	T	43	ug/L	Y		8/12/2015	10:55	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-41-7	Beryllium	D	0.39	ug/L	Y	J	8/12/2015	10:55	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	10:55	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	71-52-3	Bicarbonate	N	177.2	MG/L CaCO3	Y		8/12/2015	10:55	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A005-150812-21	A005	7440-43-9	Cadmium	D	0.045	ug/L	Y	J	8/12/2015	10:55	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-43-9	Cadmium	T	0.05	ug/L	Y	J	8/12/2015	10:55	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-70-2	Calcium	D	150000	ug/L	Y	J	8/12/2015	10:55	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-70-2	Calcium	T	130000	ug/L	Y	J	8/12/2015	10:55	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	10:55	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A005-150812-21	A005	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	10:55	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	10:55	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-48-4	Cobalt	D	1.4	ug/L	Y	J	8/12/2015	10:55	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	10:55	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-50-8	Copper	D	5.3	ug/L	Y		8/12/2015	10:55	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-A005-150812-21	A005	7440-50-8	Copper	T	36	ug/L	Y		8/12/2015	10:55	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7439-89-6	Iron	D	520	ug/L	Y		8/12/2015	10:55	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7439-89-6	Iron	T	1600	ug/L	Y		8/12/2015	10:55	36	ug/L	36	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7439-92-1	Lead	D	0.44	ug/L	Y	J	8/12/2015	10:55	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7439-92-1	Lead	T	3.7	ug/L	Y		8/12/2015	10:55	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7439-95-4	Magnesium	D	22000	ug/L	Y		8/12/2015	10:55	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7439-95-4	Magnesium	T	21000	ug/L	Y		8/12/2015	10:55	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7439-96-5	Manganese	D	230	ug/L	Y		8/12/2015	10:55	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7439-96-5	Manganese	T	240	ug/L	Y		8/12/2015	10:55	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	10:55	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	10:55	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TA-A005-150812-21	A005	7439-98-7	Molybdenum	D	6.7	ug/L	Y	J	8/12/2015	10:55	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	10:55	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	10:55	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	10:55	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	14797-55-8	Nitrogen, Nitrate (As N)	N	0.15	MG/L	Y		8/12/2015	10:55	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TA-A005-150812-21	A005	7440-09-7	Potassium	D	3200	ug/L	Y		8/12/2015	10:55	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-09-7	Potassium	T	3100	ug/L	Y		8/12/2015	10:55	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7782-49-2	Selenium	D	2.1	ug/L	Y	J	8/12/2015	10:55	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7782-49-2	Selenium	T	1.2	ug/L	Y	J	8/12/2015	10:55	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	10:55	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	10:55	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-23-5	Sodium	D	99000	ug/L	Y		8/12/2015	10:55	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-A005-150812-21	A005	7440-23-5	Sodium	T	92000	ug/L	Y		8/12/2015	10:55	510	ug/L	510	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-28-0	Thallium	D	0.0099	ug/L	Y	J	8/12/2015	10:55	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-28-0	Thallium	T	0.013	ug/L	Y	J	8/12/2015	10:55	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-62-2	Vanadium	D	2.9	ug/L	Y	J	8/12/2015	10:55	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-62-2	Vanadium	T	2.1	ug/L	Y	J	8/12/2015	10:55	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TA-A005-150812-21	A005	7440-66-6	Zinc	D	11	ug/L	Y		8/12/2015	10:55	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A005-150812-21	A005	7440-66-6	Zinc	T	12	ug/L	Y		8/12/2015	10:55	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	72608-12-9	Alkalinity, Total (As CaCO3)	N	240.7	MG/L CaCO3	Y		8/12/2015	13:40	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A006-150812-21	A006	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	13:40	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	13:40	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	13:40	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	13:40	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-38-2	Arsenic	D	0.28	ug/L	Y	J	8/12/2015	13:40	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-38-2	Arsenic	T	0.38	ug/L	Y	J	8/12/2015	13:40	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-39-3	Barium	D	12	ug/L	Y		8/12/2015	13:40	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-39-3	Barium	T	12	ug/L	Y		8/12/2015	13:40	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-41-7	Beryllium	D	0.41	ug/L	Y	J	8/12/2015	13:40	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-41-7	Beryllium	T	0.34	ug/L	Y	J	8/12/2015	13:40	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	71-52-3	Bicarbonate	N	240.7	MG/L CaCO3	Y		8/12/2015	13:40	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A006-150812-21	A006	7440-43-9	Cadmium	D	0.039	ug/L	Y	J	8/12/2015	13:40	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-43-9	Cadmium	T	0.034	ug/L	Y	J	8/12/2015	13:40	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-70-2	Calcium	D	280000	ug/L	Y		8/12/2015	13:40	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-70-2	Calcium	T	260000	ug/L	Y		8/12/2015	13:40	420	ug/L	420	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-A006-150812-21	A006	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	13:40	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A006-150812-21	A006	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	13:40	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	13:40	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-48-4	Cobalt	D	1.8	ug/L	Y	J	8/12/2015	13:40	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	13:40	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-50-8	Copper	D	2.9	ug/L	Y	J	8/12/2015	13:40	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-50-8	Copper	T	1.8	ug/L	Y	J	8/12/2015	13:40	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7439-89-6	Iron	D	210	ug/L	Y		8/12/2015	13:40	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7439-89-6	Iron	T	1200	ug/L	Y		8/12/2015	13:40	36	ug/L	36	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7439-92-1	Lead	D	0.074	ug/L	Y	J	8/12/2015	13:40	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7439-92-1	Lead	T	0.15	ug/L	Y	J	8/12/2015	13:40	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7439-95-4	Magnesium	D	25000	ug/L	Y		8/12/2015	13:40	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7439-95-4	Magnesium	T	25000	ug/L	Y		8/12/2015	13:40	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7439-96-5	Manganese	D	38	ug/L	Y		8/12/2015	13:40	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7439-96-5	Manganese	T	36	ug/L	Y		8/12/2015	13:40	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	13:40	0.059	ug/L	0.059	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	13:40	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TA-A006-150812-21	A006	7439-98-7	Molybdenum	D	2.4	ug/L	Y	J	8/12/2015	13:40	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	13:40	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	13:40	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	13:40	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	14797-55-8	Nitrogen, Nitrate (As N)	N	0.34	MG/L	Y		8/12/2015	13:40	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TA-A006-150812-21	A006	7440-09-7	Potassium	D	2500	ug/L	Y	J	8/12/2015	13:40	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-A006-150812-21	A006	7440-09-7	Potassium	T	2200	ug/L	Y	J	8/12/2015	13:40	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7782-49-2	Selenium	D	1.6	ug/L	Y		8/12/2015	13:40	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7782-49-2	Selenium	T	1.8	ug/L	Y		8/12/2015	13:40	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	13:40	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	13:40	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-23-5	Sodium	D	150000	ug/L	Y		8/12/2015	13:40	360	ug/L	360	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-23-5	Sodium	T	140000	ug/L	Y		8/12/2015	13:40	510	ug/L	510	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	13:40	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	13:40	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-62-2	Vanadium	D	2.8	ug/L	Y	J	8/12/2015	13:40	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-62-2	Vanadium	T	2.6	ug/L	Y	J	8/12/2015	13:40	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TA-A006-150812-21	A006	7440-66-6	Zinc	D	41	ug/L	Y	J	8/12/2015	13:40	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A006-150812-21	A006	7440-66-6	Zinc	T	14	ug/L	Y	J	8/12/2015	13:40	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	72608-12-9	Alkalinity, Total (As CaCO3)	N	266.5	MG/L CaCO3	Y		8/12/2015	15:05	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A007-150812-21	A007	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	15:05	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	15:05	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	15:05	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-36-0	Antimony	T	0.71	ug/L	Y	J	8/12/2015	15:05	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-38-2	Arsenic	D	0.22	ug/L	Y	J	8/12/2015	15:05	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	15:05	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-39-3	Barium	D	18	ug/L	Y		8/12/2015	15:05	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-39-3	Barium	T	18	ug/L	Y		8/12/2015	15:05	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-41-7	Beryllium	D	0.41	ug/L	Y	J	8/12/2015	15:05	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-A007-150812-21	A007	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	15:05	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	71-52-3	Bicarbonate	N	266.5	MG/L CaCO3	Y		8/12/2015	15:05	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A007-150812-21	A007	7440-43-9	Cadmium	D	0.03	ug/L	Y	J	8/12/2015	15:05	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-43-9	Cadmium	T	0.0035	ug/L	Y	J	8/12/2015	15:05	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-70-2	Calcium	D	200000	ug/L	Y		8/12/2015	15:05	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-70-2	Calcium	T	190000	ug/L	Y		8/12/2015	15:05	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	15:05	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TA-A007-150812-21	A007	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	15:05	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	15:05	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-48-4	Cobalt	D	1.5	ug/L	Y	J	8/12/2015	15:05	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	15:05	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-50-8	Copper	D	3.4	ug/L	Y	J	8/12/2015	15:05	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-50-8	Copper	T	22	ug/L	Y	J	8/12/2015	15:05	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	15:05	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7439-89-6	Iron	T	36	ug/L	Y		8/12/2015	15:05	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7439-92-1	Lead	D	0.074	ug/L	Y	J	8/12/2015	15:05	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7439-92-1	Lead	T	0.15	ug/L	Y	J	8/12/2015	15:05	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7439-95-4	Magnesium	D	24000	ug/L	Y		8/12/2015	15:05	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7439-95-4	Magnesium	T	23000	ug/L	Y		8/12/2015	15:05	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7439-96-5	Manganese	D	1.8	ug/L	Y	J	8/12/2015	15:05	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7439-96-5	Manganese	T	1.5	ug/L	N	U	8/12/2015	15:05	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	15:05	0.059	ug/L	0.059	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	15:05	0.059	ug/L	0.059	ug/L	Potable Water		Mercury

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-A007-150812-21	A007	7439-98-7	Molybdenum	D	2.1	ug/L	Y	J	8/12/2015	15:05	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7439-98-7	Molybdenum	T	2.9	ug/L	Y	J	8/12/2015	15:05	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	15:05	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	15:05	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	14797-55-8	Nitrogen, Nitrate (As N)	N	0.18	MG/L	Y		8/12/2015	15:05	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TA-A007-150812-21	A007	7440-09-7	Potassium	D	1500	ug/L	Y		8/12/2015	15:05	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-09-7	Potassium	T	1400	ug/L	Y		8/12/2015	15:05	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7782-49-2	Selenium	D	0.76	ug/L	Y	J	8/12/2015	15:05	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7782-49-2	Selenium	T	0.75	ug/L	Y	J	8/12/2015	15:05	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	15:05	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	15:05	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-23-5	Sodium	D	89000	ug/L	Y		8/12/2015	15:05	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-23-5	Sodium	T	86000	ug/L	Y		8/12/2015	15:05	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	15:05	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-28-0	Thallium	T	0.0092	ug/L	Y	J	8/12/2015	15:05	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-62-2	Vanadium	D	3.3	ug/L	Y	J	8/12/2015	15:05	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-62-2	Vanadium	T	2.2	ug/L	Y	J	8/12/2015	15:05	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TA-A007-150812-21	A007	7440-66-6	Zinc	D	3.5	ug/L	Y	J	8/12/2015	15:05	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TA-A007-150812-21	A007	7440-66-6	Zinc	T	3.9	ug/L	N	U	8/12/2015	15:05	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	72608-12-9	Alkalinity, Total (As CaCO3)	N	275.4	MG/L CaCO3	Y		8/12/2015	10:10	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B014-150812-21	B014	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	10:10	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	10:10	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-36-0	Antimony	D	0.68	ug/L	Y	J	8/12/2015	10:10	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B014-150812-21	B014	7440-36-0	Antimony	T	0.77	ug/L	Y	J	8/12/2015	10:10	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-38-2	Arsenic	D	0.2	ug/L	Y	J	8/12/2015	10:10	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	10:10	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-39-3	Barium	D	49	ug/L	Y		8/12/2015	10:10	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-39-3	Barium	T	50	ug/L	Y		8/12/2015	10:10	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-41-7	Beryllium	D	0.32	ug/L	Y	J	8/12/2015	10:10	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	10:10	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	71-52-3	Bicarbonate	N	275.4	MG/L CaCO3	Y		8/12/2015	10:10	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B014-150812-21	B014	7440-43-9	Cadmium	D	0.015	ug/L	Y	J	8/12/2015	10:10	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-43-9	Cadmium	T	0.016	ug/L	Y	J	8/12/2015	10:10	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-70-2	Calcium	D	120000	ug/L	Y		8/12/2015	10:10	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-70-2	Calcium	T	110000	ug/L	Y		8/12/2015	10:10	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	10:10	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B014-150812-21	B014	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	10:10	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	10:10	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-48-4	Cobalt	D	1.3	ug/L	N	U	8/12/2015	10:10	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	10:10	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-50-8	Copper	D	7	ug/L	Y		8/12/2015	10:10	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-50-8	Copper	T	6.4	ug/L	Y		8/12/2015	10:10	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7439-89-6	Iron	D	8.7	ug/L	Y	J	8/12/2015	10:10	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7439-89-6	Iron	T	29	ug/L	Y		8/12/2015	10:10	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7439-92-1	Lead	D	0.065	ug/L	Y	J	8/12/2015	10:10	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7439-92-1	Lead	T	0.097	ug/L	Y	J	8/12/2015	10:10	0.047	ug/L	0.047	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B014-150812-21	B014	7439-95-4	Magnesium	D	18000	ug/L	Y		8/12/2015	10:10	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7439-95-4	Magnesium	T	17000	ug/L	Y		8/12/2015	10:10	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7439-96-5	Manganese	D	2.3	ug/L	Y	J	8/12/2015	10:10	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7439-96-5	Manganese	T	2	ug/L	Y	J	8/12/2015	10:10	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	10:10	0.059	ug/L	0.059	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	10:10	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TB-B014-150812-21	B014	7439-98-7	Molybdenum	D	1.7	ug/L	Y	J	8/12/2015	10:10	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	10:10	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	10:10	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	10:10	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	14797-55-8	Nitrogen, Nitrate (As N)	N	1.7	MG/L	Y		8/12/2015	10:10	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TB-B014-150812-21	B014	7440-09-7	Potassium	D	1500	ug/L	Y	J	8/12/2015	10:10	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-09-7	Potassium	T	1200	ug/L	Y	J	8/12/2015	10:10	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7782-49-2	Selenium	D	0.78	ug/L	Y	J	8/12/2015	10:10	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7782-49-2	Selenium	T	0.81	ug/L	Y	J	8/12/2015	10:10	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	10:10	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-22-4	Silver	T	0.38	ug/L	Y	J	8/12/2015	10:10	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-23-5	Sodium	D	21000	ug/L	Y		8/12/2015	10:10	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-23-5	Sodium	T	20000	ug/L	Y		8/12/2015	10:10	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-28-0	Thallium	D	0.0069	ug/L	Y	J	8/12/2015	10:10	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-28-0	Thallium	T	0.013	ug/L	Y	J	8/12/2015	10:10	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TB-B014-150812-21	B014	7440-62-2	Vanadium	D	2.6	ug/L	Y	J	8/12/2015	10:10	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	10:10	1.5	ug/L	1.5	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B014-150812-21	B014	7440-66-6	Zinc	D	8.9	ug/L	Y	J	8/12/2015	10:10	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B014-150812-21	B014	7440-66-6	Zinc	T	4	ug/L	Y	J	8/12/2015	10:10	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	72608-12-9	Alkalinity, Total (As CaCO3)	N	249.7	MG/L CaCO3	Y		8/12/2015	10:50	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B015-150812-21	B015	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	10:50	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	10:50	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-36-0	Antimony	D	1	ug/L	Y	U	8/12/2015	10:50	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-36-0	Antimony	T	0.62	ug/L	Y	J	8/12/2015	10:50	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-38-2	Arsenic	D	0.26	ug/L	Y	J	8/12/2015	10:50	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-38-2	Arsenic	T	0.32	ug/L	Y	J	8/12/2015	10:50	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-39-3	Barium	D	43	ug/L	Y		8/12/2015	10:50	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-39-3	Barium	T	43	ug/L	Y		8/12/2015	10:50	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-41-7	Beryllium	D	0.37	ug/L	Y	J	8/12/2015	10:50	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	10:50	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	71-52-3	Bicarbonate	N	249.7	MG/L CaCO3	Y		8/12/2015	10:50	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B015-150812-21	B015	7440-43-9	Cadmium	D	0.036	ug/L	Y	J	8/12/2015	10:50	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-43-9	Cadmium	T	0.045	ug/L	Y	J	8/12/2015	10:50	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-70-2	Calcium	D	130000	ug/L	Y		8/12/2015	10:50	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-70-2	Calcium	T	130000	ug/L	Y		8/12/2015	10:50	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	10:50	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B015-150812-21	B015	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	10:50	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	10:50	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-48-4	Cobalt	D	1.3	ug/L	N	U	8/12/2015	10:50	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	10:50	1.3	ug/L	1.3	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B015-150812-21	B015	7440-50-8	Copper	D	2.2	ug/L	Y		8/12/2015	10:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-50-8	Copper	T	2.3	ug/L	Y		8/12/2015	10:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7439-89-6	Iron	D	69	ug/L	Y		8/12/2015	10:50	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7439-89-6	Iron	T	920	ug/L	Y		8/12/2015	10:50	36	ug/L	36	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7439-92-1	Lead	D	0.078	ug/L	Y	J	8/12/2015	10:50	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7439-92-1	Lead	T	0.14	ug/L	Y	J	8/12/2015	10:50	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7439-95-4	Magnesium	D	17000	ug/L	Y		8/12/2015	10:50	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7439-95-4	Magnesium	T	17000	ug/L	Y		8/12/2015	10:50	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7439-96-5	Manganese	D	650	ug/L	Y		8/12/2015	10:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7439-96-5	Manganese	T	660	ug/L	Y		8/12/2015	10:50	7.6	ug/L	7.6	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	10:50	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	10:50	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TB-B015-150812-21	B015	7439-98-7	Molybdenum	D	2	ug/L	Y	J	8/12/2015	10:50	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	10:50	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	10:50	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	10:50	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	14797-55-8	Nitrogen, Nitrate (As N)	N	0.032	MG/L	N	U	8/12/2015	10:50	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TB-B015-150812-21	B015	7440-09-7	Potassium	D	2900	ug/L	Y	J	8/12/2015	10:50	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-09-7	Potassium	T	2600	ug/L	Y	J	8/12/2015	10:50	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7782-49-2	Selenium	D	0.33	ug/L	Y	J	8/12/2015	10:50	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7782-49-2	Selenium	T	0.36	ug/L	Y	J	8/12/2015	10:50	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	10:50	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	10:50	0.044	ug/L	0.044	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B015-150812-21	B015	7440-23-5	Sodium	D	39000	ug/L	Y		8/12/2015	10:50	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-23-5	Sodium	T	39000	ug/L	Y		8/12/2015	10:50	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-28-0	Thallium	D	0.0045	ug/L	Y	J	8/12/2015	10:50	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-28-0	Thallium	T	0.013	ug/L	Y	J	8/12/2015	10:50	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-62-2	Vanadium	D	2.9	ug/L	Y	J	8/12/2015	10:50	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	10:50	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B015-150812-21	B015	7440-66-6	Zinc	D	17	ug/L	Y	J	8/12/2015	10:50	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B015-150812-21	B015	7440-66-6	Zinc	T	9	ug/L	Y	J	8/12/2015	10:50	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	72608-12-9	Alkalinity, Total (As CaCO3)	N	315	MG/L CaCO3	Y		8/12/2015	13:02	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B016-150812-21	B016	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	13:02	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	13:02	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-36-0	Antimony	D	1	ug/L	Y	U	8/12/2015	13:02	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-36-0	Antimony	T	0.45	ug/L	Y	J	8/12/2015	13:02	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-38-2	Arsenic	D	1.4	ug/L	Y		8/12/2015	13:02	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-38-2	Arsenic	T	2.1	ug/L	Y		8/12/2015	13:02	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-39-3	Barium	D	67	ug/L	Y		8/12/2015	13:02	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-39-3	Barium	T	66	ug/L	Y		8/12/2015	13:02	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-41-7	Beryllium	D	0.62	ug/L	Y	J	8/12/2015	13:02	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	13:02	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	71-52-3	Bicarbonate	N	315	MG/L CaCO3	Y		8/12/2015	13:02	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B016-150812-21	B016	7440-43-9	Cadmium	D	0.027	ug/L	Y	J	8/12/2015	13:02	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-43-9	Cadmium	T	0.045	ug/L	Y	J	8/12/2015	13:02	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-70-2	Calcium	D	210000	ug/L	Y		8/12/2015	13:02	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B016-150812-21	B016	7440-70-2	Calcium	T	200000	ug/L	Y		8/12/2015	13:02	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	13:02	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B016-150812-21	B016	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	13:02	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	13:02	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-48-4	Cobalt	D	2.8	ug/L	Y	J	8/12/2015	13:02	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-48-4	Cobalt	T	2	ug/L	Y	J	8/12/2015	13:02	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-50-8	Copper	D	3.3	ug/L	Y		8/12/2015	13:02	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-50-8	Copper	T	18	ug/L	Y		8/12/2015	13:02	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7439-89-6	Iron	D	690	ug/L	Y	J	8/12/2015	13:02	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7439-89-6	Iron	T	1800	ug/L	Y		8/12/2015	13:02	36	ug/L	36	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7439-92-1	Lead	D	0.13	ug/L	Y	J	8/12/2015	13:02	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7439-92-1	Lead	T	0.14	ug/L	Y	J	8/12/2015	13:02	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7439-95-4	Magnesium	D	32000	ug/L	Y		8/12/2015	13:02	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7439-95-4	Magnesium	T	32000	ug/L	Y		8/12/2015	13:02	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7439-96-5	Manganese	D	2400	ug/L	Y		8/12/2015	13:02	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7439-96-5	Manganese	T	2300	ug/L	Y		8/12/2015	13:02	7.6	ug/L	7.6	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	13:02	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	13:02	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TB-B016-150812-21	B016	7439-98-7	Molybdenum	D	6.9	ug/L	Y	J	8/12/2015	13:02	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7439-98-7	Molybdenum	T	11	ug/L	Y		8/12/2015	13:02	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	13:02	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	13:02	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	14797-55-8	Nitrogen, Nitrate (As N)	N	0.032	MG/L	N	U	8/12/2015	13:02	0.032	MG/L	0.032	MG/L	Potable Water		Anions

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B016-150812-21	B016	7440-09-7	Potassium	D	3400	ug/L	Y		8/12/2015	13:02	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-09-7	Potassium	T	3500	ug/L	Y		8/12/2015	13:02	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7782-49-2	Selenium	D	0.59	ug/L	Y	J	8/12/2015	13:02	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7782-49-2	Selenium	T	0.69	ug/L	Y	J	8/12/2015	13:02	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	13:02	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	13:02	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-23-5	Sodium	D	75000	ug/L	Y		8/12/2015	13:02	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-23-5	Sodium	T	75000	ug/L	Y		8/12/2015	13:02	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-28-0	Thallium	D	0.011	ug/L	Y	J	8/12/2015	13:02	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-28-0	Thallium	T	0.015	ug/L	Y	J	8/12/2015	13:02	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-62-2	Vanadium	D	3.3	ug/L	Y	J	8/12/2015	13:02	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	13:02	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B016-150812-21	B016	7440-66-6	Zinc	D	300	ug/L	Y		8/12/2015	13:02	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-21	B016	7440-66-6	Zinc	T	340	ug/L	Y		8/12/2015	13:02	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	13:02	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	13:02	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-36-0	Antimony	D	1	ug/L	Y	U	8/12/2015	13:02	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	13:02	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-38-2	Arsenic	D	1.4	ug/L	Y		8/12/2015	13:02	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-38-2	Arsenic	T	2.1	ug/L	Y		8/12/2015	13:02	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-39-3	Barium	D	67	ug/L	Y		8/12/2015	13:02	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-39-3	Barium	T	67	ug/L	Y		8/12/2015	13:02	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-41-7	Beryllium	D	0.44	ug/L	Y	J	8/12/2015	13:02	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B016-150812-22	B016	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	13:02	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-43-9	Cadmium	D	0.028	ug/L	Y	J	8/12/2015	13:02	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-43-9	Cadmium	T	0.054	ug/L	Y	J	8/12/2015	13:02	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-70-2	Calcium	D	210000	ug/L	Y		8/12/2015	13:02	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-70-2	Calcium	T	210000	ug/L	Y		8/12/2015	13:02	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	13:02	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	13:02	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-48-4	Cobalt	D	2.2	ug/L	Y	J	8/12/2015	13:02	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-48-4	Cobalt	T	2.4	ug/L	Y	J	8/12/2015	13:02	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-50-8	Copper	D	3.2	ug/L	Y		8/12/2015	13:02	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-50-8	Copper	T	18	ug/L	Y		8/12/2015	13:02	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7439-89-6	Iron	D	340	ug/L	Y	J	8/12/2015	13:02	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7439-89-6	Iron	T	1800	ug/L	Y		8/12/2015	13:02	36	ug/L	36	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7439-92-1	Lead	D	0.15	ug/L	Y	J	8/12/2015	13:02	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7439-92-1	Lead	T	0.14	ug/L	Y	J	8/12/2015	13:02	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7439-95-4	Magnesium	D	32000	ug/L	Y		8/12/2015	13:02	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7439-95-4	Magnesium	T	32000	ug/L	Y		8/12/2015	13:02	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7439-96-5	Manganese	D	2400	ug/L	Y		8/12/2015	13:02	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7439-96-5	Manganese	T	2300	ug/L	Y		8/12/2015	13:02	7.6	ug/L	7.6	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	13:02	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	13:02	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TB-B016-150812-22	B016	7439-98-7	Molybdenum	D	6.3	ug/L	Y	J	8/12/2015	13:02	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7439-98-7	Molybdenum	T	5.3	ug/L	Y	J	8/12/2015	13:02	2.7	ug/L	2.7	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B016-150812-22	B016	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	13:02	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	13:02	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-09-7	Potassium	D	3400	ug/L	Y		8/12/2015	13:02	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-09-7	Potassium	T	3500	ug/L	Y		8/12/2015	13:02	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7782-49-2	Selenium	D	0.62	ug/L	Y	J	8/12/2015	13:02	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7782-49-2	Selenium	T	0.67	ug/L	Y	J	8/12/2015	13:02	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	13:02	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	13:02	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-23-5	Sodium	D	75000	ug/L	Y		8/12/2015	13:02	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-23-5	Sodium	T	76000	ug/L	Y		8/12/2015	13:02	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-28-0	Thallium	D	0.01	ug/L	Y	J	8/12/2015	13:02	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-28-0	Thallium	T	0.012	ug/L	Y	J	8/12/2015	13:02	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-62-2	Vanadium	D	2.9	ug/L	Y	J	8/12/2015	13:02	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-62-2	Vanadium	T	1.7	ug/L	Y	J	8/12/2015	13:02	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B016-150812-22	B016	7440-66-6	Zinc	D	300	ug/L	Y		8/12/2015	13:02	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B016-150812-22	B016	7440-66-6	Zinc	T	370	ug/L	Y		8/12/2015	13:02	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	72608-12-9	Alkalinity, Total (As CaCO3)	N	279	MG/L CaCO3	Y		8/12/2015	13:55	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B017-150812-21	B017	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	13:55	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	13:55	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-36-0	Antimony	D	1	ug/L	Y	U	8/12/2015	13:55	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	13:55	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-38-2	Arsenic	D	0.24	ug/L	Y	J	8/12/2015	13:55	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	13:55	0.29	ug/L	0.29	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B017-150812-21	B017	7440-39-3	Barium	D	67	ug/L	Y		8/12/2015	13:55	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-39-3	Barium	T	65	ug/L	Y		8/12/2015	13:55	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-41-7	Beryllium	D	0.37	ug/L	Y	J	8/12/2015	13:55	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	13:55	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	71-52-3	Bicarbonate	N	279	MG/L CaCO3	Y		8/12/2015	13:55	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B017-150812-21	B017	7440-43-9	Cadmium	D	0.08	ug/L	Y	J	8/12/2015	13:55	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-43-9	Cadmium	T	0.075	ug/L	Y	J	8/12/2015	13:55	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-70-2	Calcium	D	120000	ug/L	Y		8/12/2015	13:55	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-70-2	Calcium	T	120000	ug/L	Y		8/12/2015	13:55	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	13:55	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B017-150812-21	B017	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	13:55	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	13:55	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-48-4	Cobalt	D	1.3	ug/L	Y	J	8/12/2015	13:55	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	13:55	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-50-8	Copper	D	4.5	ug/L	Y	J	8/12/2015	13:55	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-50-8	Copper	T	2.6	ug/L	Y	J+	8/12/2015	13:55	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	13:55	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7439-89-6	Iron	T	70	ug/L	Y		8/12/2015	13:55	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7439-92-1	Lead	D	0.081	ug/L	Y	J	8/12/2015	13:55	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7439-92-1	Lead	T	0.22	ug/L	Y	J	8/12/2015	13:55	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7439-95-4	Magnesium	D	16000	ug/L	Y		8/12/2015	13:55	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7439-95-4	Magnesium	T	16000	ug/L	Y		8/12/2015	13:55	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7439-96-5	Manganese	D	940	ug/L	Y		8/12/2015	13:55	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B017-150812-21	B017	7439-96-5	Manganese	T	900	ug/L	Y		8/12/2015	13:55	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	13:55	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	13:55	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TB-B017-150812-21	B017	7439-98-7	Molybdenum	D	2.6	ug/L	Y	J	8/12/2015	13:55	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	13:55	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	13:55	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	13:55	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	14797-55-8	Nitrogen, Nitrate (As N)	N	0.032	MG/L	N	U	8/12/2015	13:55	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TB-B017-150812-21	B017	7440-09-7	Potassium	D	3100	ug/L	Y		8/12/2015	13:55	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-09-7	Potassium	T	3000	ug/L	Y		8/12/2015	13:55	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7782-49-2	Selenium	D	0.36	ug/L	Y	J	8/12/2015	13:55	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7782-49-2	Selenium	T	0.35	ug/L	Y	J	8/12/2015	13:55	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	13:55	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	13:55	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-23-5	Sodium	D	76000	ug/L	Y		8/12/2015	13:55	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-23-5	Sodium	T	77000	ug/L	Y		8/12/2015	13:55	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-28-0	Thallium	D	0.014	ug/L	Y	J	8/12/2015	13:55	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-28-0	Thallium	T	0.015	ug/L	Y	J	8/12/2015	13:55	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-62-2	Vanadium	D	2.6	ug/L	Y	J	8/12/2015	13:55	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-62-2	Vanadium	T	1.6	ug/L	Y	J	8/12/2015	13:55	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B017-150812-21	B017	7440-66-6	Zinc	D	330	ug/L	Y		8/12/2015	13:55	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B017-150812-21	B017	7440-66-6	Zinc	T	310	ug/L	Y		8/12/2015	13:55	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	72608-12-9	Alkalinity, Total (As CaCO3)	N	280.2	MG/L CaCO3	Y		8/12/2015	14:40	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B018-150812-21	B018	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	14:40	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	14:40	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	14:40	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	14:40	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-38-2	Arsenic	D	0.17	ug/L	Y	J	8/12/2015	14:40	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	14:40	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-39-3	Barium	D	44	ug/L	Y		8/12/2015	14:40	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-39-3	Barium	T	43	ug/L	Y		8/12/2015	14:40	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-41-7	Beryllium	D	0.37	ug/L	Y	J	8/12/2015	14:40	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	14:40	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	71-52-3	Bicarbonate	N	280.2	MG/L CaCO3	Y		8/12/2015	14:40	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B018-150812-21	B018	7440-43-9	Cadmium	D	0.015	ug/L	Y	J	8/12/2015	14:40	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-43-9	Cadmium	T	0.0079	ug/L	N	U	8/12/2015	14:40	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-70-2	Calcium	D	120000	ug/L	Y		8/12/2015	14:40	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-70-2	Calcium	T	130000	ug/L	Y		8/12/2015	14:40	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	14:40	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B018-150812-21	B018	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	14:40	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	14:40	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-48-4	Cobalt	D	1.5	ug/L	Y	J	8/12/2015	14:40	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	14:40	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-50-8	Copper	D	4.1	ug/L	Y	J	8/12/2015	14:40	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-50-8	Copper	T	2.5	ug/L	Y	J	8/12/2015	14:40	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7439-89-6	Iron	D	22	ug/L	Y		8/12/2015	14:40	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B018-150812-21	B018	7439-89-6	Iron	T	98	ug/L	Y		8/12/2015	14:40	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7439-92-1	Lead	D	0.15	ug/L	Y	J	8/12/2015	14:40	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7439-92-1	Lead	T	0.33	ug/L	Y	J	8/12/2015	14:40	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7439-95-4	Magnesium	D	23000	ug/L	Y		8/12/2015	14:40	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7439-95-4	Magnesium	T	23000	ug/L	Y		8/12/2015	14:40	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7439-96-5	Manganese	D	14	ug/L	Y		8/12/2015	14:40	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7439-96-5	Manganese	T	13	ug/L	Y		8/12/2015	14:40	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	14:40	0.059	ug/L	0.059	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	14:40	0.059	ug/L	0.2	ug/L	Potable Water		Mercury, dissolved
0010958	TB-B018-150812-21	B018	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	14:40	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TB-B018-150812-21	B018	7439-98-7	Molybdenum	D	2.3	ug/L	Y	J	8/12/2015	14:40	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	14:40	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	14:40	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	14:40	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	14797-55-8	Nitrogen, Nitrate (As N)	N	2.1	MG/L	Y		8/12/2015	14:40	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TB-B018-150812-21	B018	7440-09-7	Potassium	D	2800	ug/L	Y		8/12/2015	14:40	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-09-7	Potassium	T	2600	ug/L	Y		8/12/2015	14:40	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7782-49-2	Selenium	D	1.1	ug/L	Y		8/12/2015	14:40	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7782-49-2	Selenium	T	1.1	ug/L	Y		8/12/2015	14:40	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	14:40	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	14:40	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-23-5	Sodium	D	29000	ug/L	Y		8/12/2015	14:40	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-23-5	Sodium	T	29000	ug/L	Y		8/12/2015	14:40	100	ug/L	100	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B018-150812-21	B018	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	14:40	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	14:40	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-62-2	Vanadium	D	3.1	ug/L	Y	J	8/12/2015	14:40	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	14:40	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B018-150812-21	B018	7440-66-6	Zinc	D	7.8	ug/L	Y	J	8/12/2015	14:40	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-21	B018	7440-66-6	Zinc	T	4.7	ug/L	Y	J	8/12/2015	14:40	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	14:50	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	14:50	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	14:50	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	14:50	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-38-2	Arsenic	D	0.17	ug/L	Y	J	8/12/2015	14:50	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	14:50	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-39-3	Barium	D	44	ug/L	Y		8/12/2015	14:50	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-39-3	Barium	T	43	ug/L	Y		8/12/2015	14:50	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-41-7	Beryllium	D	0.34	ug/L	Y	J	8/12/2015	14:50	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	14:50	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-43-9	Cadmium	D	0.012	ug/L	Y	J	8/12/2015	14:50	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-43-9	Cadmium	T	0.029	ug/L	Y	J	8/12/2015	14:50	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-70-2	Calcium	D	130000	ug/L	Y		8/12/2015	14:50	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-70-2	Calcium	T	130000	ug/L	Y		8/12/2015	14:50	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	14:50	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	14:50	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-48-4	Cobalt	D	1.3	ug/L	N	U	8/12/2015	14:50	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B018-150812-22	B018	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	14:50	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-50-8	Copper	D	4.1	ug/L	Y		8/12/2015	14:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-50-8	Copper	T	6.1	ug/L	Y	J	8/12/2015	14:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	14:50	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7439-89-6	Iron	T	93	ug/L	Y		8/12/2015	14:50	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7439-92-1	Lead	D	0.061	ug/L	Y	J	8/12/2015	14:50	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7439-92-1	Lead	T	0.96	ug/L	Y	J	8/12/2015	14:50	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7439-95-4	Magnesium	D	23000	ug/L	Y		8/12/2015	14:50	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7439-95-4	Magnesium	T	23000	ug/L	Y		8/12/2015	14:50	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7439-96-5	Manganese	D	13	ug/L	Y		8/12/2015	14:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7439-96-5	Manganese	T	13	ug/L	Y		8/12/2015	14:50	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	14:50	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	14:50	0.15	ug/L	0.2	ug/L	Potable Water		Mercury, dissolved
0010958	TB-B018-150812-22	B018	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	14:50	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TB-B018-150812-22	B018	7439-98-7	Molybdenum	D	2	ug/L	Y	J	8/12/2015	14:50	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7439-98-7	Molybdenum	T	3.7	ug/L	Y	J	8/12/2015	14:50	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	14:50	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	14:50	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-09-7	Potassium	D	2800	ug/L	Y		8/12/2015	14:50	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-09-7	Potassium	T	2800	ug/L	Y		8/12/2015	14:50	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7782-49-2	Selenium	D	1.1	ug/L	Y	J	8/12/2015	14:50	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7782-49-2	Selenium	T	0.89	ug/L	Y	J	8/12/2015	14:50	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-22-4	Silver	D	0.056	ug/L	Y	J	8/12/2015	14:50	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B018-150812-22	B018	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	14:50	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-23-5	Sodium	D	29000	ug/L	Y		8/12/2015	14:50	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-23-5	Sodium	T	30000	ug/L	Y		8/12/2015	14:50	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	14:50	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	14:50	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-62-2	Vanadium	D	2.9	ug/L	Y	J	8/12/2015	14:50	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-62-2	Vanadium	T	1.5	ug/L	Y	J	8/12/2015	14:50	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B018-150812-22	B018	7440-66-6	Zinc	D	5.7	ug/L	Y	J	8/12/2015	14:50	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B018-150812-22	B018	7440-66-6	Zinc	T	3.9	ug/L	N	U	8/12/2015	14:50	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	72608-12-9	Alkalinity, Total (As CaCO3)	N	248.2	MG/L CaCO3	Y		8/12/2015	15:50	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B019-150812-21	B019	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	15:50	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	15:50	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	15:50	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	15:50	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-38-2	Arsenic	D	0.21	ug/L	Y	J	8/12/2015	15:50	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	15:50	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-39-3	Barium	D	14	ug/L	Y		8/12/2015	15:50	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-39-3	Barium	T	14	ug/L	Y		8/12/2015	15:50	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-41-7	Beryllium	D	0.46	ug/L	Y	J	8/12/2015	15:50	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	15:50	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	71-52-3	Bicarbonate	N	248.2	MG/L CaCO3	Y		8/12/2015	15:50	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B019-150812-21	B019	7440-43-9	Cadmium	D	0.03	ug/L	Y	J	8/12/2015	15:50	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-43-9	Cadmium	T	0.025	ug/L	Y	J	8/12/2015	15:50	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B019-150812-21	B019	7440-70-2	Calcium	D	220000	ug/L	Y		8/12/2015	15:50	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-70-2	Calcium	T	220000	ug/L	Y		8/12/2015	15:50	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	15:50	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TB-B019-150812-21	B019	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	15:50	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	15:50	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-48-4	Cobalt	D	1.5	ug/L	Y	J	8/12/2015	15:50	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	15:50	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-50-8	Copper	D	3.6	ug/L	Y	J	8/12/2015	15:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-50-8	Copper	T	1.7	ug/L	Y	J	8/12/2015	15:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	15:50	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7439-89-6	Iron	T	18	ug/L	Y	J	8/12/2015	15:50	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7439-92-1	Lead	D	0.12	ug/L	Y	J	8/12/2015	15:50	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7439-92-1	Lead	T	0.056	ug/L	Y	J	8/12/2015	15:50	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7439-95-4	Magnesium	D	28000	ug/L	Y		8/12/2015	15:50	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7439-95-4	Magnesium	T	27000	ug/L	Y		8/12/2015	15:50	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7439-96-5	Manganese	D	0.85	ug/L	Y	J	8/12/2015	15:50	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7439-96-5	Manganese	T	1.5	ug/L	N	U	8/12/2015	15:50	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	15:50	0.059	ug/L	0.059	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	15:50	0.059	ug/L	0.2	ug/L	Potable Water		Mercury, dissolved
0010958	TB-B019-150812-21	B019	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	15:50	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TB-B019-150812-21	B019	7439-98-7	Molybdenum	D	1.7	ug/L	N	U	8/12/2015	15:50	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	15:50	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	15:50	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B019-150812-21	B019	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	15:50	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	14797-55-8	Nitrogen, Nitrate (As N)	N	0.58	MG/L	Y		8/12/2015	15:50	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TB-B019-150812-21	B019	7440-09-7	Potassium	D	1800	ug/L	Y		8/12/2015	15:50	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-09-7	Potassium	T	1600	ug/L	Y		8/12/2015	15:50	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7782-49-2	Selenium	D	1.2	ug/L	Y		8/12/2015	15:50	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7782-49-2	Selenium	T	1.3	ug/L	Y		8/12/2015	15:50	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	15:50	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	15:50	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-23-5	Sodium	D	120000	ug/L	Y		8/12/2015	15:50	360	ug/L	360	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-23-5	Sodium	T	120000	ug/L	Y		8/12/2015	15:50	510	ug/L	510	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	15:50	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	15:50	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-62-2	Vanadium	D	4.2	ug/L	Y	J	8/12/2015	15:50	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-62-2	Vanadium	T	2	ug/L	Y	J	8/12/2015	15:50	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TB-B019-150812-21	B019	7440-66-6	Zinc	D	14	ug/L	N	U	8/12/2015	15:50	14	ug/L	14	ug/L	Potable Water		Metals, Dissolved
0010958	TB-B019-150812-21	B019	7440-66-6	Zinc	T	3.9	ug/L	N	U	8/12/2015	15:50	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	72608-12-9	Alkalinity, Total (As CaCO3)	N	230.6	MG/L CaCO3	Y		8/12/2015	10:45	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C006-150812-21	C006	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	10:45	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	10:45	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-36-0	Antimony	D	1	ug/L	Y	U	8/12/2015	10:45	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	10:45	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-38-2	Arsenic	D	0.27	ug/L	Y	J	8/12/2015	10:45	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	10:45	0.29	ug/L	0.29	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C006-150812-21	C006	7440-39-3	Barium	D	39	ug/L	Y		8/12/2015	10:45	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-39-3	Barium	T	0.31	ug/L	Y		8/12/2015	10:45	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-41-7	Beryllium	D	0.31	ug/L	N	U	8/12/2015	10:45	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	10:45	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	71-52-3	Bicarbonate	N	230.6	MG/L CaCO3	Y		8/12/2015	10:45	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C006-150812-21	C006	7440-43-9	Cadmium	D	0.07	ug/L	Y	J	8/12/2015	10:45	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-43-9	Cadmium	T	0.02	ug/L	Y	J	8/12/2015	10:45	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-70-2	Calcium	D	150000	ug/L	Y		8/12/2015	10:45	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-70-2	Calcium	T	150000	ug/L	Y		8/12/2015	10:45	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	10:45	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C006-150812-21	C006	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	10:45	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	10:45	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-48-4	Cobalt	D	1.5	ug/L	Y	J	8/12/2015	10:45	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	10:45	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-50-8	Copper	D	9	ug/L	Y	J	8/12/2015	10:45	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-50-8	Copper	T	1.9	ug/L	Y	J	8/12/2015	10:45	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	10:45	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7439-89-6	Iron	T	7.3	ug/L	N	U	8/12/2015	10:45	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7439-92-1	Lead	D	1.5	ug/L	Y	J	8/12/2015	10:45	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7439-92-1	Lead	T	0.48	ug/L	Y	J	8/12/2015	10:45	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7439-95-4	Magnesium	D	19000	ug/L	Y		8/12/2015	10:45	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7439-95-4	Magnesium	T	19000	ug/L	Y		8/12/2015	10:45	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7439-96-5	Manganese	D	9.3	ug/L	Y		8/12/2015	10:45	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C006-150812-21	C006	7439-96-5	Manganese	T	15	ug/L	Y		8/12/2015	10:45	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	10:45	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	10:45	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TC-C006-150812-21	C006	7439-98-7	Molybdenum	D	1.7	ug/L	N	U	8/12/2015	10:45	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	10:45	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	10:45	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	10:45	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	14797-55-8	Nitrogen, Nitrate (As N)	N	0.35	MG/L	Y		8/12/2015	10:45	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TC-C006-150812-21	C006	7440-09-7	Potassium	D	1700	ug/L	Y		8/12/2015	10:45	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-09-7	Potassium	T	1600	ug/L	Y		8/12/2015	10:45	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7782-49-2	Selenium	D	0.99	ug/L	Y	J	8/12/2015	10:45	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7782-49-2	Selenium	T	1	ug/L	Y		8/12/2015	10:45	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	10:45	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	10:45	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-23-5	Sodium	D	64000	ug/L	Y		8/12/2015	10:45	360	ug/L	360	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-23-5	Sodium	T	64000	ug/L	Y		8/12/2015	10:45	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-28-0	Thallium	D	0.036	ug/L	Y	J	8/12/2015	10:45	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	10:45	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-62-2	Vanadium	D	2.5	ug/L	Y	J	8/12/2015	10:45	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-62-2	Vanadium	T	2	ug/L	Y	J	8/12/2015	10:45	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TC-C006-150812-21	C006	7440-66-6	Zinc	D	23	ug/L	Y	J	8/12/2015	10:45	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C006-150812-21	C006	7440-66-6	Zinc	T	4.8	ug/L	Y	J	8/12/2015	10:45	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	72608-12-9	Alkalinity, Total (As CaCO3)	N	292.9	MG/L CaCO3	Y		8/12/2015	11:53	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C007-150812-21	C007	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	11:53	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	11:53	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-36-0	Antimony	D	1	ug/L	Y	J	8/12/2015	11:53	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	11:53	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-38-2	Arsenic	D	0.2	ug/L	Y	J	8/12/2015	11:53	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	11:53	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-39-3	Barium	D	63	ug/L	Y		8/12/2015	11:53	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-39-3	Barium	T	62	ug/L	Y		8/12/2015	11:53	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-41-7	Beryllium	D	0.42	ug/L	Y	J	8/12/2015	11:53	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	11:53	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	71-52-3	Bicarbonate	N	292.9	MG/L CaCO3	Y		8/12/2015	11:53	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C007-150812-21	C007	7440-43-9	Cadmium	D	0.02	ug/L	Y	J	8/12/2015	11:53	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-43-9	Cadmium	T	0.016	ug/L	Y	J	8/12/2015	11:53	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-70-2	Calcium	D	130000	ug/L	Y		8/12/2015	11:53	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-70-2	Calcium	T	130000	ug/L	Y		8/12/2015	11:53	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	11:53	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C007-150812-21	C007	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	11:53	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	11:53	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-48-4	Cobalt	D	1.6	ug/L	Y	J	8/12/2015	11:53	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	11:53	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-50-8	Copper	D	8.5	ug/L	Y		8/12/2015	11:53	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-50-8	Copper	T	88	ug/L	Y		8/12/2015	11:53	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7439-89-6	Iron	D	15	ug/L	Y	J	8/12/2015	11:53	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C007-150812-21	C007	7439-89-6	Iron	T	420	ug/L	Y		8/12/2015	11:53	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7439-92-1	Lead	D	0.083	ug/L	Y	J	8/12/2015	11:53	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7439-92-1	Lead	T	0.2	ug/L	Y	J	8/12/2015	11:53	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7439-95-4	Magnesium	D	19000	ug/L	Y		8/12/2015	11:53	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7439-95-4	Magnesium	T	19000	ug/L	Y		8/12/2015	11:53	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7439-96-5	Manganese	D	11	ug/L	Y		8/12/2015	11:53	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7439-96-5	Manganese	T	16	ug/L	Y		8/12/2015	11:53	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	11:53	0.059	ug/L	0.059	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	11:53	0.059	ug/L	0.2	ug/L	Potable Water		Mercury, dissolved
0010958	TC-C007-150812-21	C007	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	11:53	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TC-C007-150812-21	C007	7439-98-7	Molybdenum	D	1.7	ug/L	N	U	8/12/2015	11:53	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	11:53	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	11:53	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	11:53	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	14797-55-8	Nitrogen, Nitrate (As N)	N	0.16	MG/L	Y		8/12/2015	11:53	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TC-C007-150812-21	C007	7440-09-7	Potassium	D	2100	ug/L	Y	J	8/12/2015	11:53	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-09-7	Potassium	T	1900	ug/L	Y	J	8/12/2015	11:53	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7782-49-2	Selenium	D	1.1	ug/L	Y		8/12/2015	11:53	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7782-49-2	Selenium	T	1.1	ug/L	Y		8/12/2015	11:53	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	11:53	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	11:53	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-23-5	Sodium	D	42000	ug/L	Y		8/12/2015	11:53	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-23-5	Sodium	T	42000	ug/L	Y		8/12/2015	11:53	100	ug/L	100	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C007-150812-21	C007	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	11:53	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	11:53	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-62-2	Vanadium	D	3.4	ug/L	Y	J	8/12/2015	11:53	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	11:53	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TC-C007-150812-21	C007	7440-66-6	Zinc	D	32	ug/L	Y	J	8/12/2015	11:53	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C007-150812-21	C007	7440-66-6	Zinc	T	28	ug/L	Y	J	8/12/2015	11:53	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	72608-12-9	Alkalinity, Total (As CaCO3)	N	285.2	MG/L CaCO3	Y		8/12/2015	14:31	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C008-150812-21	C008	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	14:31	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	14:31	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-36-0	Antimony	D	1	ug/L	Y	U	8/12/2015	14:31	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	14:31	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-38-2	Arsenic	D	0.18	ug/L	Y	J	8/12/2015	14:31	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	14:31	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-39-3	Barium	D	55	ug/L	Y		8/12/2015	14:31	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-39-3	Barium	T	55	ug/L	Y		8/12/2015	14:31	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-41-7	Beryllium	D	0.5	ug/L	Y	J	8/12/2015	14:31	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	14:31	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	71-52-3	Bicarbonate	N	285.2	MG/L CaCO3	Y		8/12/2015	14:31	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C008-150812-21	C008	7440-43-9	Cadmium	D	0.014	ug/L	Y	J	8/12/2015	14:31	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-43-9	Cadmium	T	0.0079	ug/L	N	U	8/12/2015	14:31	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-70-2	Calcium	D	130000	ug/L	Y		8/12/2015	14:31	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-70-2	Calcium	T	120000	ug/L	Y		8/12/2015	14:31	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	14:31	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C008-150812-21	C008	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	14:31	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	14:31	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-48-4	Cobalt	D	1.3	ug/L	N	U	8/12/2015	14:31	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	14:31	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-50-8	Copper	D	15	ug/L	Y		8/12/2015	14:31	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-50-8	Copper	T	16	ug/L	Y		8/12/2015	14:31	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	14:31	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7439-89-6	Iron	T	130	ug/L	Y		8/12/2015	14:31	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7439-92-1	Lead	D	0.12	ug/L	Y	J	8/12/2015	14:31	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7439-92-1	Lead	T	0.54	ug/L	Y		8/12/2015	14:31	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7439-95-4	Magnesium	D	18000	ug/L	Y		8/12/2015	14:31	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7439-95-4	Magnesium	T	18000	ug/L	Y		8/12/2015	14:31	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7439-96-5	Manganese	D	3.2	ug/L	Y	J	8/12/2015	14:31	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7439-96-5	Manganese	T	2.7	ug/L	Y	J	8/12/2015	14:31	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	14:31	0.059	ug/L	0.059	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	14:31	0.059	ug/L	0.2	ug/L	Potable Water		Mercury, dissolved
0010958	TC-C008-150812-21	C008	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	14:31	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TC-C008-150812-21	C008	7439-98-7	Molybdenum	D	2.3	ug/L	Y	J	8/12/2015	14:31	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	14:31	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	14:31	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	14:31	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	14797-55-8	Nitrogen, Nitrate (As N)	N	0.47	MG/L	Y		8/12/2015	14:31	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TC-C008-150812-21	C008	7440-09-7	Potassium	D	2100	ug/L	Y	J	8/12/2015	14:31	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C008-150812-21	C008	7440-09-7	Potassium	T	1900	ug/L	Y	J	8/12/2015	14:31	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7782-49-2	Selenium	D	0.72	ug/L	Y	J	8/12/2015	14:31	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7782-49-2	Selenium	T	0.91	ug/L	Y	J	8/12/2015	14:31	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	14:31	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	14:31	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-23-5	Sodium	D	21000	ug/L	Y		8/12/2015	14:31	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-23-5	Sodium	T	21000	ug/L	Y		8/12/2015	14:31	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-28-0	Thallium	D	0.0047	ug/L	Y	J	8/12/2015	14:31	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	14:31	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-62-2	Vanadium	D	3.8	ug/L	Y	J	8/12/2015	14:31	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	14:31	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TC-C008-150812-21	C008	7440-66-6	Zinc	D	12	ug/L	Y	J	8/12/2015	14:31	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C008-150812-21	C008	7440-66-6	Zinc	T	8.1	ug/L	Y	J	8/12/2015	14:31	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	72608-12-9	Alkalinity, Total (As CaCO3)	N	234.5	MG/L CaCO3	Y		8/12/2015	15:43	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C009-150812-21	C009	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	15:43	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	15:43	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-36-0	Antimony	D	0.24	ug/L	Y	J	8/12/2015	15:43	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	15:43	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-38-2	Arsenic	D	0.21	ug/L	Y	J	8/12/2015	15:43	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	15:43	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-39-3	Barium	D	21	ug/L	Y		8/12/2015	15:43	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-39-3	Barium	T	21	ug/L	Y		8/12/2015	15:43	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-41-7	Beryllium	D	0.31	ug/L	N	U	8/12/2015	15:43	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C009-150812-21	C009	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	15:43	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	71-52-3	Bicarbonate	N	234.5	MG/L CaCO3	Y		8/12/2015	15:43	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C009-150812-21	C009	7440-43-9	Cadmium	D	0.11	ug/L	Y	J	8/12/2015	15:43	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-43-9	Cadmium	T	0.056	ug/L	Y	J	8/12/2015	15:43	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-70-2	Calcium	D	330000	ug/L	Y		8/12/2015	15:43	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-70-2	Calcium	T	340000	ug/L	Y		8/12/2015	15:43	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	15:43	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TC-C009-150812-21	C009	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	15:43	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	15:43	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-48-4	Cobalt	D	1.4	ug/L	Y	J	8/12/2015	15:43	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	15:43	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-50-8	Copper	D	3.7	ug/L	Y	J	8/12/2015	15:43	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-50-8	Copper	T	1.8	ug/L	Y	J	8/12/2015	15:43	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7439-89-6	Iron	D	180	ug/L	Y		8/12/2015	15:43	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7439-89-6	Iron	T	320	ug/L	Y		8/12/2015	15:43	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7439-92-1	Lead	D	0.14	ug/L	Y	J	8/12/2015	15:43	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7439-92-1	Lead	T	0.047	ug/L	N	U	8/12/2015	15:43	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7439-95-4	Magnesium	D	23000	ug/L	Y		8/12/2015	15:43	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7439-95-4	Magnesium	T	22000	ug/L	Y		8/12/2015	15:43	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7439-96-5	Manganese	D	130	ug/L	Y		8/12/2015	15:43	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7439-96-5	Manganese	T	130	ug/L	Y		8/12/2015	15:43	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	15:43	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	15:43	0.15	ug/L	0.15	ug/L	Potable Water		Mercury

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C009-150812-21	C009	7439-98-7	Molybdenum	D	2.1	ug/L	Y	J	8/12/2015	15:43	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	15:43	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	15:43	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	15:43	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	14797-55-8	Nitrogen, Nitrate (As N)	N	0.38	MG/L	Y		8/12/2015	15:43	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TC-C009-150812-21	C009	7440-09-7	Potassium	D	1600	ug/L	Y	J	8/12/2015	15:43	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-09-7	Potassium	T	1400	ug/L	Y	J	8/12/2015	15:43	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7782-49-2	Selenium	D	1.1	ug/L	Y		8/12/2015	15:43	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7782-49-2	Selenium	T	1.1	ug/L	Y		8/12/2015	15:43	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-22-4	Silver	D	0.049	ug/L	Y	J	8/12/2015	15:43	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	15:43	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-23-5	Sodium	D	67000	ug/L	Y		8/12/2015	15:43	360	ug/L	360	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-23-5	Sodium	T	67000	ug/L	Y		8/12/2015	15:43	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-28-0	Thallium	D	0.06	ug/L	Y	J	8/12/2015	15:43	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	15:43	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-62-2	Vanadium	D	1.9	ug/L	Y	J	8/12/2015	15:43	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-62-2	Vanadium	T	1.9	ug/L	Y	J	8/12/2015	15:43	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TC-C009-150812-21	C009	7440-66-6	Zinc	D	3.8	ug/L	Y	J	8/12/2015	15:43	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TC-C009-150812-21	C009	7440-66-6	Zinc	T	3.9	ug/L	N	U	8/12/2015	15:43	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	72608-12-9	Alkalinity, Total (As CaCO3)	N	312.8	MG/L CaCO3	Y		8/12/2015	10:27	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D001-150812-21	D001	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	10:27	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	10:27	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	10:27	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D001-150812-21	D001	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	10:27	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-38-2	Arsenic	D	0.43	ug/L	Y	J	8/12/2015	10:27	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-38-2	Arsenic	T	0.45	ug/L	Y	J	8/12/2015	10:27	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-39-3	Barium	D	33	ug/L	Y		8/12/2015	10:27	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-39-3	Barium	T	33	ug/L	Y		8/12/2015	10:27	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-41-7	Beryllium	D	0.31	ug/L	N	U	8/12/2015	10:27	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	10:27	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	71-52-3	Bicarbonate	N	312.8	MG/L CaCO3	Y		8/12/2015	10:27	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D001-150812-21	D001	7440-43-9	Cadmium	D	0.022	ug/L	Y	J	8/12/2015	10:27	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-43-9	Cadmium	T	0.026	ug/L	Y	J	8/12/2015	10:27	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-70-2	Calcium	D	130000	ug/L	Y		8/12/2015	10:27	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-70-2	Calcium	T	140000	ug/L	Y		8/12/2015	10:27	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	10:27	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D001-150812-21	D001	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	10:27	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	10:27	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-48-4	Cobalt	D	1.3	ug/L	N	U	8/12/2015	10:27	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	10:27	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-50-8	Copper	D	3.5	ug/L	Y		8/12/2015	10:27	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-50-8	Copper	T	8.8	ug/L	Y		8/12/2015	10:27	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	10:27	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7439-89-6	Iron	T	26	ug/L	Y		8/12/2015	10:27	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7439-92-1	Lead	D	0.1	ug/L	Y	J	8/12/2015	10:27	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7439-92-1	Lead	T	0.48	ug/L	Y	J	8/12/2015	10:27	0.047	ug/L	0.047	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D001-150812-21	D001	7439-95-4	Magnesium	D	29000	ug/L	Y		8/12/2015	10:27	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7439-95-4	Magnesium	T	29000	ug/L	Y		8/12/2015	10:27	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7439-96-5	Manganese	D	0.79	ug/L	Y	J	8/12/2015	10:27	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7439-96-5	Manganese	T	1.5	ug/L	N	U	8/12/2015	10:27	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	10:27	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	10:27	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TD-D001-150812-21	D001	7439-98-7	Molybdenum	D	6.3	ug/L	Y	J	8/12/2015	10:27	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	10:27	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	10:27	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	10:27	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	14797-55-8	Nitrogen, Nitrate (As N)	N	0.38	MG/L	Y		8/12/2015	10:27	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TD-D001-150812-21	D001	7440-09-7	Potassium	D	3500	ug/L	Y		8/12/2015	10:27	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-09-7	Potassium	T	3300	ug/L	Y		8/12/2015	10:27	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7782-49-2	Selenium	D	0.93	ug/L	Y	J	8/12/2015	10:27	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7782-49-2	Selenium	T	1	ug/L	Y		8/12/2015	10:27	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	10:27	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	10:27	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-23-5	Sodium	D	47000	ug/L	Y		8/12/2015	10:27	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-23-5	Sodium	T	47000	ug/L	Y		8/12/2015	10:27	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-28-0	Thallium	D	0.0057	ug/L	Y	J	8/12/2015	10:27	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-28-0	Thallium	T	0.0059	ug/L	Y	J	8/12/2015	10:27	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TD-D001-150812-21	D001	7440-62-2	Vanadium	D	2.8	ug/L	Y	J	8/12/2015	10:27	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	10:27	1.5	ug/L	1.5	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D001-150812-21	D001	7440-66-6	Zinc	D	4.2	ug/L	Y	J	8/12/2015	10:27	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D001-150812-21	D001	7440-66-6	Zinc	T	6.5	ug/L	Y	J	8/12/2015	10:27	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	72608-12-9	Alkalinity, Total (As CaCO3)	N	295.4	MG/L CaCO3	Y		8/12/2015	11:25	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D002-150812-21	D002	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	11:25	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	11:25	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-36-0	Antimony	D	0.15	ug/L	Y	J	8/12/2015	11:25	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	11:25	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-38-2	Arsenic	D	0.22	ug/L	Y	J	8/12/2015	11:25	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	11:25	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-39-3	Barium	D	49	ug/L	Y		8/12/2015	11:25	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-39-3	Barium	T	47	ug/L	Y		8/12/2015	11:25	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-41-7	Beryllium	D	0.31	ug/L	N	U	8/12/2015	11:25	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	11:25	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	71-52-3	Bicarbonate	N	295.4	MG/L CaCO3	Y		8/12/2015	11:25	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D002-150812-21	D002	7440-43-9	Cadmium	D	0.024	ug/L	Y	J	8/12/2015	11:25	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-43-9	Cadmium	T	0.032	ug/L	Y	J	8/12/2015	11:25	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-70-2	Calcium	D	110000	ug/L	Y		8/12/2015	11:25	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-70-2	Calcium	T	120000	ug/L	Y		8/12/2015	11:25	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	11:25	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D002-150812-21	D002	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	11:25	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	11:25	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-48-4	Cobalt	D	1.3	ug/L	N	U	8/12/2015	11:25	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	11:25	1.3	ug/L	1.3	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D002-150812-21	D002	7440-50-8	Copper	D	5.3	ug/L	Y		8/12/2015	11:25	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-50-8	Copper	T	14	ug/L	Y		8/12/2015	11:25	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	11:25	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7439-89-6	Iron	T	26	ug/L	Y		8/12/2015	11:25	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7439-92-1	Lead	D	0.15	ug/L	Y	J	8/12/2015	11:25	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7439-92-1	Lead	T	4.3	ug/L	Y		8/12/2015	11:25	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7439-95-4	Magnesium	D	25000	ug/L	Y		8/12/2015	11:25	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7439-95-4	Magnesium	T	25000	ug/L	Y		8/12/2015	11:25	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7439-96-5	Manganese	D	0.93	ug/L	Y	J	8/12/2015	11:25	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7439-96-5	Manganese	T	1.5	ug/L	N	U	8/12/2015	11:25	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	11:25	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	11:25	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TD-D002-150812-21	D002	7439-98-7	Molybdenum	D	3.5	ug/L	Y	J	8/12/2015	11:25	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	11:25	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	11:25	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-02-0	Nickel	T	3	ug/L	Y	J	8/12/2015	11:25	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	14797-55-8	Nitrogen, Nitrate (As N)	N	0.27	MG/L	Y		8/12/2015	11:25	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TD-D002-150812-21	D002	7440-09-7	Potassium	D	3800	ug/L	Y		8/12/2015	11:25	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-09-7	Potassium	T	3600	ug/L	Y		8/12/2015	11:25	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7782-49-2	Selenium	D	0.73	ug/L	Y	J	8/12/2015	11:25	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7782-49-2	Selenium	T	0.85	ug/L	Y	J	8/12/2015	11:25	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	11:25	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	11:25	0.044	ug/L	0.044	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D002-150812-21	D002	7440-23-5	Sodium	D	35000	ug/L	Y		8/12/2015	11:25	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-23-5	Sodium	T	36000	ug/L	Y		8/12/2015	11:25	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	11:25	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	11:25	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-62-2	Vanadium	D	2.7	ug/L	Y	J	8/12/2015	11:25	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-62-2	Vanadium	T	1.6	ug/L	Y	J	8/12/2015	11:25	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D002-150812-21	D002	7440-66-6	Zinc	D	47	ug/L	Y		8/12/2015	11:25	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D002-150812-21	D002	7440-66-6	Zinc	T	74	ug/L	Y		8/12/2015	11:25	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	72608-12-9	Alkalinity, Total (As CaCO3)	N	263.1	MG/L CaCO3	Y		8/12/2015	12:08	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D003-150812-21	D003	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	12:08	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	12:08	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-36-0	Antimony	D	0.14	ug/L	Y	J	8/12/2015	12:08	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-36-0	Antimony	T	0.69	ug/L	Y	J	8/12/2015	12:08	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-38-2	Arsenic	D	0.23	ug/L	Y	J	8/12/2015	12:08	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	12:08	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-39-3	Barium	D	51	ug/L	Y		8/12/2015	12:08	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-39-3	Barium	T	50	ug/L	Y		8/12/2015	12:08	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-41-7	Beryllium	D	0.34	ug/L	Y	J	8/12/2015	12:08	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	12:08	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	71-52-3	Bicarbonate	N	263.1	MG/L CaCO3	Y		8/12/2015	12:08	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D003-150812-21	D003	7440-43-9	Cadmium	D	0.016	ug/L	Y	J	8/12/2015	12:08	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-43-9	Cadmium	T	0.026	ug/L	Y	J	8/12/2015	12:08	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-70-2	Calcium	D	110000	ug/L	Y		8/12/2015	12:08	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D003-150812-21	D003	7440-70-2	Calcium	T	110000	ug/L	Y		8/12/2015	12:08	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	12:08	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D003-150812-21	D003	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	12:08	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	12:08	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-48-4	Cobalt	D	1.3	ug/L	N	U	8/12/2015	12:08	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	12:08	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-50-8	Copper	D	5.3	ug/L	Y	J	8/12/2015	12:08	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-50-8	Copper	T	3.9	ug/L	Y	J	8/12/2015	12:08	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	12:08	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7439-89-6	Iron	T	7.3	ug/L	N	U	8/12/2015	12:08	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7439-92-1	Lead	D	0.31	ug/L	Y	J	8/12/2015	12:08	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7439-92-1	Lead	T	0.34	ug/L	Y	J	8/12/2015	12:08	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7439-95-4	Magnesium	D	19000	ug/L	Y		8/12/2015	12:08	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7439-95-4	Magnesium	T	19000	ug/L	Y		8/12/2015	12:08	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7439-96-5	Manganese	D	2.3	ug/L	Y	J	8/12/2015	12:08	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7439-96-5	Manganese	T	1.8	ug/L	Y	J	8/12/2015	12:08	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	12:08	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	12:08	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TD-D003-150812-21	D003	7439-98-7	Molybdenum	D	1.7	ug/L	Y	J	8/12/2015	12:08	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	12:08	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	12:08	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	12:08	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	14797-55-8	Nitrogen, Nitrate (As N)	N	0.22	MG/L	Y		8/12/2015	12:08	0.032	MG/L	0.032	MG/L	Potable Water		Anions

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D003-150812-21	D003	7440-09-7	Potassium	D	2800	ug/L	Y		8/12/2015	12:08	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-09-7	Potassium	T	2600	ug/L	Y		8/12/2015	12:08	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7782-49-2	Selenium	D	0.59	ug/L	Y	J	8/12/2015	12:08	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7782-49-2	Selenium	T	0.63	ug/L	Y	J	8/12/2015	12:08	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	12:08	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	12:08	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-23-5	Sodium	D	18000	ug/L	Y		8/12/2015	12:08	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-23-5	Sodium	T	18000	ug/L	Y		8/12/2015	12:08	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	12:08	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-28-0	Thallium	T	0.011	ug/L	Y	J	8/12/2015	12:08	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-62-2	Vanadium	D	2.7	ug/L	Y	J	8/12/2015	12:08	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	12:08	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D003-150812-21	D003	7440-66-6	Zinc	D	62	ug/L	Y	J	8/12/2015	12:08	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D003-150812-21	D003	7440-66-6	Zinc	T	50	ug/L	Y	J	8/12/2015	12:08	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	72608-12-9	Alkalinity, Total (As CaCO3)	N	201.8	MG/L CaCO3	Y		8/12/2015	13:54	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D004-150812-21	D004	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	13:54	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7429-90-5	Aluminum	T	290	ug/L	Y		8/12/2015	13:54	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-36-0	Antimony	D	1	ug/L	Y	U	8/12/2015	13:54	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	13:54	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-38-2	Arsenic	D	0.23	ug/L	Y	J	8/12/2015	13:54	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-38-2	Arsenic	T	0.45	ug/L	Y	J	8/12/2015	13:54	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-39-3	Barium	D	55	ug/L	Y		8/12/2015	13:54	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-39-3	Barium	T	55	ug/L	Y		8/12/2015	13:54	1.1	ug/L	1.1	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D004-150812-21	D004	7440-41-7	Beryllium	D	0.31	ug/L	N	U	8/12/2015	13:54	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	13:54	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	71-52-3	Bicarbonate	N	201.8	MG/L CaCO3	Y		8/12/2015	13:54	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D004-150812-21	D004	7440-43-9	Cadmium	D	0.017	ug/L	Y	J	8/12/2015	13:54	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-43-9	Cadmium	T	0.028	ug/L	Y	J	8/12/2015	13:54	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-70-2	Calcium	D	100000	ug/L	Y		8/12/2015	13:54	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-70-2	Calcium	T	110000	ug/L	Y		8/12/2015	13:54	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	13:54	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D004-150812-21	D004	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	13:54	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	13:54	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-48-4	Cobalt	D	1.3	ug/L	N	U	8/12/2015	13:54	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	13:54	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-50-8	Copper	D	7.1	ug/L	Y		8/12/2015	13:54	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-50-8	Copper	T	130	ug/L	Y		8/12/2015	13:54	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7439-89-6	Iron	D	29	ug/L	Y		8/12/2015	13:54	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7439-89-6	Iron	T	2700	ug/L	Y		8/12/2015	13:54	36	ug/L	36	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7439-92-1	Lead	D	0.14	ug/L	Y	J	8/12/2015	13:54	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7439-92-1	Lead	T	14	ug/L	Y		8/12/2015	13:54	0.24	ug/L	0.24	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7439-95-4	Magnesium	D	17000	ug/L	Y		8/12/2015	13:54	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7439-95-4	Magnesium	T	17000	ug/L	Y		8/12/2015	13:54	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7439-96-5	Manganese	D	7.1	ug/L	Y		8/12/2015	13:54	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7439-96-5	Manganese	T	9.5	ug/L	Y		8/12/2015	13:54	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	13:54	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D004-150812-21	D004	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	13:54	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TD-D004-150812-21	D004	7439-98-7	Molybdenum	D	1.9	ug/L	Y	J	8/12/2015	13:54	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	13:54	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	13:54	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	13:54	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	14797-55-8	Nitrogen, Nitrate (As N)	N	9.9	MG/L	Y		8/12/2015	13:54	0.64	MG/L	0.64	MG/L	Potable Water		Anions
0010958	TD-D004-150812-21	D004	7440-09-7	Potassium	D	2700	ug/L	Y		8/12/2015	13:54	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-09-7	Potassium	T	2800	ug/L	Y		8/12/2015	13:54	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7782-49-2	Selenium	D	2	ug/L	Y		8/12/2015	13:54	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7782-49-2	Selenium	T	2	ug/L	Y		8/12/2015	13:54	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	13:54	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	13:54	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-23-5	Sodium	D	18000	ug/L	Y		8/12/2015	13:54	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-23-5	Sodium	T	18000	ug/L	Y		8/12/2015	13:54	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-28-0	Thallium	D	0.0054	ug/L	Y	J	8/12/2015	13:54	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	13:54	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-62-2	Vanadium	D	2.6	ug/L	Y	J	8/12/2015	13:54	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-62-2	Vanadium	T	1.6	ug/L	Y	J	8/12/2015	13:54	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D004-150812-21	D004	7440-66-6	Zinc	D	56	ug/L	Y		8/12/2015	13:54	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D004-150812-21	D004	7440-66-6	Zinc	T	99	ug/L	Y		8/12/2015	13:54	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	72608-12-9	Alkalinity, Total (As CaCO3)	N	275.1	MG/L CaCO3	Y		8/12/2015	14:35	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D005-150812-21	D005	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	14:35	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7429-90-5	Aluminum	T	5.3	ug/L	N	U	8/12/2015	14:35	5.3	ug/L	5.3	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D005-150812-21	D005	7440-36-0	Antimony	D	1	ug/L	Y	U	8/12/2015	14:35	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	14:35	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-38-2	Arsenic	D	0.3	ug/L	Y	J	8/12/2015	14:35	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-38-2	Arsenic	T	0.31	ug/L	Y	J	8/12/2015	14:35	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-39-3	Barium	D	60	ug/L	Y		8/12/2015	14:35	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-39-3	Barium	T	56	ug/L	Y		8/12/2015	14:35	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-41-7	Beryllium	D	0.46	ug/L	Y	J	8/12/2015	14:35	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	14:35	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	71-52-3	Bicarbonate	N	275.1	MG/L CaCO3	Y		8/12/2015	14:35	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D005-150812-21	D005	7440-43-9	Cadmium	D	0.03	ug/L	Y	J	8/12/2015	14:35	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-43-9	Cadmium	T	0.021	ug/L	Y	J	8/12/2015	14:35	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-70-2	Calcium	D	140000	ug/L	Y		8/12/2015	14:35	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-70-2	Calcium	T	150000	ug/L	Y		8/12/2015	14:35	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	14:35	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D005-150812-21	D005	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	14:35	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	14:35	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-48-4	Cobalt	D	1.3	ug/L	Y	J	8/12/2015	14:35	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	14:35	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-50-8	Copper	D	4.4	ug/L	Y	J	8/12/2015	14:35	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-50-8	Copper	T	1.9	ug/L	Y	J	8/12/2015	14:35	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7439-89-6	Iron	D	12	ug/L	Y	J	8/12/2015	14:35	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7439-89-6	Iron	T	280	ug/L	Y		8/12/2015	14:35	7.3	ug/L	7.3	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7439-92-1	Lead	D	0.099	ug/L	Y	J	8/12/2015	14:35	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D005-150812-21	D005	7439-92-1	Lead	T	0.48	ug/L	Y	J	8/12/2015	14:35	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7439-95-4	Magnesium	D	26000	ug/L	Y		8/12/2015	14:35	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7439-95-4	Magnesium	T	26000	ug/L	Y		8/12/2015	14:35	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7439-96-5	Manganese	D	28	ug/L	Y		8/12/2015	14:35	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7439-96-5	Manganese	T	28	ug/L	Y		8/12/2015	14:35	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	14:35	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	14:35	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TD-D005-150812-21	D005	7439-98-7	Molybdenum	D	8.4	ug/L	Y	J	8/12/2015	14:35	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7439-98-7	Molybdenum	T	2.7	ug/L	N	UJ	8/12/2015	14:35	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	14:35	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	14:35	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	14797-55-8	Nitrogen, Nitrate (As N)	N	0.032	MG/L	N	U	8/12/2015	14:35	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TD-D005-150812-21	D005	7440-09-7	Potassium	D	4500	ug/L	Y		8/12/2015	14:35	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-09-7	Potassium	T	4300	ug/L	Y		8/12/2015	14:35	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7782-49-2	Selenium	D	0.94	ug/L	Y	J	8/12/2015	14:35	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7782-49-2	Selenium	T	1.1	ug/L	Y		8/12/2015	14:35	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	14:35	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	14:35	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-23-5	Sodium	D	100000	ug/L	Y		8/12/2015	14:35	360	ug/L	360	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-23-5	Sodium	T	93000	ug/L	Y		8/12/2015	14:35	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-28-0	Thallium	D	0.0034	ug/L	Y	J	8/12/2015	14:35	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-28-0	Thallium	T	0.0053	ug/L	N	U	8/12/2015	14:35	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-62-2	Vanadium	D	3.8	ug/L	Y	J	8/12/2015	14:35	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D005-150812-21	D005	7440-62-2	Vanadium	T	1.6	ug/L	Y	J	8/12/2015	14:35	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D005-150812-21	D005	7440-66-6	Zinc	D	130	ug/L	Y		8/12/2015	14:35	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D005-150812-21	D005	7440-66-6	Zinc	T	140	ug/L	Y		8/12/2015	14:35	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	72608-12-9	Alkalinity, Total (As CaCO3)	N	286.8	MG/L CaCO3	Y		8/12/2015	16:13	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D006-150812-21	D006	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	16:13	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7429-90-5	Aluminum	T	16	ug/L	Y	J	8/12/2015	16:13	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	16:13	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	16:13	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-38-2	Arsenic	D	0.25	ug/L	Y	J	8/12/2015	16:13	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-38-2	Arsenic	T	1.4	ug/L	Y		8/12/2015	16:13	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-39-3	Barium	D	31	ug/L	Y		8/12/2015	16:13	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-39-3	Barium	T	38	ug/L	Y		8/12/2015	16:13	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-41-7	Beryllium	D	0.46	ug/L	Y	J	8/12/2015	16:13	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-41-7	Beryllium	T	0.32	ug/L	Y	J	8/12/2015	16:13	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	71-52-3	Bicarbonate	N	286.8	MG/L CaCO3	Y		8/12/2015	16:13	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D006-150812-21	D006	7440-43-9	Cadmium	D	0.025	ug/L	Y	J	8/12/2015	16:13	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-43-9	Cadmium	T	0.042	ug/L	Y	J	8/12/2015	16:13	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-70-2	Calcium	D	240000	ug/L	Y		8/12/2015	16:13	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-70-2	Calcium	T	260000	ug/L	Y		8/12/2015	16:13	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	16:13	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TD-D006-150812-21	D006	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	16:13	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	16:13	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-48-4	Cobalt	D	1.6	ug/L	Y	J	8/12/2015	16:13	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D006-150812-21	D006	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	16:13	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-50-8	Copper	D	2.3	ug/L	Y		8/12/2015	16:13	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-50-8	Copper	T	5	ug/L	Y		8/12/2015	16:13	0.27	ug/L	0.27	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7439-89-6	Iron	D	430	ug/L	Y		8/12/2015	16:13	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7439-89-6	Iron	T	16000	ug/L	Y		8/12/2015	16:13	150	ug/L	150	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7439-92-1	Lead	D	0.06	ug/L	Y	J	8/12/2015	16:13	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7439-92-1	Lead	T	1.3	ug/L	Y		8/12/2015	16:13	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7439-95-4	Magnesium	D	26000	ug/L	Y		8/12/2015	16:13	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7439-95-4	Magnesium	T	25000	ug/L	Y		8/12/2015	16:13	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7439-96-5	Manganese	D	13	ug/L	Y		8/12/2015	16:13	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7439-96-5	Manganese	T	37	ug/L	Y		8/12/2015	16:13	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	16:13	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	16:13	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TD-D006-150812-21	D006	7439-98-7	Molybdenum	D	1.7	ug/L	Y	J	8/12/2015	16:13	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	16:13	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	16:13	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	16:13	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	14797-55-8	Nitrogen, Nitrate (As N)	N	0.84	MG/L	Y		8/12/2015	16:13	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TD-D006-150812-21	D006	7440-09-7	Potassium	D	2500	ug/L	Y		8/12/2015	16:13	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-09-7	Potassium	T	2400	ug/L	Y		8/12/2015	16:13	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7782-49-2	Selenium	D	1.4	ug/L	Y		8/12/2015	16:13	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7782-49-2	Selenium	T	1.5	ug/L	Y	J	8/12/2015	16:13	0.97	ug/L	0.97	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	16:13	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D006-150812-21	D006	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	16:13	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-23-5	Sodium	D	46000	ug/L	Y		8/12/2015	16:13	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-23-5	Sodium	T	46000	ug/L	Y		8/12/2015	16:13	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	16:13	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-28-0	Thallium	T	0.016	ug/L	Y	J	8/12/2015	16:13	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-62-2	Vanadium	D	3.6	ug/L	Y	J	8/12/2015	16:13	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-62-2	Vanadium	T	4.8	ug/L	Y	J	8/12/2015	16:13	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TD-D006-150812-21	D006	7440-66-6	Zinc	D	3.5	ug/L	Y	J	8/12/2015	16:13	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TD-D006-150812-21	D006	7440-66-6	Zinc	T	3.9	ug/L	N	U	8/12/2015	16:13	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	72608-12-9	Alkalinity, Total (As CaCO3)	N	259.5	MG/L CaCO3	Y		8/12/2015	10:06	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TE-E006-150812-21	E006	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	10:06	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7429-90-5	Aluminum	T	27	ug/L	Y		8/12/2015	10:06	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	10:06	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	10:06	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-38-2	Arsenic	D	0.19	ug/L	Y	J	8/12/2015	10:06	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-38-2	Arsenic	T	0.58	ug/L	Y	J	8/12/2015	10:06	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-39-3	Barium	D	26	ug/L	Y		8/12/2015	10:06	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-39-3	Barium	T	27	ug/L	Y		8/12/2015	10:06	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-41-7	Beryllium	D	0.41	ug/L	Y	J	8/12/2015	10:06	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	10:06	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	71-52-3	Bicarbonate	N	259.5	MG/L CaCO3	Y		8/12/2015	10:06	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TE-E006-150812-21	E006	7440-43-9	Cadmium	D	0.021	ug/L	Y	J	8/12/2015	10:06	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-43-9	Cadmium	T	0.034	ug/L	Y	J	8/12/2015	10:06	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TE-E006-150812-21	E006	7440-70-2	Calcium	D	120000	ug/L	Y		8/12/2015	10:06	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-70-2	Calcium	T	120000	ug/L	Y		8/12/2015	10:06	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	10:06	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TE-E006-150812-21	E006	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	10:06	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	10:06	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-48-4	Cobalt	D	1.3	ug/L	Y	J	8/12/2015	10:06	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	10:06	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-50-8	Copper	D	8	ug/L	Y		8/12/2015	10:06	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-50-8	Copper	T	110	ug/L	Y		8/12/2015	10:06	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7439-89-6	Iron	D	7.3	ug/L	N	U	8/12/2015	10:06	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7439-89-6	Iron	T	2000	ug/L	Y		8/12/2015	10:06	36	ug/L	36	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7439-92-1	Lead	D	0.087	ug/L	Y	J	8/12/2015	10:06	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7439-92-1	Lead	T	7	ug/L	Y		8/12/2015	10:06	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7439-95-4	Magnesium	D	24000	ug/L	Y		8/12/2015	10:06	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7439-95-4	Magnesium	T	24000	ug/L	Y		8/12/2015	10:06	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7439-96-5	Manganese	D	2.1	ug/L	Y		8/12/2015	10:06	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7439-96-5	Manganese	T	12	ug/L	Y		8/12/2015	10:06	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	10:06	0.059	ug/L	0.059	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	10:06	0.059	ug/L	0.059	ug/L	Potable Water		Mercury
0010958	TE-E006-150812-21	E006	7439-98-7	Molybdenum	D	1.7	ug/L	N	U	8/12/2015	10:06	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7439-98-7	Molybdenum	T	2.7	ug/L	N	U	8/12/2015	10:06	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	10:06	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	10:06	2.3	ug/L	2.3	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TE-E006-150812-21	E006	14797-55-8	Nitrogen, Nitrate (As N)	N	5.9	MG/L	Y		8/12/2015	10:06	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TE-E006-150812-21	E006	7440-09-7	Potassium	D	1300	ug/L	Y		8/12/2015	10:06	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-09-7	Potassium	T	1200	ug/L	Y		8/12/2015	10:06	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7782-49-2	Selenium	D	2	ug/L	Y		8/12/2015	10:06	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7782-49-2	Selenium	T	2.1	ug/L	Y	J	8/12/2015	10:06	0.97	ug/L	0.97	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	10:06	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-22-4	Silver	T	0.045	ug/L	Y	J	8/12/2015	10:06	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-23-5	Sodium	D	65000	ug/L	Y		8/12/2015	10:06	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-23-5	Sodium	T	67000	ug/L	Y		8/12/2015	10:06	100	ug/L	100	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-28-0	Thallium	D	0.0028	ug/L	N	U	8/12/2015	10:06	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-28-0	Thallium	T	0.0073	ug/L	Y	J	8/12/2015	10:06	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-62-2	Vanadium	D	3.2	ug/L	Y	J	8/12/2015	10:06	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	10:06	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TE-E006-150812-21	E006	7440-66-6	Zinc	D	22	ug/L	Y		8/12/2015	10:06	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E006-150812-21	E006	7440-66-6	Zinc	T	55	ug/L	Y		8/12/2015	10:06	3.9	ug/L	3.9	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	72608-12-9	Alkalinity, Total (As CaCO3)	N	223.7	MG/L CaCO3	Y		8/12/2015	10:51	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TE-E007-150812-21	E007	7429-90-5	Aluminum	D	3.4	ug/L	N	U	8/12/2015	10:51	3.4	ug/L	3.4	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7429-90-5	Aluminum	T	6.2	ug/L	Y	J	8/12/2015	10:51	5.3	ug/L	5.3	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-36-0	Antimony	D	0.14	ug/L	N	U	8/12/2015	10:51	0.14	ug/L	0.14	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-36-0	Antimony	T	0.43	ug/L	N	U	8/12/2015	10:51	0.43	ug/L	0.43	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-38-2	Arsenic	D	0.26	ug/L	Y	J	8/12/2015	10:51	0.065	ug/L	0.065	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-38-2	Arsenic	T	0.29	ug/L	N	U	8/12/2015	10:51	0.29	ug/L	0.29	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-39-3	Barium	D	54	ug/L	Y		8/12/2015	10:51	0.95	ug/L	0.95	ug/L	Potable Water		Metals, Dissolved

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TE-E007-150812-21	E007	7440-39-3	Barium	T	54	ug/L	Y		8/12/2015	10:51	1.1	ug/L	1.1	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-41-7	Beryllium	D	0.38	ug/L	Y	J	8/12/2015	10:51	0.31	ug/L	0.31	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-41-7	Beryllium	T	0.31	ug/L	N	U	8/12/2015	10:51	0.31	ug/L	0.31	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	71-52-3	Bicarbonate	N	223.7	MG/L CaCO3	Y		8/12/2015	10:51	0.9399	MG/L CaCO3	0.9399	MG/L CaCO3	Potable Water		Alkalinity
0010958	TE-E007-150812-21	E007	7440-43-9	Cadmium	D	0.027	ug/L	Y	J	8/12/2015	10:51	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-43-9	Cadmium	T	0.046	ug/L	Y	J	8/12/2015	10:51	0.0079	ug/L	0.0079	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-70-2	Calcium	D	130000	ug/L	Y		8/12/2015	10:51	280	ug/L	280	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-70-2	Calcium	T	140000	ug/L	Y		8/12/2015	10:51	420	ug/L	420	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	471-34-1	Carbonate	N	2	MG/L CaCO3	N	U	8/12/2015	10:51	2	MG/L CaCO3	2	MG/L CaCO3	Potable Water		Alkalinity
0010958	TE-E007-150812-21	E007	7440-47-3	Chromium	D	1.8	ug/L	N	U	8/12/2015	10:51	1.8	ug/L	1.8	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-47-3	Chromium	T	2.2	ug/L	N	U	8/12/2015	10:51	2.2	ug/L	2.2	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-48-4	Cobalt	D	1.5	ug/L	Y	J	8/12/2015	10:51	1.3	ug/L	1.3	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-48-4	Cobalt	T	1.3	ug/L	N	U	8/12/2015	10:51	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-50-8	Copper	D	5.3	ug/L	Y		8/12/2015	10:51	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-50-8	Copper	T	93	ug/L	Y		8/12/2015	10:51	1.3	ug/L	1.3	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7439-89-6	Iron	D	150	ug/L	Y		8/12/2015	10:51	7.3	ug/L	7.3	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7439-89-6	Iron	T	1700	ug/L	Y		8/12/2015	10:51	36	ug/L	36	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7439-92-1	Lead	D	0.82	ug/L	Y		8/12/2015	10:51	0.026	ug/L	0.026	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7439-92-1	Lead	T	18	ug/L	Y		8/12/2015	10:51	0.047	ug/L	0.047	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7439-95-4	Magnesium	D	18000	ug/L	Y		8/12/2015	10:51	39	ug/L	39	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7439-95-4	Magnesium	T	17000	ug/L	Y		8/12/2015	10:51	75	ug/L	75	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7439-96-5	Manganese	D	180	ug/L	Y		8/12/2015	10:51	0.27	ug/L	0.27	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7439-96-5	Manganese	T	180	ug/L	Y		8/12/2015	10:51	1.5	ug/L	1.5	ug/L	Potable Water		Metals

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TE-E007-150812-21	E007	7439-97-6	Mercury	D	0.15	ug/L	N	U	8/12/2015	10:51	0.15	ug/L	0.15	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7439-97-6	Mercury	T	0.15	ug/L	N	U	8/12/2015	10:51	0.15	ug/L	0.15	ug/L	Potable Water		Mercury
0010958	TE-E007-150812-21	E007	7439-98-7	Molybdenum	D	3	ug/L	Y	J	8/12/2015	10:51	1.7	ug/L	1.7	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7439-98-7	Molybdenum	T	3.3	ug/L	Y	J	8/12/2015	10:51	2.7	ug/L	2.7	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-02-0	Nickel	D	2.1	ug/L	N	U	8/12/2015	10:51	2.1	ug/L	2.1	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-02-0	Nickel	T	2.3	ug/L	N	U	8/12/2015	10:51	2.3	ug/L	2.3	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	14797-55-8	Nitrogen, Nitrate (As N)	N	0.032	MG/L	N	U	8/12/2015	10:51	0.032	MG/L	0.032	MG/L	Potable Water		Anions
0010958	TE-E007-150812-21	E007	7440-09-7	Potassium	D	0.19	ug/L	Y		8/12/2015	10:51	180	ug/L	180	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-09-7	Potassium	T	3000	ug/L	Y		8/12/2015	10:51	220	ug/L	220	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7782-49-2	Selenium	D	0.64	ug/L	Y	J	8/12/2015	10:51	0.19	ug/L	0.19	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7782-49-2	Selenium	T	0.47	ug/L	Y	J	8/12/2015	10:51	0.19	ug/L	0.19	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-22-4	Silver	D	0.044	ug/L	N	U	8/12/2015	10:51	0.044	ug/L	0.044	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-22-4	Silver	T	0.044	ug/L	N	U	8/12/2015	10:51	0.044	ug/L	0.044	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-23-5	Sodium	D	88000	ug/L	Y		8/12/2015	10:51	72	ug/L	72	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-23-5	Sodium	T	89000	ug/L	Y		8/12/2015	10:51	510	ug/L	510	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-28-0	Thallium	D	0.0062	ug/L	Y	J	8/12/2015	10:51	0.0028	ug/L	0.0028	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-28-0	Thallium	T	0.017	ug/L	Y	J	8/12/2015	10:51	0.0053	ug/L	0.0053	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-62-2	Vanadium	D	2.8	ug/L	Y	J	8/12/2015	10:51	1.5	ug/L	1.5	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-62-2	Vanadium	T	1.5	ug/L	N	U	8/12/2015	10:51	1.5	ug/L	1.5	ug/L	Potable Water		Metals
0010958	TE-E007-150812-21	E007	7440-66-6	Zinc	D	18	ug/L	Y		8/12/2015	10:51	2.8	ug/L	2.8	ug/L	Potable Water		Metals, Dissolved
0010958	TE-E007-150812-21	E007	7440-66-6	Zinc	T	28	ug/L	Y		8/12/2015	10:51	3.9	ug/L	3.9	ug/L	Potable Water		Metals