

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA001-150815-21	PWSA001	STL00171	Alkalinity	T	240	mg/L	Y		8/15/2015	09:53	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TA-PWSA001-150815-21	PWSA001	7429-90-5	Aluminum	T	210	ug/L	Y		8/15/2015	09:53	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	09:53	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7440-36-0	Antimony	T	0.56	ug/L	Y	J	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-39-3	Barium	T	41	ug/L	Y		8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-39-3	Barium, Dissolved	D	37	ug/L	Y		8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	09:53	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	09:53	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-43-9	Cadmium	T	0.53	ug/L	Y	J	8/15/2015	09:53	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	09:53	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-70-2	Calcium	T	160000	ug/L	Y		8/15/2015	09:53	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7440-70-2	Calcium, Dissolved	D	160000	ug/L	Y		8/15/2015	09:53	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-50-8	Copper	T	7.8	ug/L	Y		8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA001-150815-21	PWSA001	7440-50-8	Copper, Dissolved	D	2.2	ug/L	Y		8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7439-89-6	Iron	T	320	ug/L	Y		8/15/2015	09:53	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7439-89-6	Iron, Dissolved	D	10	ug/L	N	U	8/15/2015	09:53	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7439-92-1	Lead	T	0.89	ug/L	Y	J	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7439-92-1	Lead, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7439-95-4	Magnesium	T	13000	ug/L	Y		8/15/2015	09:53	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7439-95-4	Magnesium, Dissolved	D	12000	ug/L	Y		8/15/2015	09:53	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7439-96-5	Manganese	T	920	ug/L	Y		8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7439-96-5	Manganese, Dissolved	D	640	ug/L	Y		8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	09:53	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSA001-150815-21	PWSA001	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	09:53	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSA001-150815-21	PWSA001	7439-98-7	Molybdenum	T	3.1	ug/L	Y		8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7439-98-7	Molybdenum, Dissolved	D	2.9	ug/L	Y		8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-02-0	Nickel	T	0.64	ug/L	Y	J	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-02-0	Nickel, Dissolved	D	0.55	ug/L	Y	J	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-09-7	Potassium	T	2700	ug/L	Y		8/15/2015	09:53	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7440-09-7	Potassium, Dissolved	D	2500	ug/L	Y		8/15/2015	09:53	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA001-150815-21	PWSA001	7440-23-5	Sodium	T	44000	ug/L	Y		8/15/2015	09:53	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7440-23-5	Sodium, Dissolved	D	43000	ug/L	Y		8/15/2015	09:53	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-21	PWSA001	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:53	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	09:53	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	09:53	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-66-6	Zinc	T	310	ug/L	Y		8/15/2015	09:53	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-21	PWSA001	7440-66-6	Zinc, Dissolved	D	77	ug/L	Y		8/15/2015	09:53	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	STL00171	Alkalinity	T	240	mg/L	Y		8/15/2015	10:03	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TA-PWSA001-150815-22	PWSA001	7429-90-5	Aluminum	T	170	ug/L	Y		8/15/2015	10:03	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	10:03	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7440-36-0	Antimony	T	0.56	ug/L	Y	J	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-39-3	Barium	T	41	ug/L	Y		8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-39-3	Barium, Dissolved	D	37	ug/L	Y		8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	10:03	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:03	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-43-9	Cadmium	T	0.5	ug/L	Y	J	8/15/2015	10:03	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:03	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA001-150815-22	PWSA001	7440-70-2	Calcium	T	170000	ug/L	Y		8/15/2015	10:03	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7440-70-2	Calcium, Dissolved	D	160000	ug/L	Y		8/15/2015	10:03	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-50-8	Copper	T	8.7	ug/L	Y		8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-50-8	Copper, Dissolved	D	1.6	ug/L	Y	J	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7439-89-6	Iron	T	260	ug/L	Y		8/15/2015	10:03	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7439-89-6	Iron, Dissolved	D	12	ug/L	Y	J	8/15/2015	10:03	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7439-92-1	Lead	T	0.88	ug/L	Y	J	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7439-92-1	Lead, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7439-95-4	Magnesium	T	14000	ug/L	Y		8/15/2015	10:03	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7439-95-4	Magnesium, Dissolved	D	12000	ug/L	Y		8/15/2015	10:03	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7439-96-5	Manganese	T	900	ug/L	Y		8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7439-96-5	Manganese, Dissolved	D	620	ug/L	Y		8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	10:03	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSA001-150815-22	PWSA001	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	10:03	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSA001-150815-22	PWSA001	7439-98-7	Molybdenum	T	3.1	ug/L	Y		8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7439-98-7	Molybdenum, Dissolved	D	2.9	ug/L	Y		8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-02-0	Nickel	T	0.65	ug/L	Y	J	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA001-150815-22	PWSA001	7440-02-0	Nickel, Dissolved	D	0.93	ug/L	Y	J	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-09-7	Potassium	T	2600	ug/L	Y		8/15/2015	10:03	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7440-09-7	Potassium, Dissolved	D	2500	ug/L	Y		8/15/2015	10:03	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7782-49-2	Selenium	T	0.52	ug/L	Y	J	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-23-5	Sodium	T	45000	ug/L	Y		8/15/2015	10:03	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7440-23-5	Sodium, Dissolved	D	43000	ug/L	Y		8/15/2015	10:03	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA001-150815-22	PWSA001	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:03	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	10:03	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	10:03	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-66-6	Zinc	T	300	ug/L	Y		8/15/2015	10:03	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA001-150815-22	PWSA001	7440-66-6	Zinc, Dissolved	D	74	ug/L	Y		8/15/2015	10:03	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	STL00171	Alkalinity	T	240	mg/L	Y		8/15/2015	10:13	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TA-PWSA002-150815-21	PWSA002	7429-90-5	Aluminum	T	25	ug/L	Y	J	8/15/2015	10:13	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	10:13	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7440-36-0	Antimony	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA002-150815-21	PWSA002	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-39-3	Barium	T	48	ug/L	Y		8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-39-3	Barium, Dissolved	D	42	ug/L	Y		8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	10:13	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:13	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-43-9	Cadmium	T	0.25	ug/L	N	U	8/15/2015	10:13	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:13	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-70-2	Calcium	T	200000	ug/L	Y		8/15/2015	10:13	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7440-70-2	Calcium, Dissolved	D	170000	ug/L	Y		8/15/2015	10:13	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-50-8	Copper	T	1.6	ug/L	Y	J	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-50-8	Copper, Dissolved	D	1.2	ug/L	Y	J	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7439-89-6	Iron	T	170	ug/L	Y		8/15/2015	10:13	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7439-89-6	Iron, Dissolved	D	30	ug/L	Y	J	8/15/2015	10:13	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7439-92-1	Lead	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7439-92-1	Lead, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7439-95-4	Magnesium	T	15000	ug/L	Y		8/15/2015	10:13	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7439-95-4	Magnesium, Dissolved	D	13000	ug/L	Y		8/15/2015	10:13	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA002-150815-21	PWSA002	7439-96-5	Manganese	T	90	ug/L	Y	J	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7439-96-5	Manganese, Dissolved	D	330	ug/L	Y	J	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	10:13	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSA002-150815-21	PWSA002	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	10:13	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSA002-150815-21	PWSA002	7439-98-7	Molybdenum	T	1.6	ug/L	Y	J	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7439-98-7	Molybdenum, Dissolved	D	2.1	ug/L	Y	J	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-02-0	Nickel	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-02-0	Nickel, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-09-7	Potassium	T	2200	ug/L	Y		8/15/2015	10:13	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7440-09-7	Potassium, Dissolved	D	2200	ug/L	Y		8/15/2015	10:13	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7782-49-2	Selenium, Dissolved	D	0.53	ug/L	Y	J	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-23-5	Sodium	T	48000	ug/L	Y		8/15/2015	10:13	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7440-23-5	Sodium, Dissolved	D	43000	ug/L	Y		8/15/2015	10:13	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA002-150815-21	PWSA002	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:13	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	10:13	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	10:13	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA002-150815-21	PWSA002	7440-66-6	Zinc	T	200	ug/L	Y		8/15/2015	10:13	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA002-150815-21	PWSA002	7440-66-6	Zinc, Dissolved	D	140	ug/L	Y		8/15/2015	10:13	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	STL00171	Alkalinity	T	220	mg/L	Y		8/15/2015	10:32	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TA-PWSA003-150815-21	PWSA003	7429-90-5	Aluminum	T	25	ug/L	N	U	8/15/2015	10:32	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	10:32	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7440-36-0	Antimony	T	0.56	ug/L	Y	J	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-36-0	Antimony, Dissolved	D	0.58	ug/L	Y	J	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-39-3	Barium	T	56	ug/L	Y		8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-39-3	Barium, Dissolved	D	56	ug/L	Y		8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	10:32	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:32	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-43-9	Cadmium	T	1.4	ug/L	Y		8/15/2015	10:32	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:32	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-70-2	Calcium	T	160000	ug/L	Y		8/15/2015	10:32	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7440-70-2	Calcium, Dissolved	D	150000	ug/L	Y		8/15/2015	10:32	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-48-4	Cobalt	T	0.53	ug/L	Y	J	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-48-4	Cobalt, Dissolved	D	0.52	ug/L	Y	J	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-50-8	Copper	T	5.3	ug/L	Y		8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)



Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA003-150815-21	PWSA003	7440-50-8	Copper, Dissolved	D	2.3	ug/L	Y		8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7439-89-6	Iron	T	300	ug/L	Y		8/15/2015	10:32	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7439-89-6	Iron, Dissolved	D	29	ug/L	Y	J	8/15/2015	10:32	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7439-92-1	Lead	T	0.5	ug/L	Y	J	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7439-92-1	Lead, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7439-95-4	Magnesium	T	14000	ug/L	Y		8/15/2015	10:32	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7439-95-4	Magnesium, Dissolved	D	12000	ug/L	Y		8/15/2015	10:32	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7439-96-5	Manganese	T	940	ug/L	Y		8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7439-96-5	Manganese, Dissolved	D	920	ug/L	Y		8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	10:32	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSA003-150815-21	PWSA003	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	10:32	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSA003-150815-21	PWSA003	7439-98-7	Molybdenum	T	3.4	ug/L	Y		8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7439-98-7	Molybdenum, Dissolved	D	3.4	ug/L	Y		8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-02-0	Nickel	T	0.59	ug/L	Y	J	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-02-0	Nickel, Dissolved	D	1.1	ug/L	Y	J	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-09-7	Potassium	T	2800	ug/L	Y		8/15/2015	10:32	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7440-09-7	Potassium, Dissolved	D	2700	ug/L	Y		8/15/2015	10:32	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSA003-150815-21	PWSA003	7440-23-5	Sodium	T	41000	ug/L	Y		8/15/2015	10:32	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7440-23-5	Sodium, Dissolved	D	38000	ug/L	Y		8/15/2015	10:32	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSA003-150815-21	PWSA003	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:32	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	10:32	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	10:32	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-66-6	Zinc	T	930	ug/L	Y		8/15/2015	10:32	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSA003-150815-21	PWSA003	7440-66-6	Zinc, Dissolved	D	190	ug/L	Y		8/15/2015	10:32	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	STL00171	Alkalinity	T	250	mg/L	Y		8/15/2015	11:28	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TA-PWSB001-150815-21	PWSB001	7429-90-5	Aluminum	T	25	ug/L	N	U	8/15/2015	11:28	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	11:28	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7440-36-0	Antimony	T	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-39-3	Barium	T	17	ug/L	Y		8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-39-3	Barium, Dissolved	D	17	ug/L	Y		8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	11:28	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	11:28	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-43-9	Cadmium	T	0.25	ug/L	N	U	8/15/2015	11:28	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	11:28	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSB001-150815-21	PWSB001	7440-70-2	Calcium	T	160000	ug/L	Y		8/15/2015	11:28	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7440-70-2	Calcium, Dissolved	D	140000	ug/L	Y		8/15/2015	11:28	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-50-8	Copper	T	5.4	ug/L	Y		8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-50-8	Copper, Dissolved	D	2.8	ug/L	Y		8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7439-89-6	Iron	T	460	ug/L	Y		8/15/2015	11:28	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7439-89-6	Iron, Dissolved	D	170	ug/L	Y		8/15/2015	11:28	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7439-92-1	Lead	T	1.6	ug/L	Y		8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7439-92-1	Lead, Dissolved	D	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7439-95-4	Magnesium	T	17000	ug/L	Y		8/15/2015	11:28	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7439-95-4	Magnesium, Dissolved	D	16000	ug/L	Y		8/15/2015	11:28	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7439-96-5	Manganese	T	13	ug/L	Y	J	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7439-96-5	Manganese, Dissolved	D	16	ug/L	Y	J	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	11:28	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSB001-150815-21	PWSB001	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	11:28	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TA-PWSB001-150815-21	PWSB001	7439-98-7	Molybdenum	T	1.6	ug/L	Y	J	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7439-98-7	Molybdenum, Dissolved	D	1.7	ug/L	Y	J	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-02-0	Nickel	T	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TA-PWSB001-150815-21	PWSB001	7440-02-0	Nickel, Dissolved	D	1.1	ug/L	Y	J	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-09-7	Potassium	T	1500	ug/L	Y		8/15/2015	11:28	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7440-09-7	Potassium, Dissolved	D	1300	ug/L	Y		8/15/2015	11:28	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-23-5	Sodium	T	65000	ug/L	Y		8/15/2015	11:28	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7440-23-5	Sodium, Dissolved	D	59000	ug/L	Y		8/15/2015	11:28	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TA-PWSB001-150815-21	PWSB001	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	11:28	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	11:28	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	11:28	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-66-6	Zinc	T	61	ug/L	Y	J	8/15/2015	11:28	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TA-PWSB001-150815-21	PWSB001	7440-66-6	Zinc, Dissolved	D	73	ug/L	Y	J	8/15/2015	11:28	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	STL00171	Alkalinity	T	210	mg/L	Y		8/15/2015	09:30	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TB-B028-150815-21	B028	7429-90-5	Aluminum	T	33	ug/L	Y	J	8/15/2015	09:30	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	09:30	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7440-36-0	Antimony	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B028-150815-21	B028	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-39-3	Barium	T	50	ug/L	Y		8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-39-3	Barium, Dissolved	D	50	ug/L	Y		8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	09:30	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	09:30	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-43-9	Cadmium	T	0.25	ug/L	N	U	8/15/2015	09:30	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	09:30	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-70-2	Calcium	T	89000	ug/L	Y		8/15/2015	09:30	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7440-70-2	Calcium, Dissolved	D	88000	ug/L	Y		8/15/2015	09:30	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-50-8	Copper	T	4.9	ug/L	Y		8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-50-8	Copper, Dissolved	D	4.7	ug/L	Y		8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7439-89-6	Iron	T	26	ug/L	Y	J	8/15/2015	09:30	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7439-89-6	Iron, Dissolved	D	10	ug/L	N	U	8/15/2015	09:30	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7439-92-1	Lead	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7439-92-1	Lead, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7439-95-4	Magnesium	T	13000	ug/L	Y		8/15/2015	09:30	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7439-95-4	Magnesium, Dissolved	D	14000	ug/L	Y		8/15/2015	09:30	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B028-150815-21	B028	7439-96-5	Manganese	T	0.85	ug/L	Y	J	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7439-96-5	Manganese, Dissolved	D	1.7	ug/L	Y	J	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	09:30	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TB-B028-150815-21	B028	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	09:30	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TB-B028-150815-21	B028	7439-98-7	Molybdenum	T	4.2	ug/L	Y		8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7439-98-7	Molybdenum, Dissolved	D	4.1	ug/L	Y		8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-02-0	Nickel	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-02-0	Nickel, Dissolved	D	0.94	ug/L	Y	J	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-09-7	Potassium	T	2500	ug/L	Y		8/15/2015	09:30	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7440-09-7	Potassium, Dissolved	D	2400	ug/L	Y		8/15/2015	09:30	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-23-5	Sodium	T	13000	ug/L	Y		8/15/2015	09:30	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7440-23-5	Sodium, Dissolved	D	13000	ug/L	Y		8/15/2015	09:30	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TB-B028-150815-21	B028	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	09:30	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	09:30	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TB-B028-150815-21	B028	7440-66-6	Zinc	T	7.3	ug/L	Y	J	8/15/2015	09:30	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TB-B028-150815-21	B028	7440-66-6	Zinc, Dissolved	D	9.2	ug/L	Y	J	8/15/2015	09:30	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	STL00171	Alkalinity	T	210	mg/L	Y		8/15/2015	09:35	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TC-C015-150815-21	C015	7429-90-5	Aluminum	T	25	ug/L	N	U	8/15/2015	09:35	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	09:35	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7440-36-0	Antimony	T	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-39-3	Barium	T	38	ug/L	Y		8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-39-3	Barium, Dissolved	D	32	ug/L	Y		8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	09:35	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	09:35	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-43-9	Cadmium	T	0.25	ug/L	N	U	8/15/2015	09:35	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	09:35	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-70-2	Calcium	T	93000	ug/L	Y		8/15/2015	09:35	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7440-70-2	Calcium, Dissolved	D	98000	ug/L	Y		8/15/2015	09:35	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-50-8	Copper	T	12	ug/L	Y	J	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C015-150815-21	C015	7440-50-8	Copper, Dissolved	D	38	ug/L	Y	J	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7439-89-6	Iron	T	44	ug/L	Y		8/15/2015	09:35	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7439-89-6	Iron, Dissolved	D	10	ug/L	N	U	8/15/2015	09:35	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7439-92-1	Lead	T	11	ug/L	Y	J	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7439-92-1	Lead, Dissolved	D	21	ug/L	Y	J	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7439-95-4	Magnesium	T	8300	ug/L	Y		8/15/2015	09:35	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7439-95-4	Magnesium, Dissolved	D	8300	ug/L	Y		8/15/2015	09:35	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7439-96-5	Manganese	T	1.1	ug/L	Y		8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7439-96-5	Manganese, Dissolved	D	1.2	ug/L	Y		8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	09:35	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TC-C015-150815-21	C015	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	09:35	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TC-C015-150815-21	C015	7439-98-7	Molybdenum	T	1.6	ug/L	Y	J	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7439-98-7	Molybdenum, Dissolved	D	1.6	ug/L	Y	J	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-02-0	Nickel	T	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-02-0	Nickel, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-09-7	Potassium	T	1500	ug/L	Y		8/15/2015	09:35	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7440-09-7	Potassium, Dissolved	D	1500	ug/L	Y		8/15/2015	09:35	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)



Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C015-150815-21	C015	7440-23-5	Sodium	T	25000	ug/L	Y		8/15/2015	09:35	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7440-23-5	Sodium, Dissolved	D	26000	ug/L	Y		8/15/2015	09:35	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C015-150815-21	C015	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:35	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	09:35	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	09:35	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-66-6	Zinc	T	44	ug/L	Y	J	8/15/2015	09:35	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C015-150815-21	C015	7440-66-6	Zinc, Dissolved	D	91	ug/L	Y	J	8/15/2015	09:35	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	STL00171	Alkalinity	T	190	mg/L	Y		8/15/2015	10:30	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TC-C016-150815-21	C016	7429-90-5	Aluminum	T	32	ug/L	Y	J	8/15/2015	10:30	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	10:30	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7440-36-0	Antimony	T	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-39-3	Barium	T	46	ug/L	Y		8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-39-3	Barium, Dissolved	D	46	ug/L	Y		8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	10:30	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:30	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-43-9	Cadmium	T	0.25	ug/L	N	U	8/15/2015	10:30	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:30	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C016-150815-21	C016	7440-70-2	Calcium	T	80000	ug/L	Y		8/15/2015	10:30	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7440-70-2	Calcium, Dissolved	D	79000	ug/L	Y		8/15/2015	10:30	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-50-8	Copper	T	11	ug/L	Y		8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-50-8	Copper, Dissolved	D	6.7	ug/L	Y		8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7439-89-6	Iron	T	45	ug/L	Y		8/15/2015	10:30	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7439-89-6	Iron, Dissolved	D	10	ug/L	N	U	8/15/2015	10:30	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7439-92-1	Lead	T	3.2	ug/L	Y		8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7439-92-1	Lead, Dissolved	D	1.3	ug/L	Y		8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7439-95-4	Magnesium	T	8500	ug/L	Y		8/15/2015	10:30	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7439-95-4	Magnesium, Dissolved	D	8000	ug/L	Y		8/15/2015	10:30	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7439-96-5	Manganese	T	1.1	ug/L	Y	J	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7439-96-5	Manganese, Dissolved	D	1.3	ug/L	Y	J	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	10:30	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TC-C016-150815-21	C016	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	10:30	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TC-C016-150815-21	C016	7439-98-7	Molybdenum	T	2.5	ug/L	Y		8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7439-98-7	Molybdenum, Dissolved	D	2.5	ug/L	Y		8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-02-0	Nickel	T	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TC-C016-150815-21	C016	7440-02-0	Nickel, Dissolved	D	1.5	ug/L	Y	J	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-09-7	Potassium	T	1100	ug/L	Y		8/15/2015	10:30	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7440-09-7	Potassium, Dissolved	D	1000	ug/L	Y		8/15/2015	10:30	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-23-5	Sodium	T	19000	ug/L	Y		8/15/2015	10:30	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7440-23-5	Sodium, Dissolved	D	19000	ug/L	Y		8/15/2015	10:30	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TC-C016-150815-21	C016	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:30	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	10:30	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	10:30	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-66-6	Zinc	T	18	ug/L	Y	J	8/15/2015	10:30	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TC-C016-150815-21	C016	7440-66-6	Zinc, Dissolved	D	9.6	ug/L	Y	J	8/15/2015	10:30	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	STL00171	Alkalinity	T	340	mg/L	Y		8/15/2015	09:43	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TD-D016-150815-21	D016	7429-90-5	Aluminum	T	25	ug/L	N	U	8/15/2015	09:43	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	09:43	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7440-36-0	Antimony	T	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D016-150815-21	D016	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-39-3	Barium	T	20	ug/L	Y		8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-39-3	Barium, Dissolved	D	20	ug/L	Y		8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	09:43	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	09:43	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-43-9	Cadmium	T	0.25	ug/L	N	U	8/15/2015	09:43	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	09:43	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-70-2	Calcium	T	150000	ug/L	Y		8/15/2015	09:43	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7440-70-2	Calcium, Dissolved	D	160000	ug/L	Y		8/15/2015	09:43	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-50-8	Copper	T	2	ug/L	Y		8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-50-8	Copper, Dissolved	D	1.3	ug/L	Y	J	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7439-89-6	Iron	T	180	ug/L	Y		8/15/2015	09:43	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7439-89-6	Iron, Dissolved	D	65	ug/L	Y		8/15/2015	09:43	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7439-92-1	Lead	T	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7439-92-1	Lead, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7439-95-4	Magnesium	T	34000	ug/L	Y		8/15/2015	09:43	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7439-95-4	Magnesium, Dissolved	D	34000	ug/L	Y		8/15/2015	09:43	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D016-150815-21	D016	7439-96-5	Manganese	T	11	ug/L	Y		8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7439-96-5	Manganese, Dissolved	D	10	ug/L	Y		8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	09:43	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TD-D016-150815-21	D016	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	09:43	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TD-D016-150815-21	D016	7439-98-7	Molybdenum	T	1.5	ug/L	Y	J	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7439-98-7	Molybdenum, Dissolved	D	1.9	ug/L	Y	J	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-02-0	Nickel	T	1.2	ug/L	Y	J	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-02-0	Nickel, Dissolved	D	1.3	ug/L	Y	J	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-09-7	Potassium	T	1500	ug/L	Y		8/15/2015	09:43	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7440-09-7	Potassium, Dissolved	D	1500	ug/L	Y		8/15/2015	09:43	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7782-49-2	Selenium	T	1.2	ug/L	Y	J	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7782-49-2	Selenium, Dissolved	D	1.1	ug/L	Y	J	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-23-5	Sodium	T	93000	ug/L	Y		8/15/2015	09:43	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7440-23-5	Sodium, Dissolved	D	98000	ug/L	Y		8/15/2015	09:43	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D016-150815-21	D016	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	09:43	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	09:43	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	09:43	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D016-150815-21	D016	7440-66-6	Zinc	T	63	ug/L	Y	J	8/15/2015	09:43	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D016-150815-21	D016	7440-66-6	Zinc, Dissolved	D	110	ug/L	Y	J	8/15/2015	09:43	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	STL00171	Alkalinity	T	210	mg/L	Y		8/15/2015	10:52	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TD-D017-150815-21	D017	7429-90-5	Aluminum	T	34	ug/L	Y	J	8/15/2015	10:52	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	10:52	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7440-36-0	Antimony	T	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-39-3	Barium	T	39	ug/L	Y		8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-39-3	Barium, Dissolved	D	38	ug/L	Y		8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	10:52	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:52	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-43-9	Cadmium	T	0.25	ug/L	N	U	8/15/2015	10:52	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	10:52	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-70-2	Calcium	T	84000	ug/L	Y		8/15/2015	10:52	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7440-70-2	Calcium, Dissolved	D	82000	ug/L	Y		8/15/2015	10:52	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7440-47-3	Chromium	T	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-47-3	Chromium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-50-8	Copper	T	11	ug/L	Y		8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D017-150815-21	D017	7440-50-8	Copper, Dissolved	D	3.7	ug/L	Y		8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7439-89-6	Iron	T	670	ug/L	Y		8/15/2015	10:52	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7439-89-6	Iron, Dissolved	D	10	ug/L	N	U	8/15/2015	10:52	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7439-92-1	Lead	T	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7439-92-1	Lead, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7439-95-4	Magnesium	T	9300	ug/L	Y		8/15/2015	10:52	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7439-95-4	Magnesium, Dissolved	D	8700	ug/L	Y		8/15/2015	10:52	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7439-96-5	Manganese	T	5.4	ug/L	Y		8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7439-96-5	Manganese, Dissolved	D	1.6	ug/L	Y		8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	10:52	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TD-D017-150815-21	D017	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	10:52	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TD-D017-150815-21	D017	7439-98-7	Molybdenum	T	1.4	ug/L	Y	J	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7439-98-7	Molybdenum, Dissolved	D	1.4	ug/L	Y	J	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-02-0	Nickel	T	2	ug/L	Y		8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-02-0	Nickel, Dissolved	D	0.66	ug/L	Y	J	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-09-7	Potassium	T	1700	ug/L	Y		8/15/2015	10:52	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7440-09-7	Potassium, Dissolved	D	1600	ug/L	Y		8/15/2015	10:52	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D017-150815-21	D017	7440-23-5	Sodium	T	32000	ug/L	Y		8/15/2015	10:52	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7440-23-5	Sodium, Dissolved	D	31000	ug/L	Y		8/15/2015	10:52	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D017-150815-21	D017	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	10:52	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	10:52	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	10:52	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-66-6	Zinc	T	7.9	ug/L	Y	J-	8/15/2015	10:52	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D017-150815-21	D017	7440-66-6	Zinc, Dissolved	D	2.5	ug/L	N	UR	8/15/2015	10:52	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	STL00171	Alkalinity	T	170	mg/L	Y		8/15/2015	12:27	4	mg/L	4	mg/L	Potable Water		2320B Alkalinity
0010958	TD-D018-150815-21	D018	7429-90-5	Aluminum	T	25	ug/L	N	U	8/15/2015	12:27	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7429-90-5	Aluminum, Dissolved	D	25	ug/L	N	U	8/15/2015	12:27	25	ug/L	25	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7440-36-0	Antimony	T	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-36-0	Antimony, Dissolved	D	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-38-2	Arsenic	T	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-38-2	Arsenic, Dissolved	D	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-39-3	Barium	T	40	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-39-3	Barium, Dissolved	D	38	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-41-7	Beryllium	T	0.25	ug/L	N	U	8/15/2015	12:27	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-41-7	Beryllium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	12:27	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-43-9	Cadmium	T	0.25	ug/L	N	U	8/15/2015	12:27	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-43-9	Cadmium, Dissolved	D	0.25	ug/L	N	U	8/15/2015	12:27	0.25	ug/L	0.25	ug/L	Potable Water		200.8 Metals (ICP/MS)



Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D018-150815-21	D018	7440-70-2	Calcium	T	110000	ug/L	Y		8/15/2015	12:27	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7440-70-2	Calcium, Dissolved	D	120000	ug/L	Y		8/15/2015	12:27	50	ug/L	50	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7440-47-3	Chromium	T	1.1	ug/L	Y	J	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-47-3	Chromium, Dissolved	D	0.91	ug/L	Y	J	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-48-4	Cobalt	T	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-48-4	Cobalt, Dissolved	D	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-50-8	Copper	T	5.7	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-50-8	Copper, Dissolved	D	5	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7439-89-6	Iron	T	8000	ug/L	Y		8/15/2015	12:27	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7439-89-6	Iron, Dissolved	D	5600	ug/L	Y		8/15/2015	12:27	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7439-92-1	Lead	T	3.3	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7439-92-1	Lead, Dissolved	D	1.8	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7439-95-4	Magnesium	T	43000	ug/L	Y		8/15/2015	12:27	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7439-95-4	Magnesium, Dissolved	D	41000	ug/L	Y		8/15/2015	12:27	10	ug/L	10	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7439-96-5	Manganese	T	440	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7439-96-5	Manganese, Dissolved	D	420	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7439-97-6	Mercury	T	0.1	ug/L	N	U	8/15/2015	12:27	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TD-D018-150815-21	D018	7439-97-6	Mercury, DISSOLVED	D	0.1	ug/L	N	U	8/15/2015	12:27	0.1	ug/L	0.1	ug/L	Potable Water		245.1 Mercury (CVAA)
0010958	TD-D018-150815-21	D018	7439-98-7	Molybdenum	T	3.2	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7439-98-7	Molybdenum, Dissolved	D	3.1	ug/L	Y		8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-02-0	Nickel	T	0.9	ug/L	Y	J	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)

Site Number	Sample No.	Locations	CAS. NO.	Analyte	Total or Dissolved	Result	Result Units	Detected	Result Qualifier	Sample Date	Sample Time	MDL	MDL Unit	Reporting Limit	Reporting Limit Units	Matrix	QA Comment	Analysis
0010958	TD-D018-150815-21	D018	7440-02-0	Nickel, Dissolved	D	1.4	ug/L	Y	J	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-09-7	Potassium	T	3000	ug/L	Y		8/15/2015	12:27	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7440-09-7	Potassium, Dissolved	D	2900	ug/L	Y		8/15/2015	12:27	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7782-49-2	Selenium	T	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7782-49-2	Selenium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-22-4	Silver	T	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-22-4	Silver, Dissolved	D	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-23-5	Sodium	T	79000	ug/L	Y		8/15/2015	12:27	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7440-23-5	Sodium, Dissolved	D	82000	ug/L	Y		8/15/2015	12:27	250	ug/L	250	ug/L	Potable Water		200.7 Metals (ICP)
0010958	TD-D018-150815-21	D018	7440-28-0	Thallium	T	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-28-0	Thallium, Dissolved	D	0.5	ug/L	N	U	8/15/2015	12:27	0.5	ug/L	0.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-62-2	Vanadium	T	1	ug/L	N	U	8/15/2015	12:27	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-62-2	Vanadium, Dissolved	D	1	ug/L	N	U	8/15/2015	12:27	1	ug/L	1	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-66-6	Zinc	T	2.5	ug/L	N	UJ	8/15/2015	12:27	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)
0010958	TD-D018-150815-21	D018	7440-66-6	Zinc, Dissolved	D	2.5	ug/L	N	UR	8/15/2015	12:27	2.5	ug/L	2.5	ug/L	Potable Water		200.8 Metals (ICP/MS)