

HUC EIGHT	HUC EIGHT NAME	AU_ID	AU NAME	AU IR CATEGORY	WATER SIZE	SIZE UNIT	WQS REFERENCE	CAUSE NAME	PARAMETER (Cause) IR CATEGORY	STATUS	TMDL DATE	CYCLE FIRST LISTED	AU_COMMENT	2022 IR ASSESSMENT RATIONALE
11040001	Cimarron Headwaters	NM-2701_00	Dry Cimarron R (Perennial prt OK bnd to Sloan Creek)	4A	9.4	MILES	20.6.4.702	Nutrients	4A	TMDL Completed	09/18/2019	2018	TMDLs were prepared for sulfate and TDS (2009); and temperature and nutrients (2019). This AU is likely interrupted.	
11040001	Cimarron Headwaters	NM-2701_00	Dry Cimarron R (Perennial prt OK bnd to Sloan Creek)	4A	9.4	MILES	20.6.4.702	Sulfate	4A	TMDL Completed	06/02/2009	2008	TMDLs were prepared for sulfate and TDS (2009); and temperature and nutrients (2019). This AU is likely interrupted.	
11040001	Cimarron Headwaters	NM-2701_00	Dry Cimarron R (Perennial prt OK bnd to Sloan Creek)	4A	9.4	MILES	20.6.4.702	Temperature	4A	TMDL Completed	09/18/2019	2004	TMDLs were prepared for sulfate and TDS (2009); and temperature and nutrients (2019). This AU is likely interrupted.	
11040001	Cimarron Headwaters	NM-2701_00	Dry Cimarron R (Perennial prt OK bnd to Sloan Creek)	4A	9.4	MILES	20.6.4.702	Total Dissolved Solids (TDS)	4A	TMDL Completed	06/02/2009	2004	TMDLs were prepared for sulfate and TDS (2009); and temperature and nutrients (2019). This AU is likely interrupted.	
11040001	Cimarron Headwaters	NM-2701_03	Dry Cimarron R (Perennial prt Sloan Creek to Jesus Canyon)	4A	27.31	MILES	20.6.4.702	Nutrients	4A	TMDL Completed	09/18/2019	2018	TMDLs were prepared for sulfate and TDS (2009); and temperature and nutrients (2019). This AU is likely interrupted.	
11040001	Cimarron Headwaters	NM-2701_03	Dry Cimarron R (Perennial prt Sloan Creek to Jesus Canyon)	4A	27.31	MILES	20.6.4.702	Sulfate	4A	TMDL Completed	06/02/2009	2008	TMDLs were prepared for sulfate and TDS (2009); and temperature and nutrients (2019). This AU is likely interrupted.	
11040001	Cimarron Headwaters	NM-2701_03	Dry Cimarron R (Perennial prt Sloan Creek to Jesus Canyon)	4A	27.31	MILES	20.6.4.702	Temperature	4A	TMDL Completed	09/18/2019	2004	TMDLs were prepared for sulfate and TDS (2009); and temperature and nutrients (2019). This AU is likely interrupted.	
11040001	Cimarron Headwaters	NM-2701_03	Dry Cimarron R (Perennial prt Sloan Creek to Jesus Canyon)	4A	27.31	MILES	20.6.4.702	Total Dissolved Solids (TDS)	4A	TMDL Completed	06/02/2009	2004	TMDLs were prepared for sulfate and TDS (2009); and temperature and nutrients (2019). This AU is likely interrupted.	
11040001	Cimarron Headwaters	NM-2701_02	Dry Cimarron River (Long Canyon to Oak Ck)	4A	25.21	MILES	20.6.4.702	Nutrients	4A	TMDL Completed	09/18/2019	2018	TMDLs were prepared for E. coli and TDS (2009), and nutrients (2019).	
11040001	Cimarron Headwaters	NM-2701_01	Dry Cimarron River (Oak Creek to headwaters)	5/SB	27.91	MILES	20.6.4.701	Nutrients	4A	TMDL Completed	09/18/2019	2018	A TMDL was prepared for nutrients (2019). Coldwater may not be an existing or attainable use - WQS review needed.	
11040001	Cimarron Headwaters	NM-2701_01	Dry Cimarron River (Oak Creek to headwaters)	5/SB	27.91	MILES	20.6.4.701	Temperature	5/SB	303(d) List (no TMDL in place)		2018	A TMDL was prepared for nutrients (2019). Coldwater may not be an existing or attainable use - WQS review needed.	
11040001	Cimarron Headwaters	NM-2701_20	Long Canyon (Perennial reaches abv Dry Cimarron)	4A	8.56	MILES	20.6.4.702	E. coli	4A	TMDL Completed	06/02/2009	2008	TMDLs were prepared for E. coli,selenium (2009) and temperature, plant nutrients (2019). The upper portion of the AU above the springs do not appear to be perennial.	
11040001	Cimarron Headwaters	NM-2701_20	Long Canyon (Perennial reaches abv Dry Cimarron)	4A	8.56	MILES	20.6.4.702	Nutrients	4A	TMDL Completed	09/18/2019	2018	TMDLs were prepared for E. coli,selenium (2009) and temperature, plant nutrients (2019). The upper portion of the AU above the springs do not appear to be perennial.	
11040001	Cimarron Headwaters	NM-2701_20	Long Canyon (Perennial reaches abv Dry Cimarron)	4A	8.56	MILES	20.6.4.702	Selenium, Total Recoverable	4A	TMDL Completed	06/02/2009	2008	TMDLs were prepared for E. coli,selenium (2009) and temperature, plant nutrients (2019). The upper portion of the AU above the springs do not appear to be perennial.	
11040001	Cimarron Headwaters	NM-2701_20	Long Canyon (Perennial reaches abv Dry Cimarron)	4A	8.56	MILES	20.6.4.702	Temperature	4A	TMDL Completed	09/18/2019	2004	TMDLs were prepared for E. coli,selenium (2009) and temperature, plant nutrients (2019). The upper portion of the AU above the springs do not appear to be perennial.	
11040001	Cimarron Headwaters	NM-2701_10	Oak Creek (Perennial prt Dry Cimarron to headwaters)	4C	12.46	MILES	20.6.4.701	E. coli	4A	TMDL Completed	06/02/2009	2008	TMDLs were prepared for E. coli and nutrients (2009).	
11040001	Cimarron Headwaters	NM-2701_10	Oak Creek (Perennial prt Dry Cimarron to headwaters)	4C	12.46	MILES	20.6.4.701	Flow Regime Modification	4C	Not a Pollutant		2018	TMDLs were prepared for E. coli and nutrients (2009).	
11040001	Cimarron Headwaters	NM-2701_10	Oak Creek (Perennial prt Dry Cimarron to headwaters)	4C	12.46	MILES	20.6.4.701	Nutrients	4A	TMDL Completed	06/02/2009	2008	TMDLs were prepared for E. coli and nutrients (2009).	
11080001	Canadian Headwaters	NM-2306.A_151	Caliente Canyon (Vermejo River to headwaters)	4A	20.26	MILES	20.6.4.309	Specific Conductance	4A	TMDL Completed	09/21/2007	2004	HQCWAL is probably not attainable due to low flows and high background temperatures. TMDL for specific conductance.	
11080001	Canadian Headwaters	NM-2305.A_201	Canadian River (Chicorica Creek to CO border)	5/SB	61.03	MILES	20.6.4.305	Temperature	5/SB	303(d) List (no TMDL in place)		2018		
11080001	Canadian Headwaters	NM-2305.A_200	Canadian River (Cimarron River to Chicorica Creek)	4A	39.3	MILES	20.6.4.305	Nutrients	4A	TMDL Completed	11/21/2011	2008	A TMDL was prepared for nutrients (2011).	
11080001	Canadian Headwaters	NM-2305.A_255	Doggett Creek (Raton Creek to headwaters)	4A	3.38	MILES	20.6.4.318	E. coli	4A	TMDL Completed	09/18/2019	2008	TMDLs were prepared for E.coli and plant nutrients (2019). Discharger-specific nutrient temporary standard for the City of Raton WWTP (NM0020273) approved in 2020.	Discharger-specific nutrient temporary standard for the City of Raton WWTP (NM0020273) approved in 2020.
11080001	Canadian Headwaters	NM-2305.A_255	Doggett Creek (Raton Creek to headwaters)	4A	3.38	MILES	20.6.4.318	Nutrients	4A	TMDL Completed	09/18/2019	1998	TMDLs were prepared for E.coli and plant nutrients (2019). Discharger-specific nutrient temporary standard for the City of Raton WWTP (NM0020273) approved in 2020.	Discharger-specific nutrient temporary standard for the City of Raton WWTP (NM0020273) approved in 2020.
11080001	Canadian Headwaters	NM-2305.A_252	East Fork Chicorica Creek (Chicorica Creek to headwaters)	4A	8.17	MILES	20.6.4.98	E. coli	4A	TMDL Completed	09/18/2019	2018	This AU went dry during the 2015-2016 survey. No diversions visible from aerial photograph. TMDL prepared for E.coli (2019).	
11080001	Canadian Headwaters	NM-2305.B_20	Lake Maloya	5/SA	115.54	ACRES	20.6.4.312	Nutrients	5/SA	303(d) List (no TMDL in place)		2023		
11080001	Canadian Headwaters	NM-9000.B_081	Maxwell Lake 13	5/SC	171.19	ACRES	20.6.4.99	pH	5/SC	303(d) List (no TMDL in place)		2018		
11080001	Canadian Headwaters	NM-2305.A_253	Raton Creek (Chicorica Creek to headwaters)	4A	18.7	MILES	20.6.4.305	Nutrients	4A	TMDL Completed	09/18/2019	1998	TMDLs prepared for E.coli and plant nutrients (2019). Discharger-specific nutrient temporary standard for the City of Raton WWTP (NM0020273) approved in 2020.	Discharger-specific nutrient temporary standard for the City of Raton WWTP (NM0020273) approved in 2020.

																			Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
11080001	Canadian Headwaters	NM-9000_B_101	Stubblefield Lake	5/5C	367.69	ACRES	20.6.4.99	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)				2004						
11080001	Canadian Headwaters	NM-9000_A_019	Tinaja Creek (West Fork Tinaja Creek to headwaters)	4A	21.25	MILES	20.6.4.98	E. coli	4A	TMDL Completed	09/18/2019		2018						Application of the SWQB Hydrology Protocol (survey date 6/9/09) indicate this assessment unit is intermittent (Hydrology Protocol score of 14.0 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol).	
11080001	Canadian Headwaters	NM-2305_A_254	Una de Gato Creek (Chicorica Creek to HWY 64)	4A	12.63	MILES	20.6.4.305	Nutrients	4A	TMDL Completed	11/21/2011		2008						A TMDL was prepared for nutrients (2011).	
11080001	Canadian Headwaters	NM-2305_A_230	Una de Gato Creek (HWY 64 to headwaters)	4A	22.1	MILES	20.6.4.305	Nutrients	4A	TMDL Completed	11/21/2011		2008						A TMDL was prepared for nutrients (2011).	
11080001	Canadian Headwaters	NM-2306_A_140	VanBremmer Creek (HWY 64 to headwaters)	5/5B	37.29	MILES	20.6.4.309	Specific Conductance	5/5B	303(d) List (no TMDL in place)			2004							
11080001	Canadian Headwaters	NM-2306_A_140	VanBremmer Creek (HWY 64 to headwaters)	5/5B	37.29	MILES	20.6.4.309	Temperature	5/5B	303(d) List (no TMDL in place)			2004							
11080001	Canadian Headwaters	NM-2306_A_140	VanBremmer Creek (HWY 64 to headwaters)	5/5B	37.29	MILES	20.6.4.309	Turbidity	5/5B	303(d) List (no TMDL in place)			2004							
11080001	Canadian Headwaters	NM-2305_A_210	Vermejo River (Canadian River to Rail Canyon)	4C	25.82	MILES	20.6.4.305	Flow Regime Modification	4C	Not a Pollutant									Often extremely low or no flow due to diversion. Application of the SWQB Hydrology Protocol (survey date 6/9/2009) indicate this assessment unit should be perennial (Hydrology Protocol score of 30.0 but 0.3% no flow days at USGS gage 07203000 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol).	
11080001	Canadian Headwaters	NM-2305_A_220	Vermejo River (Rail Canyon to York Canyon)	5/5B	22.64	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/21/2007		2006							
11080001	Canadian Headwaters	NM-2305_A_220	Vermejo River (Rail Canyon to York Canyon)	5/5B	22.64	MILES	20.6.4.309	Turbidity	5/5B	303(d) List (no TMDL in place)			2018							
11080001	Canadian Headwaters	NM-2305_A_231	Vermejo River (Rock Creek to North Fork Vermejo R)	4A	10.21	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/21/2007		2006							
11080001	Canadian Headwaters	NM-2305_A_230	Vermejo River (York Canyon to Rock Creek)	4A	11.58	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/21/2007		2006							
11080001	Canadian Headwaters	NM-2306_A_153	York Canyon (Vermejo R to Left Fork York Canyon)	5/5B	8.56	MILES	20.6.4.309	Dissolved oxygen	5/5B	303(d) List (no TMDL in place)			2018						TMDL for specific conductance (2007).	
11080001	Canadian Headwaters	NM-2306_A_153	York Canyon (Vermejo R to Left Fork York Canyon)	5/5B	8.56	MILES	20.6.4.309	Specific Conductance	4A	TMDL Completed	09/21/2007		2004						TMDL for specific conductance (2007).	
11080001	Canadian Headwaters	NM-2306_A_153	York Canyon (Vermejo R to Left Fork York Canyon)	5/5B	8.56	MILES	20.6.4.309	Temperature	5/5B	303(d) List (no TMDL in place)			2018						TMDL for specific conductance (2007).	
11080001	Canadian Headwaters	NM-2306_A_153	York Canyon (Vermejo R to Left Fork York Canyon)	5/5B	8.56	MILES	20.6.4.309	Turbidity	5/5B	303(d) List (no TMDL in place)			2004						TMDL for specific conductance (2007).	
11080002	Cimarron	NM-2306_A_066	American Creek (Cieneguilla Creek to headwaters)	5-ALT	5.99	MILES	20.6.4.309	Aluminum, Total Recoverable	5-ALT	303(d) List (no TMDL in place)			2023						A TMDL Alternative is under development for the E. coli and aluminum impairments.	Category 5-ALT. A TMDL Alternative is under development for the E. coli and aluminum impairments.
11080002	Cimarron	NM-2306_A_066	American Creek (Cieneguilla Creek to headwaters)	5-ALT	5.99	MILES	20.6.4.309	E. coli	5-ALT	303(d) List (no TMDL in place)			2023						A TMDL Alternative is under development for the E. coli and aluminum impairments.	Category 5-ALT. A TMDL Alternative is under development for the E. coli and aluminum impairments.
11080002	Cimarron	NM-2306_A_065	Cieneguilla Creek (Eagle Nest Lake to headwaters)	4A	18.87	MILES	20.6.4.309	E. coli	4A	TMDL Completed	09/03/2010		2008						TMDLs were prepared/updated for turbidity, sedimentation/siltation, fecal coliform, and dissolved Al chronic (2004); and nutrients, e. coli, and temperature (2010). Dissolved Al TMDL removed 2017 because WQC no longer applicable.	
11080002	Cimarron	NM-2306_A_065	Cieneguilla Creek (Eagle Nest Lake to headwaters)	4A	18.87	MILES	20.6.4.309	Nutrients	4A	TMDL Completed	09/03/2010		2008						TMDLs were prepared/updated for turbidity, sedimentation/siltation, fecal coliform, and dissolved Al chronic (2004); and nutrients, e. coli, and temperature (2010). Dissolved Al TMDL removed 2017 because WQC no longer applicable.	
11080002	Cimarron	NM-2306_A_065	Cieneguilla Creek (Eagle Nest Lake to headwaters)	4A	18.87	MILES	20.6.4.309	Sedimentation/Siltation	4A	TMDL Completed	05/19/2004		1998						TMDLs were prepared/updated for turbidity, sedimentation/siltation, fecal coliform, and dissolved Al chronic (2004); and nutrients, e. coli, and temperature (2010). Dissolved Al TMDL removed 2017 because WQC no longer applicable.	
11080002	Cimarron	NM-2306_A_065	Cieneguilla Creek (Eagle Nest Lake to headwaters)	4A	18.87	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/03/2010		2008						TMDLs were prepared/updated for turbidity, sedimentation/siltation, fecal coliform, and dissolved Al chronic (2004); and nutrients, e. coli, and temperature (2010). Dissolved Al TMDL removed 2017 because WQC no longer applicable.	
11080002	Cimarron	NM-2305.1.A_10	Cimarron River (Canadian River to Ponil Creek)	5/5A	29.39	MILES	20.6.4.306	Nutrients	4A	TMDL Completed	09/03/2010		2008						TMDL for chronic aluminum (assessed incorrectly -- aluminum was de-listed). TMDLs were prepared for nutrients in 2010.	
11080002	Cimarron	NM-2305.1.A_10	Cimarron River (Canadian River to Ponil Creek)	5/5A	29.39	MILES	20.6.4.306	Temperature	5/5B	303(d) List (no TMDL in place)			2018						TMDL for chronic aluminum (assessed incorrectly -- aluminum was de-listed). TMDLs were prepared for nutrients in 2010.	
11080002	Cimarron	NM-2306_A_040	Cimarron River (Cimarron Village to Turkey Creek)	5/5A	5.03	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/03/2010		2008						TMDL for chronic dissolved aluminum. TMDLs for temperature and arsenic (2010).	
11080002	Cimarron	NM-2306_A_040	Cimarron River (Cimarron Village to Turkey Creek)	5/5A	5.03	MILES	20.6.4.309	Turbidity	5/5A	303(d) List (no TMDL in place)			2023						TMDL for chronic dissolved aluminum. TMDLs for temperature and arsenic (2010).	
11080002	Cimarron	NM-2305.1.A_11	Cimarron River (Ponil Creek to Cimarron Village)	4A	11.23	MILES	20.6.4.306	Nutrients	4A	TMDL Completed	09/03/2010		2008						TMDL for chronic aluminum (assessed incorrectly -- aluminum was de-listed). TMDLs were prepared for nutrients in 2010.	

11080002	Cimarron	NM-2306_A_130	Cimarron River (Turkey Creek to Eagle Nest Lake)	5/5A	19.63	MILES	20.6.4.309	Nutrients	4A	TMDL Completed	09/03/2010	2008	De-list letter for total phosphorus. TMDLs for nutrients and arsenic (2010).
11080002	Cimarron	NM-2306_A_130	Cimarron River (Turkey Creek to Eagle Nest Lake)	5/5A	19.63	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/03/2010	2018	De-list letter for total phosphorus. TMDLs for nutrients and arsenic (2010).
11080002	Cimarron	NM-2306_A_130	Cimarron River (Turkey Creek to Eagle Nest Lake)	5/5A	19.63	MILES	20.6.4.309	Turbidity	5/5A	303(d) List (no TMDL in place)	2023	2018	De-list letter for total phosphorus. TMDLs for nutrients and arsenic (2010).
11080002	Cimarron	NM-2306_B_00	Eagle Nest Lake	5/5A	1817.29	ACRES	20.6.4.315	Nutrients	5/5A	303(d) List (no TMDL in place)	2023	2018	De-list letter for total phosphorus. TMDLs for nutrients and arsenic (2010).
11080002	Cimarron	NM-2306_A_122	Greenwood Creek (Middle Ponil Creek to headwaters)	5/5A	5.28	MILES	20.6.4.309	Aluminum, Total Recoverable	5/5C	303(d) List (no TMDL in place)		2018	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
11080002	Cimarron	NM-2306_A_112	McCrystal Creek (North Ponil to headwaters)	4A	9.36	MILES	20.6.4.309	Temperature	4A	TMDL Completed	11/08/2011	2000	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
11080002	Cimarron	NM-2306_A_112	McCrystal Creek (North Ponil to headwaters)	4A	9.36	MILES	20.6.4.309	Turbidity	4A	TMDL Completed	09/30/1999	2010	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
11080002	Cimarron	NM-2306_A_124	Middle Ponil Creek (Greenwood Creek to headwaters)	4A	11.8	MILES	20.6.4.309	Turbidity	4A	TMDL Completed	09/27/2001	2018	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for turbidity (2011).
11080002	Cimarron	NM-2306_A_121	Middle Ponil Creek (South Ponil to Greenwood Creek)	4A	11.89	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/27/2001	2000	TMDL for temperature and turbidity (2001); de-list letter for total phosphorus.
11080002	Cimarron	NM-2306_A_121	Middle Ponil Creek (South Ponil to Greenwood Creek)	4A	11.89	MILES	20.6.4.309	Turbidity	4A	TMDL Completed	09/27/2001	2000	TMDL for temperature and turbidity (2001); de-list letter for total phosphorus.
11080002	Cimarron	NM-2306_A_060	Moreno Creek (Eagle Nest Lake to headwaters)	4A	16.64	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/03/2010	2008	TMDL for turbidity and fecal coliform. TMDLs for temperature and plant nutrients (2010).
11080002	Cimarron	NM-2306_A_162	North Ponil Creek (Seally Canyon to headwaters)	5/5C	8.52	MILES	20.6.4.309	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2023	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for turbidity (1999, revised 2004) and temperature (2011).
11080002	Cimarron	NM-2306_A_162	North Ponil Creek (Seally Canyon to headwaters)	5/5C	8.52	MILES	20.6.4.309	Gross Alpha, Adjusted	5/5C	303(d) List (no TMDL in place)		2008	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for turbidity (1999, revised 2004) and temperature (2011).
11080002	Cimarron	NM-2306_A_162	North Ponil Creek (Seally Canyon to headwaters)	5/5C	8.52	MILES	20.6.4.309	Radium	5/5C	303(d) List (no TMDL in place)		2008	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for turbidity (1999, revised 2004) and temperature (2011).
11080002	Cimarron	NM-2306_A_162	North Ponil Creek (Seally Canyon to headwaters)	5/5C	8.52	MILES	20.6.4.309	Temperature	4A	TMDL Completed	11/08/2011	2008	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for turbidity (1999, revised 2004) and temperature (2011).
11080002	Cimarron	NM-2306_A_162	North Ponil Creek (Seally Canyon to headwaters)	5/5C	8.52	MILES	20.6.4.309	Turbidity	4A	TMDL Completed	09/30/1999	2010	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for turbidity (1999, revised 2004) and temperature (2011).
11080002	Cimarron	NM-2306_A_110	North Ponil Creek (South Ponil Creek to Seally Canyon)	4A	17.84	MILES	20.6.4.309	E. coli	4A	TMDL Completed	09/03/2010	2008	TMDL for temp, turbidity, SBD (sedimentation/siltation), and total phosphorus; de-list letter for total phosphorus. TMDLs for e. coli (2010).
11080002	Cimarron	NM-2306_A_110	North Ponil Creek (South Ponil Creek to Seally Canyon)	4A	17.84	MILES	20.6.4.309	Temperature	4A	TMDL Completed	12/31/1999	2004	TMDL for temp, turbidity, SBD (sedimentation/siltation), and total phosphorus; de-list letter for total phosphorus. TMDLs for e. coli (2010).
11080002	Cimarron	NM-2306_A_110	North Ponil Creek (South Ponil Creek to Seally Canyon)	4A	17.84	MILES	20.6.4.309	Turbidity	4A	TMDL Completed	05/19/2004	2004	TMDL for temp, turbidity, SBD (sedimentation/siltation), and total phosphorus; de-list letter for total phosphorus. TMDLs for e. coli (2010).
11080002	Cimarron	NM-2306_A_100	Ponil Creek (Cimarron River to HWY 64)	5/5C	11.19	MILES	20.6.4.306	Dissolved oxygen	5/5C	303(d) List (no TMDL in place)		2018	TMDL for turbidity, temp, and Al chronic; de-list letter for total phosphorus. TMDL for e. coli (2010).
11080002	Cimarron	NM-2306_A_101	Ponil Creek (HWY 64 to conff of North and South Ponil)	5/5B	7.54	MILES	20.6.4.309	E. coli	4A	TMDL Completed	09/03/2010	2010	TMDL for turbidity, temp, and Al chronic; de-list letter for total phosphorus. De-listed for Al chronic in 2008. TMDLs for e. coli and plant nutrients (2010).
11080002	Cimarron	NM-2306_A_101	Ponil Creek (HWY 64 to conff of North and South Ponil)	5/5B	7.54	MILES	20.6.4.309	Nutrients	4A	TMDL Completed	09/03/2010	2008	TMDL for turbidity, temp, and Al chronic; de-list letter for total phosphorus. De-listed for Al chronic in 2008. TMDLs for e. coli and plant nutrients (2010).
11080002	Cimarron	NM-2306_A_101	Ponil Creek (HWY 64 to conff of North and South Ponil)	5/5B	7.54	MILES	20.6.4.309	Specific Conductance	5/5B	303(d) List (no TMDL in place)		2018	TMDL for turbidity, temp, and Al chronic; de-list letter for total phosphorus. De-listed for Al chronic in 2008. TMDLs for e. coli and plant nutrients (2010).
11080002	Cimarron	NM-2306_A_101	Ponil Creek (HWY 64 to conff of North and South Ponil)	5/5B	7.54	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/27/2001	1998	TMDL for turbidity, temp, and Al chronic; de-list letter for total phosphorus. De-listed for Al chronic in 2008. TMDLs for e. coli and plant nutrients (2010).
11080002	Cimarron	NM-2306_A_101	Ponil Creek (HWY 64 to conff of North and South Ponil)	5/5B	7.54	MILES	20.6.4.309	Turbidity	4A	TMDL Completed	09/27/2001	1998	TMDL for turbidity, temp, and Al chronic; de-list letter for total phosphorus. De-listed for Al chronic in 2008. TMDLs for e. coli and plant nutrients (2010).
11080002	Cimarron	NM-2305.3.A_80	Rayado Creek (Cimarron River to Miami Lake Diversion)	5/5A	21.68	MILES	20.6.4.307	E. coli	5/5A	303(d) List (no TMDL in place)	2023	2018	TMDL for SBD (sedimentation/siltation). TMDLs for nutrients (2010).
11080002	Cimarron	NM-2305.3.A_80	Rayado Creek (Cimarron River to Miami Lake Diversion)	5/5A	21.68	MILES	20.6.4.307	Nutrients	4A	TMDL Completed	09/03/2010	2008	TMDL for SBD (sedimentation/siltation). TMDLs for nutrients (2010).
11080002	Cimarron	NM-2305.3.A_80	Rayado Creek (Cimarron River to Miami Lake Diversion)	5/5A	21.68	MILES	20.6.4.307	Sedimentation/Siltation	4A	TMDL Completed	02/16/2001	2004	TMDL for SBD (sedimentation/siltation). TMDLs for nutrients (2010).
11080002	Cimarron	NM-2306_A_051	Rayado Creek (Miami Lake Diversion to headwaters)	4A	22.38	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/03/2010	2008	TMDLs for temperature and e. coli (2010).
11080002	Cimarron	NM-2306_A_069	Saladon Creek (Cieneguilla Creek to headwaters)	5/5B	5.73	MILES	20.6.4.309	E. coli	5/5B	303(d) List (no TMDL in place)		2018	

11080002	Cimarron	NM-2306.A_069	Saladon Creek (Cieneguilla Creek to headwaters)	5/5B	5.73	MILES	20.6.4.309	Temperature	5/5B	303(d) List (no TMDL in place)	2018		
11080002	Cimarron	NM-2306.B_30	Shuree Pond (North)	5/5A	6.19	ACRES	20.6.4.314	Nutrients	5/5A	303(d) List (no TMDL in place)	2023	2018	
11080002	Cimarron	NM-2306.A_064	Sixmile Creek (Eagle Nest Lake to headwaters)	4A	5.32	MILES	20.6.4.309	E. coli	4A	TMDL Completed	09/03/2010	2008	TMDL for turbidity and fecal coliform. TMDLs for temperature, e. coli, and nutrients (2010).
11080002	Cimarron	NM-2306.A_064	Sixmile Creek (Eagle Nest Lake to headwaters)	4A	5.32	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/03/2010	2008	TMDL for turbidity and fecal coliform. TMDLs for temperature, e. coli, and nutrients (2010).
11080002	Cimarron	NM-2306.A_064	Sixmile Creek (Eagle Nest Lake to headwaters)	4A	5.32	MILES	20.6.4.309	Turbidity	4A	TMDL Completed	05/19/2004	1998	TMDL for turbidity and fecal coliform. TMDLs for temperature, e. coli, and nutrients (2010).
11080002	Cimarron	NM-2306.A_120	South Ponil Creek (Ponil Creek to Middle Ponil Creek)	4A	5.91	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/03/2010	2008	TMDL for temperature (2010).
11080002	Cimarron	NM-2305.1.B_10	Springer Lake	5/5C	329.44	ACRES	20.6.4.317	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
11080002	Cimarron	NM-2306.A_068	Ute Creek (Perennial prt Cimarron River to headwaters)	4A	8.65	MILES	20.6.4.309	E. coli	4A	TMDL Completed	09/03/2010	2008	TMDLs for arsenic, e. coli, and temperature (2010).
11080003	Upper Canadian	NM-2305.5_10	Charette Lake (Lower)	5/5B	241.35	ACRES	20.6.4.308	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
11080003	Upper Canadian	NM-2305.5_10	Charette Lake (Lower)	5/5B	241.35	ACRES	20.6.4.308	Temperature	5/5B	303(d) List (no TMDL in place)		2018	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
11080003	Upper Canadian	NM-2305.5_20	Charette Lake (Upper)	5/5C	62.37	ACRES	20.6.4.308	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2016	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
11080003	Upper Canadian	NM-2305.3.A_70	Ocate Ck (Perennial prt Canadian R to Sweetwater Ck)	4C	22.95	MILES	20.6.4.307	Flow Regime Modification	4C	Not a Pollutant		2018	
11080003	Upper Canadian	NM-2305.3.A_72	Ocate Ck (Perennial prt Charette Lakes Div to Ocate Village)	4C	11.16	MILES	20.6.4.307	Flow Regime Modification	4C	Not a Pollutant		2018	
11080003	Upper Canadian	NM-2305.3.A_71	Ocate Ck (Perennial prt Sweetwater Ck to Charette Lakes Div)	4C	15.32	MILES	20.6.4.307	Flow Regime Modification	4C	Not a Pollutant		2018	
11080003	Upper Canadian	NM-2306.A_070	Ocate Creek (Ocate Village to Wheaton Creek)	4C	5.1	MILES	20.6.4.309	Flow Regime Modification	4C	Not a Pollutant			
11080003	Upper Canadian	NM-2306.A_091	Wheaton Creek (Manuelas Creek to headwaters)	5/5B	12.82	MILES	20.6.4.309	Temperature	5/5B	303(d) List (no TMDL in place)		2018	
11080004	Mora	NM-2306.A_021	Coyote Creek (Black Lake to headwaters)	5/5A	7.91	MILES	20.6.4.309	E. coli	5/5C	303(d) List (no TMDL in place)		2018	TMDLs were prepared for plant nutrients and temperature (2019).
11080004	Mora	NM-2306.A_021	Coyote Creek (Black Lake to headwaters)	5/5A	7.91	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/18/2019	2018	TMDLs were prepared for plant nutrients and temperature (2019).
11080004	Mora	NM-2306.A_020	Coyote Creek (Mora River to Amola Ridge)	4A	13.06	MILES	20.6.4.309	Nutrients	4A	TMDL Completed	09/18/2019	2018	HQCWAL may not be attainable in this AU - WQS review needed. TMDL prepared for plant nutrients (2019).
11080004	Mora	NM-2306.A_020	Coyote Creek (Mora River to Amola Ridge)	4A	13.06	MILES	20.6.4.309	Specific Conductance	4A	TMDL Completed	09/21/2007	1998	HQCWAL may not be attainable in this AU - WQS review needed. TMDL prepared for plant nutrients (2019).
11080004	Mora	NM-2306.A_020	Coyote Creek (Mora River to Amola Ridge)	4A	13.06	MILES	20.6.4.309	Temperature	4A	TMDL Completed	09/21/2007	1998	HQCWAL may not be attainable in this AU - WQS review needed. TMDL prepared for plant nutrients (2019).
11080004	Mora	NM-2306.A_022	Coyote Creek (Williams Canyon to Black Lake)	4A	12.2	MILES	20.6.4.309	Nutrients	4A	TMDL Completed	09/18/2019	2018	TMDL prepared for plant nutrients (2019).
11080004	Mora	NM-2306.A_024	Little Coyote Creek (Black Lake to headwaters)	4A	7.14	MILES	20.6.4.309	Nutrients	4A	TMDL Completed	09/21/2007	2004	
11080004	Mora	NM-2306.A_000	Mora River (HWY 434 to Luna Creek)	4A	19.01	MILES	20.6.4.309	Specific Conductance	4A	TMDL Completed	09/21/2007	1998	TMDL for specific conductance (SC) and sedimentation/siltation (2007, updated 2011). SC impairment may be due to natural sources - WQS needed.
11080004	Mora	NM-2305.3.A_00	Mora River (USGS gage east of Shoemaker to HWY 434)	4A	56.33	MILES	20.6.4.307	E. coli	4A	TMDL Completed	09/18/2019	2018	TMDLs for DO (2010) and plant nutrients (2015) and E. coli (2019).
11080004	Mora	NM-2305.3.A_00	Mora River (USGS gage east of Shoemaker to HWY 434)	4A	56.33	MILES	20.6.4.307	Nutrients	4A	TMDL Completed	07/22/2015	2004	TMDLs for DO (2010) and plant nutrients (2015) and E. coli (2019).
11080004	Mora	NM-2305.3.A_40	Rito Cebolla (Mora River to Rito Morphy)	5/5B	11.15	MILES	20.6.4.307	Dissolved oxygen	5/5B	303(d) List (no TMDL in place)		2018	
11080004	Mora	NM-2305.3.A_41	Santiago Creek (Rito Cebolla to headwaters)	4C	10.43	MILES	20.6.4.307	Flow Regime Modification	4C	Not a Pollutant		2018	
11080004	Mora	NM-2305.3.A_23	Sapello River (Arroyo Jara to Manuelitas Creek)	4A	19.46	MILES	20.6.4.307	Sedimentation/Siltation	4A	TMDL Completed	09/21/2007	2006	Sedimentation TMDL prepared (2007). HQCWAL may not be attainable - WQS review needed.
11080004	Mora	NM-2305.3.A_20	Sapello River (Mora River to Arroyo Jara)	5/5B	8.86	MILES	20.6.4.307	Dissolved oxygen	5/5C	303(d) List (no TMDL in place)		2018	Sedimentation TMDL prepared (2007).
11080004	Mora	NM-2305.3.A_20	Sapello River (Mora River to Arroyo Jara)	5/5B	8.86	MILES	20.6.4.307	Sedimentation/Siltation	4A	TMDL Completed	09/21/2007	2006	Sedimentation TMDL prepared (2007).
11080004	Mora	NM-2305.3.A_20	Sapello River (Mora River to Arroyo Jara)	5/5B	8.86	MILES	20.6.4.307	Temperature	5/5B	303(d) List (no TMDL in place)		2018	Sedimentation TMDL prepared (2007).
													A 2007 sedimentation TMDL was written for Sapello River (Mora River to Manuelitas Creek). This AU was later split into Sapello River (Mora River to Arroyo Jara) and Sapello River (Arroyo Jara to Manuelitas Creek), and the associated sedimentation TMDL erroneously dropped from this AU. This TMDL was added back to this AU for the 2022-2024 draft list. HQCWAL may not be attainable - WQS review needed.

11080004	Mora	NM-2305.3.A_10	Wolf Creek (Mora River to headwaters)	4C	24.98	MILES	20.6.4.307	Flow Regime Modification	4C	Not a Pollutant			According to the manager of the Black Willow Ranch, Wolf Cr. used to be perennial, but then the well serving the facility at Valmorea was deepened or otherwise improved and pumping has increased. Now Wolf Cr. goes dry.
11080005	Conchas	NM-2304_00	Conchas Reservoir	5/5C	3411.26	ACRES	20.6.4.304	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
11080005	Conchas	NM-2304_00	Conchas Reservoir	5/5C	3411.26	ACRES	20.6.4.304	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2010	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
11080005	Conchas	NM-2305.A_010	Conchas River (Conchas Reservoir to Salitre Creek)	4A	42.64	MILES	20.6.4.305	Aluminum, Total Recoverable	4A	TMDL Completed	09/18/2019	2018	This entire AU may not be perennial. TMDLs were prepared for chronic aluminum, E.coli, and plant nutrients (2019).
11080005	Conchas	NM-2305.A_010	Conchas River (Conchas Reservoir to Salitre Creek)	4A	42.64	MILES	20.6.4.305	E. coli	4A	TMDL Completed	09/18/2019	2018	This entire AU may not be perennial. TMDLs were prepared for chronic aluminum, E.coli, and plant nutrients (2019).
11080005	Conchas	NM-2305.A_010	Conchas River (Conchas Reservoir to Salitre Creek)	4A	42.64	MILES	20.6.4.305	Nutrients	4A	TMDL Completed	09/18/2019	2018	This entire AU may not be perennial. TMDLs were prepared for chronic aluminum, E.coli, and plant nutrients (2019).
11080006	Upper Canadian-Ute Reservoir	NM-2301_00	Canadian River (TX border to Ute Reservoir)	5/5B	41.88	MILES	20.6.4.301	Temperature	5/5B	303(d) List (no TMDL in place)		2018	
11080006	Upper Canadian-Ute Reservoir	NM-2303_00	Canadian River (Ute Reservoir to Conchas Reservoir)	5/5A	59.42	MILES	20.6.4.303	Temperature	5/5A	303(d) List (no TMDL in place)	2023	2018	Application of the SWQB Hydrology Protocol (survey date 7/1/09) indicate this assessment unit is perennial (Hydrology Protocol score of 20.0 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol). A TMDL was prepared for e. coli (2011) and temperature (2019).
11080006	Upper Canadian-Ute Reservoir	NM-2303_10	Pajarito Creek (Perennial prt Canadian R to Vigil Canyon)	4A	28.73	MILES	20.6.4.303	Nutrients	4A	TMDL Completed	11/21/2011	2008	TMDLs were prepared for e. coli and nutrients (2011) and temperature (2019).
11080006	Upper Canadian-Ute Reservoir	NM-2303_10	Pajarito Creek (Perennial prt Canadian R to Vigil Canyon)	4A	28.73	MILES	20.6.4.303	Temperature	4A	TMDL Completed	09/18/2019	2018	TMDLs were prepared for e. coli and nutrients (2011) and temperature (2019).
11080006	Upper Canadian-Ute Reservoir	NM-2302_00	Ute Reservoir	5/5C	5988.19	ACRES	20.6.4.302	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
11080008	Reuelto	NM-2301_10	Reuelto Creek (Canadian River to headwaters)	5/5B	44.42	MILES	20.6.4.98	Temperature	5/5B	303(d) List (no TMDL in place)		2018	Often dry except for irrigation return flows and stormwater runoff. Application of the SWQB Hydrology Protocol (survey date 7/1/09) indicate this assessment unit is intermittent - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol). A TMDL was prepared for boron (2011). There is an inconsistency between the marginal warmwater ALU description in 20.6.4.7.M(2) and the associated temperature criterion in 20.6.4.900.H(6) NMAC that needs review.
11100101	Upper Beaver	NM-9000.B_030	Clayton Lake	5/5C	148.04	ACRES	20.6.4.316	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
11100101	Upper Beaver	NM-9000.B_030	Clayton Lake	5/5C	148.04	ACRES	20.6.4.316	Nutrients	5/5A	303(d) List (no TMDL in place)	2023	2018	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13010005	Conejos	NM-2120.A_904	Beaver Creek (Rio de los Pinos to headwaters)	5/5A	8.13	MILES	20.6.4.123	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2020	
13010005	Conejos	NM-2120.A_903	Canada Tio Grande (Rio San Antonio to headwaters)	5/5A	10.58	MILES	20.6.4.123	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2021	2020	
13010005	Conejos	NM-2120.A_903	Canada Tio Grande (Rio San Antonio to headwaters)	5/5A	10.58	MILES	20.6.4.123	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020	
13010005	Conejos	NM-2120.A_903	Canada Tio Grande (Rio San Antonio to headwaters)	5/5A	10.58	MILES	20.6.4.123	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2012	
13010005	Conejos	NM-2120.A_905	Rio Nutritas (Rio San Antonio to headwaters)	5/5A	7.99	MILES	20.6.4.123	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020	
13010005	Conejos	NM-2120.A_905	Rio Nutritas (Rio San Antonio to headwaters)	5/5A	7.99	MILES	20.6.4.123	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2020	

13010005	Conejos	NM-2120_A_902	Rio San Antonio (CO border to Montoya Canyon)	5/5A	11.86	MILES	20.6.4.123	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	
13010005	Conejos	NM-2120_A_902	Rio San Antonio (CO border to Montoya Canyon)	5/5A	11.86	MILES	20.6.4.123	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2021	2012	
13010005	Conejos	NM-2120_A_902	Rio San Antonio (CO border to Montoya Canyon)	5/5A	11.86	MILES	20.6.4.123	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2012	
13010005	Conejos	NM-2120_A_901	Rio San Antonio (Montoya Canyon to headwaters)	5/5A	20.87	MILES	20.6.4.123	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	TMDL for temperature and E. coli.
13010005	Conejos	NM-2120_A_901	Rio San Antonio (Montoya Canyon to headwaters)	5/5A	20.87	MILES	20.6.4.123	E. coli	4A	TMDL Completed	09/13/2012	2012	TMDL for temperature and E. coli.
13010005	Conejos	NM-2120_A_901	Rio San Antonio (Montoya Canyon to headwaters)	5/5A	20.87	MILES	20.6.4.123	Temperature	4A	TMDL Completed	12/17/2004	2004	TMDL for temperature and E. coli.
13010005	Conejos	NM-2120_A_900	Rio de los Pinos (New Mexico reaches)	5/5A	20.63	MILES	20.6.4.123	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	TMDL for temperature.
13010005	Conejos	NM-2120_A_900	Rio de los Pinos (New Mexico reaches)	5/5A	20.63	MILES	20.6.4.123	Temperature	4A	TMDL Completed	12/17/2004	2004	TMDL for temperature.
13020101	Upper Rio Grande	NM-97.A_002	Acid Canyon (Pueblo Canyon to headwaters)	5/5B	0.37	MILES	20.6.4.98	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)			This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-97.A_002	Acid Canyon (Pueblo Canyon to headwaters)	5/5B	0.37	MILES	20.6.4.98	Copper, Dissolved	5/5B	303(d) List (no TMDL in place)			This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-97.A_002	Acid Canyon (Pueblo Canyon to headwaters)	5/5B	0.37	MILES	20.6.4.98	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)			This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-97.A_002	Acid Canyon (Pueblo Canyon to headwaters)	5/5B	0.37	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)			This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-98.A_004	Arroyo del Palacio (Rio Grande to headwaters)	5/5C	10.61	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5A	303(d) List (no TMDL in place)	2023	2012	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC.
13020101	Upper Rio Grande	NM-2120.A_705	Bitter Creek (Red River to headwaters)	5/5C	9.22	MILES	20.6.4.123	Turbidity	5/5C	303(d) List (no TMDL in place)			TMDL for SBD (sedimentation/siltation) and Al acute.
13020101	Upper Rio Grande	NM-2120.A_701	Cabresto Creek (Red River to headwaters)	5/5A	17.98	MILES	20.6.4.123	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2120_B_20	Cabresto Lake	5/5A	22.46	ACRES	20.6.4.134	pH	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-98.A_003	Canada Agua (Arroyo La Mina to headwaters)	5/5C	1.61	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5A	303(d) List (no TMDL in place)	2023	2012	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC.
13020101	Upper Rio Grande	NM-2120.A_833	Chuckwagon Creek (Comanche Creek to headwaters)	5/5A	2.7	MILES	20.6.4.123	Turbidity	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2120.A_827	Comanche Creek (Costilla Creek to headwaters)	5/5A	13.12	MILES	20.6.4.123	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2021	2020	TMDL for temperature. ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. Rio Grande Cufthroat trout re-introduction area.
13020101	Upper Rio Grande	NM-2120.A_827	Comanche Creek (Costilla Creek to headwaters)	5/5A	13.12	MILES	20.6.4.123	Temperature	4A	TMDL Completed	12/17/2004	1998	TMDL for temperature. ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. Rio Grande Cufthroat trout re-introduction area.
13020101	Upper Rio Grande	NM-2120.A_823	Cordova Creek (Costilla Creek to headwaters)	4A	6.07	MILES	20.6.4.123	Sedimentation/Siltation	4A	TMDL Completed	12/17/1999	2004	TMDL for total phosphorus, SBD (sedimentation/siltation), and turbidity.
13020101	Upper Rio Grande	NM-2120.A_823	Cordova Creek (Costilla Creek to headwaters)	4A	6.07	MILES	20.6.4.123	Turbidity	4A	TMDL Completed	12/17/1999	2012	TMDL for total phosphorus, SBD (sedimentation/siltation), and turbidity.
13020101	Upper Rio Grande	NM-2120.A_810	Costilla Creek (CO border to Diversion abv Costilla)	5/5C	3.26	MILES	20.6.4.123	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2021	2020	This AU is de-watered by diversion; thermograph and gage data confirm that channel goes dry.
13020101	Upper Rio Grande	NM-2120.A_810	Costilla Creek (CO border to Diversion abv Costilla)	5/5C	3.26	MILES	20.6.4.123	Flow Regime Modification	4C	Not a Pollutant			This AU is de-watered by diversion; thermograph and gage data confirm that channel goes dry.
13020101	Upper Rio Grande	NM-2120.A_830	Costilla Creek (Comanche Creek to Costilla Dam)	5/5C	5.07	MILES	20.6.4.123	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)			ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
13020101	Upper Rio Grande	NM-2120.A_820	Costilla Creek (Diversion abv Costilla to Comanche Creek)	5/5A	19.59	MILES	20.6.4.123	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	TMDL for temperature.
13020101	Upper Rio Grande	NM-2120.A_820	Costilla Creek (Diversion abv Costilla to Comanche Creek)	5/5A	19.59	MILES	20.6.4.123	Temperature	4A	TMDL Completed	12/17/2004	2002	TMDL for temperature.
13020101	Upper Rio Grande	NM-2120.A_800	Costilla Creek (Rio Grande to CO border)	4C	2.28	MILES	20.6.4.123	Flow Regime Modification	4C	Not a Pollutant			This reach reportedly goes dry due to irrigation diversion in all but the wettest years.

13020101	Upper Rio Grande	NM-128.A_24	DP Canyon (100m dwnstm grade ctrl to 400m upstm grade ctrl)	5/5B	0.31	MILES	20.6.4.128	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2018	Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.	This AU was split from portions of NM-128.A_10 and NM-128.A_14 as a result of Hydrology Protocol surveys that documented a perennial reach upstream and downstream of the grade control structure. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020101	Upper Rio Grande	NM-128.A_24	DP Canyon (100m dwnstm grade ctrl to 400m upstm grade ctrl)	5/5B	0.31	MILES	20.6.4.128	Copper, Dissolved	5/5B	303(d) List (no TMDL in place)	2018	Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.	This AU was split from portions of NM-128.A_10 and NM-128.A_14 as a result of Hydrology Protocol surveys that documented a perennial reach upstream and downstream of the grade control structure. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020101	Upper Rio Grande	NM-128.A_24	DP Canyon (100m dwnstm grade ctrl to 400m upstm grade ctrl)	5/5B	0.31	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)	2010	Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.	This AU was split from portions of NM-128.A_10 and NM-128.A_14 as a result of Hydrology Protocol surveys that documented a perennial reach upstream and downstream of the grade control structure. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020101	Upper Rio Grande	NM-128.A_24	DP Canyon (100m dwnstm grade ctrl to 400m upstm grade ctrl)	5/5B	0.31	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2010	Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.	This AU was split from portions of NM-128.A_10 and NM-128.A_14 as a result of Hydrology Protocol surveys that documented a perennial reach upstream and downstream of the grade control structure. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020101	Upper Rio Grande	NM-128.A_14	DP Canyon (400m upstream of grade control to upper LANL bnd)	5/5B	0.76	MILES	20.6.4.128	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2018		Previously DP Canyon (Grade control to upper LANL bnd), this AU was split following Hydrology Protocol surveys documenting a perennial reach upstream and downstream of the grade control structure.
13020101	Upper Rio Grande	NM-128.A_14	DP Canyon (400m upstream of grade control to upper LANL bnd)	5/5B	0.76	MILES	20.6.4.128	Copper, Dissolved	5/5B	303(d) List (no TMDL in place)	2018		Previously DP Canyon (Grade control to upper LANL bnd), this AU was split following Hydrology Protocol surveys documenting a perennial reach upstream and downstream of the grade control structure.
13020101	Upper Rio Grande	NM-128.A_14	DP Canyon (400m upstream of grade control to upper LANL bnd)	5/5B	0.76	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)	2010		Previously DP Canyon (Grade control to upper LANL bnd), this AU was split following Hydrology Protocol surveys documenting a perennial reach upstream and downstream of the grade control structure.
13020101	Upper Rio Grande	NM-128.A_14	DP Canyon (400m upstream of grade control to upper LANL bnd)	5/5B	0.76	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2010		Previously DP Canyon (Grade control to upper LANL bnd), this AU was split following Hydrology Protocol surveys documenting a perennial reach upstream and downstream of the grade control structure.
13020101	Upper Rio Grande	NM-128.A_10	DP Canyon (Los Alamos Canyon to 100m dwnstm of grade ctrl)	5/5B	0.76	MILES	20.6.4.128	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2018		Previously DP Canyon (Los Alamos Canyon to grade control), this AU was split following Hydrology Protocol surveys documenting a perennial reach upstream and downstream of the grade control structure.
13020101	Upper Rio Grande	NM-128.A_10	DP Canyon (Los Alamos Canyon to 100m dwnstm of grade ctrl)	5/5B	0.76	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)	2010		Previously DP Canyon (Los Alamos Canyon to grade control), this AU was split following Hydrology Protocol surveys documenting a perennial reach upstream and downstream of the grade control structure.
13020101	Upper Rio Grande	NM-128.A_10	DP Canyon (Los Alamos Canyon to 100m dwnstm of grade ctrl)	5/5B	0.76	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2010		Previously DP Canyon (Los Alamos Canyon to grade control), this AU was split following Hydrology Protocol surveys documenting a perennial reach upstream and downstream of the grade control structure.
13020101	Upper Rio Grande	NM-2111_40	Embudo Creek (Canada de Ojo Sarco to Picuris Pueblo bnd)	5/5C	5.16	MILES	20.6.4.114	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2021		
13020101	Upper Rio Grande	NM-2111_40	Embudo Creek (Canada de Ojo Sarco to Picuris Pueblo bnd)	5/5C	5.16	MILES	20.6.4.114	Temperature	5/5C	303(d) List (no TMDL in place)	2021		
13020101	Upper Rio Grande	NM-2111_41	Embudo Creek (Rio Grande to Canada de Ojo Sarco)	5/5C	6.3	MILES	20.6.4.114	Sedimentation/Siltation	4A	TMDL Completed	06/02/2005	1998	TMDL for turbidity and sedimentation/siltation (SBD). Temperature impairment listed as 5C. Further data collection merited because of a fire which occurred upstream during the survey and prior to the maximum temperature reading on the thermograph from which the listing came.
13020101	Upper Rio Grande	NM-2111_41	Embudo Creek (Rio Grande to Canada de Ojo Sarco)	5/5C	6.3	MILES	20.6.4.114	Temperature	5/5C	303(d) List (no TMDL in place)	2021	2012	TMDL for turbidity and sedimentation/siltation (SBD). Temperature impairment listed as 5C. Further data collection merited because of a fire which occurred upstream during the survey and prior to the maximum temperature reading on the thermograph from which the listing came.

13020101	Upper Rio Grande	NM-2111_41	Embudo Creek (Rio Grande to Canada de Ojo Sarco)	5/SC	6.3	MILES	20.6.4.114	Turbidity	4A	TMDL Completed	06/02/2005	1998	TMDL for turbidity and sedimentation/siltation (SBD). Temperature impairment listed as 5C. Further data collection merited because of a fire which occurred upstream during the survey and prior to the maximum temperature reading on the thermograph from which the listing came.
13020101	Upper Rio Grande	NM-2120_A_834	Fernandez Creek (Comanche Creek to headwaters)	5/SA	2.85	MILES	20.6.4.123	Nutrients	5/SA	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
13020101	Upper Rio Grande	NM-2120_A_835	Gold Creek (Comanche Creek to headwaters)	4A	3.55	MILES	20.6.4.123	Temperature	4A	TMDL Completed	11/08/2011	2008	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for temperature (2011).
13020101	Upper Rio Grande	NM-2120_B_12	Goose Lake	5/SA	3.82	ACRES	20.6.4.133	Dissolved oxygen	5/SA	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2120_B_12	Goose Lake	5/SA	3.82	ACRES	20.6.4.133	pH	5/SA	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-97_A_005	Graduation Canyon (Pueblo Canyon to headwaters)	5/SB	0.69	MILES	20.6.4.98	Copper, Dissolved	5/SB	303(d) List (no TMDL in place)		2010	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-97_A_005	Graduation Canyon (Pueblo Canyon to headwaters)	5/SB	0.69	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/SC	303(d) List (no TMDL in place)		2010	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-2120_A_836	Grassy Creek (Comanche Creek to headwaters)	5/SA	3.48	MILES	20.6.4.123	E. coli	5/SA	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
13020101	Upper Rio Grande	NM-2120_A_836	Grassy Creek (Comanche Creek to headwaters)	5/SA	3.48	MILES	20.6.4.123	Temperature	5/SA	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
13020101	Upper Rio Grande	NM-2120_A_837	Holman Creek (Comanche Creek to headwaters)	5/SC	3.52	MILES	20.6.4.123	Temperature	4A	TMDL Completed	11/08/2011	2008	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for temperature (2011).
13020101	Upper Rio Grande	NM-2120_A_837	Holman Creek (Comanche Creek to headwaters)	5/SC	3.52	MILES	20.6.4.123	Turbidity	5/SC	303(d) List (no TMDL in place)		2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for temperature (2011).
13020101	Upper Rio Grande	NM-2120_A_839	LaBelle Creek (Comanche Creek to headwaters)	5/SA	2.94	MILES	20.6.4.123	Aluminum, Total Recoverable	5/SA	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for temperature (2011).
13020101	Upper Rio Grande	NM-2120_A_839	LaBelle Creek (Comanche Creek to headwaters)	5/SA	2.94	MILES	20.6.4.123	E. coli	5/SA	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for temperature (2011).
13020101	Upper Rio Grande	NM-2120_A_839	LaBelle Creek (Comanche Creek to headwaters)	5/SA	2.94	MILES	20.6.4.123	Sedimentation/Siltation	5/SA	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for temperature (2011).
13020101	Upper Rio Grande	NM-2120_A_839	LaBelle Creek (Comanche Creek to headwaters)	5/SA	2.94	MILES	20.6.4.123	Temperature	4A	TMDL Completed	11/08/2011	2008	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006. TMDL for temperature (2011).
13020101	Upper Rio Grande	NM-9000_A_063	Los Alamos Canyon (DP Canyon to upper LANL bnd)	5/SC	4.44	MILES	20.6.4.128	Cyanide, Total Recoverable	5/SC	303(d) List (no TMDL in place)		2018	
13020101	Upper Rio Grande	NM-9000_A_063	Los Alamos Canyon (DP Canyon to upper LANL bnd)	5/SC	4.44	MILES	20.6.4.128	Gross Alpha, Adjusted	5/SC	303(d) List (no TMDL in place)		2004	
13020101	Upper Rio Grande	NM-9000_A_063	Los Alamos Canyon (DP Canyon to upper LANL bnd)	5/SC	4.44	MILES	20.6.4.128	Mercury, Total	5/SC	303(d) List (no TMDL in place)		2006	
13020101	Upper Rio Grande	NM-9000_A_063	Los Alamos Canyon (DP Canyon to upper LANL bnd)	5/SC	4.44	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/SC	303(d) List (no TMDL in place)		2006	
13020101	Upper Rio Grande	NM-9000_A_063	Los Alamos Canyon (DP Canyon to upper LANL bnd)	5/SC	4.44	MILES	20.6.4.128	Selenium, Total Recoverable	5/SC	303(d) List (no TMDL in place)		2018	
13020101	Upper Rio Grande	NM-9000_A_006	Los Alamos Canyon (NM-4 to DP Canyon)	5/SC	3.08	MILES	20.6.4.128	Aluminum, Total Recoverable	5/SB	303(d) List (no TMDL in place)		2018	NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EIM database and/or provided by request from LANL. NMED documented 3/5 exceedances of the 5.0 ug/L Wildlife Habitat total recoverable selenium criterion. As a result, NMED added total recoverable selenium as a cause of non-support for Wildlife Habitat within this AU. No exceedances of the acute aquatic life use criterion occurred within the most recent three years of data, and chronic aquatic life use criteria do not apply to those AUs with a designated Limited Aquatic Life Use (20.6.4.128 NMAC). There were 1/5 exceedances of the Livestock Watering use for radium 226+228 and 0/6 exceedances of the 0.77 ug/L Wildlife Habitat total mercury criterion, respectively. The CALM delisting criteria for these uses states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, NMED retained the listing for radium (226 + 228) and removed total mercury as a cause of non-support for Wildlife Habitat within this AU.

13020101	Upper Rio Grande	NM-9000.A_006	Los Alamos Canyon (NM-4 to DP Canyon)	5/SC	3.08	MILES	20.6.4.128	Cyanide, Total Recoverable	5/SC	303(d) List (no TMDL in place)	2018	NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EIM database and/or provided by request from LANL. NMED documented 3/5 exceedances of the 5.0 ug/L Wildlife Habitat total recoverable selenium criterion. As a result, NMED added total recoverable selenium as a cause of non-support for Wildlife Habitat within this AU. No exceedances of the acute aquatic life use criterion occurred within the most recent three years of data, and chronic aquatic life use criteria do not apply to those AUs with a designated Limited Aquatic Life Use (20.6.4.128 NMAC). There were 1/5 exceedances of the Livestock Watering use for radium 226+228 and 0/6 exceedances of the 0.77 ug/L Wildlife Habitat total mercury criterion, respectively. The CALM delisting criteria for these uses states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, NMED retained the listing for radium (226 + 228) and removed total mercury as a cause of non-support for Wildlife Habitat within this AU.
13020101	Upper Rio Grande	NM-9000.A_006	Los Alamos Canyon (NM-4 to DP Canyon)	5/SC	3.08	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)	2004	NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EIM database and/or provided by request from LANL. NMED documented 3/5 exceedances of the 5.0 ug/L Wildlife Habitat total recoverable selenium criterion. As a result, NMED added total recoverable selenium as a cause of non-support for Wildlife Habitat within this AU. No exceedances of the acute aquatic life use criterion occurred within the most recent three years of data, and chronic aquatic life use criteria do not apply to those AUs with a designated Limited Aquatic Life Use (20.6.4.128 NMAC). There were 1/5 exceedances of the Livestock Watering use for radium 226+228 and 0/6 exceedances of the 0.77 ug/L Wildlife Habitat total mercury criterion, respectively. The CALM delisting criteria for these uses states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, NMED retained the listing for radium (226 + 228) and removed total mercury as a cause of non-support for Wildlife Habitat within this AU.
13020101	Upper Rio Grande	NM-9000.A_006	Los Alamos Canyon (NM-4 to DP Canyon)	5/SC	3.08	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/SC	303(d) List (no TMDL in place)	2006	NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EIM database and/or provided by request from LANL. NMED documented 3/5 exceedances of the 5.0 ug/L Wildlife Habitat total recoverable selenium criterion. As a result, NMED added total recoverable selenium as a cause of non-support for Wildlife Habitat within this AU. No exceedances of the acute aquatic life use criterion occurred within the most recent three years of data, and chronic aquatic life use criteria do not apply to those AUs with a designated Limited Aquatic Life Use (20.6.4.128 NMAC). There were 1/5 exceedances of the Livestock Watering use for radium 226+228 and 0/6 exceedances of the 0.77 ug/L Wildlife Habitat total mercury criterion, respectively. The CALM delisting criteria for these uses states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, NMED retained the listing for radium (226 + 228) and removed total mercury as a cause of non-support for Wildlife Habitat within this AU.
13020101	Upper Rio Grande	NM-9000.A_006	Los Alamos Canyon (NM-4 to DP Canyon)	5/SC	3.08	MILES	20.6.4.128	Radium	5/SC	303(d) List (no TMDL in place)	2018	NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EIM database and/or provided by request from LANL. NMED documented 3/5 exceedances of the 5.0 ug/L Wildlife Habitat total recoverable selenium criterion. As a result, NMED added total recoverable selenium as a cause of non-support for Wildlife Habitat within this AU. No exceedances of the acute aquatic life use criterion occurred within the most recent three years of data, and chronic aquatic life use criteria do not apply to those AUs with a designated Limited Aquatic Life Use (20.6.4.128 NMAC). There were 1/5 exceedances of the Livestock Watering use for radium 226+228 and 0/6 exceedances of the 0.77 ug/L Wildlife Habitat total mercury criterion, respectively. The CALM delisting criteria for these uses states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, NMED retained the listing for radium (226 + 228) and removed total mercury as a cause of non-support for Wildlife Habitat within this AU.

13020101	Upper Rio Grande	NM-9000.A_006	Los Alamos Canyon (NM-4 to DP Canyon)	5/SC	3.08	MILES	20.6.4.128	Selenium, Total Recoverable	5/SC	303(d) List (no TMDL in place)	2022	NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EM database and/or provided by request from LANL. NMED documented 3/5 exceedances of the 5.0 ug/L Wildlife Habitat total recoverable selenium criterion. As a result, NMED added total recoverable selenium as a cause of non-support for Wildlife Habitat within this AU. No exceedances of the acute aquatic life use criterion occurred within the most recent three years of data, and chronic aquatic life use criteria do not apply to those AUs with a designated Limited Aquatic Life Use (20.6.4.128 NMAC). There were 1/5 exceedances of the Livestock Watering use for radium 226+228 and 0/6 exceedances of the 0.77 ug/L Wildlife Habitat total mercury criterion, respectively. The CALM delisting criteria for these uses states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, NMED retained the listing for radium (226 + 228) and removed total mercury as a cause of non-support for Wildlife Habitat within this AU.
13020101	Upper Rio Grande	NM-2118.A_32	North Fork Tesuque Creek (Tesuque Creek to headwaters)	5/SA	2.4	MILES	20.6.4.121	Aluminum, Total Recoverable	5/SA	303(d) List (no TMDL in place)	2021	Industrial water supply and municipal water supply may not be actual uses for this stream reach.
13020101	Upper Rio Grande	NM-2120.A_703	Pioneer Creek (Red River to headwaters)	5/SA	5.36	MILES	20.6.4.123	Sedimentation/Siltation	5/SA	303(d) List (no TMDL in place)	2021	TMDL for turbidity.
13020101	Upper Rio Grande	NM-2120.A_706	Placer Creek (Red River to headwaters)	5/SA	3.41	MILES	20.6.4.123	Turbidity	5/SA	303(d) List (no TMDL in place)	2021	
13020101	Upper Rio Grande	NM-2111_20	Pojoaque River (San Ildefonso bnd to Pojoaque bnd)	5/SA	0.68	MILES	20.6.4.114	Polychlorinated Biphenyls (PCBs)	5/SA	303(d) List (no TMDL in place)	2021	
13020101	Upper Rio Grande	NM-9000.A_043	Pueblo Canyon (Acid Canyon to headwaters)	5/SB	3.78	MILES	20.6.4.98	Aluminum, Total Recoverable	5/SB	303(d) List (no TMDL in place)	2018	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-9000.A_043	Pueblo Canyon (Acid Canyon to headwaters)	5/SB	3.78	MILES	20.6.4.98	Copper, Dissolved	5/SB	303(d) List (no TMDL in place)	2018	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-9000.A_043	Pueblo Canyon (Acid Canyon to headwaters)	5/SB	3.78	MILES	20.6.4.98	Gross Alpha, Adjusted	5/SB	303(d) List (no TMDL in place)	2002	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-9000.A_043	Pueblo Canyon (Acid Canyon to headwaters)	5/SB	3.78	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/SC	303(d) List (no TMDL in place)	2006	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-99.A_001	Pueblo Canyon (Los Alamos Canyon to Los Alamos WWTP)	5/SC	2.78	MILES	20.6.4.98	Aluminum, Total Recoverable	5/SB	303(d) List (no TMDL in place)	2018	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals ALL listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-99.A_001	Pueblo Canyon (Los Alamos Canyon to Los Alamos WWTP)	5/SC	2.78	MILES	20.6.4.98	Gross Alpha, Adjusted	5/SC	303(d) List (no TMDL in place)	2010	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals ALL listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-99.A_001	Pueblo Canyon (Los Alamos Canyon to Los Alamos WWTP)	5/SC	2.78	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/SC	303(d) List (no TMDL in place)	2010	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals ALL listings based on exceedances of acute criteria.

13020101	Upper Rio Grande	NM-99.A_001	Pueblo Canyon (Los Alamos Canyon to Los Alamos WWTP)	5/SC	2.78	MILES	20.6.4.98	Selenium, Total Recoverable	5/SC	303(d) List (no TMDL in place)	2018		This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals ALU listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-97.A_006	Pueblo Canyon (Los Alamos WWTP to Acid Canyon)	5/SC	3.27	MILES	20.6.4.98	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)	2010		Application of the SWQB Hydrology Protocol (survey date 7/21/08) indicate this assessment unit is ephemeral (Hydrology Protocol score of 3.75 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol). The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to a waterbody under 20.6.4.97 NMAC. Until such time, this waterbody will remain under 20.6.4.98 NMAC.
13020101	Upper Rio Grande	NM-97.A_006	Pueblo Canyon (Los Alamos WWTP to Acid Canyon)	5/SC	3.27	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/SC	303(d) List (no TMDL in place)	2010		Application of the SWQB Hydrology Protocol (survey date 7/21/08) indicate this assessment unit is ephemeral (Hydrology Protocol score of 3.75 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol). The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to a waterbody under 20.6.4.97 NMAC. Until such time, this waterbody will remain under 20.6.4.98 NMAC.
13020101	Upper Rio Grande	NM-2120.A_710	Red River (Placer Creek to East Fork Red River)	5/SC	6.01	MILES	20.6.4.123	Benthic Macroinvertebrates	5/SC	303(d) List (no TMDL in place)	2020		
13020101	Upper Rio Grande	NM-2119_10	Red River (Rio Grande to Placer Creek)	5/SA	21.16	MILES	20.6.4.122	Turbidity	5/SA	303(d) List (no TMDL in place)	2021	2020	This AU is listed for chronic total recoverable aluminum with a commitment to reassess for the draft 2022 Integrated List. Most recently available assessable data (2019-2020) obtained from the Questa Mine Site (collected by Arcadis U.S. and submitted to SWQB by GWQB staff in 2021) indicates full support for total aluminum with no exceedances (0/4) of total aluminum chronic or acute criteria from furthest downstream site in the AU (only station with enough new data to assess). The 2020 Assessment Rationale notes the continuing downward trend in the total recoverable aluminum concentrations at certain water quality stations from 2014 to 2020, and that water quality appears to be improving based on the most recent available data. The existing aluminum impairment will be removed. Turbidity data not available to re-assess.
13020101	Upper Rio Grande	NM-2118.A_40	Rio Chupadero (USFS bnd to headwaters)	5/SA	6.05	MILES	20.6.4.121	Sedimentation/Sitation	5/SA	303(d) List (no TMDL in place)	2021	2020	TMDL for dissolved aluminum 2006 (withdrawn in 2013 because dissolved aluminum criteria no longer apply).
13020101	Upper Rio Grande	NM-2120.A_512	Rio Fernando de Taos (R Pueblo d Taos to USFS bnd at canyon)	5/SC	5.21	MILES	20.6.4.123	E. coli	4A	TMDL Completed	09/13/2012	2008	TMDLs for temperature and specific conductance.
13020101	Upper Rio Grande	NM-2120.A_512	Rio Fernando de Taos (R Pueblo d Taos to USFS bnd at canyon)	5/SC	5.21	MILES	20.6.4.123	Specific Conductance	4A	TMDL Completed	12/17/2004	1998	TMDLs for temperature and specific conductance.
13020101	Upper Rio Grande	NM-2120.A_512	Rio Fernando de Taos (R Pueblo d Taos to USFS bnd at canyon)	5/SC	5.21	MILES	20.6.4.123	Temperature	4A	TMDL Completed	12/17/2004	1998	TMDLs for temperature and specific conductance.
13020101	Upper Rio Grande	NM-2120.A_512	Rio Fernando de Taos (R Pueblo d Taos to USFS bnd at canyon)	5/SC	5.21	MILES	20.6.4.123	Turbidity	5/SC	303(d) List (no TMDL in place)		2020	TMDLs for temperature and specific conductance.
13020101	Upper Rio Grande	NM-98.A_001	Rio Fernando de Taos (Tienditas Creek to headwaters)	4A	6.84	MILES	20.6.4.123	E. coli	4A	TMDL Completed	09/13/2012	2008	The SWQB Watershed Protection Section completed a special study of E. coli levels with associated flow observations in the upper 3 miles of Rio Fernando de Taos and the Apache Canyon tributary to assess potential impacts from livestock grazing in 2006. The study demonstrated instances when grazing on the Flechado Allotment probably increased E. coli levels in Apache Canyon and this portion of Rio Fernando de Taos in 2006. The USFS Carson National Forest in cooperation with SWQB collected E. coli data in 2007 (combined with 2006 data and assessed for 2008 cycle). NMEDs Hydrology Protocol (https://www.env.nm.gov/surface-water-quality/hp/) was performed at this AU on 5/23/11. According to the protocol and supporting information, this AU falls under the perennial definition in 20.6.4.7 NMAC.
13020101	Upper Rio Grande	NM-2120.A_513	Rio Fernando de Taos (JFSF bnd at canyon to Tienditas Creek)	5/SA	11.54	MILES	20.6.4.123	Specific Conductance	5/SA	303(d) List (no TMDL in place)	2021	2020	NMEDs Hydrology Protocol (https://www.env.nm.gov/surface-water-quality/hp/) was performed at this AU on 5/23/11. According to the protocol, this AU falls under the "perennial" definition in 20.6.4.7 NMAC.
13020101	Upper Rio Grande	NM-2118.A_60	Rio Frijoles (Rio Medio to Pecos Wilderness)	5/SA	15.35	MILES	20.6.4.121	Turbidity	5/SA	303(d) List (no TMDL in place)	2021	2020	There were 2 of 4 exceedances of the 2007 NMAC dissolved aluminum chronic criterion (87 ug/L).
13020101	Upper Rio Grande	NM-2111_12	Rio Grande (Embudo Creek to Rio Pueblo de Taos)	5/SC	15.35	MILES	20.6.4.114	Turbidity	5/SC	303(d) List (no TMDL in place)		2012	

13020101	Upper Rio Grande	NM-2111_10	Rio Grande (Ohkay Owingeh bnd to Embudo Creek)	5/SC	14.07	MILES	20.6.4.114	DDT - Fish Consumption Advisory	5/SC	303(d) List (no TMDL in place)	2020	TMDL for turbidity. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	Season-long thermograph deployments during the 2017-2018 survey resulted in exceedances of both the 6T3 and Max Temp criteria. Temperature impairment was erroneously missed in the 2020-2022 List. Temperature added as a cause of non-support for the 2022-2024 List.	
13020101	Upper Rio Grande	NM-2111_10	Rio Grande (Ohkay Owingeh bnd to Embudo Creek)	5/SC	14.07	MILES	20.6.4.114	Mercury - Fish Consumption Advisory	5/SC	303(d) List (no TMDL in place)	2020	TMDL for turbidity. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	Season-long thermograph deployments during the 2017-2018 survey resulted in exceedances of both the 6T3 and Max Temp criteria. Temperature impairment was erroneously missed in the 2020-2022 List. Temperature added as a cause of non-support for the 2022-2024 List.	
13020101	Upper Rio Grande	NM-2111_10	Rio Grande (Ohkay Owingeh bnd to Embudo Creek)	5/SC	14.07	MILES	20.6.4.114	Temperature	5/SA	303(d) List (no TMDL in place)	2024	TMDL for turbidity. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	Season-long thermograph deployments during the 2017-2018 survey resulted in exceedances of both the 6T3 and Max Temp criteria. Temperature impairment was erroneously missed in the 2020-2022 List. Temperature added as a cause of non-support for the 2022-2024 List.	
13020101	Upper Rio Grande	NM-2111_10	Rio Grande (Ohkay Owingeh bnd to Embudo Creek)	5/SC	14.07	MILES	20.6.4.114	Turbidity	4A	TMDL Completed	06/02/2005	1998	TMDL for turbidity. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	Season-long thermograph deployments during the 2017-2018 survey resulted in exceedances of both the 6T3 and Max Temp criteria. Temperature impairment was erroneously missed in the 2020-2022 List. Temperature added as a cause of non-support for the 2022-2024 List.
13020101	Upper Rio Grande	NM-2119_05	Rio Grande (Red River to CO border)	4A	29.2	MILES	20.6.4.122	Temperature	4A	TMDL Completed	12/17/2004	2004	TMDL for temperature.	
13020101	Upper Rio Grande	NM-2119_00	Rio Grande (Rio Pueblo de Taos to Red River)	5/SC	23.29	MILES	20.6.4.122	Temperature	5/SB	303(d) List (no TMDL in place)	2021	2020	Temperature in this AU is predominately controlled by groundwater and geology.	
13020101	Upper Rio Grande	NM-2119_00	Rio Grande (Rio Pueblo de Taos to Red River)	5/SC	23.29	MILES	20.6.4.122	pH	5/SC	303(d) List (no TMDL in place)	2020	2020	Temperature in this AU is predominately controlled by groundwater and geology.	
13020101	Upper Rio Grande	NM-2111_11	Rio Grande (Santa Clara Pueblo bnd to Ohkay Owingeh bnd)	5/SA	0.69	MILES	20.6.4.114	Mercury - Fish Consumption Advisory	5/SC	303(d) List (no TMDL in place)	2020	TMDL for turbidity. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.		
13020101	Upper Rio Grande	NM-2111_11	Rio Grande (Santa Clara Pueblo bnd to Ohkay Owingeh bnd)	5/SA	0.69	MILES	20.6.4.114	Temperature	5/SA	303(d) List (no TMDL in place)	2021	2020	TMDL for turbidity. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13020101	Upper Rio Grande	NM-2111_11	Rio Grande (Santa Clara Pueblo bnd to Ohkay Owingeh bnd)	5/SA	0.69	MILES	20.6.4.114	Turbidity	4A	TMDL Completed	06/02/2005	1998	TMDL for turbidity. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13020101	Upper Rio Grande	NM-2120_A_501	Rio Grande del Rancho (R Pueblo de Taos to Rito de la Olla)	5/SA	10.57	MILES	20.6.4.123	Dissolved oxygen	5/SA	303(d) List (no TMDL in place)	2021	2020	TMDL for specific conductance.	
13020101	Upper Rio Grande	NM-2120_A_501	Rio Grande del Rancho (R Pueblo de Taos to Rito de la Olla)	5/SA	10.57	MILES	20.6.4.123	E. coli	5/SA	303(d) List (no TMDL in place)	2021	2014	TMDL for specific conductance.	
13020101	Upper Rio Grande	NM-2120_A_501	Rio Grande del Rancho (R Pueblo de Taos to Rito de la Olla)	5/SA	10.57	MILES	20.6.4.123	Specific Conductance	4A	TMDL Completed	12/17/2004	2004	TMDL for specific conductance.	
13020101	Upper Rio Grande	NM-2120_A_501	Rio Grande del Rancho (R Pueblo de Taos to Rito de la Olla)	5/SA	10.57	MILES	20.6.4.123	Temperature	5/SA	303(d) List (no TMDL in place)	2021	2012	TMDL for specific conductance.	
13020101	Upper Rio Grande	NM-2120_A_600	Rio Hondo (Rio Grande to USFS bnd)	4A	8.74	MILES	20.6.4.129	Temperature	4A	TMDL Completed	12/17/2004	2002	TMDL for temperature.	
13020101	Upper Rio Grande	NM-2118_A_53	Rio Medio (Rio Frijoles to headwaters)	5/SA	17.88	MILES	20.6.4.121	Aluminum, Total Recoverable	5/SA	303(d) List (no TMDL in place)	2021	2020		
13020101	Upper Rio Grande	NM-2118_A_53	Rio Medio (Rio Frijoles to headwaters)	5/SA	17.88	MILES	20.6.4.121	Temperature	5/SA	303(d) List (no TMDL in place)	2021	2020		
13020101	Upper Rio Grande	NM-2118_A_53	Rio Medio (Rio Frijoles to headwaters)	5/SA	17.88	MILES	20.6.4.121	Turbidity	5/SA	303(d) List (no TMDL in place)	2021	2020		
13020101	Upper Rio Grande	NM-2118_A_43	Rio Nambé (Nambé Pueblo bnd to headwaters)	5/SA	9.23	MILES	20.6.4.121	Temperature	5/SA	303(d) List (no TMDL in place)	2021	2020	Reach is difficult to access. Watershed impacted by 2012 Santa Fe National Forest Pacheco Fire.	

13020101	Upper Rio Grande	NM-2120_A_410	Rio Pueblo (Picuris Pueblo bnd to headwaters)	5/5C	20.44	MILES	20.6.4.123	Aluminum, Total Recoverable	5/5C	303(d) List (no TMDL in place)	2021	2020	Temperature and aluminum impairments listed as SC. Further data collection merited because of a fire which occurred in a headwaters of the canyon during the survey and prior to the maximum temperature reading on the thermograph from which the listing came.
13020101	Upper Rio Grande	NM-2120_A_410	Rio Pueblo (Picuris Pueblo bnd to headwaters)	5/5C	20.44	MILES	20.6.4.123	Temperature	5/5C	303(d) List (no TMDL in place)	2021	2020	Temperature and aluminum impairments listed as SC. Further data collection merited because of a fire which occurred in a headwaters of the canyon during the survey and prior to the maximum temperature reading on the thermograph from which the listing came.
13020101	Upper Rio Grande	NM-2119_30	Rio Pueblo de Taos (Arroyo del Alamo to R Grande del Rancho)	5/5A	5.46	MILES	20.6.4.122	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2012	TMDL for temperature and sedimentation/siltation (SBD).
13020101	Upper Rio Grande	NM-2119_30	Rio Pueblo de Taos (Arroyo del Alamo to R Grande del Rancho)	5/5A	5.46	MILES	20.6.4.122	Temperature	4A	TMDL Completed	12/17/2004	2004	TMDL for temperature and sedimentation/siltation (SBD).
13020101	Upper Rio Grande	NM-2120_A_511	Rio Pueblo de Taos (R Grande del Rancho to Taos Pueblo bnd)	4A	3.09	MILES	20.6.4.123	E. coli	4A	TMDL Completed	09/13/2012	2012	TMDL for temperature.
13020101	Upper Rio Grande	NM-2120_A_511	Rio Pueblo de Taos (R Grande del Rancho to Taos Pueblo bnd)	4A	3.09	MILES	20.6.4.123	Temperature	4A	TMDL Completed	12/17/2004	2004	TMDL for temperature.
13020101	Upper Rio Grande	NM-2119_20	Rio Pueblo de Taos (Rio Grande to Arroyo del Alamo)	5/5A	2.38	MILES	20.6.4.122	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2021	2020	TMDL for temperature.
13020101	Upper Rio Grande	NM-2119_20	Rio Pueblo de Taos (Rio Grande to Arroyo del Alamo)	5/5A	2.38	MILES	20.6.4.122	Temperature	4A	TMDL Completed	12/17/2004	2004	TMDL for temperature.
13020101	Upper Rio Grande	NM-2119_20	Rio Pueblo de Taos (Rio Grande to Arroyo del Alamo)	5/5A	2.38	MILES	20.6.4.122	Turbidity	5/5A	303(d) List (no TMDL in place)	2021	2020	TMDL for temperature.
13020101	Upper Rio Grande	NM-2120_A_120	Rio Quemado (Rio Arriba Cnty bnd to headwaters)	5/5A	16.34	MILES	20.6.4.123	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	The 2012 Rio Quemado E.coli TMDL was assigned to the E.coli impairment.
13020101	Upper Rio Grande	NM-2120_A_120	Rio Quemado (Rio Arriba Cnty bnd to headwaters)	5/5A	16.34	MILES	20.6.4.123	E. coli	4A	TMDL Completed	09/13/2012	2020	The 2012 Rio Quemado E.coli TMDL was assigned to the E.coli impairment.
13020101	Upper Rio Grande	NM-2118_A_52	Rio Quemado (Santa Cruz River to Rio Arriba Cnty bnd)	5/5A	3.84	MILES	20.6.4.121	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	TMDL for E. coli.
13020101	Upper Rio Grande	NM-2118_A_52	Rio Quemado (Santa Cruz River to Rio Arriba Cnty bnd)	5/5A	3.84	MILES	20.6.4.121	E. coli	4A	TMDL Completed	09/13/2012	2012	TMDL for E. coli.
13020101	Upper Rio Grande	NM-2118_A_42	Rio en Medio (Aspen Ranch to headwaters)	5/5A	3.09	MILES	20.6.4.121	Sedimentation/Siltation	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2120_A_322	Sanchez Canyon (Costilla Creek to headwaters)	5/5A	6.32	MILES	20.6.4.123	Turbidity	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2118_B_00	Santa Cruz Lake	5/5A	92.95	ACRES	20.6.4.121	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2118_B_00	Santa Cruz Lake	5/5A	92.95	ACRES	20.6.4.121	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2118_B_00	Santa Cruz Lake	5/5A	92.95	ACRES	20.6.4.121	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2012	
13020101	Upper Rio Grande	NM-2111_50	Santa Cruz River (Santa Clara Pueblo bnd to Santa Cruz Dam)	5/5A	8.37	MILES	20.6.4.114	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2111_50	Santa Cruz River (Santa Clara Pueblo bnd to Santa Cruz Dam)	5/5A	8.37	MILES	20.6.4.114	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2012	
13020101	Upper Rio Grande	NM-2118_A_51	Santa Cruz River (Santa Cruz Reservoir to Rio en Medio)	5/5A	1.01	MILES	20.6.4.121	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2118_A_51	Santa Cruz River (Santa Cruz Reservoir to Rio en Medio)	5/5A	1.01	MILES	20.6.4.121	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-97_A_029	South Fork Acid Canyon (Acid Canyon to headwaters)	5/5B	0.09	MILES	20.6.4.98	Copper, Dissolved	5/5B	303(d) List (no TMDL in place)	2021	2014	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-97_A_029	South Fork Acid Canyon (Acid Canyon to headwaters)	5/5B	0.09	MILES	20.6.4.98	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)	2021	2014	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-97_A_029	South Fork Acid Canyon (Acid Canyon to headwaters)	5/5B	0.09	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2021	2014	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-2120_A_821	Ute Creek (Costilla Creek to headwaters)	5/5A	9.01	MILES	20.6.4.123	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020	
13020101	Upper Rio Grande	NM-2120_A_841	Vidal Creek (Comanche Creek to headwaters)	5/5A	5.85	MILES	20.6.4.123	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
13020101	Upper Rio Grande	NM-2120_A_841	Vidal Creek (Comanche Creek to headwaters)	5/5A	5.85	MILES	20.6.4.123	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
13020101	Upper Rio Grande	NM-2120_A_841	Vidal Creek (Comanche Creek to headwaters)	5/5A	5.85	MILES	20.6.4.123	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
13020101	Upper Rio Grande	NM-2120_A_841	Vidal Creek (Comanche Creek to headwaters)	5/5A	5.85	MILES	20.6.4.123	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2014	ONRW (Outstanding National Resource Water) status for surface waters in the Valle Vidal as of February 2006.
13020101	Upper Rio Grande	NM-97_A_004	Walnut Canyon (Pueblo Canyon to headwaters)	5/5C	0.38	MILES	20.6.4.98	Copper, Dissolved	5/5B	303(d) List (no TMDL in place)	2021	2014	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.
13020101	Upper Rio Grande	NM-97_A_004	Walnut Canyon (Pueblo Canyon to headwaters)	5/5C	0.38	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2021	2010	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC. Metals listings based on exceedances of acute criteria.

13020102	Rio Chama	NM-2113_50	Abiquiu Creek (Rio Chama to headwaters)	4A	12.99	MILES	20.6.4.116	Dissolved oxygen	4A	TMDL Completed	09/03/2004	1998	TMDL for dissolved oxygen. Impacts to watershed in 2012.
13020102	Rio Chama	NM-2114_00	Abiquiu Reservoir	5/5C	3257.91	ACRES	20.6.4.117	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2010	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020102	Rio Chama	NM-2114_00	Abiquiu Reservoir	5/5C	3257.91	ACRES	20.6.4.117	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2006	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020102	Rio Chama	NM-98.A_006	Arroyo del Toro (Rio Chama to headwaters)	5/5C	6.89	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2012	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC.
13020102	Rio Chama	NM-9000.B_025	Burns Lake (Rio Arriba)	5/5A	1.59	ACRES	20.6.4.99	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2014	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC.
13020102	Rio Chama	NM-98.A_005	Canada de Horno (Rio Chama to headwaters)	5/5C	3.99	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2012	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU remains classified under Intermittent Waters - 20.6.4.98 NMAC.
13020102	Rio Chama	NM-2116.A_030	Canjilon Ck (Perennial portions Abiquiu Rsvr to headwaters)	5/5C	37.43	MILES	20.6.4.119	Nutrients	5/5C	303(d) List (no TMDL in place)		2010	TMDLs prepared for temperature and SC in 2011.
13020102	Rio Chama	NM-2116.A_030	Canjilon Ck (Perennial portions Abiquiu Rsvr to headwaters)	5/5C	37.43	MILES	20.6.4.119	Specific Conductance	4A	TMDL Completed	08/16/2011	2006	TMDLs prepared for temperature and SC in 2011.
13020102	Rio Chama	NM-2116.A_030	Canjilon Ck (Perennial portions Abiquiu Rsvr to headwaters)	5/5C	37.43	MILES	20.6.4.119	Temperature	4A	TMDL Completed	08/16/2011	2006	TMDLs prepared for temperature and SC in 2011.
13020102	Rio Chama	NM-2116.A_030	Canjilon Ck (Perennial portions Abiquiu Rsvr to headwaters)	5/5C	37.43	MILES	20.6.4.119	Turbidity	5/5C	303(d) List (no TMDL in place)		2006	TMDLs prepared for temperature and SC in 2011.
13020102	Rio Chama	NM-2116.A_010	Canones Creek (Abiquiu Rsvr to Chihuahuenuos Ck)	5/5A	8.35	MILES	20.6.4.119	E. coli	4A	TMDL Completed	11/30/2020	2014	Escherichia coli (E. coli) TMDL EPA approved November 2020. Turbidity TMDL (2004). Coolwater ALU may be the attainable ALU - WQS needed.
13020102	Rio Chama	NM-2116.A_010	Canones Creek (Abiquiu Rsvr to Chihuahuenuos Ck)	5/5A	8.35	MILES	20.6.4.119	Temperature	5/5B	303(d) List (no TMDL in place)		2014	Escherichia coli (E. coli) TMDL EPA approved November 2020. Turbidity TMDL (2004). Coolwater ALU may be the attainable ALU - WQS needed.
13020102	Rio Chama	NM-2116.A_100	Canones Creek (Rio Chama to Jicarilla Apache bnd)	5/5A	8.38	MILES	20.6.4.119	Temperature	5/5C	303(d) List (no TMDL in place)		2014	
13020102	Rio Chama	NM-2116.A_081	Chavez Creek (Rio Brazos to headwaters)	4A	13.09	MILES	20.6.4.119	Temperature	4A	TMDL Completed	03/04/2004	2004	TMDL for temperature. HQCWAL may not be attainable.
13020102	Rio Chama	NM-2116.A_016	Chihuahuenuos Creek (Canones Creek to headwaters)	5/5C	9.53	MILES	20.6.4.119	Aluminum, Total Recoverable	5/5C	303(d) List (no TMDL in place)		2014	
13020102	Rio Chama	NM-2116.A_016	Chihuahuenuos Creek (Canones Creek to headwaters)	5/5C	9.53	MILES	20.6.4.119	Sedimentation/Siltation	5/5A	303(d) List (no TMDL in place)	2023	2014	Sedimentation/Siltation TMDL EPA approved November 2020.
13020102	Rio Chama	NM-2116.A_023	Coyote Creek (Rio Puerco de Chama to headwaters)	4A	15.68	MILES	20.6.4.119	Sedimentation/Siltation	4A	TMDL Completed	11/30/2020	2014	
13020102	Rio Chama	NM-2112.A_20	El Rito Creek (Perennial reaches HWY 554 to headwaters)	5/5C	23.96	MILES	20.6.4.115	E. coli	5/5A	303(d) List (no TMDL in place)	2023	2014	
13020102	Rio Chama	NM-2112.A_20	El Rito Creek (Perennial reaches HWY 554 to headwaters)	5/5C	23.96	MILES	20.6.4.115	Temperature	5/5C	303(d) List (no TMDL in place)		2014	
13020102	Rio Chama	NM-2113_40	El Rito Creek (Perennial reaches Rio Chama to HWY 554)	5/5C	13.72	MILES	20.6.4.116	Nutrients	5/5C	303(d) List (no TMDL in place)		2014	
13020102	Rio Chama	NM-2117_10	Heron Reservoir	5/5A	4497.01	ACRES	20.6.4.120	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2014	
13020102	Rio Chama	NM-2112.B_00	Hopewell Lake	5/5A	15.66	ACRES	20.6.4.134	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2014	
13020102	Rio Chama	NM-2112.A_03	Placer Creek (Hopewell Lake to headwaters)	4A	4.93	MILES	20.6.4.115	Temperature	4A	TMDL Completed	11/30/2020	2014	Temperature TMDL EPA approved November 2020.
13020102	Rio Chama	NM-2116.A_023	Poleo Creek (Rio Puerco de Chama to headwaters)	4A	8.01	MILES	20.6.4.119	Sedimentation/Siltation	4A	TMDL Completed	11/30/2020	2014	Sedimentation/Siltation TMDL EPA approved November 2020. TMDL for turbidity (2004).
13020102	Rio Chama	NM-2116.A_080	Rio Brazos (Rio Chama to Chavez Creek)	4A	3.93	MILES	20.6.4.119	Temperature	4A	TMDL Completed	03/04/2004	1998	2004
13020102	Rio Chama	NM-2116.A_041	Rio Capulin (Rio Gallina to headwaters)	4A	12.6	MILES	20.6.4.119	E. coli	4A	TMDL Completed	08/16/2011	2010	TMDL prepared for e. coli (2011).
13020102	Rio Chama	NM-2116.A_003	Rio Chama (El Vado Reservoir to Rito de Tierra Amarilla)	4A	9.54	MILES	20.6.4.119	E. coli	4A	TMDL Completed	08/16/2011	2010	TMDLs were prepared for e. coli, nutrients, and temperature in 2011.
13020102	Rio Chama	NM-2116.A_003	Rio Chama (El Vado Reservoir to Rito de Tierra Amarilla)	4A	9.54	MILES	20.6.4.119	Nutrients	4A	TMDL Completed	08/16/2011	2010	TMDLs were prepared for e. coli, nutrients, and temperature in 2011.
13020102	Rio Chama	NM-2116.A_003	Rio Chama (El Vado Reservoir to Rito de Tierra Amarilla)	4A	9.54	MILES	20.6.4.119	Temperature	4A	TMDL Completed	08/16/2011	2010	TMDLs were prepared for e. coli, nutrients, and temperature in 2011.
13020102	Rio Chama	NM-2116.A_002	Rio Chama (Little Willow Creek to CO border)	4A	9.01	MILES	20.6.4.119	Temperature	4A	TMDL Completed	08/16/2011	2010	TMDLs were prepared for e. coli and temperature in 2011.
13020102	Rio Chama	NM-2116.A_001	Rio Chama (Rio Brazos to Little Willow Creek)	4A	13.42	MILES	20.6.4.119	Temperature	4A	TMDL Completed	03/04/2004	1998	TMDLs were prepared for temperature (2004), and e. coli and nutrients (2011).
13020102	Rio Chama	NM-2116.A_000	Rio Chama (Rito de Tierra Amarilla to Rio Brazos)	4A	6.43	MILES	20.6.4.119	E. coli	4A	TMDL Completed	08/16/2011	2010	TMDLs were prepared for e. coli, nutrients, and temperature in 2011.
13020102	Rio Chama	NM-2116.A_000	Rio Chama (Rito de Tierra Amarilla to Rio Brazos)	4A	6.43	MILES	20.6.4.119	Nutrients	4A	TMDL Completed	08/16/2011	2010	TMDLs were prepared for e. coli, nutrients, and temperature in 2011.
13020102	Rio Chama	NM-2116.A_000	Rio Chama (Rito de Tierra Amarilla to Rio Brazos)	4A	6.43	MILES	20.6.4.119	Temperature	4A	TMDL Completed	08/16/2011	2010	TMDLs were prepared for e. coli, nutrients, and temperature in 2011.
13020102	Rio Chama	NM-2116.A_110	Rio Chamita (Rio Chama to CO border)	4A	13.87	MILES	20.6.4.119	Ammonia, Total	4A	TMDL Completed	09/30/1999	1998	TMDL for ammonia, total phosphorus, fecal coliform, temp (1999), and dissolved aluminum (2004). TMDLs were prepared for e. coli and nutrients (2011). Dissolved Al TMDL withdrawn 2018 because no longer an applicable WQC.

13020102	Rio Chama	NM-2116_A_110	Rio Chamita (Rio Chama to CO border)	4A	13.87	MILES	20.6.4.119	E. coli	4A	TMDL Completed	08/16/2011	2010	TMDL for ammonia, total phosphorus, fecal coliform, temp (1999), and dissolved aluminum (2004). TMDLs were prepared for e. coli and nutrients (2011). Dissolved Al TMDL withdrawn 2018 because no longer an applicable WQC.
13020102	Rio Chama	NM-2116_A_110	Rio Chamita (Rio Chama to CO border)	4A	13.87	MILES	20.6.4.119	Nutrients	4A	TMDL Completed	08/16/2011	2006	TMDL for ammonia, total phosphorus, fecal coliform, temp (1999), and dissolved aluminum (2004). TMDLs were prepared for e. coli and nutrients (2011). Dissolved Al TMDL withdrawn 2018 because no longer an applicable WQC.
13020102	Rio Chama	NM-2116_A_110	Rio Chamita (Rio Chama to CO border)	4A	13.87	MILES	20.6.4.119	Temperature	4A	TMDL Completed	12/31/1999	1998	TMDL for ammonia, total phosphorus, fecal coliform, temp (1999), and dissolved aluminum (2004). TMDLs were prepared for e. coli and nutrients (2011). Dissolved Al TMDL withdrawn 2018 because no longer an applicable WQC.
13020102	Rio Chama	NM-2116_A_060	Rio Nutrias (Perennial prt Rio Chama to headwaters)	4A	41.06	MILES	20.6.4.119	E. coli	4A	TMDL Completed	11/30/2020	2014	Escherichia coli (E. coli) TMDL EPA approved November 2020. TMDL for turbidity (2004).
13020102	Rio Chama	NM-2116_A_060	Rio Nutrias (Perennial prt Rio Chama to headwaters)	4A	41.06	MILES	20.6.4.119	Turbidity	4A	TMDL Completed	09/03/2004	2004	Escherichia coli (E. coli) TMDL EPA approved November 2020. TMDL for turbidity (2004).
13020102	Rio Chama	NM-2113_10	Rio Ojo Caliente (Arroyo El Rito to Rio Vallecitos)	5/5C	8.68	MILES	20.6.4.116	Nutrients	5/5A	303(d) List (no TMDL in place)	2023	2014	
13020102	Rio Chama	NM-2115_20	Rio Puerco de Chama (Abiquiu Reservoir to HWY 96)	5/5C	13.55	MILES	20.6.4.118	E. coli	4A	TMDL Completed	08/16/2011	2010	TMDLs prepared for temperature and e. coli (2011).
13020102	Rio Chama	NM-2115_20	Rio Puerco de Chama (Abiquiu Reservoir to HWY 96)	5/5C	13.55	MILES	20.6.4.118	Nutrients	5/5C	303(d) List (no TMDL in place)		2010	TMDLs prepared for temperature and e. coli (2011).
13020102	Rio Chama	NM-2115_20	Rio Puerco de Chama (Abiquiu Reservoir to HWY 96)	5/5C	13.55	MILES	20.6.4.118	Temperature	4A	TMDL Completed	08/16/2011	1998	TMDLs prepared for temperature and e. coli (2011).
13020102	Rio Chama	NM-2113_30	Rio Tusas (Perennial prt Rio Vallecitos to headwaters)	4A	46.34	MILES	20.6.4.116	Nutrients	4A	TMDL Completed	08/16/2011	2010	Temperature TMDL EPA approved November 2020. TMDL was prepared for nutrients (2011).
13020102	Rio Chama	NM-2113_30	Rio Tusas (Perennial prt Rio Vallecitos to headwaters)	4A	46.34	MILES	20.6.4.116	Temperature	4A	TMDL Completed	11/30/2020	2016	Temperature TMDL EPA approved November 2020. TMDL was prepared for nutrients (2011).
13020102	Rio Chama	NM-2112_A_00	Rio Vallecitos (Rio Tusas to headwaters)	4A	36.77	MILES	20.6.4.115	Temperature	4A	TMDL Completed	09/03/2004	1998	TMDL for Al chronic, temperature, and turbidity. HQCWAL may not be attainable - WQS review needed.
13020102	Rio Chama	NM-2112_A_10	Rio del Oso (Rio Chama to Canada del Cerro)	5/5A	8.43	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2012	DDE-OB submitted PCB data for the 2012 listing cycle.
13020102	Rio Chama	NM-2116_A_021	Rito Encino (Rio Puerco de Chama to headwaters)	5/5A	10.3	MILES	20.6.4.119	E. coli	5/5C	303(d) List (no TMDL in place)		2014	Sedimentation/Siltation TMDL EPA approved November 2020.
13020102	Rio Chama	NM-2116_A_021	Rito Encino (Rio Puerco de Chama to headwaters)	5/5A	10.3	MILES	20.6.4.119	Sedimentation/Siltation	4A	TMDL Completed	11/30/2020	2014	Sedimentation/Siltation TMDL EPA approved November 2020.
13020102	Rio Chama	NM-2116_A_025	Rito Resumidero (Perennial prt R Puerco de Chama to hdwt)	4C	5.55	MILES	20.6.4.119	Flow Regime Modification	4C	Not a Pollutant		2014	The entire stream is diverted just upstream of the SWQB historic sampling station.
13020102	Rio Chama	NM-2116_A_072	Rito de Tierra Amarilla (HWY 64 to headwaters)	5/5C	6.27	MILES	20.6.4.119	Aluminum, Total Recoverable	5/5C	303(d) List (no TMDL in place)		2014	
13020102	Rio Chama	NM-2116_A_072	Rito de Tierra Amarilla (HWY 64 to headwaters)	5/5C	6.27	MILES	20.6.4.119	Temperature	5/5A	303(d) List (no TMDL in place)	2023	2014	
13020102	Rio Chama	NM-2116_A_070	Rito de Tierra Amarilla (Rio Chama to HWY 64)	5/5C	18.39	MILES	20.6.4.119	Nutrients	5/5C	303(d) List (no TMDL in place)		2016	TMDLs for temperature, turbidity, and sedimentation/siltation (2004). WQS review recommended-Cool water ALU more appropriate on basis of ecoregion (21d) and fish community.
13020102	Rio Chama	NM-2116_A_070	Rito de Tierra Amarilla (Rio Chama to HWY 64)	5/5C	18.39	MILES	20.6.4.119	Sedimentation/Siltation	4A	TMDL Completed	03/04/2004	1998	TMDLs for temperature, turbidity, and sedimentation/siltation (2004). WQS review recommended-Cool water ALU more appropriate on basis of ecoregion (21d) and fish community.
13020102	Rio Chama	NM-2116_A_070	Rito de Tierra Amarilla (Rio Chama to HWY 64)	5/5C	18.39	MILES	20.6.4.119	Specific Conductance	5/5B	303(d) List (no TMDL in place)		2014	TMDLs for temperature, turbidity, and sedimentation/siltation (2004). WQS review recommended-Cool water ALU more appropriate on basis of ecoregion (21d) and fish community.
13020102	Rio Chama	NM-2116_A_070	Rito de Tierra Amarilla (Rio Chama to HWY 64)	5/5C	18.39	MILES	20.6.4.119	Temperature	4A	TMDL Completed	03/04/2004	1998	TMDLs for temperature, turbidity, and sedimentation/siltation (2004). WQS review recommended-Cool water ALU more appropriate on basis of ecoregion (21d) and fish community.
13020102	Rio Chama	NM-2116_A_070	Rito de Tierra Amarilla (Rio Chama to HWY 64)	5/5C	18.39	MILES	20.6.4.119	Turbidity	4A	TMDL Completed	03/04/2004	1998	TMDLs for temperature, turbidity, and sedimentation/siltation (2004). WQS review recommended-Cool water ALU more appropriate on basis of ecoregion (21d) and fish community.
13020102	Rio Chama	NM-2116_A_112	Sixto Creek (Rio Chamita to CO border)	4A	0.97	MILES	20.6.4.119	Temperature	4A	TMDL Completed	11/30/2020	2014	Temperature TMDL EPA approved November 2020.
13020201	Rio Grande-Santa Fe	NM-9000_A_054	Ancho Canyon (Above Ancho Springs to North Fork Ancho)	5/5C	1.7	MILES	20.6.4.128	Mercury, Total	5/5C	303(d) List (no TMDL in place)		2018	Previously Ancho Canyon (Rio Grande to North Fork Ancho), this AU was split following Hydrology Protocol surveys documenting a perennial reach downstream of Ancho Springs.
13020201	Rio Grande-Santa Fe	NM-9000_A_054	Ancho Canyon (Above Ancho Springs to North Fork Ancho)	5/5C	1.7	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2014	Previously Ancho Canyon (Rio Grande to North Fork Ancho), this AU was split following Hydrology Protocol surveys documenting a perennial reach downstream of Ancho Springs.
13020201	Rio Grande-Santa Fe	NM-9000_A_046	Ancho Canyon (North Fork to headwaters)	5/5C	4.49	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2010	

															Application of the SWQB Hydrology Protocol at various locations in this AU indicate this AU has perennial, intermittent and ephemeral portions - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol. TMDL for temperature (2017).	
13020201	Rio Grande-Santa Fe	NM-2118.A_15	Galisteo Ck (Perennial prt San Cristobal to 2.2 mi abv Lamy)	4A	12.57	MILES	20.6.4.139	Temperature	4A	TMDL Completed	08/22/2017	1998				
13020201	Rio Grande-Santa Fe	NM-2108.5_00	Las Huertas Ck (Perennial prt Santa Ana bnd to hdwtrs)	4C	14.61	MILES	20.6.4.111	Flow Regime Modification	4C	Not a Pollutant		2018				
																NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EIM database and/or provided by request from LANL. No exceedances (0/9) of the 0.77 ug/L Wildlife Habitat total mercury criterion were documented. The CALM delisting criteria for this use states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, total mercury was removed as a cause of non-support for the Wildlife Habitat designated use within this AU. In addition, NMED documented 5/12 exceedances of the 0.014 ug/L Wildlife Habitat criterion for Polychlorinated Biphenyls (PCBs) and 0/12 exceedances of the 2 ug/L Limited (Acute) Aquatic Life criterion for PCBs. The CALM delisting criteria for these uses state that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. Therefore, NMED retained PCBs as a cause of non-support for Wildlife Habitat and removed PCBs as a cause of non-support for Limited Aquatic Life in this AU.
13020201	Rio Grande-Santa Fe	NM-9000.A_042	Mortandad Canyon (within LANL)	5/5B	4.32	MILES	20.6.4.128	Copper, Dissolved	5/5B	303(d) List (no TMDL in place)		2010				
																NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EIM database and/or provided by request from LANL. No exceedances (0/9) of the 0.77 ug/L Wildlife Habitat total mercury criterion were documented. The CALM delisting criteria for this use states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, total mercury was removed as a cause of non-support for the Wildlife Habitat designated use within this AU. In addition, NMED documented 5/12 exceedances of the 0.014 ug/L Wildlife Habitat criterion for Polychlorinated Biphenyls (PCBs) and 0/12 exceedances of the 2 ug/L Limited (Acute) Aquatic Life criterion for PCBs. The CALM delisting criteria for these uses state that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. Therefore, NMED retained PCBs as a cause of non-support for Wildlife Habitat and removed PCBs as a cause of non-support for Limited Aquatic Life in this AU.
13020201	Rio Grande-Santa Fe	NM-9000.A_042	Mortandad Canyon (within LANL)	5/5B	4.32	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)		2004				
																NMED utilized all data from this AU within the most recent five years to acquire the minimum number of data points for assessment. Surface water quality data were downloaded from LANL's EIM database and/or provided by request from LANL. No exceedances (0/9) of the 0.77 ug/L Wildlife Habitat total mercury criterion were documented. The CALM delisting criteria for this use states that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. As a result, total mercury was removed as a cause of non-support for the Wildlife Habitat designated use within this AU. In addition, NMED documented 5/12 exceedances of the 0.014 ug/L Wildlife Habitat criterion for Polychlorinated Biphenyls (PCBs) and 0/12 exceedances of the 2 ug/L Limited (Acute) Aquatic Life criterion for PCBs. The CALM delisting criteria for these uses state that "for any one pollutant, [there must be] no exceedance of the criterion" for delisting to occur. Therefore, NMED retained PCBs as a cause of non-support for Wildlife Habitat and removed PCBs as a cause of non-support for Limited Aquatic Life in this AU.
13020201	Rio Grande-Santa Fe	NM-9000.A_042	Mortandad Canyon (within LANL)	5/5B	4.32	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2014				
13020201	Rio Grande-Santa Fe	NM-9000.A_055	North Fork Ancho Canyon (Ancho Canyon to headwaters)	5/5B	3.88	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)		2010				
13020201	Rio Grande-Santa Fe	NM-9000.A_055	North Fork Ancho Canyon (Ancho Canyon to headwaters)	5/5B	3.88	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2010				
																Metals listings based on exceedances of acute criteria. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020201	Rio Grande-Santa Fe	NM-128.A_036	Pajarito Canyon (500m ds of and to Arroyo de la Delfe)	5/5B	0.31	MILES	20.6.4.128	Copper, Dissolved	5/5B	303(d) List (no TMDL in place)		2016				
																Metals listings based on exceedances of acute criteria. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020201	Rio Grande-Santa Fe	NM-128.A_036	Pajarito Canyon (500m ds of and to Arroyo de la Delfe)	5/5B	0.31	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)		2006				

13020201	Rio Grande-Santa Fe	NM-128.A_036	Pajarito Canyon (500m ds of and to Arroyo de la Delfe)	5/SB	0.31 MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2016	Metals listings based on exceedances of acute criteria. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.	This AU was split from NM-128.A_06 as a result of Hydrology Protocol surveys that documented a perennial reach downstream of Arroyo de la Delfe. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020201	Rio Grande-Santa Fe	NM-128.A_036	Pajarito Canyon (500m ds of and to Arroyo de la Delfe)	5/SB	0.31 MILES	20.6.4.128	Silver, Dissolved	5/5C	303(d) List (no TMDL in place)	2018	Metals listings based on exceedances of acute criteria. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.	This AU was split from NM-128.A_06 as a result of Hydrology Protocol surveys that documented a perennial reach downstream of Arroyo de la Delfe. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020201	Rio Grande-Santa Fe	NM-128.A_07	Pajarito Canyon (Above Homestead Spring to LANL boundary)	5/5C	0.99 MILES	20.6.4.128	Aluminum, Total Recoverable	5/5C	303(d) List (no TMDL in place)	2018		Previously Pajarito Canyon (within LANL above Starmers Gulch), this AU was split following Hydrology Protocol surveys documenting a perennial reach downstream of Homestead Spring. This AU is classified under 20.6.4.128 NMAC, which specifies "ephemeral and intermittent portions of watercourses..." within LANL. Therefore, NMED amended the "Water Type" from "STREAM, INTERMITTENT" to "STREAM, EPHEMERAL" based on HP work and hydrograph data that indicates this waterbody has ephemeral flow characteristics.
13020201	Rio Grande-Santa Fe	NM-128.A_07	Pajarito Canyon (Above Homestead Spring to LANL boundary)	5/5C	0.99 MILES	20.6.4.128	Gross Alpha, Adjusted	5/5C	303(d) List (no TMDL in place)	2006		Previously Pajarito Canyon (within LANL above Starmers Gulch), this AU was split following Hydrology Protocol surveys documenting a perennial reach downstream of Homestead Spring. This AU is classified under 20.6.4.128 NMAC, which specifies "ephemeral and intermittent portions of watercourses..." within LANL. Therefore, NMED amended the "Water Type" from "STREAM, INTERMITTENT" to "STREAM, EPHEMERAL" based on HP work and hydrograph data that indicates this waterbody has ephemeral flow characteristics.
13020201	Rio Grande-Santa Fe	NM-128.A_08	Pajarito Canyon (Lower LANL bnd to Twomile Canyon)	5/SB	5.01 MILES	20.6.4.128	Aluminum, Total Recoverable	5/SB	303(d) List (no TMDL in place)	2018	Metals listings based on exceedances of acute criteria.	
13020201	Rio Grande-Santa Fe	NM-128.A_08	Pajarito Canyon (Lower LANL bnd to Twomile Canyon)	5/SB	5.01 MILES	20.6.4.128	Copper, Dissolved	5/SB	303(d) List (no TMDL in place)	2018	Metals listings based on exceedances of acute criteria.	
13020201	Rio Grande-Santa Fe	NM-128.A_08	Pajarito Canyon (Lower LANL bnd to Twomile Canyon)	5/SB	5.01 MILES	20.6.4.128	Cyanide, Total Recoverable	5/5C	303(d) List (no TMDL in place)	2018	Metals listings based on exceedances of acute criteria.	
13020201	Rio Grande-Santa Fe	NM-128.A_08	Pajarito Canyon (Lower LANL bnd to Twomile Canyon)	5/SB	5.01 MILES	20.6.4.128	Gross Alpha, Adjusted	5/SB	303(d) List (no TMDL in place)	2006	Metals listings based on exceedances of acute criteria.	
13020201	Rio Grande-Santa Fe	NM-128.A_08	Pajarito Canyon (Lower LANL bnd to Twomile Canyon)	5/SB	5.01 MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2010	Metals listings based on exceedances of acute criteria.	
13020201	Rio Grande-Santa Fe	NM-128.A_37	Pajarito Canyon (Starmers Gulch to Homestead Spring)	5/5C	0.13 MILES	20.6.4.128	Aluminum, Total Recoverable	5/5C	303(d) List (no TMDL in place)	2018	Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.	This AU was split from NM-128.A_07 as a result of Hydrology Protocol surveys that documented a perennial reach downstream of Homestead Spring. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020201	Rio Grande-Santa Fe	NM-128.A_37	Pajarito Canyon (Starmers Gulch to Homestead Spring)	5/5C	0.13 MILES	20.6.4.128	Gross Alpha, Adjusted	5/5C	303(d) List (no TMDL in place)	2006	Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.	This AU was split from NM-128.A_07 as a result of Hydrology Protocol surveys that documented a perennial reach downstream of Homestead Spring. Hydrology Protocol survey results indicate this AU is perennial. Standards revisions affecting this AU are currently a matter under consideration in the 2020 Triennial Review. NMED will update the AU standards reference appropriately following rule publication and subsequent EPA action.
13020201	Rio Grande-Santa Fe	NM-128.A_06	Pajarito Canyon (Twomile Cyn to 500m ds of A. de La Delfe)	5/SB	1.78 MILES	20.6.4.128	Copper, Dissolved	5/SB	303(d) List (no TMDL in place)	2016	Metals listings based on exceedances of acute criteria.	Previously Pajarito Canyon (Two Mile Canyon to Arroyo de La Delfe), this AU was split following Hydrology Protocol surveys documenting a perennial reach downstream of Arroyo de la Delfe. This AU is classified under 20.6.4.128 NMAC, which specifies "ephemeral and intermittent portions of watercourses..." within LANL. Therefore, NMED amended the "Water Type" from "STREAM, INTERMITTENT" to "STREAM, EPHEMERAL" based on HP work and hydrograph data that indicates this waterbody has ephemeral flow characteristics.
13020201	Rio Grande-Santa Fe	NM-128.A_06	Pajarito Canyon (Twomile Cyn to 500m ds of A. de La Delfe)	5/SB	1.78 MILES	20.6.4.128	Gross Alpha, Adjusted	5/SB	303(d) List (no TMDL in place)	2006	Metals listings based on exceedances of acute criteria.	Previously Pajarito Canyon (Two Mile Canyon to Arroyo de La Delfe), this AU was split following Hydrology Protocol surveys documenting a perennial reach downstream of Arroyo de la Delfe. This AU is classified under 20.6.4.128 NMAC, which specifies "ephemeral and intermittent portions of watercourses..." within LANL. Therefore, NMED amended the "Water Type" from "STREAM, INTERMITTENT" to "STREAM, EPHEMERAL" based on HP work and hydrograph data that indicates this waterbody has ephemeral flow characteristics.

13020201	Rio Grande-Santa Fe	NM-128_A_06	Pajarito Canyon (Twomile Cyn to 500m ds of A. de La Delfe)	5/5B	1.78	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2016	Metals listings based on exceedances of acute criteria.	Previously Pajarito Canyon (Two Mile Canyon to Arroyo de La Delfe), this AU was split following Hydrology Protocol surveys documenting a perennial reach downstream of Arroyo de la Delfe. This AU is classified under 20.6.4.128 NMAC, which specifies "ephemeral and intermittent portions of watercourses..." within LANL. Therefore, NMED amended the "Water Type" from "STREAM, INTERMITTENT" to "STREAM, EPHEMERAL" based on HP work and hydrograph data that indicates this waterbody has ephemeral flow characteristics.
13020201	Rio Grande-Santa Fe	NM-128_A_06	Pajarito Canyon (Twomile Cyn to 500m ds of A. de La Delfe)	5/5B	1.78	MILES	20.6.4.128	Silver, Dissolved	5/5C	303(d) List (no TMDL in place)	2018	Metals listings based on exceedances of acute criteria.	Previously Pajarito Canyon (Two Mile Canyon to Arroyo de La Delfe), this AU was split following Hydrology Protocol surveys documenting a perennial reach downstream of Arroyo de la Delfe. This AU is classified under 20.6.4.128 NMAC, which specifies "ephemeral and intermittent portions of watercourses..." within LANL. Therefore, NMED amended the "Water Type" from "STREAM, INTERMITTENT" to "STREAM, EPHEMERAL" based on HP work and hydrograph data that indicates this waterbody has ephemeral flow characteristics.
13020201	Rio Grande-Santa Fe	NM-9000_A_048	Pajarito Canyon (upper LANL bnd to headwaters)	5/5C	2.6	MILES	20.6.4.98	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2018		
13020201	Rio Grande-Santa Fe	NM-9000_A_048	Pajarito Canyon (upper LANL bnd to headwaters)	5/5C	2.6	MILES	20.6.4.98	Cyanide, Total Recoverable	5/5C	303(d) List (no TMDL in place)	2018		
13020201	Rio Grande-Santa Fe	NM-9000_A_048	Pajarito Canyon (upper LANL bnd to headwaters)	5/5C	2.6	MILES	20.6.4.98	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)	2010		
13020201	Rio Grande-Santa Fe	NM-9000_A_048	Pajarito Canyon (upper LANL bnd to headwaters)	5/5C	2.6	MILES	20.6.4.98	Mercury, Total	5/5C	303(d) List (no TMDL in place)	2018		
13020201	Rio Grande-Santa Fe	NM-9000_A_048	Pajarito Canyon (upper LANL bnd to headwaters)	5/5C	2.6	MILES	20.6.4.98	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)	2010		
13020201	Rio Grande-Santa Fe	NM-128_A_09	Potrillo Canyon (above Water Canyon)	5/5C	6.45	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5C	303(d) List (no TMDL in place)	2010		
13020201	Rio Grande-Santa Fe	NM-2111_00	Rio Grande (Cochiti Reservoir to San Ildefonso bnd)	5/5A	18.2	MILES	20.6.4.114	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2027	2020	Some of the impairment listings are based solely on stormwater data. Procedures are in place, under the purview of the Buckman Direct Diversion Board, that are intended to not allow public water supply withdrawal from the Buckman Diversion during significant storm events. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020201	Rio Grande-Santa Fe	NM-2111_00	Rio Grande (Cochiti Reservoir to San Ildefonso bnd)	5/5A	18.2	MILES	20.6.4.114	Gross Alpha, Adjusted	5/5A	303(d) List (no TMDL in place)	2027	2012	Some of the impairment listings are based solely on stormwater data. Procedures are in place, under the purview of the Buckman Direct Diversion Board, that are intended to not allow public water supply withdrawal from the Buckman Diversion during significant storm events. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020201	Rio Grande-Santa Fe	NM-2111_00	Rio Grande (Cochiti Reservoir to San Ildefonso bnd)	5/5A	18.2	MILES	20.6.4.114	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2020	2020	Some of the impairment listings are based solely on stormwater data. Procedures are in place, under the purview of the Buckman Direct Diversion Board, that are intended to not allow public water supply withdrawal from the Buckman Diversion during significant storm events. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020201	Rio Grande-Santa Fe	NM-2111_00	Rio Grande (Cochiti Reservoir to San Ildefonso bnd)	5/5A	18.2	MILES	20.6.4.114	Polychlorinated Biphenyls (PCBs)	5/5A	303(d) List (no TMDL in place)	2027	2012	Some of the impairment listings are based solely on stormwater data. Procedures are in place, under the purview of the Buckman Direct Diversion Board, that are intended to not allow public water supply withdrawal from the Buckman Diversion during significant storm events. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.

													Some of the impairment listings are based solely on stormwater data. Procedures are in place, under the purview of the Buckman Direct Diversion Board, that are intended to not allow public water supply withdrawal from the Buckman Diversion during significant storm events. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13020201	Rio Grande-Santa Fe	NM-2111_00	Rio Grande (Cochiti Reservoir to San Ildefonso bnd)	5/5A	18.2	MILES	20.6.4.114	Selenium, Total Recoverable	5/5C	303(d) List (no TMDL in place)		2016		
13020201	Rio Grande-Santa Fe	NM-2111_00	Rio Grande (Cochiti Reservoir to San Ildefonso bnd)	5/5A	18.2	MILES	20.6.4.114	Temperature	5/5A	303(d) List (no TMDL in place)	2027	2020	Some of the impairment listings are based solely on stormwater data. Procedures are in place, under the purview of the Buckman Direct Diversion Board, that are intended to not allow public water supply withdrawal from the Buckman Diversion during significant storm events. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13020201	Rio Grande-Santa Fe	NM-2111_00	Rio Grande (Cochiti Reservoir to San Ildefonso bnd)	5/5A	18.2	MILES	20.6.4.114	Turbidity	5/5C	303(d) List (no TMDL in place)		2004	Some of the impairment listings are based solely on stormwater data. Procedures are in place, under the purview of the Buckman Direct Diversion Board, that are intended to not allow public water supply withdrawal from the Buckman Diversion during significant storm events. Fish Tissue Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13020201	Rio Grande-Santa Fe	NM-2108_00	Rio Grande (non-pueblo Angostura Div to Cochiti Rsvr)	5/5C	2.41	MILES	20.6.4.110	Gross Alpha, Adjusted	5/5A	303(d) List (no TMDL in place)	2023	2016	There is only ~1.5 miles of non-pueblo stream reach between Angostura Diversion and Cochiti Reservoir.	
13020201	Rio Grande-Santa Fe	NM-2108_00	Rio Grande (non-pueblo Angostura Div to Cochiti Rsvr)	5/5C	2.41	MILES	20.6.4.110	Polychlorinated Biphenyls (PCBs)	5/5A	303(d) List (no TMDL in place)	2023	2016	There is only ~1.5 miles of non-pueblo stream reach between Angostura Diversion and Cochiti Reservoir.	
13020201	Rio Grande-Santa Fe	NM-2108_00	Rio Grande (non-pueblo Angostura Div to Cochiti Rsvr)	5/5C	2.41	MILES	20.6.4.110	Temperature	5/5A	303(d) List (no TMDL in place)	2023	2016	There is only ~1.5 miles of non-pueblo stream reach between Angostura Diversion and Cochiti Reservoir.	
13020201	Rio Grande-Santa Fe	NM-2118A_70	Rito de los Frijoles (Rio Grande to headwaters)	5/5C	14.33	MILES	20.6.4.121	DDT - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	The National Park Service continues to have a fishing ban in effect due to legacy DDT contamination as well as protection of cultural and natural resources.	
13020201	Rio Grande-Santa Fe	NM-9000_A_047	Sandia Canyon (Sigma Canyon to NPDES outfall 001)	5/5B	2.73	MILES	20.6.4.126	Aluminum, Total Recoverable	4B	TMDL alternative in place		2018	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.emv.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum and copper listings in this AU are noted as IR Category 4B.	
13020201	Rio Grande-Santa Fe	NM-9000_A_047	Sandia Canyon (Sigma Canyon to NPDES outfall 001)	5/5B	2.73	MILES	20.6.4.126	Copper, Dissolved	4B	TMDL alternative in place		2010	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.emv.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum and copper listings in this AU are noted as IR Category 4B.	

13020201	Rio Grande-Santa Fe	NM-9000_A_047	Sandia Canyon (Sigma Canyon to NPDES outfall 001)	5/5B	2.73	MILES	20.6.4.126	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2006	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128_A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.env.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum and copper listings in this AU are noted as IR Category 4B.
13020201	Rio Grande-Santa Fe	NM-9000_A_047	Sandia Canyon (Sigma Canyon to NPDES outfall 001)	5/5B	2.73	MILES	20.6.4.126	Temperature	5/5B	303(d) List (no TMDL in place)		2018	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128_A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.env.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum and copper listings in this AU are noted as IR Category 4B.
13020201	Rio Grande-Santa Fe	NM-128_A_11	Sandia Canyon (within LANL below Sigma Canyon)	5/5B	3.4	MILES	20.6.4.128	Aluminum, Total Recoverable	4B	TMDL alternative in place		2018	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third-party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128_A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.env.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum, copper, and mercury listings in this AU are noted as IR Category 4B.
13020201	Rio Grande-Santa Fe	NM-128_A_11	Sandia Canyon (within LANL below Sigma Canyon)	5/5B	3.4	MILES	20.6.4.128	Copper, Dissolved	4B	TMDL alternative in place		2018	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third-party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128_A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.env.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum, copper, and mercury listings in this AU are noted as IR Category 4B.
13020201	Rio Grande-Santa Fe	NM-128_A_11	Sandia Canyon (within LANL below Sigma Canyon)	5/5B	3.4	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5C	303(d) List (no TMDL in place)		2006	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third-party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128_A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.env.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum, copper, and mercury listings in this AU are noted as IR Category 4B.
13020201	Rio Grande-Santa Fe	NM-128_A_11	Sandia Canyon (within LANL below Sigma Canyon)	5/5B	3.4	MILES	20.6.4.128	Mercury, Total	4B	TMDL alternative in place		2006	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third-party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128_A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.env.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum, copper, and mercury listings in this AU are noted as IR Category 4B.
13020201	Rio Grande-Santa Fe	NM-128_A_11	Sandia Canyon (within LANL below Sigma Canyon)	5/5B	3.4	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2006	Available LANL and NMED DOE-OB 2017-2021 data for all current impairments were downloaded from Intelus and assessed. All 2020 IR listing conclusions were confirmed if there was enough data to reassess. A third-party IR Category 4b demonstration (2021 progress report) entitled "Sandia Canyon Assessment Unit NM-9000_A_047 and NM-128_A_11 Dissolved Copper, Mercury and Total Recoverable Aluminum 4B Demonstration" was prepared and submitted by LANL's Environmental Compliance Division (available at https://www.env.nm.gov/surface-water-quality/303d-305b/). Accordingly, the associated aluminum, copper, and mercury listings in this AU are noted as IR Category 4B.
13020201	Rio Grande-Santa Fe	NM-2110_00	Santa Fe River (Cienega Creek to Santa Fe WWTP)	5/5A	7.35	MILES	20.6.4.113	E. coli	4A	TMDL Completed	05/03/2017	2016	TMDL for SBD (sedimentation/siltation), DO, pH, and chlorine. TMDL for E. coli (2017). Santa Fe River below the WWTP is effluent-dominated.

13020201	Rio Grande-Santa Fe	NM-2110_00	Santa Fe River (Cienega Creek to Santa Fe WWTP)	5/5A	7.35	MILES	20.6.4.113	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2008	TMDL for SBD (sedimentation/siltation), DO, pH, and chlorine. TMDL for E. coli (2017). Santa Fe River below the WWTP is effluent-dominated.
13020201	Rio Grande-Santa Fe	NM-2110_02	Santa Fe River (Cochiti Pueblo bnd to Cienega Creek)	5/5A	5.92	MILES	20.6.4.113	Nutrients	5/5A	303(d) List (no TMDL in place)	2023	2008	TMDL for SBD (sedimentation/siltation) (2000), DO, and pH.
13020201	Rio Grande-Santa Fe	NM-9000_A_062	Santa Fe River (Guadalupe St to Nichols Rsvr)	5/5A	4.43	MILES	20.6.4.137	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2023	2016	TMDL for E. coli (2017).
13020201	Rio Grande-Santa Fe	NM-9000_A_062	Santa Fe River (Guadalupe St to Nichols Rsvr)	5/5A	4.43	MILES	20.6.4.137	E. coli	4A	TMDL Completed	05/03/2017	2016	TMDL for E. coli (2017).
13020201	Rio Grande-Santa Fe	NM-9000_A_062	Santa Fe River (Guadalupe St to Nichols Rsvr)	5/5A	4.43	MILES	20.6.4.137	Polychlorinated Biphenyls (PCBs)	5/5A	303(d) List (no TMDL in place)	2023	2018	TMDL for E. coli (2017).
13020201	Rio Grande-Santa Fe	NM-2118_A_21	Santa Fe River (Nichols Reservoir to headwaters)	5/5B	13.39	MILES	20.6.4.121	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)			A WQS review may be warranted in this "closed" municipal drinking water supply watershed.
13020201	Rio Grande-Santa Fe	NM-9000_A_061	Santa Fe River (Santa Fe WWTP to Guadalupe St)	5/5A	10.16	MILES	20.6.4.136	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2023	2016	TMDL for E. coli (2017).
13020201	Rio Grande-Santa Fe	NM-9000_A_061	Santa Fe River (Santa Fe WWTP to Guadalupe St)	5/5A	10.16	MILES	20.6.4.136	E. coli	4A	TMDL Completed	05/03/2017	2016	TMDL for E. coli (2017).
13020201	Rio Grande-Santa Fe	NM-128_A_17	Ten Site Canyon (Mortandad Canyon to headwaters)	5/5B	1.53	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)		2010	
13020201	Rio Grande-Santa Fe	NM-128_A_17	Ten Site Canyon (Mortandad Canyon to headwaters)	5/5B	1.53	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2010	
13020201	Rio Grande-Santa Fe	NM-9000_A_091	Three Mile Canyon (Pajarito Canyon to headwaters)	5/5C	2.33	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5C	303(d) List (no TMDL in place)		2010	
13020201	Rio Grande-Santa Fe	NM-128_A_15	Twomile Canyon (Pajarito to headwaters)	5/5B	3.46	MILES	20.6.4.128	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)		2018	Metals listings based on exceedances of acute criteria.
13020201	Rio Grande-Santa Fe	NM-128_A_15	Twomile Canyon (Pajarito to headwaters)	5/5B	3.46	MILES	20.6.4.128	Copper, Dissolved	5/5B	303(d) List (no TMDL in place)		2018	Metals listings based on exceedances of acute criteria.
13020201	Rio Grande-Santa Fe	NM-128_A_15	Twomile Canyon (Pajarito to headwaters)	5/5B	3.46	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)		2010	Metals listings based on exceedances of acute criteria.
13020201	Rio Grande-Santa Fe	NM-128_A_15	Twomile Canyon (Pajarito to headwaters)	5/5B	3.46	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2010	Metals listings based on exceedances of acute criteria.
13020201	Rio Grande-Santa Fe	NM-9000_A_052	Water Canyon (upper LANL bnd to headwaters)	5/5C	2.91	MILES	20.6.4.98	Aluminum, Total Recoverable	5/5C	303(d) List (no TMDL in place)		2018	Application of the SWQB Hydrology Protocol (survey date 7/21/08) indicate this assessment unit is intermittent (Hydrology Protocol score of 9.8 with 24.1% days with no flow at LANL gage E252 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol).
13020201	Rio Grande-Santa Fe	NM-9000_A_052	Water Canyon (upper LANL bnd to headwaters)	5/5C	2.91	MILES	20.6.4.98	Mercury, Total	5/5C	303(d) List (no TMDL in place)		2018	Application of the SWQB Hydrology Protocol (survey date 7/21/08) indicate this assessment unit is intermittent (Hydrology Protocol score of 9.8 with 24.1% days with no flow at LANL gage E252 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol).
13020201	Rio Grande-Santa Fe	NM-128_A_13	Water Canyon (within LANL below Area-A Cyn)	5/5B	8.81	MILES	20.6.4.128	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)		2018	
13020201	Rio Grande-Santa Fe	NM-128_A_13	Water Canyon (within LANL below Area-A Cyn)	5/5B	8.81	MILES	20.6.4.128	Gross Alpha, Adjusted	5/5B	303(d) List (no TMDL in place)		2006	
13020201	Rio Grande-Santa Fe	NM-128_A_13	Water Canyon (within LANL below Area-A Cyn)	5/5B	8.81	MILES	20.6.4.128	Mercury, Total	5/5C	303(d) List (no TMDL in place)		2018	
13020201	Rio Grande-Santa Fe	NM-128_A_13	Water Canyon (within LANL below Area-A Cyn)	5/5B	8.81	MILES	20.6.4.128	Polychlorinated Biphenyls (PCBs)	5/5C	303(d) List (no TMDL in place)		2010	
13020202	Jemez	NM-2106_A_53	Calaveras Creek (Rio Cebolla to headwaters)	5/5B	9.51	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)		2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_54	Clear Creek (Rio de las Vacas to San Gregorio Lake)	4A	5.37	MILES	20.6.4.108	E. coli	4A	TMDL Completed	09/23/2016	2016	Temperature TMDL EPA approved November 2021. TMDL for turbidity and TOC (2003). The lake level dropped and no longer spills water into Clear Creek. Water is drained from the lake into Nacimiento Creek by a stand pipe. This AU is not perennial for its entire length.
13020202	Jemez	NM-2106_A_54	Clear Creek (Rio de las Vacas to San Gregorio Lake)	4A	5.37	MILES	20.6.4.108	Nutrients	4A	TMDL Completed	09/23/2016	2016	Temperature TMDL EPA approved November 2021. TMDL for turbidity and TOC (2003). The lake level dropped and no longer spills water into Clear Creek. Water is drained from the lake into Nacimiento Creek by a stand pipe. This AU is not perennial for its entire length.
13020202	Jemez	NM-2106_A_54	Clear Creek (Rio de las Vacas to San Gregorio Lake)	4A	5.37	MILES	20.6.4.108	Temperature	4A	TMDL Completed	11/24/2021	2016	Temperature TMDL EPA approved November 2021. TMDL for turbidity and TOC (2003). The lake level dropped and no longer spills water into Clear Creek. Water is drained from the lake into Nacimiento Creek by a stand pipe. This AU is not perennial for its entire length.
13020202	Jemez	NM-2106_A_55	Clear Creek (San Gregorio Lake to headwaters)	5/5B	3.75	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)		2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_55	Clear Creek (San Gregorio Lake to headwaters)	5/5B	3.75	MILES	20.6.4.108	Nutrients	4A	TMDL Completed	09/23/2016	2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_13	East Fork Jemez (San Antonio Creek to VCNP bnd)	5/5B	11.76	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)		2016	TMDLs for turbidity (2003). TMDLs for temperature and arsenic (2009). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_13	East Fork Jemez (San Antonio Creek to VCNP bnd)	5/5B	11.76	MILES	20.6.4.108	Temperature	4A	TMDL Completed	09/15/2009	2008	TMDLs for turbidity (2003). TMDLs for temperature and arsenic (2009). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.

13020202	Jemez	NM-2106_A_10	East Fork Jemez (VCNP to headwaters)	5/5B	10.44	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)		2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	
13020202	Jemez	NM-2106_A_10	East Fork Jemez (VCNP to headwaters)	5/5B	10.44	MILES	20.6.4.108	Nutrients	4A	TMDL Completed	09/23/2016	2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	
13020202	Jemez	NM-2106_A_10	East Fork Jemez (VCNP to headwaters)	5/5B	10.44	MILES	20.6.4.108	Turbidity	4A	TMDL Completed	12/31/1999	1998	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	
13020202	Jemez	NM-2106_B_00	Fenton Lake	5/5A	27.95	ACRES	20.6.4.108	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2004		
13020202	Jemez	NM-2106_A_12	Jaramillo Creek (East Fork Jemez to headwaters)	5/5B	12.16	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)		2016	TMDLs for temperature and turbidity. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	Not attaining for temperature based on fully assessable 2019 thermograph dataset. No exceedances of 23°C tmax; however, 4T3 of 20.388°C exceeded the 20°C criterion.
13020202	Jemez	NM-2106_A_12	Jaramillo Creek (East Fork Jemez to headwaters)	5/5B	12.16	MILES	20.6.4.108	Nutrients	4A	TMDL Completed	09/23/2016	2016	TMDLs for temperature and turbidity. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	Not attaining for temperature based on fully assessable 2019 thermograph dataset. No exceedances of 23°C tmax; however, 4T3 of 20.388°C exceeded the 20°C criterion.
13020202	Jemez	NM-2106_A_12	Jaramillo Creek (East Fork Jemez to headwaters)	5/5B	12.16	MILES	20.6.4.108	Temperature	4A	TMDL Completed	10/11/2006	2020	TMDLs for temperature and turbidity. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	Not attaining for temperature based on fully assessable 2019 thermograph dataset. No exceedances of 23°C tmax; however, 4T3 of 20.388°C exceeded the 20°C criterion.
13020202	Jemez	NM-2106_A_12	Jaramillo Creek (East Fork Jemez to headwaters)	5/5B	12.16	MILES	20.6.4.108	Turbidity	4A	TMDL Completed	10/11/2006	2004	TMDLs for temperature and turbidity. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	Not attaining for temperature based on fully assessable 2019 thermograph dataset. No exceedances of 23°C tmax; however, 4T3 of 20.388°C exceeded the 20°C criterion.
13020202	Jemez	NM-2105_71	Jemez River (Jemez Pueblo bnd to Rio Guadalupe)	5/5A	1.98	MILES	20.6.4.107	Arsenic, Dissolved	4A	TMDL Completed	09/15/2009	2008	TMDLs for arsenic and boron (2009). Coolwater may be the attainable ALU - WQS review needed.	
13020202	Jemez	NM-2105_71	Jemez River (Jemez Pueblo bnd to Rio Guadalupe)	5/5A	1.98	MILES	20.6.4.107	Boron, Dissolved	4A	TMDL Completed	09/15/2009	2008	TMDLs for arsenic and boron (2009). Coolwater may be the attainable ALU - WQS review needed.	
13020202	Jemez	NM-2105_71	Jemez River (Jemez Pueblo bnd to Rio Guadalupe)	5/5A	1.98	MILES	20.6.4.107	E. coli	4A	TMDL Completed	09/23/2016	2016	TMDLs for arsenic and boron (2009). Coolwater may be the attainable ALU - WQS review needed.	
13020202	Jemez	NM-2105_71	Jemez River (Jemez Pueblo bnd to Rio Guadalupe)	5/5A	1.98	MILES	20.6.4.107	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2016	TMDLs for arsenic and boron (2009). Coolwater may be the attainable ALU - WQS review needed.	
13020202	Jemez	NM-2105_71	Jemez River (Jemez Pueblo bnd to Rio Guadalupe)	5/5A	1.98	MILES	20.6.4.107	Temperature	5/5B	303(d) List (no TMDL in place)		2016	TMDLs for arsenic and boron (2009). Coolwater may be the attainable ALU - WQS review needed.	
13020202	Jemez	NM-2105_5_10	Jemez River (Rio Guadalupe to Soda Dam nr Jemez Springs)	4A	10.48	MILES	20.6.4.107	Aluminum, Total Recoverable	4A	TMDL Completed	04/27/2018	2016	TMDL for Al acute (2003), turbidity, and SBD (1999) (sedimentation/siltation). De-listed for SBD in 2008. TMDLs for arsenic, boron, plant nutrients, and temperature (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	
13020202	Jemez	NM-2105_5_10	Jemez River (Rio Guadalupe to Soda Dam nr Jemez Springs)	4A	10.48	MILES	20.6.4.107	Arsenic, Dissolved	4A	TMDL Completed	09/15/2009	2008	TMDL for Al acute (2003), turbidity, and SBD (1999) (sedimentation/siltation). De-listed for SBD in 2008. TMDLs for arsenic, boron, plant nutrients, and temperature (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	
13020202	Jemez	NM-2105_5_10	Jemez River (Rio Guadalupe to Soda Dam nr Jemez Springs)	4A	10.48	MILES	20.6.4.107	Boron, Dissolved	4A	TMDL Completed	09/15/2009	2008	TMDL for Al acute (2003), turbidity, and SBD (1999) (sedimentation/siltation). De-listed for SBD in 2008. TMDLs for arsenic, boron, plant nutrients, and temperature (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	

13020202	Jemez	NM-2105_5_10	Jemez River (Rio Guadalupe to Soda Dam nr Jemez Springs)	4A	10.48	MILES	20.6.4.107	E. coli	4A	TMDL Completed	09/23/2016	2016	TMDL for AI acute (2003), turbidity, and SBD (1999) (sedimentation/siltation). De-listed for SBD in 2008. TMDLs for arsenic, boron, plant nutrients, and temperature (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2105_5_10	Jemez River (Rio Guadalupe to Soda Dam nr Jemez Springs)	4A	10.48	MILES	20.6.4.107	Nutrients	4A	TMDL Completed	09/15/2009	2008	TMDL for AI acute (2003), turbidity, and SBD (1999) (sedimentation/siltation). De-listed for SBD in 2008. TMDLs for arsenic, boron, plant nutrients, and temperature (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2105_5_10	Jemez River (Rio Guadalupe to Soda Dam nr Jemez Springs)	4A	10.48	MILES	20.6.4.107	Temperature	4A	TMDL Completed	09/15/2009	2008	TMDL for AI acute (2003), turbidity, and SBD (1999) (sedimentation/siltation). De-listed for SBD in 2008. TMDLs for arsenic, boron, plant nutrients, and temperature (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2105_5_10	Jemez River (Rio Guadalupe to Soda Dam nr Jemez Springs)	4A	10.48	MILES	20.6.4.107	Turbidity	4A	TMDL Completed	07/30/2004	1998	TMDL for AI acute (2003), turbidity, and SBD (1999) (sedimentation/siltation). De-listed for SBD in 2008. TMDLs for arsenic, boron, plant nutrients, and temperature (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_00	Jemez River (Soda Dam nr Jemez Springs to East Fork)	5/5B	4.37	MILES	20.6.4.108	Aluminum, Total Recoverable	4A	TMDL Completed	04/27/2018	2018	TMDL for AI (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for plant nutrients. De-listed for SBD in 2008. TMDL for arsenic (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_00	Jemez River (Soda Dam nr Jemez Springs to East Fork)	5/5B	4.37	MILES	20.6.4.108	Arsenic, Dissolved	4A	TMDL Completed	09/15/2009	2008	TMDL for AI (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for plant nutrients. De-listed for SBD in 2008. TMDL for arsenic (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_00	Jemez River (Soda Dam nr Jemez Springs to East Fork)	5/5B	4.37	MILES	20.6.4.108	E. coli	4A	TMDL Completed	09/23/2016	2016	TMDL for AI (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for plant nutrients. De-listed for SBD in 2008. TMDL for arsenic (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_00	Jemez River (Soda Dam nr Jemez Springs to East Fork)	5/5B	4.37	MILES	20.6.4.108	Temperature	5/5B	303(d) List (no TMDL in place)		2008	TMDL for AI (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for plant nutrients. De-listed for SBD in 2008. TMDL for arsenic (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.

13020202	Jemez	NM-2106_A_00	Jemez River (Soda Dam nr Jemez Springs to East Fork)	5/SB	4.37	MILES	20.6.4.108	Turbidity	4A	TMDL Completed	07/30/2004	1998	TMDL for AI (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for plant nutrients. De-listed for SBD in 2008. TMDL for arsenic (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_00	Jemez River (Soda Dam nr Jemez Springs to East Fork)	5/SB	4.37	MILES	20.6.4.108	pH	5/SB	303(d) List (no TMDL in place)		2008	TMDL for AI (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for plant nutrients. De-listed for SBD in 2008. TMDL for arsenic (2009). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using current applicable WQC. Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2105_75	Jemez River (Zia Pueblo bnd to Jemez Pueblo bnd)	4A	2.15	MILES	20.6.4.106	Arsenic, Dissolved	4A	TMDL Completed	09/15/2009	2008	Temperature TMDL EPA approved November 2021. TMDLs for arsenic and boron (2009).
13020202	Jemez	NM-2105_75	Jemez River (Zia Pueblo bnd to Jemez Pueblo bnd)	4A	2.15	MILES	20.6.4.106	Boron, Dissolved	4A	TMDL Completed	09/15/2009	2008	Temperature TMDL EPA approved November 2021. TMDLs for arsenic and boron (2009).
13020202	Jemez	NM-2105_75	Jemez River (Zia Pueblo bnd to Jemez Pueblo bnd)	4A	2.15	MILES	20.6.4.106	E. coli	4A	TMDL Completed	09/23/2016	2016	Temperature TMDL EPA approved November 2021. TMDLs for arsenic and boron (2009).
13020202	Jemez	NM-2105_75	Jemez River (Zia Pueblo bnd to Jemez Pueblo bnd)	4A	2.15	MILES	20.6.4.106	Temperature	4A	TMDL Completed	11/24/2021	2016	Temperature TMDL EPA approved November 2021. TMDLs for arsenic and boron (2009).
13020202	Jemez	NM-2106_A_11	La Jara Creek (East Fork Jemez to headwaters)	5/SB	5.4	MILES	20.6.4.108	Aluminum, Total Recoverable	5/SB	303(d) List (no TMDL in place)		2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_21	Redondo Creek (Sulphur Creek to headwaters)	5/SC	6.34	MILES	20.6.4.108	Temperature	4A	TMDL Completed	06/02/2003	2018	TMDL for turbidity, total phosphorus, and temperature. Previously split at the Valles Caldera Boundary, the upper (NM-2016.A_25) and lower AUs were merged back into this AU ID. AU may not be perennial -- HP and WQS review needed
13020202	Jemez	NM-2106_A_21	Redondo Creek (Sulphur Creek to headwaters)	5/SC	6.34	MILES	20.6.4.108	Turbidity	4A	TMDL Completed	06/02/2003	1998	TMDL for turbidity, total phosphorus, and temperature. Previously split at the Valles Caldera Boundary, the upper (NM-2016.A_25) and lower AUs were merged back into this AU ID. AU may not be perennial -- HP and WQS review needed
13020202	Jemez	NM-2106_A_21	Redondo Creek (Sulphur Creek to headwaters)	5/SC	6.34	MILES	20.6.4.108	pH	5/SB	303(d) List (no TMDL in place)		2016	TMDL for turbidity, total phosphorus, and temperature. Previously split at the Valles Caldera Boundary, the upper (NM-2016.A_25) and lower AUs were merged back into this AU ID. AU may not be perennial -- HP and WQS review needed
13020202	Jemez	NM-2106_A_52	Rio Cebolla (Fenton Lake to headwaters)	5/SC	15.68	MILES	20.6.4.108	Nutrients	5/SC	303(d) List (no TMDL in place)		2016	TMDL for temperature and SBD (sedimentation/siltation). De-listed for temperature 2008. Rio Grande Cutthroat restoration in 1994 by NMG&F.
13020202	Jemez	NM-2106_A_52	Rio Cebolla (Fenton Lake to headwaters)	5/SC	15.68	MILES	20.6.4.108	Turbidity	5/SC	303(d) List (no TMDL in place)		2010	TMDL for temperature and SBD (sedimentation/siltation). De-listed for temperature 2008. Rio Grande Cutthroat restoration in 1994 by NMG&F.
13020202	Jemez	NM-2106_A_50	Rio Cebolla (Rio de las Vacas to Fenton Lake)	5/SB	7.25	MILES	20.6.4.108	Sedimentation/Siltation	4A	TMDL Completed	06/02/2003	1996	TMDL for SBD (sedimentation/siltation).
13020202	Jemez	NM-2106_A_50	Rio Cebolla (Rio de las Vacas to Fenton Lake)	5/SB	7.25	MILES	20.6.4.108	Temperature	5/SB	303(d) List (no TMDL in place)		2016	TMDL for SBD (sedimentation/siltation).
13020202	Jemez	NM-2106_A_30	Rio Guadalupe (Jemez River to conffl with Rio Cebolla)	4A	13.79	MILES	20.6.4.108	Nutrients	4A	TMDL Completed	09/23/2016	2016	Specific conductance TMDL EPA approved November 2021. TMDL for AI chronic (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for total phosphorus. De-listed for sedimentation/siltation in 2008. A TMDL was prepared for temperature (2009).
13020202	Jemez	NM-2106_A_30	Rio Guadalupe (Jemez River to conffl with Rio Cebolla)	4A	13.79	MILES	20.6.4.108	Specific Conductance	4A	TMDL Completed	11/24/2021	2016	Specific conductance TMDL EPA approved November 2021. TMDL for AI chronic (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for total phosphorus. De-listed for sedimentation/siltation in 2008. A TMDL was prepared for temperature (2009).
13020202	Jemez	NM-2106_A_30	Rio Guadalupe (Jemez River to conffl with Rio Cebolla)	4A	13.79	MILES	20.6.4.108	Temperature	4A	TMDL Completed	09/01/2009	2008	Specific conductance TMDL EPA approved November 2021. TMDL for AI chronic (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for total phosphorus. De-listed for sedimentation/siltation in 2008. A TMDL was prepared for temperature (2009).
13020202	Jemez	NM-2106_A_30	Rio Guadalupe (Jemez River to conffl with Rio Cebolla)	4A	13.79	MILES	20.6.4.108	Turbidity	4A	TMDL Completed	12/02/1999	2016	Specific conductance TMDL EPA approved November 2021. TMDL for AI chronic (2003), turbidity, and SBD (1999) (sedimentation/siltation); de-list letter for total phosphorus. De-listed for sedimentation/siltation in 2008. A TMDL was prepared for temperature (2009).

13020202	Jemez	NM-2106_A_46	Rio de las Vacas (Clear Creek to headwaters)	5/5B	10.66	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	
13020202	Jemez	NM-2106_A_40	Rio de las Vacas (Rio Cebolla to Clear Creek)	4A	15.61	MILES	20.6.4.108	Nutrients	4A	TMDL Completed	09/15/2009	2008	TMDL for temperature and TOC (2003). A TMDL was prepared for plant nutrients (2009).
13020202	Jemez	NM-2106_A_40	Rio de las Vacas (Rio Cebolla to Clear Creek)	4A	15.61	MILES	20.6.4.108	Temperature	4A	TMDL Completed	06/02/2003	1998	TMDL for temperature and TOC (2003). A TMDL was prepared for plant nutrients (2009).
13020202	Jemez	NM-2106_A_42	Rito Penas Negras (Rio de las Vacas to headwaters)	5/5C	13.04	MILES	20.6.4.108	Nutrients	4A	TMDL Completed	09/15/2009	2008	TMDL for temperature, TOC, and SBD (sedimentation/siltation) (2003). A TMDL was prepared for plant nutrients (2009). AU may not be perennial -- HP and WQS review needed.
13020202	Jemez	NM-2106_A_42	Rito Penas Negras (Rio de las Vacas to headwaters)	5/5C	13.04	MILES	20.6.4.108	Sedimentation/Siltation	4A	TMDL Completed	06/02/2003	1998	TMDL for temperature, TOC, and SBD (sedimentation/siltation) (2003). A TMDL was prepared for plant nutrients (2009). AU may not be perennial -- HP and WQS review needed.
13020202	Jemez	NM-2106_A_42	Rito Penas Negras (Rio de las Vacas to headwaters)	5/5C	13.04	MILES	20.6.4.108	Temperature	4A	TMDL Completed	06/02/2003	1998	TMDL for temperature, TOC, and SBD (sedimentation/siltation) (2003). A TMDL was prepared for plant nutrients (2009). AU may not be perennial -- HP and WQS review needed.
13020202	Jemez	NM-2106_A_42	Rito Penas Negras (Rio de las Vacas to headwaters)	5/5C	13.04	MILES	20.6.4.108	Turbidity	5/5B	303(d) List (no TMDL in place)	2010	2010	TMDL for temperature, TOC, and SBD (sedimentation/siltation) (2003). A TMDL was prepared for plant nutrients (2009). AU may not be perennial -- HP and WQS review needed.
13020202	Jemez	NM-2106_A_43	Rito de las Palomas (Rio de las Vacas to headwaters)	5/5C	5.8	MILES	20.6.4.108	Sedimentation/Siltation	4A	TMDL Completed	09/15/2009	1998	TMDLs were prepared for temperature and sedimentation/siltation (2009). AU may not be perennial -- HP and WQS review needed.
13020202	Jemez	NM-2106_A_43	Rito de las Palomas (Rio de las Vacas to headwaters)	5/5C	5.8	MILES	20.6.4.108	Turbidity	5/5B	303(d) List (no TMDL in place)	2010	2010	TMDLs were prepared for temperature and sedimentation/siltation (2009). AU may not be perennial -- HP and WQS review needed.
13020202	Jemez	NM-2106_A_24	Rito de los Indios (San Antonio Creek to headwaters)	5/5C	4.57	MILES	20.6.4.108	Nutrients	5/5C	303(d) List (no TMDL in place)	2016	2016	Temperature and turbidity TMDL EPA approved November 2021.
13020202	Jemez	NM-2106_A_24	Rito de los Indios (San Antonio Creek to headwaters)	5/5C	4.57	MILES	20.6.4.108	Temperature	4A	TMDL Completed	11/24/2021	2016	Temperature and turbidity TMDL EPA approved November 2021.
13020202	Jemez	NM-2106_A_24	Rito de los Indios (San Antonio Creek to headwaters)	5/5C	4.57	MILES	20.6.4.108	Turbidity	4A	TMDL Completed	11/24/2021	2016	Temperature and turbidity TMDL EPA approved November 2021.
13020202	Jemez	NM-2106_A_20	San Antonio Creek (East Fork Jemez to VCNP bnd)	5/5A	12.62	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2016	2016	TMDL for turbidity and temperature (2003). TMDL for arsenic (2009). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_20	San Antonio Creek (East Fork Jemez to VCNP bnd)	5/5A	12.62	MILES	20.6.4.108	Temperature	4A	TMDL Completed	06/02/2003	1998	TMDL for turbidity and temperature (2003). TMDL for arsenic (2009). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_20	San Antonio Creek (East Fork Jemez to VCNP bnd)	5/5A	12.62	MILES	20.6.4.108	Turbidity	4A	TMDL Completed	06/02/2003	2006	TMDL for turbidity and temperature (2003). TMDL for arsenic (2009). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.
13020202	Jemez	NM-2106_A_26	San Antonio Creek (VCNP bnd to headwaters)	5/5B	19.5	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2016	2016	TMDL for temperature (2003). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels. In addition, the low pH in this AU is likely contributing to increased metals concentrations. AU may not be perennial -- HP and WQS review needed.
13020202	Jemez	NM-2106_A_26	San Antonio Creek (VCNP bnd to headwaters)	5/5B	19.5	MILES	20.6.4.108	Nutrients	5/5B	303(d) List (no TMDL in place)	2016	2016	TMDL for temperature (2003). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels. In addition, the low pH in this AU is likely contributing to increased metals concentrations. AU may not be perennial -- HP and WQS review needed.
13020202	Jemez	NM-2106_A_26	San Antonio Creek (VCNP bnd to headwaters)	5/5B	19.5	MILES	20.6.4.108	Temperature	4A	TMDL Completed	06/02/2003	1998	TMDL for temperature (2003). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels. In addition, the low pH in this AU is likely contributing to increased metals concentrations. AU may not be perennial -- HP and WQS review needed.

13020202	Jemez	NM-2106_A_26	San Antonio Creek (VCNP bnd to headwaters)	5/5B	19.5	MILES	20.6.4.108	Turbidity	5/5B	303(d) List (no TMDL in place)	2016	TMDL for temperature (2003). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels. In addition, the low pH in this AU is likely contributing to increased metals concentrations. AU may not be perennial -- HP and WQS review needed.	
13020202	Jemez	NM-2106_B_10	San Gregorio Lake	5/5A	35.93	ACRES	20.6.4.134	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2016	This reservoir has a headgate on one end of the dam that is the beginning of Nacimiento Creek (Rio Puerco Watershed). The dam also has a spillway that empties into Clear Creek, which is in the Jemez watershed. The water level June 2004 did not reach this spillway.
13020202	Jemez	NM-2106_A_22	Sulphur Creek (Redondo Creek to headwaters)	5/5B	8.02	MILES	20.6.4.124	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2016	TMDL were previously prepared for pH and conductivity. WQS change to 20.6.4.124 resulted in de-list (pH is naturally low in this watershed). Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels.	
13020202	Jemez	NM-2106_A_27	Sulphur Creek (San Antonio Creek to Redondo Creek)	5/5B	1.01	MILES	20.6.4.108	Aluminum, Total Recoverable	5/5B	303(d) List (no TMDL in place)	2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels. In addition, the low pH in this AU is likely contributing to increased metals concentrations. HP needed -- this AU may not be perennial. pH applicable to 20.6.4.108 NMAC not attainable given naturally low pH in upstream AU.	
13020202	Jemez	NM-2106_A_27	Sulphur Creek (San Antonio Creek to Redondo Creek)	5/5B	1.01	MILES	20.6.4.108	Temperature	5/5B	303(d) List (no TMDL in place)	2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels. In addition, the low pH in this AU is likely contributing to increased metals concentrations. HP needed -- this AU may not be perennial. pH applicable to 20.6.4.108 NMAC not attainable given naturally low pH in upstream AU.	
13020202	Jemez	NM-2106_A_27	Sulphur Creek (San Antonio Creek to Redondo Creek)	5/5B	1.01	MILES	20.6.4.108	Turbidity	5/5B	303(d) List (no TMDL in place)	2010	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels. In addition, the low pH in this AU is likely contributing to increased metals concentrations. HP needed -- this AU may not be perennial. pH applicable to 20.6.4.108 NMAC not attainable given naturally low pH in upstream AU.	
13020202	Jemez	NM-2106_A_27	Sulphur Creek (San Antonio Creek to Redondo Creek)	5/5B	1.01	MILES	20.6.4.108	pH	5/5B	303(d) List (no TMDL in place)	2016	Natural conditions may contribute to high aluminum concentrations in the Jemez Mountains; aluminum criteria may need review to identify appropriate/attainable levels. In addition, the low pH in this AU is likely contributing to increased metals concentrations. HP needed -- this AU may not be perennial. pH applicable to 20.6.4.108 NMAC not attainable given naturally low pH in upstream AU.	
13020202	Jemez	NM-2105_5_20	Vallecito Ck (Jemez Pueblo bnd to Div abv Ponderosa)	4A	3.51	MILES	20.6.4.98	Arsenic, Dissolved	4A	TMDL Completed	11/24/2021	2016	Dissolved arsenic TMDL EPA approved November 2021.
13020202	Jemez	NM-2105_5_21	Vallecito Ck (Perennial Prt Div abv Ponderosa to headwaters)	5/5A	13.14	MILES	20.6.4.107	Sedimentation/Siltation	5/5A	303(d) List (no TMDL in place)	2023	2016	Sometimes referred to as Paliza Creek because it flows through Paliza Canyon.
13020202	Jemez	NM-2105_5_21	Vallecito Ck (Perennial Prt Div abv Ponderosa to headwaters)	5/5A	13.14	MILES	20.6.4.107	Turbidity	5/5A	303(d) List (no TMDL in place)	2023	2010	Sometimes referred to as Paliza Creek because it flows through Paliza Canyon.
13020203	Rio Grande-Albuquerque	NM-2105_11	Rio Grande (Arroyo de las Canas to Rio Puerco)	5/5A	30.59	MILES	20.6.4.105	Aluminum, Total Recoverable	4A	TMDL Completed	04/27/2018	2016	TMDLs for e. coli and dissolved aluminum (2010). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC.
13020203	Rio Grande-Albuquerque	NM-2105_11	Rio Grande (Arroyo de las Canas to Rio Puerco)	5/5A	30.59	MILES	20.6.4.105	Copper, Dissolved	5/5A	303(d) List (no TMDL in place)	2023	2016	TMDLs for e. coli and dissolved aluminum (2010). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC.
13020203	Rio Grande-Albuquerque	NM-2105_11	Rio Grande (Arroyo de las Canas to Rio Puerco)	5/5A	30.59	MILES	20.6.4.105	E. coli	4A	TMDL Completed	06/30/2010	2008	TMDLs for e. coli and dissolved aluminum (2010). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC.

13020203	Rio Grande-Albuquerque	NM-2105_50	Rio Grande (Isleta Pueblo boundary to Tijeras Arroyo)	5/5A	5.14	MILES	20.6.4.105	Dissolved oxygen	5/5C	303(d) List (no TMDL in place)	2008	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	This water body was sampled during LRG 2019-2020 survey. 7/9 E. coli exc= NS. E. coli impairment remain.	
13020203	Rio Grande-Albuquerque	NM-2105_50	Rio Grande (Isleta Pueblo boundary to Tijeras Arroyo)	5/5A	5.14	MILES	20.6.4.105	E. coli	4A	TMDL Completed	06/30/2010	2008	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	This water body was sampled during LRG 2019-2020 survey. 7/9 E. coli exc= NS. E. coli impairment remain.
13020203	Rio Grande-Albuquerque	NM-2105_50	Rio Grande (Isleta Pueblo boundary to Tijeras Arroyo)	5/5A	5.14	MILES	20.6.4.105	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2020	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	This water body was sampled during LRG 2019-2020 survey. 7/9 E. coli exc= NS. E. coli impairment remain.
13020203	Rio Grande-Albuquerque	NM-2105_50	Rio Grande (Isleta Pueblo boundary to Tijeras Arroyo)	5/5A	5.14	MILES	20.6.4.105	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2010	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	This water body was sampled during LRG 2019-2020 survey. 7/9 E. coli exc= NS. E. coli impairment remain.
13020203	Rio Grande-Albuquerque	NM-2105_40	Rio Grande (Rio Puerco to Isleta Pueblo bnd)	5/5A	39.6	MILES	20.6.4.105	Temperature	5/5A	303(d) List (no TMDL in place)	2023	2010	TMDL for E. coli (2010).	
13020203	Rio Grande-Albuquerque	NM-2105_10	Rio Grande (San Marcial at USGS gage to Arroyo de las Canas)	5/5A	30.13	MILES	20.6.4.105	Aluminum, Total Recoverable	4A	TMDL Completed	04/27/2018	2016	TMDLs for e. coli and dissolved aluminum (2010). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC.	
13020203	Rio Grande-Albuquerque	NM-2105_10	Rio Grande (San Marcial at USGS gage to Arroyo de las Canas)	5/5A	30.13	MILES	20.6.4.105	Temperature	5/5A	303(d) List (no TMDL in place)	2023	2016	TMDLs for e. coli and dissolved aluminum (2010). The dissolved aluminum TMDL was revised to a total recoverable aluminum TMDL in 2018 using the current applicable WQC.	
13020203	Rio Grande-Albuquerque	NM-2105_51	Rio Grande (Tijeras Arroyo to Alameda Bridge)	5/5C	15.6	MILES	20.6.4.105	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2023	2008	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13020203	Rio Grande-Albuquerque	NM-2105_51	Rio Grande (Tijeras Arroyo to Alameda Bridge)	5/5C	15.6	MILES	20.6.4.105	E. coli	4A	TMDL Completed	06/30/2010	2020	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13020203	Rio Grande-Albuquerque	NM-2105_51	Rio Grande (Tijeras Arroyo to Alameda Bridge)	5/5C	15.6	MILES	20.6.4.105	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2020	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13020203	Rio Grande-Albuquerque	NM-2105_51	Rio Grande (Tijeras Arroyo to Alameda Bridge)	5/5C	15.6	MILES	20.6.4.105	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2010	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	

13020203	Rio Grande-Albuquerque	NM-2105_51	Rio Grande (Tijeras Arroyo to Alameda Bridge)	5/SC	15.6	MILES	20.6.4.105	Temperature	5/SA	303(d) List (no TMDL in place)	2023	2010	TMDL for E. coli. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020203	Rio Grande-Albuquerque	NM-2105_1_00	Rio Grande (non-pueblo Alameda Bridge to HWY 550 Bridge)	5/SA	12.12	MILES	20.6.4.106	E. coli	4A	TMDL Completed	06/30/2010	2020	TMDL for E. coli (2010). Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020203	Rio Grande-Albuquerque	NM-2105_1_00	Rio Grande (non-pueblo Alameda Bridge to HWY 550 Bridge)	5/SA	12.12	MILES	20.6.4.106	Gross Alpha, Adjusted	5/SA	303(d) List (no TMDL in place)	2023	2012	TMDL for E. coli (2010). Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020203	Rio Grande-Albuquerque	NM-2105_1_00	Rio Grande (non-pueblo Alameda Bridge to HWY 550 Bridge)	5/SA	12.12	MILES	20.6.4.106	Mercury - Fish Consumption Advisory	5/SC	303(d) List (no TMDL in place)		2020	TMDL for E. coli (2010). Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020203	Rio Grande-Albuquerque	NM-2105_1_00	Rio Grande (non-pueblo Alameda Bridge to HWY 550 Bridge)	5/SA	12.12	MILES	20.6.4.106	PCBs - Fish Consumption Advisory	5/SC	303(d) List (no TMDL in place)		2010	TMDL for E. coli (2010). Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020203	Rio Grande-Albuquerque	NM-2105_1_00	Rio Grande (non-pueblo Alameda Bridge to HWY 550 Bridge)	5/SA	12.12	MILES	20.6.4.106	Polychlorinated Biphenyls (PCBs)	5/SA	303(d) List (no TMDL in place)	2023	2012	TMDL for E. coli (2010). Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13020203	Rio Grande-Albuquerque	NM-2105_1_02	Rio Grande (non-pueblo HWY 550 Bridge to Angostura Div)	4A	2.41	MILES	20.6.4.106	E. coli	4A	TMDL Completed	06/30/2010	2020	TMDL for fecal coliform. De-listed for fecal coliform because this criteria was replaced with E. coli during the 2005 triennial review. TMDL for E. coli 2010.
13020203	Rio Grande-Albuquerque	NM-9000.A_001	Tijeras Arroyo (Four Hills Bridge to headwaters)	4A	15.65	MILES	20.6.4.99	Nutrients	4A	TMDL Completed	10/12/2017	2008	This entire AU may not be perennial. This upper AU is often referred to as Tijeras Creek or Tijeras Canyon. TMDL for nutrients (2017).
13020204	Rio Puerco	NM-2107.A_46	La Jara Creek (Perennial reaches abv Arroyo San Jose)	4A	10.3	MILES	20.6.4.109	Aluminum, Total Recoverable	4A	TMDL Completed	06/16/2016	2014	TMDL for aluminum (2016).
13020204	Rio Puerco	NM-2107.A_42	Nacimiento Ck (Perennial prt HWY 126 to Clear Creek)	4A	7.77	MILES	20.6.4.109	Aluminum, Total Recoverable	4A	TMDL Completed	06/16/2016	2014	TMDLs for turbidity, aluminum, and uranium (2016).
13020204	Rio Puerco	NM-2107.A_42	Nacimiento Ck (Perennial prt HWY 126 to Clear Creek)	4A	7.77	MILES	20.6.4.109	Turbidity	4A	TMDL Completed	06/16/2016	2014	TMDLs for turbidity, aluminum, and uranium (2016).
13020204	Rio Puerco	NM-2107.A_42	Nacimiento Ck (Perennial prt HWY 126 to Clear Creek)	4A	7.77	MILES	20.6.4.109	Uranium, Dissolved	4A	TMDL Completed	06/16/2016	2014	TMDLs for turbidity, aluminum, and uranium (2016).
13020204	Rio Puerco	NM-2107.A_40	Rio Puerco (Arroyo Chijulla to northern bnd Cuba)	5/SC	9.22	MILES	20.6.4.131	Ammonia, Total	5/SC	303(d) List (no TMDL in place)		2006	TMDLs were prepared for sedimentation, chronic dissolved Al, and nutrients (2007). Dissolved Al TMDL withdrawn 2018 because no longer an applicable WQC.
13020204	Rio Puerco	NM-2107.A_40	Rio Puerco (Arroyo Chijulla to northern bnd Cuba)	5/SC	9.22	MILES	20.6.4.131	Nutrients	4A	TMDL Completed	09/21/2007	2006	TMDLs were prepared for sedimentation, chronic dissolved Al, and nutrients (2007). Dissolved Al TMDL withdrawn 2018 because no longer an applicable WQC.
13020204	Rio Puerco	NM-2107.A_40	Rio Puerco (Arroyo Chijulla to northern bnd Cuba)	5/SC	9.22	MILES	20.6.4.131	Sedimentation/Siltation	4A	TMDL Completed	08/10/2007	2004	TMDLs were prepared for sedimentation, chronic dissolved Al, and nutrients (2007). Dissolved Al TMDL withdrawn 2018 because no longer an applicable WQC.
13020204	Rio Puerco	NM-2107.A_44	Rio Puerco (Perennial prt northern bnd Cuba to headwaters)	4A	14.83	MILES	20.6.4.109	Sedimentation/Siltation	4A	TMDL Completed	06/16/2016	2014	TMDL for sedimentation/siltation (2016).
13020204	Rio Puerco	NM-2105_20	Rio Puerco (non-pueblo Rio Grande to Arroyo Chico)	5/SC	113.46	MILES	20.6.4.130	E. coli	5/SA	303(d) List (no TMDL in place)	2022	2012	
13020204	Rio Puerco	NM-2105_20	Rio Puerco (non-pueblo Rio Grande to Arroyo Chico)	5/SC	113.46	MILES	20.6.4.130	Mercury, Total	5/SA	303(d) List (no TMDL in place)	2022	2012	

1302027	Rio San Jose	NM-97_A_030	Arroyo del Valle (Laguna Pueblo bnd to headwaters)	5/5A	13.23	MILES	20.6.4.98	Gross Alpha, Adjusted	5/5A	303(d) List (no TMDL in place)	2021	2018	This AU may be ephemeral. The process detailed in 20.6.4.15 NMAC Subsection C must be completed in order to classify a waterbody under 20.6.4.97 NMAC. Until such time, this AU will remain under 20.6.4.98 NMAC.	
1302027	Rio San Jose	NM-2107_A_01	Bluewater Creek (Perennial prt Bluewater Rsvr to headwaters)	4A	18.31	MILES	20.6.4.109	Temperature	4A	TMDL Completed	09/21/2007	1998	TMDLs were prepared for temperature and plant nutrients (2007). WQS temperature review is warranted in this AU.	
1302027	Rio San Jose	NM-2107_A_00	Bluewater Creek (Perennial prt R San Jose to Bluewater Rsvr)	4A	11.44	MILES	20.6.4.109	Nutrients	4A	TMDL Completed	09/21/2007	1998	Non-tribal portions only. TMDLs were completed for temperature and nutrients (2007).	
1302027	Rio San Jose	NM-2107_A_00	Bluewater Creek (Perennial prt R San Jose to Bluewater Rsvr)	4A	11.44	MILES	20.6.4.109	Temperature	4A	TMDL Completed	09/21/2007	2006	Non-tribal portions only. TMDLs were completed for temperature and nutrients (2007).	
1302027	Rio San Jose	NM-2107_B_00	Bluewater Lake	4A	617.1	ACRES	20.6.4.135	Nutrients	4A	TMDL Completed	11/24/2021	2014	Total nitrogen and total phosphorus TMDL EPA approved November 2021.	
1302027	Rio San Jose	NM-2107_A_10	Rio Moquino (Laguna Pueblo to Seboyettia Creek)	4A	2.13	MILES	20.6.4.109	Nutrients	4A	TMDL Completed	09/21/2007	2006	TMDLs were completed for temperature and nutrients (2007). There may not be adequate flow in the lower portions of this reach to sustain a CVAL.	
1302027	Rio San Jose	NM-2107_A_10	Rio Moquino (Laguna Pueblo to Seboyettia Creek)	4A	2.13	MILES	20.6.4.109	Temperature	4A	TMDL Completed	09/21/2007	1998	TMDLs were completed for temperature and nutrients (2007). There may not be adequate flow in the lower portions of this reach to sustain a CVAL.	
1302029	Rio Salado	NM-2103_A_10	Rio Salado (Rio Grande to Alamo Navajo bnd)	5/5C	44.36	MILES	20.6.4.103	Temperature	5/5C	303(d) List (no TMDL in place)		2016	A second thermograph should be deployed to confirm the temperature listing.	
1302021	Elephant Butte Reservoir	NM-2104_00	Elephant Butte Reservoir	5/5C	10908.5	ACRES	20.6.4.104	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern. Land management agencies have posted contact recreation warnings due to toxic blue green algae. SWQB does not have water quality standards or assessment procedures related to blue green algae at this time. The actual size of this AU at any given time depends on fluctuating surface area and reservoir volume. The noted acreage is from the USGS NHD 2014 GIS layer. The potential inundation area is almost 40,000 acres.	Monitored during Lower Rio Grande survey 2019-2020. No changes.
1302021	Elephant Butte Reservoir	NM-2104_00	Elephant Butte Reservoir	5/5C	10908.5	ACRES	20.6.4.104	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2010	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern. Land management agencies have posted contact recreation warnings due to toxic blue green algae. SWQB does not have water quality standards or assessment procedures related to blue green algae at this time. The actual size of this AU at any given time depends on fluctuating surface area and reservoir volume. The noted acreage is from the USGS NHD 2014 GIS layer. The potential inundation area is almost 40,000 acres.	Monitored during Lower Rio Grande survey 2019-2020. No changes.
1302021	Elephant Butte Reservoir	NM-2105_00	Rio Grande (Elephant Butte Rsvr to San Marcial at USGS)	5/5A	32.99	MILES	20.6.4.105	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2023	2016	The actual length of this AU at any given time depends on Elephant Butte's fluctuating surface area.	This water body was sampled 2x during LRG 2019-2020 survey. 1/2 total aluminum chronic criterion exc. No changes as a result of this monitoring.
13030101	Caballo	NM-2102_B_00	Caballo Reservoir	5/5A	4440.7	ACRES	20.6.4.104	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	Monitored during Lower Rio Grande survey 2019-2020. Nutrient impairment retained (TP exc 3/4, Chl-a exc 2/4).
13030101	Caballo	NM-2102_B_00	Caballo Reservoir	5/5A	4440.7	ACRES	20.6.4.104	Nutrients	5/5A	303(d) List (no TMDL in place)	2024	2016	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	Monitored during Lower Rio Grande survey 2019-2020. Nutrient impairment retained (TP exc 3/4, Chl-a exc 2/4).
13030101	Caballo	NM-2103_A_50	Las Animas Ck (perennial prt Animas Gulch to headwaters)	5/5C	27.18	MILES	20.6.4.103	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)		2010		
13030101	Caballo	NM-2103_A_50	Las Animas Ck (perennial prt Animas Gulch to headwaters)	5/5C	27.18	MILES	20.6.4.103	Dissolved oxygen	5/5C	303(d) List (no TMDL in place)		2014		

13030101	Caballo	NM-2103_A_51	Las Animas Ck (perennial prt R Grande to Animas Gulch)	5/5A	12.93	MILES	20.6.4.103	Temperature	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Lower Rio Grande survey 2019-2020. Temp LTD=NS (partial dataset, assessable for non-support only. Marginal exceedance of 6T3, as well as marginal exceedances of tmax on more than one day). Temperature impairment added.
13030101	Caballo	NM-2103_A_00	Rio Grande (Caballo Reservoir to Elephant Butte Reservoir)	5/5C	14.5	MILES	20.6.4.103	Dissolved oxygen	5/5C	303(d) List (no TMDL in place)		2006	The dissolved oxygen impairment may indicate excessive nutrients. Protocols for nutrients in large rivers are under development.
13030102	El Paso-Las Cruces	NM-2101_01	Rio Grande (Anthony Bridge to NM192 bridge W of Mesquite)	4A	13.37	MILES	20.6.4.101	E. coli	4A	TMDL Completed	06/11/2007	2006	TMDL for E. coli. This water body was sampled 2x during LRG 2019-2020 survey. No changes.
13030102	El Paso-Las Cruces	NM-2101_00	Rio Grande (International Mexico bnd to Anthony Bridge)	5/5A	8.69	MILES	20.6.4.101	Boron, Dissolved	5/5A	303(d) List (no TMDL in place)	2023	2014	TMDL for E. coli. This water body was sampled during LRG 2019-2020 survey, 0/12 E. coli exc= FS. E. coli impairment will be removed. 1/11 dissolved boron exc.. Dissolved Boron impairment will remain.
13030102	El Paso-Las Cruces	NM-2101_10	Rio Grande (Leasburg Dam to one mile below Percha Dam)	4A	42.61	MILES	20.6.4.101	E. coli	4A	TMDL Completed	06/11/2007	2006	TMDL for E. coli. This water body was sampled 2x during LRG 2019-2020 survey. No changes as a result of this monitoring.
13030202	Mimbres	NM-2504_30	Bear Canyon Reservoir	5/5A	29.78	ACRES	20.6.4.806	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13030202	Mimbres	NM-2504_30	Bear Canyon Reservoir	5/5A	29.78	ACRES	20.6.4.806	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13030202	Mimbres	NM-2504_30	Bear Canyon Reservoir	5/5A	29.78	ACRES	20.6.4.806	Temperature	5/5C	303(d) List (no TMDL in place)	2024	2012	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13030202	Mimbres	NM-2803_11	Cold Springs Creek (Hot Springs Creek to headwaters)	4A	14.89	MILES	20.6.4.803	Lead, Dissolved	4A	TMDL Completed	09/11/2014	2012	Application of the SWQB Hydrology Protocol (survey date 5/26/09) indicate this assessment unit is perennial (Hydrology Protocol score of 20.0 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol). Metal pollutants due to legacy mining in the upper watershed. The Forest Service began a comprehensive reclamation effort in 2019 which was underway during the 2019 survey and completed prior to 2020 survey.
13030202	Mimbres	NM-2803_20	Gallinas Creek (Little Gallinas Creek to headwaters)	5/5C	14.34	MILES	20.6.4.803	Nutrients	5/5C	303(d) List (no TMDL in place)		2012	Application of the SWQB Hydrology Protocol (5/26/09 survey date) indicate this assessment unit is perennial (Hydrology Protocol score of 18.5 to 22.5 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol).
13030202	Mimbres	NM-2804_00	Mimbres R (Perennial reaches Allie Canyon to Cooney Cyn)	5/5B	11.04	MILES	20.6.4.804	Temperature	5/5B	303(d) List (no TMDL in place)	2024	1998	CWAL may not be attainable; WQS review needed. Coolwater fishes present.
13030202	Mimbres	NM-2804_40	Mimbres R (Perennial reaches Cooney Cyn to headwaters)	5/5A	12.6	MILES	20.6.4.807	Temperature	5/5A	303(d) List (no TMDL in place)	2024	2022	AU flows mostly through a designated wilderness area with only the very bottom of the AU accessible by road. Chihuahua Chub frequent at lower end of AU.
13030202	Mimbres	NM-2803_00	Mimbres R (Perennial reaches downstream of Allie Canyon)	4A	30.45	MILES	20.6.4.803	E. coli	4A	TMDL Completed	09/11/2014	2012	This AU near the ecoregion boundary and is more closely associated with ecoregion 24b (Chihuahuan Desert). AU is subject to irrigation diversions/returns.
13030202	Mimbres	NM-9000_A_025	San Vicente Creek (Perennial prt Maudes Cyn to Silva Creek)	5/5C	5.65	MILES	20.6.4.803	Nutrients	5/5C	303(d) List (no TMDL in place)		2012	San Vicente below Maudes Canyon was approved by EPA as ephemeral 97 in Dec 2013. Perennial reaches of San Vicente above Maudes Canyon remain classified in 20.6.4.803.
13050003	Tularosa Valley	NM-2801_20	Dog Canyon Creek (perennial portions)	5/5C	6.06	MILES	20.6.4.810	Temperature	5/5C	303(d) List (no TMDL in place)		2006	A LUA to create 20.6.4.810 NMAC for this water body with coolwater aquatic life use was approved by the WQCC (effective 2/28/18 for state purposes).
13050003	Tularosa Valley	NM-2801_41	Fresnal Canyon (La Luz Creek to Salado Canyon)	5/5C	2.7	MILES	20.6.4.801	E. coli	5/5C	303(d) List (no TMDL in place)		2014	This reach is often dry below Salado Canyon where the Alamogordo diversion is installed.
13050003	Tularosa Valley	NM-2801_41	Fresnal Canyon (La Luz Creek to Salado Canyon)	5/5C	2.7	MILES	20.6.4.801	Flow Regime Modification	4C	Not a Pollutant		2014	This reach is often dry below Salado Canyon where the Alamogordo diversion is installed.
13050003	Tularosa Valley	NM-2801_42	Karr Canyon (Fresnal Canyon to headwaters)	5/5A	6.64	MILES	20.6.4.801	Sedimentation/Siltation	5/5A	303(d) List (no TMDL in place)	2023	2014	

													Lake is actually an impounded playa. Although the reservoir is associated with Holloman Air Force Base, the public does have access. The New Mexico Department of Health is warning people not to swim in or drink from Lake Holloman in southern New Mexico as of May 10, 2019. The lake already is off limits to swimming but state officials reiterated their warning saying people should wash their hands if they get water or foam from the lake on them. They also warned pet owners to avoid letting their animals drink or come into contact with the water or foam. This lake has very high salinity, and is thus not suitable for livestock watering or supporting a viable fishery. Limited aquatic life might be a more realistic use based on salinity.
13050003	Tularosa Valley	NM-9000_B_113	Lake Holloman	5/5A	147.57	ACRES	20.6.4.99	Arsenic, Dissolved	5/5A	303(d) List (no TMDL in place)	2021	2010	
13050003	Tularosa Valley	NM-2801_10	Nogal Creek (Tularosa Creek to Mescalero Apache bnd)	5/5A	4.36	MILES	20.6.4.801	E. coli	4A	TMDL Completed	09/21/2015	2014	
13050003	Tularosa Valley	NM-2801_10	Nogal Creek (Tularosa Creek to Mescalero Apache bnd)	5/5A	4.36	MILES	20.6.4.801	Temperature	5/5A	303(d) List (no TMDL in place)	2023	2014	
13050003	Tularosa Valley	NM-2802_00	Three Rivers (Perennial prt HWY 54 to USFS exc Mescalero)	4C	15.07	MILES	20.6.4.802	Flow Regime Modification	4C	Not a Pollutant			There is extensive irrigation in the reach from surface water diversion as well as ground water pumping in the lower portion of the assessment unit. Therefore, this AU is listed under Category 4C with an impairment of Low Flow Alteration diversion (flow modification) "pollution" is de-watering this reach.
13050004	Salt Basin	NM-2805_02	Sacramento R (Perennial prt Scott Able Canyon to headwaters)	5/5A	8.57	MILES	20.6.4.805	Sedimentation/Siltation	5/5A	303(d) List (no TMDL in place)	2023	2014	
13060001	Pecos Headwaters	NM-2214_A_062	Carpenter Creek (Pecos River to headwaters)	5/5C	2.59	MILES	20.6.4.217	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	AU created on November 14, 2019 for probabilistic monitoring in 2019. Monitored during Upper Pecos survey 2019-2020 probabilistic component. Sedimentation/siltation assessment indicated NS, BMI assessment (mountain ecoregion) indicated NS, however this small stream is possibly a spring. Need more information to determine if surface water assessment protocols appropriate for this water body.
13060001	Pecos Headwaters	NM-2214_A_062	Carpenter Creek (Pecos River to headwaters)	5/5C	2.59	MILES	20.6.4.217	Sedimentation/Siltation	5/5C	303(d) List (no TMDL in place)	2024	2022	AU created on November 14, 2019 for probabilistic monitoring in 2019. Monitored during Upper Pecos survey 2019-2020 probabilistic component. Sedimentation/siltation assessment indicated NS, BMI assessment (mountain ecoregion) indicated NS, however this small stream is possibly a spring. Need more information to determine if surface water assessment protocols appropriate for this water body.
13060001	Pecos Headwaters	NM-2214_A_102	Cow Creek (Bull Creek to headwaters)	5/5C	24.84	MILES	20.6.4.217	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. Temp LTD (Pathfinder Environmental 2019-2020)= FS (season-long datasets, neither 4T3 nor tmax exceeded). Temperature impairment removed. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
13060001	Pecos Headwaters	NM-2214_A_090	Cow Creek (Pecos River to Bull Creek)	5/5C	16.1	MILES	20.6.4.217	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	TMDLs for temperature and turbidity. HQCWAL may not be attainable. Monitored during Upper Pecos survey 2019-2020. Temp LTD= NS (exc of 4T3 criterion 2019 and 2020, multi-day excs of tmax). Temperature impairment retained. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
13060001	Pecos Headwaters	NM-2214_A_090	Cow Creek (Pecos River to Bull Creek)	5/5C	16.1	MILES	20.6.4.217	Temperature	4A	TMDL Completed	09/13/2005	1998	TMDLs for temperature and turbidity. HQCWAL may not be attainable.
13060001	Pecos Headwaters	NM-2214_A_021	Doctor Creek (Holy Ghost Creek to headwaters)	5/5C	3.72	MILES	20.6.4.217	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. Sedimentation/siltation assessment=FS.
13060001	Pecos Headwaters	NM-2212_01	El Porvenir Creek (Gallinas River to SFNF bnd)	5/5C	2.68	MILES	20.6.4.215	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. Temp LTD=FS (season-long dataset 2019, partial dataset 2020, neither 4T3 nor tmax exceeded). Temperature impairment removed.
13060001	Pecos Headwaters	NM-2212_05	El Porvenir Creek (SFNF bnd to Hollinger Canyon)	5/5A	4.89	MILES	20.6.4.215	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. Temp LTD=NS (exc 4T3 in 2020, multi-day excs of tmax in 2020). Temperature impairment added. DO LTD=NS (2020 dataset resulted in multiple 4-h excursions below 6.0 mg/L criterion). DO impairment added.
13060001	Pecos Headwaters	NM-2212_05	El Porvenir Creek (SFNF bnd to Hollinger Canyon)	5/5A	4.89	MILES	20.6.4.215	Temperature	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. Temp LTD=NS (exc 4T3 in 2020, multi-day excs of tmax in 2020). Temperature impairment added. DO LTD=NS (2020 dataset resulted in multiple 4-h excursions below 6.0 mg/L criterion). DO impairment added.
13060001	Pecos Headwaters	NM-2214_A_103	Elk Creek (Cow Creek to headwater)	5/5C	2.91	MILES	20.6.4.217	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020 probabilistic component. N=1 (not assessed) for most parameters. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.

13060001	Pecos Headwaters	NM-2212_00	Gallinas River (Las Vegas Diversion to USFS bnd)	5/5C	8.2	MILES	20.6.4.215	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	A TMDL was prepared for temperature.	Monitored during Upper Pecos survey 2019-2020. Temp LTD=confirmed NS, temperature impairment remains. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
13060001	Pecos Headwaters	NM-2212_00	Gallinas River (Las Vegas Diversion to USFS bnd)	5/5C	8.2	MILES	20.6.4.215	Temperature	4A	TMDL Completed	09/13/2005	1998	A TMDL was prepared for temperature.	Monitored during Upper Pecos survey 2019-2020. Temp LTD=confirmed NS, temperature impairment remains. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
13060001	Pecos Headwaters	NM-2213_23	Gallinas River (Pecos Arroyo to Las Vegas Diversion)	5/5A	11.1	MILES	20.6.4.220	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2024	2022		Monitored during Upper Pecos survey 2019-2020. DO LTD=NS. Nutrient assessment=FS (TN and TP site medians below thresholds). DO LTD=NS (assessable dataset during 2020 growing season indicates frequent excursions below the 6.0 mg/L criterion for four hours or more in duration). DO impairment added.
13060001	Pecos Headwaters	NM-2213_20	Gallinas River (Pecos River to Aguilar Creek)	5/5C	20.98	MILES	20.6.4.98	Dissolved oxygen	5/5C	303(d) List (no TMDL in place)		2012	USGS 08382500 gage data from 1/1/1951 to 9/7/2011 documents 8848 days (40%) with zero daily flow. Sonde was in isolated pool - redeployment recommended.	
13060001	Pecos Headwaters	NM-2213_21	Gallinas River (Perennial prt Aguilar Creek to Pecos Arroyo)	5/5A	42.6	MILES	20.6.4.220	E. coli	5/5A	303(d) List (no TMDL in place)	2024	2022		Monitored during Upper Pecos survey 2019-2020. 3/12 E. coli exc=NS. E. coli impairment added. Temp LTD=NS (confirms temperature impairment). Nutrient assessment indicated NS (TP and Delta-DO thresholds exceeded, and minimum DO below criterion). Nutrient impairment retained. Turbidity grab data assessment confirmed impairment (= 4 samples in same calendar year, = 21-days apart = 4 consecutive measurements > 7 NTU). Turbidity impairment retained.
13060001	Pecos Headwaters	NM-2213_21	Gallinas River (Perennial prt Aguilar Creek to Pecos Arroyo)	5/5A	42.6	MILES	20.6.4.220	Nutrients	5/5A	303(d) List (no TMDL in place)	2023	2006		Monitored during Upper Pecos survey 2019-2020. 3/12 E. coli exc=NS. E. coli impairment added. Temp LTD=NS (confirms temperature impairment). Nutrient assessment indicated NS (TP and Delta-DO thresholds exceeded, and minimum DO below criterion). Nutrient impairment retained. Turbidity grab data assessment confirmed impairment (= 4 samples in same calendar year, = 21-days apart = 4 consecutive measurements > 7 NTU). Turbidity impairment retained.
13060001	Pecos Headwaters	NM-2213_21	Gallinas River (Perennial prt Aguilar Creek to Pecos Arroyo)	5/5A	42.6	MILES	20.6.4.220	Temperature	5/5A	303(d) List (no TMDL in place)	2023	2012		Monitored during Upper Pecos survey 2019-2020. 3/12 E. coli exc=NS. E. coli impairment added. Temp LTD=NS (confirms temperature impairment). Nutrient assessment indicated NS (TP and Delta-DO thresholds exceeded, and minimum DO below criterion). Nutrient impairment retained. Turbidity grab data assessment confirmed impairment (= 4 samples in same calendar year, = 21-days apart = 4 consecutive measurements > 7 NTU). Turbidity impairment retained.
13060001	Pecos Headwaters	NM-2213_21	Gallinas River (Perennial prt Aguilar Creek to Pecos Arroyo)	5/5A	42.6	MILES	20.6.4.220	Turbidity	5/5A	303(d) List (no TMDL in place)	2023	2012		Monitored during Upper Pecos survey 2019-2020. 3/12 E. coli exc=NS. E. coli impairment added. Temp LTD=NS (confirms temperature impairment). Nutrient assessment indicated NS (TP and Delta-DO thresholds exceeded, and minimum DO below criterion). Nutrient impairment retained. Turbidity grab data assessment confirmed impairment (= 4 samples in same calendar year, = 21-days apart = 4 consecutive measurements > 7 NTU). Turbidity impairment retained.
13060001	Pecos Headwaters	NM-2212_02	Gallinas River (USFS bnd to headwaters)	5/5C	9.86	MILES	20.6.4.215	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022		Monitored during Upper Pecos survey 2019-2020 probabilistic component. N=1 (not assessed) for most parameters. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
13060001	Pecos Headwaters	NM-2214_A_082	Glorieta Ck (Perennial prt Glorieta Camps WWTP to hdwtrs)	4C	6.24	MILES	20.6.4.217	Flow Regime Modification	4C	Not a Pollutant		2014	Very limited data. Low flow alterations affecting stream condition (impoundments on Glorieta Camps property).	Monitored during Upper Pecos survey 2019-2020. N=1 (not assessed) for most parameters due to lack of flow.
13060001	Pecos Headwaters	NM-2214_A_081	Glorieta Ck (Perennial prt Pecos R to Glorieta Camps WWTP)	5/5B	8.98	MILES	20.6.4.217	Nutrients	5/5B	303(d) List (no TMDL in place)		2012	Flow in this AU is effluent dominated. HQCW use and associated criteria may not be attainable. WQS under review.	Monitored during Upper Pecos survey 2019-2020. Specific Conductance LTD=NS (100% of recorded measurements from the sonde deployment in 2020 were exceedances of the HQCW criterion of 300 us/cm). Specific conductance impairment retained. Nutrient assessment=NS (TP threshold exceeded). Nutrient impairment retained. Flow in this AU is effluent dominated. HQCW use and associated criteria may not be attainable. WQS under review.
13060001	Pecos Headwaters	NM-2214_A_081	Glorieta Ck (Perennial prt Pecos R to Glorieta Camps WWTP)	5/5B	8.98	MILES	20.6.4.217	Specific Conductance	5/5B	303(d) List (no TMDL in place)		2014	Flow in this AU is effluent dominated. HQCW use and associated criteria may not be attainable. WQS under review.	Monitored during Upper Pecos survey 2019-2020. Specific Conductance LTD=NS (100% of recorded measurements from the sonde deployment in 2020 were exceedances of the HQCW criterion of 300 us/cm). Specific conductance impairment retained. Nutrient assessment=NS (TP threshold exceeded). Nutrient impairment retained. Flow in this AU is effluent dominated. HQCW use and associated criteria may not be attainable. WQS under review.
13060001	Pecos Headwaters	NM-2214_A_072	Indian Creek (Pecos River to headwaters)	5/5A	6.63	MILES	20.6.4.217	Specific Conductance	5/5A	303(d) List (no TMDL in place)	2024	2022		Monitored during Upper Pecos survey 2019-2020. Specific Conductance LTD=NS (71% of 2019 and 73% of 2020 continuous sonde measurements exceeded the HQCW criterion of 300 us/cm). Specific conductance impairment added.
13060001	Pecos Headwaters	NM-2211_3_00	McAllister Lake	5/5C	85.41	ACRES	20.6.4.213	Arsenic, Dissolved	5/5A	303(d) List (no TMDL in place)	2021	2006	This is a nutrient rich fishing lake. The human health criterion for arsenic (9.0 ug/L) was exceeded during 4 of 6 sampling events in 2001. NMED has collected fish tissue to be analyzed for arsenic to determine if a fish consumption advisory is warranted.	

13060001	Pecos Headwaters	NM-2214_A_060	Panchuela Creek (Pecos River to headwaters)	5/5C	7.68	MILES	20.6.4.217	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020 probabilistic component. N=1 (not assessed) for most parameters. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
13060001	Pecos Headwaters	NM-2214_A_002	Pecos River (Alamitos Canyon to Jack's Creek)	5/5A	21.83	MILES	20.6.4.217	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	A TMDL was prepared for turbidity.
13060001	Pecos Headwaters	NM-2214_A_002	Pecos River (Alamitos Canyon to Jack's Creek)	5/5A	21.83	MILES	20.6.4.217	Temperature	5/5A	303(d) List (no TMDL in place)	2022	2020	A TMDL was prepared for turbidity.
13060001	Pecos Headwaters	NM-2214_A_003	Pecos River (Canon de Manzanita to Alamitos Canyon)	5/5A	5.74	MILES	20.6.4.217	Dissolved oxygen	5/5A	303(d) List (no TMDL in place)	2024	2022	TMDLs were written for temperature and turbidity. De-list for turbidity. Dissolved oxygen impairment added 2022 cycle.
13060001	Pecos Headwaters	NM-2214_A_003	Pecos River (Canon de Manzanita to Alamitos Canyon)	5/5A	5.74	MILES	20.6.4.217	Temperature	4A	TMDL Completed	09/13/2005	2004	TMDLs were written for temperature and turbidity. De-list for turbidity. Dissolved oxygen impairment added 2022 cycle.
13060001	Pecos Headwaters	NM-2213_02	Pecos River (Cow Creek to Canon de Manzanita)	5/5A	20.07	MILES	20.6.4.216	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. Turbidity grab data indicates NS (= 4 samples in same calendar year, = 21-days apart = 4 consecutive measurements > 7 NTU). Turbidity impairment added (5C, need sonde data to confirm). BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. 6/6 exc of chloride segment specific criteria of 5 mg/L (all flows >10 cfs), therefore chloride impairment added.
13060001	Pecos Headwaters	NM-2213_02	Pecos River (Cow Creek to Canon de Manzanita)	5/5A	20.07	MILES	20.6.4.216	Chloride	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. Turbidity grab data indicates NS (= 4 samples in same calendar year, = 21-days apart = 4 consecutive measurements > 7 NTU). Turbidity impairment added (5C, need sonde data to confirm). BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. 6/6 exc of chloride segment specific criteria of 5 mg/L (all flows >10 cfs), therefore chloride impairment added.
13060001	Pecos Headwaters	NM-2213_02	Pecos River (Cow Creek to Canon de Manzanita)	5/5A	20.07	MILES	20.6.4.216	Turbidity	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. Turbidity grab data indicates NS (= 4 samples in same calendar year, = 21-days apart = 4 consecutive measurements > 7 NTU). Turbidity impairment added (5C, need sonde data to confirm). BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. 6/6 exc of chloride segment specific criteria of 5 mg/L (all flows >10 cfs), therefore chloride impairment added.
13060001	Pecos Headwaters	NM-2214_A_000	Pecos River (Jack's Creek to headwaters)	5/5C	14.66	MILES	20.6.4.217	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Rio Grande Cutthroat Trout restoration in 1992-1996 by NMG&F above Pecos Falls.
13060001	Pecos Headwaters	NM-2211_A_10	Pecos River (Santa Rosa Reservoir to Tecolote Creek)	5/5A	54.28	MILES	20.6.4.211	E. coli	4A	TMDL Completed	09/25/2013	2012	USGS 08382600 gage data from 1/1/1976 to 9/7/2011 documents 3596 days (28%) with zero daily flow.
13060001	Pecos Headwaters	NM-2211_A_10	Pecos River (Santa Rosa Reservoir to Tecolote Creek)	5/5A	54.28	MILES	20.6.4.211	Nutrients	5/5A	303(d) List (no TMDL in place)	2024	2022	USGS 08382600 gage data from 1/1/1976 to 9/7/2011 documents 3596 days (28%) with zero daily flow.
13060001	Pecos Headwaters	NM-2211_A_00	Pecos River (Sumner Reservoir to Santa Rosa Reservoir)	5/5A	54.52	MILES	20.6.4.211	E. coli	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. Nutrient impairment confirmed and retained (maximum daily delta-DO >site class threshold). 2/10 E. coli exc=NS. E. coli impairment added.
13060001	Pecos Headwaters	NM-2211_A_00	Pecos River (Sumner Reservoir to Santa Rosa Reservoir)	5/5A	54.52	MILES	20.6.4.211	Nutrients	5/5A	303(d) List (no TMDL in place)	2022	2012	Monitored during Upper Pecos survey 2019-2020. Nutrient impairment confirmed and retained (maximum daily delta-DO >site class threshold). 2/10 E. coli exc=NS. E. coli impairment added.
13060001	Pecos Headwaters	NM-2213_00	Pecos River (Tecolote Creek to Villanueva State Park)	5/5A	19.46	MILES	20.6.4.216	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2024	2022	The AU boundary is the downstream end of the state park.
13060001	Pecos Headwaters	NM-2213_00	Pecos River (Tecolote Creek to Villanueva State Park)	5/5A	19.46	MILES	20.6.4.216	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Upper Pecos survey 2019-2020. 2/8 E. coli exc=NS. E. coli impairment added. Turbidity LTD=NS (3, 4, 5, 6, and 7-day turbidity duration thresholds excs during 2019 deployment). Turbidity impairment added. 6/6 excs of chloride segment specific criteria of 5 mg/L (all flows >10 cfs). Chloride impairment added. Total aluminum acute (2/6) criteria exc. Total aluminum impairment added. Temp LTD=F5 (Fully assessable dataset in 2020, no excs tmax). Temperature impairment removed.

13060001	Pecos Headwaters	NM-2213_00	Pecos River (Tecolote Creek to Villanueva State Park)	5/5A	19.46	MILES	20.6.4.216	Chloride	5/5A	303(d) List (no TMDL in place)	2024	2022	The AU boundary is the downstream end of the state park.	Monitored during Upper Pecos survey 2019-2020. 2/8 E. coli exc=NS. E. coli impairment added. Turbidity LTD=NS (3, 4, 5, 6, and 7-day turbidity duration thresholds excs during 2019 deployment). Turbidity impairment added. 6/6 excs of chloride segment specific criteria of 5 mg/L (all flows >10 cfs).Chloride impairment added. Total aluminum acute (2/6) criteria exc. Total aluminum impairment added. Temp LTD=F5 (Fully assessable dataset in 2020, no excs tmax). Temperature impairment removed.
13060001	Pecos Headwaters	NM-2213_00	Pecos River (Tecolote Creek to Villanueva State Park)	5/5A	19.46	MILES	20.6.4.216	E. coli	5/5A	303(d) List (no TMDL in place)	2024	2022	The AU boundary is the downstream end of the state park.	Monitored during Upper Pecos survey 2019-2020. 2/8 E. coli exc=NS. E. coli impairment added. Turbidity LTD=NS (3, 4, 5, 6, and 7-day turbidity duration thresholds excs during 2019 deployment). Turbidity impairment added. 6/6 excs of chloride segment specific criteria of 5 mg/L (all flows >10 cfs).Chloride impairment added. Total aluminum acute (2/6) criteria exc. Total aluminum impairment added. Temp LTD=F5 (Fully assessable dataset in 2020, no excs tmax). Temperature impairment removed.
13060001	Pecos Headwaters	NM-2213_00	Pecos River (Tecolote Creek to Villanueva State Park)	5/5A	19.46	MILES	20.6.4.216	Turbidity	5/5A	303(d) List (no TMDL in place)	2024	2022	The AU boundary is the downstream end of the state park.	Monitored during Upper Pecos survey 2019-2020. 2/8 E. coli exc=NS. E. coli impairment added. Turbidity LTD=NS (3, 4, 5, 6, and 7-day turbidity duration thresholds excs during 2019 deployment). Turbidity impairment added. 6/6 excs of chloride segment specific criteria of 5 mg/L (all flows >10 cfs).Chloride impairment added. Total aluminum acute (2/6) criteria exc. Total aluminum impairment added. Temp LTD=F5 (Fully assessable dataset in 2020, no excs tmax). Temperature impairment removed.
13060001	Pecos Headwaters	NM-2213_01	Pecos River (Villanueva State Park to Cow Creek)	5/5A	20.01	MILES	20.6.4.216	Chloride	5/5A	303(d) List (no TMDL in place)	2024	2022	The AU boundary is the downstream end of the state park.	Monitored during Upper Pecos survey 2019-2020. 2/8 E. coli exc=NS. E. coli impairment added. Turbidity LTD=NS (3 and 7-day turbidity duration thresholds excs during the 2019 deployment). Turbidity impairment added. 6/6 excs of chloride segment specific criteria of 5 mg/L (all flows >10 cfs). Chloride impairment added.
13060001	Pecos Headwaters	NM-2213_01	Pecos River (Villanueva State Park to Cow Creek)	5/5A	20.01	MILES	20.6.4.216	E. coli	5/5A	303(d) List (no TMDL in place)	2024	2022	The AU boundary is the downstream end of the state park.	Monitored during Upper Pecos survey 2019-2020. 2/8 E. coli exc=NS. E. coli impairment added. Turbidity LTD=NS (3 and 7-day turbidity duration thresholds excs during the 2019 deployment). Turbidity impairment added. 6/6 excs of chloride segment specific criteria of 5 mg/L (all flows >10 cfs). Chloride impairment added.
13060001	Pecos Headwaters	NM-2213_01	Pecos River (Villanueva State Park to Cow Creek)	5/5A	20.01	MILES	20.6.4.216	Turbidity	5/5A	303(d) List (no TMDL in place)	2024	2022	The AU boundary is the downstream end of the state park.	Monitored during Upper Pecos survey 2019-2020. 2/8 E. coli exc=NS. E. coli impairment added. Turbidity LTD=NS (3 and 7-day turbidity duration thresholds excs during the 2019 deployment). Turbidity impairment added. 6/6 excs of chloride segment specific criteria of 5 mg/L (all flows >10 cfs). Chloride impairment added.
13060001	Pecos Headwaters	NM-2211_B_00	Santa Rosa Reservoir	5/5A	1225.22	ACRES	20.6.4.225	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004		Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern. Monitored during Upper Pecos survey 2019-2020. Nutrient assessment: TN and TP threshold excs, in separate samples. DO criterion exc 2/4 samples, Chl-a threshold exc 1/4 samples. Therefore, conclusion is non-support for aquatic life due to nutrients. Nutrients added as a cause of impairment.
13060001	Pecos Headwaters	NM-2211_B_00	Santa Rosa Reservoir	5/5A	1225.22	ACRES	20.6.4.225	Nutrients	5/5A	303(d) List (no TMDL in place)	2024	2022		Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern. Monitored during Upper Pecos survey 2019-2020. Nutrient assessment: TN and TP threshold excs, in separate samples. DO criterion exc 2/4 samples, Chl-a threshold exc 1/4 samples. Therefore, conclusion is non-support for aquatic life due to nutrients. Nutrients added as a cause of impairment.
13060001	Pecos Headwaters	NM-2211_5_00	Storrie Lake	5/5C	502.16	ACRES	20.6.4.214	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2006		Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern. Monitored during Upper Pecos survey 2019-2020. The fish consumption advisory for mercury is still in effect, and there are documented mercury levels in 2021 fish tissue data greater than the methylmercury criterion of 0.3 mg/kg. Methylmercury is a subset of total mercury (i.e., total mercury is a more conservative value). There is a current fish consumption advisory for PCBs. Therefore, the Mercury - Fish Consumption Advisory listing remains and PCBs - Fish Consumption Advisory was added.
13060001	Pecos Headwaters	NM-2211_5_00	Storrie Lake	5/5C	502.16	ACRES	20.6.4.214	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2022		Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern. Monitored during Upper Pecos survey 2019-2020. The fish consumption advisory for mercury is still in effect, and there are documented mercury levels in 2021 fish tissue data greater than the methylmercury criterion of 0.3 mg/kg. Methylmercury is a subset of total mercury (i.e., total mercury is a more conservative value). There is a current fish consumption advisory for PCBs. Therefore, the Mercury - Fish Consumption Advisory listing remains and PCBs - Fish Consumption Advisory was added.

13060001	Pecos Headwaters	NM-2210_00	Summer Reservoir	5/5C	1261.58	ACRES	20.6.4.210	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2004	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	Monitored during Upper Pecos survey 2019-2020. No changes.
13060001	Pecos Headwaters	NM-2212_10	Tecolote Creek (I-25 to Blue Creek)	5/5A	22.68	MILES	20.6.4.230	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	A UAA to create 20.6.4.230 NMAC for this water body with coolwater aquatic life use was approved by the WQCC (effective 2/28/18 for state purposes).	Monitored during Upper Pecos survey 2019-2020. 3/9 E. coli excs =NS. E. coli impairment added. Temp LTD=NS (multi-day excs of tmax in 2019 and 2020). Temperature impairment retained. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. Nutrients assessment: TN, TP, and Delta-DO thresholds not exceeded; however, minimum DO was exceeded during two separate logger deployments. Therefore, nutrients are retained as a cause of impairment.
13060001	Pecos Headwaters	NM-2212_10	Tecolote Creek (I-25 to Blue Creek)	5/5A	22.68	MILES	20.6.4.230	E. coli	5/5A	303(d) List (no TMDL in place)	2024	A UAA to create 20.6.4.230 NMAC for this water body with coolwater aquatic life use was approved by the WQCC (effective 2/28/18 for state purposes).	Monitored during Upper Pecos survey 2019-2020. 3/9 E. coli excs =NS. E. coli impairment added. Temp LTD=NS (multi-day excs of tmax in 2019 and 2020). Temperature impairment retained. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. Nutrients assessment: TN, TP, and Delta-DO thresholds not exceeded; however, minimum DO was exceeded during two separate logger deployments. Therefore, nutrients are retained as a cause of impairment.
13060001	Pecos Headwaters	NM-2212_10	Tecolote Creek (I-25 to Blue Creek)	5/5A	22.68	MILES	20.6.4.230	Nutrients	5/5C	303(d) List (no TMDL in place)	2012	A UAA to create 20.6.4.230 NMAC for this water body with coolwater aquatic life use was approved by the WQCC (effective 2/28/18 for state purposes).	Monitored during Upper Pecos survey 2019-2020. 3/9 E. coli excs =NS. E. coli impairment added. Temp LTD=NS (multi-day excs of tmax in 2019 and 2020). Temperature impairment retained. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. Nutrients assessment: TN, TP, and Delta-DO thresholds not exceeded; however, minimum DO was exceeded during two separate logger deployments. Therefore, nutrients are retained as a cause of impairment.
13060001	Pecos Headwaters	NM-2212_10	Tecolote Creek (I-25 to Blue Creek)	5/5A	22.68	MILES	20.6.4.230	Temperature	4A	TMDL Completed	09/13/2018	A UAA to create 20.6.4.230 NMAC for this water body with coolwater aquatic life use was approved by the WQCC (effective 2/28/18 for state purposes).	Monitored during Upper Pecos survey 2019-2020. 3/9 E. coli excs =NS. E. coli impairment added. Temp LTD=NS (multi-day excs of tmax in 2019 and 2020). Temperature impairment retained. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. Nutrients assessment: TN, TP, and Delta-DO thresholds not exceeded; however, minimum DO was exceeded during two separate logger deployments. Therefore, nutrients are retained as a cause of impairment.
13060001	Pecos Headwaters	NM-2211_B_30	Tres Lagunas (Northeast)	5/5B	34.3	ACRES	20.6.4.212	pH	5/5B	303(d) List (no TMDL in place)	2010	Tres Lagunas NE is one of three small on-line impoundments on a perennial tributary to the Pecos River originally constructed by the railroad for flood control and eventual irrigation storage. In the years since the construction, the lake has filled with sediment, now averaging one meter in depth. As a result, WQS segment 20.6.4.212 is likely not appropriate for this waterbody.	
13060001	Pecos Headwaters	NM-2214.A_030	Willow Creek (Pecos River to headwaters)	5/5A	5.89	MILES	20.6.4.217	Sedimentation/Siltation	5/5A	303(d) List (no TMDL in place)	2024	Continuing monitoring data following Terrero Mine reclamation indicate improved water quality with respect to metals (previous listed for cadmium and zinc).	Monitored during Upper Pecos survey 2019-2020. Full sedimentation survey performed at the bottom of the AU (not within the constructed portion of the channel) yielded 45.71% SAFN and LRBS_NOR -1.25 (Mountain Sed Site Class). Sedimentation/siltation was added as a cause impairment. Specific conductance criteria was exceeded 6/8 times. In the specific conductance LTD dataset 73% of 2019 and 78% of 2020 continuous sonde measurements exceeded the HQCW criterion of 300 us/cm. Specific conductance remains as a cause of impairment.
13060001	Pecos Headwaters	NM-2214.A_030	Willow Creek (Pecos River to headwaters)	5/5A	5.89	MILES	20.6.4.217	Specific Conductance	4A	TMDL Completed	09/25/2013	Continuing monitoring data following Terrero Mine reclamation indicate improved water quality with respect to metals (previous listed for cadmium and zinc).	Monitored during Upper Pecos survey 2019-2020. Full sedimentation survey performed at the bottom of the AU (not within the constructed portion of the channel) yielded 45.71% SAFN and LRBS_NOR -1.25 (Mountain Sed Site Class). Sedimentation/siltation was added as a cause impairment. Specific conductance criteria was exceeded 6/8 times. In the specific conductance LTD dataset 73% of 2019 and 78% of 2020 continuous sonde measurements exceeded the HQCW criterion of 300 us/cm. Specific conductance remains as a cause of impairment.
13060003	Upper Pecos	NM-2207_00	Pecos River (Salt Creek to Crockett Draw)	5/5A	22.53	MILES	20.6.4.207	Temperature	5/5A	303(d) List (no TMDL in place)	2023		
13060007	Upper Pecos-Long Arroyo	NM-9000_B_044	Figure Eight Lake	5/5B	2.71	ACRES	20.6.4.99	Nutrients	5/5B	303(d) List (no TMDL in place)	2016		Livestock use is not allowed at this lake. A segment-specific DO criterion may be warranted in this small sinkhole lake.
13060007	Upper Pecos-Long Arroyo	NM-9000_B_071	Lake Van	5/5A	40.64	ACRES	20.6.4.99	Temperature	5/5A	303(d) List (no TMDL in place)	2021		
13060007	Upper Pecos-Long Arroyo	NM-2206.A_03	Pecos River (Eagle Creek to Rio Felix)	5/5A	34.68	MILES	20.6.4.206	Temperature	5/5A	303(d) List (no TMDL in place)	2023		
13060007	Upper Pecos-Long Arroyo	NM-2206.A_00	Pecos River (Rio Felix to Rio Hondo)	5/5A	28.62	MILES	20.6.4.206	Temperature	5/5A	303(d) List (no TMDL in place)	2023		
13060008	Rio Hondo	NM-2209.A_22	Carrizo Creek (Rio Ruidoso to Mescalero Apache bnd)	4A	2.11	MILES	20.6.4.209	E. coli	4A	TMDL Completed	09/21/2015		A TMDL for E. coli (2015).
13060008	Rio Hondo	NM-2209.B_20	Grindstone Canyon Reservoir	5/5B	28.66	ACRES	20.6.4.209	Temperature	5/5B	303(d) List (no TMDL in place)	2014		WQS is under review.

13060008	Rio Hondo	NM-2208_10	Rio Bonito (Perennial prt Rio Ruidoso to NM 48 near Angus)	4C	33.62	MILES	20.6.4.208	Flow Regime Modification	4C	Not a Pollutant			Stream reach has very low flow during certain times of the year due to dam forming Bonito Lake for drinking water uses. This AU was impacted by the 2012 Little Bear Fire.
13060008	Rio Hondo	NM-2209_A_10	Rio Bonito (Perennial prt NM 48 near Angus to headwaters)	5/5C	13.63	MILES	20.6.4.209	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)		2006	A small portion of this AU is dewatered due to dam. A TMDL was developed for E. Coli (2015). This AU was impacted by the 2012 Little Bear Fire.
13060008	Rio Hondo	NM-2209_A_10	Rio Bonito (Perennial prt NM 48 near Angus to headwaters)	5/5C	13.63	MILES	20.6.4.209	E. coli	4A	TMDL Completed	09/21/2015	2014	A small portion of this AU is dewatered due to dam. A TMDL was developed for E. Coli (2015). This AU was impacted by the 2012 Little Bear Fire.
13060008	Rio Hondo	NM-2209_A_10	Rio Bonito (Perennial prt NM 48 near Angus to headwaters)	5/5C	13.63	MILES	20.6.4.209	Flow Regime Modification	4C	Not a Pollutant			A small portion of this AU is dewatered due to dam. A TMDL was developed for E. Coli (2015). This AU was impacted by the 2012 Little Bear Fire.
13060008	Rio Hondo	NM-2209_A_10	Rio Bonito (Perennial prt NM 48 near Angus to headwaters)	5/5C	13.63	MILES	20.6.4.209	Temperature	5/5A	303(d) List (no TMDL in place)	2023	2014	A small portion of this AU is dewatered due to dam. A TMDL was developed for E. Coli (2015). This AU was impacted by the 2012 Little Bear Fire.
13060008	Rio Hondo	NM-2208_30	Rio Hondo (Perennial reaches Bonney Canyon to Rio Ruidoso)	4C	25.47	MILES	20.6.4.208	Flow Regime Modification	4C	Not a Pollutant		2014	A TMDL was developed for fecal coliform. This reach was impacted by 2012 fire and subsequent flooding.
13060008	Rio Hondo	NM-2209_A_20	Rio Ruidoso (Carrizo Ck to Mescalero Apache bnd)	4A	4.96	MILES	20.6.4.209	Nutrients	4A	TMDL Completed	12/13/2016	2018	TMDLs for temperature and turbidity (prior to split at Carrizo Ck). TMDL for nutrients (2016).
13060008	Rio Hondo	NM-2209_A_20	Rio Ruidoso (Carrizo Ck to Mescalero Apache bnd)	4A	4.96	MILES	20.6.4.209	Phosphorus, Total	4A	TMDL Completed	12/13/2016	2014	TMDLs for temperature and turbidity (prior to split at Carrizo Ck). TMDL for nutrients (2016).
13060008	Rio Hondo	NM-2209_A_20	Rio Ruidoso (Carrizo Ck to Mescalero Apache bnd)	4A	4.96	MILES	20.6.4.209	Temperature	4A	TMDL Completed	02/10/2006	1998	TMDLs for temperature and turbidity (prior to split at Carrizo Ck). TMDL for nutrients (2016).
13060008	Rio Hondo	NM-2209_A_20	Rio Ruidoso (Carrizo Ck to Mescalero Apache bnd)	4A	4.96	MILES	20.6.4.209	Turbidity	4A	TMDL Completed	02/10/2006	1998	TMDLs for temperature and turbidity (prior to split at Carrizo Ck). TMDL for nutrients (2016).
13060008	Rio Hondo	NM-2208_20	Rio Ruidoso (Eagle Ck to US Hwy 70 Bridge)	4A	9.12	MILES	20.6.4.208	E. coli	4A	TMDL Completed	09/21/2015	2014	TMDL for nutrients.
13060008	Rio Hondo	NM-2208_20	Rio Ruidoso (Eagle Ck to US Hwy 70 Bridge)	4A	9.12	MILES	20.6.4.208	Nutrients	4A	TMDL Completed	12/13/2016	1998	TMDL for nutrients.
13060008	Rio Hondo	NM-2208_20	Rio Ruidoso (Eagle Ck to US Hwy 70 Bridge)	4A	9.12	MILES	20.6.4.208	Turbidity	4A	TMDL Completed	09/21/2015	2014	TMDL for nutrients.
13060008	Rio Hondo	NM-2209_A_21	Rio Ruidoso (US Hwy 70 Bridge to Carrizo Ck)	4A	7.97	MILES	20.6.4.209	E. coli	4A	TMDL Completed	09/21/2015	2014	TMDLs for temperature and turbidity (prior to split at Carrizo Ck), E. coli, and nutrients.
13060008	Rio Hondo	NM-2209_A_21	Rio Ruidoso (US Hwy 70 Bridge to Carrizo Ck)	4A	7.97	MILES	20.6.4.209	Nutrients	4A	TMDL Completed	12/13/2016	2014	TMDLs for temperature and turbidity (prior to split at Carrizo Ck), E. coli, and nutrients.
13060008	Rio Hondo	NM-2209_A_21	Rio Ruidoso (US Hwy 70 Bridge to Carrizo Ck)	4A	7.97	MILES	20.6.4.209	Temperature	4A	TMDL Completed	02/10/2006	2014	TMDLs for temperature and turbidity (prior to split at Carrizo Ck), E. coli, and nutrients.
13060008	Rio Hondo	NM-2209_A_00	S. Fork Eagle Creek (Eagle Creek to Mescalero Apache bnd)	4C	0.76	MILES	20.6.4.209	Flow Regime Modification	4C	Not a Pollutant			This reach often dries up from April on. Wells in the vicinity contribute to the drying of the stream according to USFS personnel (2/4/09).
13060010	Rio Penasco	NM-2208_01	Agua Chiquita (perennial portions McEwan Cny to headwaters)	5/5A	21.48	MILES	20.6.4.208	E. coli	5/5A	303(d) List (no TMDL in place)	2023	2016	
13060010	Rio Penasco	NM-2208_01	Agua Chiquita (perennial portions McEwan Cny to headwaters)	5/5A	21.48	MILES	20.6.4.208	Turbidity	4A	TMDL Completed	09/21/2015	2014	
13060010	Rio Penasco	NM-2208_00	Rio Penasco (HWY 24 to Cox Canyon)	4A	36.05	MILES	20.6.4.208	Turbidity	4A	TMDL Completed	09/21/2015	2014	Coolwater may be a more appropriate ALU designation. WQS is under review.
13060011	Upper Pecos-Black	NM-2205_00	Brantley Reservoir	5/5C	1602.54	ACRES	20.6.4.205	DDT - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2006	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13060011	Upper Pecos-Black	NM-2205_00	Brantley Reservoir	5/5C	1602.54	ACRES	20.6.4.205	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2020	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13060011	Upper Pecos-Black	NM-2203_B_00	Lower Tansil Lake/Lake Carlsbad (Carlsbad Municipal Lake)	5/5A	134.28	ACRES	20.6.4.218	DDT - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2016	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13060011	Upper Pecos-Black	NM-2203_B_00	Lower Tansil Lake/Lake Carlsbad (Carlsbad Municipal Lake)	5/5A	134.28	ACRES	20.6.4.218	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2010	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.

13060011	Upper Pecos-Black	NM-2204_A_00	Pecos River (Avalon Reservoir to Brantley Reservoir)	5/5C	10.77	MILES	20.6.4.204	DDT - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2010	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2204_A_00	Pecos River (Avalon Reservoir to Brantley Reservoir)	5/5C	10.77	MILES	20.6.4.204	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2020	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2202_A_00	Pecos River (Black River to Six Mile Dam)	5/5A	16.59	MILES	20.6.4.202	DDT - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2020	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2202_A_00	Pecos River (Black River to Six Mile Dam)	5/5A	16.59	MILES	20.6.4.202	E. coli	4A	TMDL Completed	09/23/2016	2016	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13060011	Upper Pecos-Black	NM-2202_A_00	Pecos River (Black River to Six Mile Dam)	5/5A	16.59	MILES	20.6.4.202	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2010	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2203_A_00	Pecos River (Lake Carlsbad to Avalon Reservoir)	4C	3.97	MILES	20.6.4.203	Flow Regime Modification	4C	Not a Pollutant			Usually dry - water diverted to Carlsbad main canal.
13060011	Upper Pecos-Black	NM-2202_A_01	Pecos River (Six Mile Dam to Lower Tansil Lake)	5/5C	3.67	MILES	20.6.4.202	DDT - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2020	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2202_A_01	Pecos River (Six Mile Dam to Lower Tansil Lake)	5/5C	3.67	MILES	20.6.4.202	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2010	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2201_00	Pecos River (TX border to Black River)	5/5C	35.74	MILES	20.6.4.201	DDT - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)	2020	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2201_00	Pecos River (TX border to Black River)	5/5C	35.74	MILES	20.6.4.201	Dissolved oxygen	5/5C	303(d) List (no TMDL in place)	2006	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	

																			Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
13060011	Upper Pecos-Black	NM-2201_00	Pecos River (TX border to Black River)	5/5C	35.74	MILES	20.6.4.201	E. coli	4A	TMDL Completed	09/23/2016	2016						Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2201_00	Pecos River (TX border to Black River)	5/5C	35.74	MILES	20.6.4.201	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2010						Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
13060011	Upper Pecos-Black	NM-2202_B_20	Six Mile Dam Lake	5/5A	59.66	ACRES	20.6.4.202	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2016						The USGS High Res layer does not include a polygon for this surface water feature. The lower end of the upper river AU was extended to the diversion dam.	
14080101	Upper San Juan	NM-9000_A_060	Gallegos Canyon (San Juan River to Navajo bnd)	5/5A	0.65	MILES	20.6.4.99	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020						TMDL was prepared for selenium (2005).	
14080101	Upper San Juan	NM-9000_A_060	Gallegos Canyon (San Juan River to Navajo bnd)	5/5A	0.65	MILES	20.6.4.99	Selenium, Total Recoverable	4A	TMDL Completed	08/26/2005	2004						TMDL was prepared for selenium (2005).	
14080101	Upper San Juan	NM-9000_A_060	Gallegos Canyon (San Juan River to Navajo bnd)	5/5A	0.65	MILES	20.6.4.99	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2020						TMDL was prepared for selenium (2005).	
14080101	Upper San Juan	NM-2407_A_10	Los Pinos River (Navajo Reservoir to CO border)	5/5A	1.37	MILES	20.6.4.407	Temperature	5/5A	303(d) List (no TMDL in place)	2021	2020							
14080101	Upper San Juan	NM-2406_00	Navajo Reservoir	5/5C	12680.2	ACRES	20.6.4.406	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004						Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
14080101	Upper San Juan	NM-2406_00	Navajo Reservoir	5/5C	12680.2	ACRES	20.6.4.406	Temperature	5/5C	303(d) List (no TMDL in place)		2012						Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
14080101	Upper San Juan	NM-2407_A_00	Navajo River (Jicarilla Apache Nation to CO border)	5/5B	5.88	MILES	20.6.4.407	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020						Fisheries data indicate coolwater may be a more appropriate ALU -- WQS review needed.	
14080101	Upper San Juan	NM-2407_A_00	Navajo River (Jicarilla Apache Nation to CO border)	5/5B	5.88	MILES	20.6.4.407	Phosphorus, Total	5/5A	303(d) List (no TMDL in place)	2021	2020						Fisheries data indicate coolwater may be a more appropriate ALU -- WQS review needed.	
14080101	Upper San Juan	NM-2407_A_00	Navajo River (Jicarilla Apache Nation to CO border)	5/5B	5.88	MILES	20.6.4.407	Temperature	5/5B	303(d) List (no TMDL in place)		2012						Fisheries data indicate coolwater may be a more appropriate ALU -- WQS review needed.	
14080101	Upper San Juan	NM-2407_A_00	Navajo River (Jicarilla Apache Nation to CO border)	5/5B	5.88	MILES	20.6.4.407	Turbidity	5/5C	303(d) List (no TMDL in place)		2020						Fisheries data indicate coolwater may be a more appropriate ALU -- WQS review needed.	
14080101	Upper San Juan	NM-2401_00	San Juan River (Animas River to Canon Largo)	4A	26.5	MILES	20.6.4.408	Sedimentation/Siltation	4A	TMDL Completed	08/26/2005	2004						TMDLs were prepared for sedimentation, fecal coliform and E. coli.	
14080101	Upper San Juan	NM-2405_11	San Juan River (NM reach upstream of Navajo Reservoir)	5/5A	0.56	MILES	20.6.4.99	Aluminum, Total Recoverable	5/5A	303(d) List (no TMDL in place)	2021	2020							
14080101	Upper San Juan	NM-2405_11	San Juan River (NM reach upstream of Navajo Reservoir)	5/5A	0.56	MILES	20.6.4.99	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020							
14080104	Animas	NM-2404_00	Animas River (Estes Arroyo to So. Ute Indian Tribe bnd)	5	19.4	MILES	20.6.4.404	Lead, Dissolved	5/5C	303(d) List (no TMDL in place)		2020						TMDL for E. coli and total phosphorus.	
14080104	Animas	NM-2404_00	Animas River (Estes Arroyo to So. Ute Indian Tribe bnd)	5	19.4	MILES	20.6.4.404	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2020						TMDL for E. coli and total phosphorus.	
14080104	Animas	NM-2404_00	Animas River (Estes Arroyo to So. Ute Indian Tribe bnd)	5	19.4	MILES	20.6.4.404	Phosphorus, Total	4A	TMDL Completed	09/30/2013	2012						TMDL for E. coli and total phosphorus.	
14080104	Animas	NM-2404_00	Animas River (Estes Arroyo to So. Ute Indian Tribe bnd)	5	19.4	MILES	20.6.4.404	Temperature	5/5A	303(d) List (no TMDL in place)	2021	1998						TMDL for E. coli and total phosphorus.	
14080104	Animas	NM-2404_00	Animas River (Estes Arroyo to So. Ute Indian Tribe bnd)	5	19.4	MILES	20.6.4.404	Turbidity	5/5C	303(d) List (no TMDL in place)		2012						TMDL for E. coli and total phosphorus.	
14080104	Animas	NM-2403_A_00	Animas River (San Juan River to Estes Arroyo)	4A	16.73	MILES	20.6.4.403	Temperature	4A	TMDL Completed	09/30/2013	2012						TMDL for nutrients, temperature, and E. coli.	
14080104	Animas	NM-9000_B_006	Lake Farmington (Beeline Reservoir)	5/5A	211.32	ACRES	20.6.4.409	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2004						This is the City of Farmington's drinking water supply reservoir. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.	
14080105	Middle San Juan	NM-2402_A_01	La Plata R (McDermott Arroyo to So. Ute Indian Tribe bnd)	5/5A	8.52	MILES	20.6.4.402	E. coli	4A	TMDL Completed	08/26/2005	2006						TMDLs for DO and E. coli.	
14080105	Middle San Juan	NM-2402_A_01	La Plata R (McDermott Arroyo to So. Ute Indian Tribe bnd)	5/5A	8.52	MILES	20.6.4.402	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2012						TMDLs for DO and E. coli.	
14080105	Middle San Juan	NM-2402_A_00	La Plata River (San Juan River to McDermott Arroyo)	5/5B	17.82	MILES	20.6.4.402	Dissolved oxygen	5/5C	303(d) List (no TMDL in place)	2021	1998						This AU is no longer perennial throughout.	
14080105	Middle San Juan	NM-2402_A_00	La Plata River (San Juan River to McDermott Arroyo)	5/5B	17.82	MILES	20.6.4.402	E. coli	4A	TMDL Completed	02/26/2010	2012						This AU is no longer perennial throughout.	
14080105	Middle San Juan	NM-2402_A_00	La Plata River (San Juan River to McDermott Arroyo)	5/5B	17.82	MILES	20.6.4.402	Sedimentation/Siltation	4A	TMDL Completed	08/26/2005	2004						TMDLs were prepared for fecal coliform and E. coli.	
14080105	Middle San Juan	NM-2401_10	San Juan River (Navajo bnd at Hogback to Animas River)	5/5C	22.8	MILES	20.6.4.401	E. coli	4A	TMDL Completed	08/26/2005	2006						TMDLs were prepared for fecal coliform and E. coli.	
14080105	Middle San Juan	NM-2401_10	San Juan River (Navajo bnd at Hogback to Animas River)	5/5C	22.8	MILES	20.6.4.401	Sedimentation/Siltation	5/5C	303(d) List (no TMDL in place)		2012						TMDLs were prepared for fecal coliform and E. coli.	

													Application of the SWQB Hydrology Protocol (survey date 6/17/09) indicate this assessment unit is intermittent (Hydrology Protocol score of 18.8 - see https://www.env.nm.gov/surface-water-quality/hp/ for additional details on the protocol).
14080105	Middle San Juan	NM-9000_A_021	Shumway Arroyo (San Juan River to Ute Mtn Ute bend)	5/5A	13.35	MILES	20.6.4.98	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020	
14080105	Middle San Juan	NM-2401_11	Stewens Arroyo (Perennial prts San Juan R to headwaters)	5/5A	9.82	MILES	20.6.4.99	E. coli	5/5A	303(d) List (no TMDL in place)	2021	2020	
15020003	Carrizo Wash	NM-9000_B_096	Quemado Lake	5/5A	112.25	ACRES	20.6.4.453	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2014	
15020004	Zuni	NM-9000_B_083	McGaffey Lake	5/5C	11.42	ACRES	20.6.4.98	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	1998	Lake often goes dry. Department of Game and Fish dredged the lake in 2003 to return it to its original design capacity. They no longer successfully stock trout (just catfish when there is adequate water).
15020004	Zuni	NM-9000_B_110	Ramah Reservoir	5/5A	144.97	ACRES	20.6.4.452	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2014	
15020006	Upper Puerco	NM-9000_A_200	Puerco River (non-tribal AZ border to Gallup WWTP)	5/5A	23.38	MILES	20.6.4.99	Ammonia, Total	5/5A	303(d) List (no TMDL in place)	2022	2014	This AU is effluent-dependent.
15040001	Upper Gila	NM-2503_25	Beaver Creek (Perennial prt Taylor Ck to Mule Canyon)	5/5B	17.69	MILES	20.6.4.503	Temperature	5/5B	303(d) List (no TMDL in place)		2014	Temperature WQC is under review. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=confirmed NS. Temp WQC is under review. 5B.
15040001	Upper Gila	NM-2503_21	Black Canyon Creek (East Fork Gila River to headwaters)	4A	25.51	MILES	20.6.4.503	Temperature	4A	TMDL Completed	04/05/2002	1996	TMDL for temperature. WQC is under review. Gila Trout Recovery stream. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=confirmed NS. Temp WQC is under review.
15040001	Upper Gila	NM-2503_43	Canyon Creek (Middle Fork Gila River to headwaters)	4A	14.41	MILES	20.6.4.503	Nutrients	4A	TMDL Completed	04/10/2002	1998	TMDL turbidity and plant nutrients. Difficult access to AU.
15040001	Upper Gila	NM-2503_43	Canyon Creek (Middle Fork Gila River to headwaters)	4A	14.41	MILES	20.6.4.503	Turbidity	4A	TMDL Completed	04/10/2002	1998	TMDL turbidity and plant nutrients. Difficult access to AU.
15040001	Upper Gila	NM-2503_22	Diamond Ck (Perennial prt East Fork Gila R to Bailey Ck)	5/5C	13.3	MILES	20.6.4.503	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	The USFS states that the reach is intermittent in the lower sections and contains a native warmwater fishery. The existing and attainable aquatic life use for the perennial portions in this lower AU is likely coolwater. WQS review needed. Monitored during Gila/Mimbres/San Fran survey 2019-2020, probabilistic monitoring. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C. Sedimentation/siltation assessment=FS. WQS review of HQCWAL needed.
15040001	Upper Gila	NM-2503_20	East Fork Gila River (Gila River to Taylor Creek)	5/5C	27.6	MILES	20.6.4.503	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)		2010	WQS review needed; HQCWAL may be unattainable.
15040001	Upper Gila	NM-2502_A_30	Gila River (Mogollon Ck to East and West Forks of Gila R)	5/5B	42.24	MILES	20.6.4.502	Temperature	5/5B	303(d) List (no TMDL in place)		2010	Marginal CWAL may not be attainable. WQS under review. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS, impairment confirmed. Marginal CWAL may not be attainable. WQS under review. Total aluminum acute (1/3) and chronic criteria (1/3) exc, parameter cat 3C.
15040001	Upper Gila	NM-2503_45	Gilitta Creek (Middle Fork Gila R to Willow Creek)	5/5A	6.35	MILES	20.6.4.503	Temperature	5/5A	303(d) List (no TMDL in place)	2022	2002	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS, impairment confirmed (2019 and 2020, 4T3 exc and multiple days exc of tmax).
15040001	Upper Gila	NM-2503_48	Gilitta Creek (Perennial reaches abv Willow Creek)	5/5B	6.65	MILES	20.6.4.503	Temperature	5/5B	303(d) List (no TMDL in place)	2024	2022	WQS review needed. AU has been impacted by several large scale wildfires and recreation in the upper reach. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (2019 and 2020, 4T3 exc and multiple days exc of tmax). Temperature impairment added. Total aluminum chronic criteria exc (1/2), parameter cat 3C.
15040001	Upper Gila	NM-2503_44	Iron Creek (Middle Fork Gila R to headwaters)	5/5B	13.19	MILES	20.6.4.503	Temperature	5/5B	303(d) List (no TMDL in place)		2014	Temperature WQS is under review. Lower end of AU may go dry. Gila Trout recovery stream.
15040001	Upper Gila	NM-2504_20	Lake Roberts	5/5A	67.33	ACRES	20.6.4.504	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2016	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Nutrients: N=2, not assessable. However, TN and TP thresholds exceeded in all samples with response exceedances (dissolved oxygen) in all samples. Nutrient impairment retained. Manganese chronic (1/2) and ammonia chronic criteria (1/2) excs, parameter cat 3C.
15040001	Upper Gila	NM-2504_20	Lake Roberts	5/5A	67.33	ACRES	20.6.4.504	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2014	Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable." Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Nutrients: N=2, not assessable. However, TN and TP thresholds exceeded in all samples with response exceedances (dissolved oxygen) in all samples. Nutrient impairment retained. Manganese chronic (1/2) and ammonia chronic criteria (1/2) excs, parameter cat 3C.
15040001	Upper Gila	NM-2503_31	Little Creek (West Fork Gila River to headwaters)	5/5A	17.11	MILES	20.6.4.503	Temperature	5/5A	303(d) List (no TMDL in place)	2024	2022	AU affected by the 18,000 acre "Good" fire in 2020. Gila trout in upper portion of AU. Temperature impairment added. Total aluminum chronic and acute criteria (both 1/3exc), parameter cat 3C.
15040001	Upper Gila	NM-2503_41	Middle Fork Gila River (Canyon Creek to Gilitta Creek)	5/5B	12.5	MILES	20.6.4.503	Temperature	5/5B	303(d) List (no TMDL in place)		2002	Temperature WQC is under review. The 2012 Whitewater Baldy Complex Fire severely burned portions of the watershed. Portions of upper watershed burned by 26,000 acre "Cub" fire in 2020. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (multiple day exc of tmax and 4T3 exc). Temperature impairment retained. Temperature WQC is under review.
15040001	Upper Gila	NM-2503_40	Middle Fork Gila River (West Fork Gila R to Canyon Creek)	5/5B	24.21	MILES	20.6.4.503	Temperature	5/5B	303(d) List (no TMDL in place)		2002	Temperature WQC is under review. The 2012 Whitewater Baldy Complex Fire severely burned portions of the watershed. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (multiple day exc of tmax and 4T3 exc). Temperature impairment retained. Temperature WQC is under review.
15040001	Upper Gila	NM-2504_40	Snow Lake	5/5A	93.58	ACRES	20.6.4.504	Nutrients	5/5A	303(d) List (no TMDL in place)	2021	2014	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Nutrient assessment: Only 2 samples collected (NA), but TN and TP thresholds excs in all samples and response (DO excs) documented in all samples. Continued impairment of aquatic life due to nutrients.

15040001	Upper Gila	NM-2504_40	Snow Lake	5/5A	93.58	ACRES	20.6.4.504	pH	5/5A	303(d) List (no TMDL in place)	2021	2016	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Nutrient assessment: Only 2 samples collected (NA), but TN and TP thresholds excs in all samples and response (DO excs) documented in all samples. Continued impairment of aquatic life due to nutrients.
15040001	Upper Gila	NM-2503_23	Taylor Creek (Perennial reaches Beaver Creek to headwaters)	5/5C	24.15	MILES	20.6.4.503	Nutrients	5/5A	303(d) List (no TMDL in place)	2022	2014	Temperature WQC is under review.
15040001	Upper Gila	NM-2503_23	Taylor Creek (Perennial reaches Beaver Creek to headwaters)	5/5C	24.15	MILES	20.6.4.503	Temperature	4A	TMDL Completed	08/05/2002	1998	Temperature WQC is under review.
15040001	Upper Gila	NM-2503_03	Turkey Creek (Gila River to headwaters)	5/5B	17.63	MILES	20.6.4.503	Temperature	5/5B	303(d) List (no TMDL in place)		2002	The temperature WQC is under review.
15040001	Upper Gila	NM-2503_10	West Fork Gila R (Gila River to Middle Fork)	5/5B	5.08	MILES	20.6.4.503	Temperature	5/5B	303(d) List (no TMDL in place)		2002	The temperature WQC is under review. Wildfire impacts. AU may be impacted by hot springs adjacent to river.
15040001	Upper Gila	NM-2503_30	West Fork Gila R (Middle Fork to headwaters)	5/5B	32.16	MILES	20.6.4.503	Temperature	5/5B	303(d) List (no TMDL in place)		2010	Temperature WQC is under review. Impacted by two large fires ("Good" and "Cub") in 2020.
15040001	Upper Gila	NM-2503_47	Willow Creek (Gilita Creek to headwaters)	5/5A	7.34	MILES	20.6.4.503	Aluminum, Total Recoverable	4A	TMDL Completed	09/11/2014	2014	Native fish re-introduction with fish barrier (2016). Watershed Based Plan approved in 2021. Stream continues to adjust following large fires in 2012, 2018.
15040001	Upper Gila	NM-2503_47	Willow Creek (Gilita Creek to headwaters)	5/5A	7.34	MILES	20.6.4.503	Temperature	5/5A	303(d) List (no TMDL in place)	2022	2014	Native fish re-introduction with fish barrier (2016). Watershed Based Plan approved in 2021. Stream continues to adjust following large fires in 2012, 2018.
15040002	Upper Gila-Mangas	NM-2503_01	Bear Creek (Gila River nr Cliff to headwaters)	5/5B	33.65	MILES	20.6.4.502	Temperature	5/5B	303(d) List (no TMDL in place)	2024	2022	According to SWQB Silver City staff, the Cypress Mine contributed to this stream reach previously going dry. This mine is now closed. WQS review of Marginal Coldwater ALU - may be unattainable.
15040002	Upper Gila-Mangas	NM-2502_B_00	Bill Evans Lake	5/5C	62.48	ACRES	20.6.4.505	Mercury - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2012	Land management agencies have posted contact recreation warnings due to toxic blue green algae in the past. SWQB does not have water quality standards or assessment procedures related to blue green algae at this time. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
15040002	Upper Gila-Mangas	NM-2502_B_00	Bill Evans Lake	5/5C	62.48	ACRES	20.6.4.505	PCBS - Fish Consumption Advisory	5/5C	303(d) List (no TMDL in place)		2016	Land management agencies have posted contact recreation warnings due to toxic blue green algae in the past. SWQB does not have water quality standards or assessment procedures related to blue green algae at this time. Fish Consumption Advisory listings are based on NM's current fish consumption advisories for this water body. Per USEPA guidance, these advisories demonstrate non-attainment of CWA goals stating that all waters should be "fishable". Therefore, the impaired designated use is the associated aquatic life even though human consumption of the fish is the actual concern.
15040002	Upper Gila-Mangas	NM-2501_00	Gila River (AZ border to Red Rock)	5/5A	26.76	MILES	20.6.4.501	Temperature	5/5A	303(d) List (no TMDL in place)	2022	2010	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Dry 1/2 sampling events (flow diverted). Temp LTD=NA (due to exposure), temperature impairment retained. 1/1 total aluminum chronic criterion exc=3C.
15040002	Upper Gila-Mangas	NM-2502_A_10	Gila River (Mangas Creek to Mogollon Creek)	5/5B	17.41	MILES	20.6.4.502	Temperature	5/5B	303(d) List (no TMDL in place)		2010	Marginal CWAL may not be attainable. WQS under review.
15040002	Upper Gila-Mangas	NM-2502_A_00	Gila River (Red Rock to Mangas Creek)	5/5C	20.26	MILES	20.6.4.502	Nutrients	5/5C	303(d) List (no TMDL in place)	2022	2010	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS, impairment confirmed. Marginal CWAL may not be attainable; WQS review. Nutrients: TN, TP, and Delta-DO thresholds not exceeded, and minimum DO not below criterion. However, current nutrient CALM specifically exempts this reach from the protocol.

15040002	Upper Gila-Mangas	NM-2502_A_00	Gila River (Red Rock to Mangas Creek)	5/5C	20.26	MILES	20.6.4.502	Temperature	5/5B	303(d) List (no TMDL in place)	2022	2010	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS, impairment confirmed. Marginal CWAL may not be attainable; WQS review. Nutrients: TN, TP, and Delta-DO thresholds not exceeded, and minimum DO not below criterion. However, current nutrient CALM specifically exempts this reach from the protocol.
15040002	Upper Gila-Mangas	NM-2502_A_21	Mangas Creek (Gila River to Mangas Springs)	5/5A	6.86	MILES	20.6.4.502	E. coli	5/5A	303(d) List (no TMDL in place)	2024	2022	TMDL for nutrients. The source spring for Mangas Creek produces unusually high concentrations of nitrates, the source(s) of which are unknown. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Nutrients: Median TN exceeded threshold, nutrient impairment retained. Temp LTD=NS (partial dataset assessable for NS only, multiple day exc of SSC 28°C tmax). Temperature impairment retained. 3/4 E. coli exc=NS. E. coli impairment added.
15040002	Upper Gila-Mangas	NM-2502_A_21	Mangas Creek (Gila River to Mangas Springs)	5/5A	6.86	MILES	20.6.4.502	Nutrients	4A	TMDL Completed	04/16/2002	2004	TMDL for nutrients. The source spring for Mangas Creek produces unusually high concentrations of nitrates, the source(s) of which are unknown. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Nutrients: Median TN exceeded threshold, nutrient impairment retained. Temp LTD=NS (partial dataset assessable for NS only, multiple day exc of SSC 28°C tmax). Temperature impairment retained. 3/4 E. coli exc=NS. E. coli impairment added.
15040002	Upper Gila-Mangas	NM-2502_A_21	Mangas Creek (Gila River to Mangas Springs)	5/5A	6.86	MILES	20.6.4.502	Temperature	5/5A	303(d) List (no TMDL in place)	2022	2010	TMDL for nutrients. The source spring for Mangas Creek produces unusually high concentrations of nitrates, the source(s) of which are unknown. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Nutrients: Median TN exceeded threshold, nutrient impairment retained. Temp LTD=NS (partial dataset assessable for NS only, multiple day exc of SSC 28°C tmax). Temperature impairment retained. 3/4 E. coli exc=NS. E. coli impairment added.
15040004	San Francisco	NM-2603_A_50	Centerfire Creek (San Francisco R to headwaters)	5/5B	19.76	MILES	20.6.4.603	E. coli	4A	TMDL Completed	09/11/2014	2014	TMDL for plant nutrients and conductivity. Temperature WQC under review. AU has numerous ephemeral to intermittent reaches. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=confirmed NS. Temperature WQC under review (5B). Assessable Nutrient dataset not collected=impairment retained. Assessable turbidity dataset not collected=impairment retained. Assessable Specific Conductance dataset not collected=impairment retained. Sedimentation/siltation assessment=F5, delisted (61% SAFN, LRBS_NOR -1.08).
15040004	San Francisco	NM-2603_A_50	Centerfire Creek (San Francisco R to headwaters)	5/5B	19.76	MILES	20.6.4.603	Nutrients	4A	TMDL Completed	04/16/2002	1998	TMDL for plant nutrients and conductivity. Temperature WQC under review. AU has numerous ephemeral to intermittent reaches. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=confirmed NS. Temperature WQC under review (5B). Assessable Nutrient dataset not collected=impairment retained. Assessable turbidity dataset not collected=impairment retained. Assessable Specific Conductance dataset not collected=impairment retained. Sedimentation/siltation assessment=F5, delisted (61% SAFN, LRBS_NOR -1.08).
15040004	San Francisco	NM-2603_A_50	Centerfire Creek (San Francisco R to headwaters)	5/5B	19.76	MILES	20.6.4.603	Specific Conductance	4A	TMDL Completed	04/16/2002	1998	TMDL for plant nutrients and conductivity. Temperature WQC under review. AU has numerous ephemeral to intermittent reaches. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=confirmed NS. Temperature WQC under review (5B). Assessable Nutrient dataset not collected=impairment retained. Assessable turbidity dataset not collected=impairment retained. Assessable Specific Conductance dataset not collected=impairment retained. Sedimentation/siltation assessment=F5, delisted (61% SAFN, LRBS_NOR -1.08).
15040004	San Francisco	NM-2603_A_50	Centerfire Creek (San Francisco R to headwaters)	5/5B	19.76	MILES	20.6.4.603	Temperature	5/5B	303(d) List (no TMDL in place)	2022	1998	TMDL for plant nutrients and conductivity. Temperature WQC under review. AU has numerous ephemeral to intermittent reaches. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=confirmed NS. Temperature WQC under review (5B). Assessable Nutrient dataset not collected=impairment retained. Assessable turbidity dataset not collected=impairment retained. Assessable Specific Conductance dataset not collected=impairment retained. Sedimentation/siltation assessment=F5, delisted (61% SAFN, LRBS_NOR -1.08).
15040004	San Francisco	NM-2603_A_50	Centerfire Creek (San Francisco R to headwaters)	5/5B	19.76	MILES	20.6.4.603	Turbidity	4A	TMDL Completed	09/11/2014	2014	TMDL for plant nutrients and conductivity. Temperature WQC under review. AU has numerous ephemeral to intermittent reaches. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=confirmed NS. Temperature WQC under review (5B). Assessable Nutrient dataset not collected=impairment retained. Assessable turbidity dataset not collected=impairment retained. Assessable Specific Conductance dataset not collected=impairment retained. Sedimentation/siltation assessment=F5, delisted (61% SAFN, LRBS_NOR -1.08).
15040004	San Francisco	NM-2603_A_20	Mineral Creek (Silver Creek to headwaters)	5/5C	15.85	MILES	20.6.4.603	Temperature	5/5C	303(d) List (no TMDL in place)	2024	2022	Lower end of AU is canyon bound, shallow, and subject to heat loading. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (2019 and 2020 multiple day exc of tmax, and 4T3 >20°C). Temp logger was placed at the very end of perennial reach. Temperature impairment added with 5C (more data needed from further upstream where Gila Trout are present) prior to TMDL development.
15040004	San Francisco	NM-2601_01	Mule Creek (San Francisco R to Mule Springs)	5/5C	11.74	MILES	20.6.4.601	Nutrients	5/5A	303(d) List (no TMDL in place)	2024	2022	Sonde data needed to confirm DO listing based on grab data. Access is limited. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Nutrients assessment=NS (TP site median above threshold and daily Delta DO excs). Dissolved oxygen impairment indicates nutrient response. Nutrient impairment added and dissolved oxygen impairment removed to clarify cause of impairment.
15040004	San Francisco	NM-2603_A_42	Negrito Creek (Tularosa River to confl of N and S forks)	5/5B	13.02	MILES	20.6.4.603	Temperature	5/5B	303(d) List (no TMDL in place)	2002		Reach went dry during 2011 Gila survey upstream of sampling station. Limited WQ data available. WQS under review.
15040004	San Francisco	NM-2603_A_45	North Fork Negrito Creek (Negrito Creek to headwaters)	5/5B	16.36	MILES	20.6.4.603	Temperature	5/5B	303(d) List (no TMDL in place)	2024	2022	HQCWAL use may not be attainable; WQS review needed. Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (multiple days of excs of tmax, and 4T3 >20°C). Temperature impairment added. HQCWAL use may not be attainable; WQS review needed.
15040004	San Francisco	NM-2601_10	San Francisco River (Box Canyon to Whitewater Creek)	5/5A	6.15	MILES	20.6.4.601	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)		2010	Monitored during Gila/Mimbres/San Fran survey 2019-2020. 2/5 E. coli exc=NS. E. coli impairment added.

15040004	San Francisco	NM-2601_10	San Francisco River (Box Canyon to Whitewater Creek)	5/5A	6.15	MILES	20.6.4.601	E. coli	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Gila/Mimbres/San Fran survey 2019-2020. 2/5 E. coli exc= NS. E. coli impairment added.
15040004	San Francisco	NM-2602_20	San Francisco River (Centerfire Creek to AZ border)	5/5A	15.18	MILES	20.6.4.602	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)		2012	TMDL for temperature and plant nutrients; de-list for turbidity. Delisted for nutrients during 2010 listing cycle. Temperature WQC is under review. Irrigation diversion near Head of Ditch dewaterers the AU.
15040004	San Francisco	NM-2602_20	San Francisco River (Centerfire Creek to AZ border)	5/5A	15.18	MILES	20.6.4.602	Sedimentation/Siltation	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp=NS (multiple days with max temp greater than 25°C). Temperature impairment remains. Sedimentation/siltation=NS (31.4% SAFN, LRBS_NOR -1.33). Sedimentation/siltation impairment added. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response, therefore remains 5C.
15040004	San Francisco	NM-2602_20	San Francisco River (Centerfire Creek to AZ border)	5/5A	15.18	MILES	20.6.4.602	Temperature	4A	TMDL Completed	08/05/2002	1998	TMDL for temperature and plant nutrients; de-list for turbidity. Delisted for nutrients during 2010 listing cycle. Temperature WQC is under review. Irrigation diversion near Head of Ditch dewaterers the AU.
15040004	San Francisco	NM-2602_10	San Francisco River (NM 12 at Reserve to Centerfire Creek)	5/5A	16.29	MILES	20.6.4.602	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Gila/Mimbres/San Fran survey 2019-2020. 0/6 E. coli exc= FS. E. coli impairment will be removed. Temp LTD=NS (multiple days with max temp greater than 25°C). Temperature impairment remains. Turbidity LTD=NS (3, 4, 5, 6 and 7-day turbidity duration thresholds exc during 2019 deployment). Turbidity impairment retained. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
15040004	San Francisco	NM-2602_10	San Francisco River (NM 12 at Reserve to Centerfire Creek)	5/5A	16.29	MILES	20.6.4.602	Temperature	5/5A	303(d) List (no TMDL in place)	2022	2014	Monitored during Gila/Mimbres/San Fran survey 2019-2020. 0/6 E. coli exc= FS. E. coli impairment will be removed. Temp LTD=NS (multiple days with max temp greater than 25°C). Temperature impairment remains. Turbidity LTD=NS (3, 4, 5, 6 and 7-day turbidity duration thresholds exc during 2019 deployment). Turbidity impairment retained. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
15040004	San Francisco	NM-2602_10	San Francisco River (NM 12 at Reserve to Centerfire Creek)	5/5A	16.29	MILES	20.6.4.602	Turbidity	4A	TMDL Completed	09/11/2014	2014	Monitored during Gila/Mimbres/San Fran survey 2019-2020. 0/6 E. coli exc= FS. E. coli impairment will be removed. Temp LTD=NS (multiple days with max temp greater than 25°C). Temperature impairment remains. Turbidity LTD=NS (3, 4, 5, 6 and 7-day turbidity duration thresholds exc during 2019 deployment). Turbidity impairment retained. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.
15040004	San Francisco	NM-2601_21	San Francisco River (Pueblo Ck to Willow Springs Cyn)	5/5B	22.78	MILES	20.6.4.601	Temperature	5/5B	303(d) List (no TMDL in place)		2022	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (Multiple day exc of tmax in 2019 dataset). Temperature impairment added. CWAL may not be attainable; WQS review needed. 1/3 E. coli exc, param. Cat. 3C. 1/3 total aluminum chronic criterion exc=3C.
15040004	San Francisco	NM-2601_20	San Francisco River (Whitewater Ck to Pueblo Ck)	5/5A	14.97	MILES	20.6.4.601	Temperature	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (multiple day exc of tmax in 2019 dataset). Temperature impairment added. Sedimentation/siltation assessment=FS for Level 1 and Level 2 (24% SAFN, LRBS -0.48). Sedimentation/siltation impairment removed. 1/2 E. coli exc, param. Cat. 3C.
15040004	San Francisco	NM-2601_22	San Francisco River (Willow Springs Cyn to NM 12 at Reserve)	5/5A	10.86	MILES	20.6.4.601	E. coli	4A	TMDL Completed	09/11/2014	2014	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (multiple day exc of tmax in 2020 dataset). Temperature impairment added.
15040004	San Francisco	NM-2601_22	San Francisco River (Willow Springs Cyn to NM 12 at Reserve)	5/5A	10.86	MILES	20.6.4.601	Temperature	5/5A	303(d) List (no TMDL in place)	2024	2022	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (multiple day exc of tmax in 2020 dataset). Temperature impairment added.
15040004	San Francisco	NM-2603_A_43	South Fork Negro Creek (Negrito Creek to headwaters)	4A	17.6	MILES	20.6.4.603	E. coli	4A	TMDL Completed	09/11/2014	2014	TMDL for temperature. The temperature WQC is under review.
15040004	San Francisco	NM-2603_A_43	South Fork Negro Creek (Negrito Creek to headwaters)	4A	17.6	MILES	20.6.4.603	Temperature	4A	TMDL Completed	04/05/2002	1998	TMDL for temperature. The temperature WQC is under review.
15040004	San Francisco	NM-2603_A_61	Stone Creek (San Francisco R to AZ border)	5/5B	1.67	MILES	20.6.4.603	Temperature	5/5B	303(d) List (no TMDL in place)		2022	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD= NS (datasets from 2016, 2019 and 2020 w/ multiple day tmax excs, and 4T3 >20°C). Temperature impairment added (5B). Temperature WQC is under review.
15040004	San Francisco	NM-2603_A_60	Trout Creek (Perennial prt San Francisco R to headwaters)	5/5B	16.07	MILES	20.6.4.603	Benthic Macroinvertebrates	5/5C	303(d) List (no TMDL in place)	2024	2022	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD= NS (datasets from 2016, 2019 and 2020 w/ multiple day tmax excs, and 4T3 >20°C). Temperature impairment remains and WQC is under review. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=5C.

15040004	San Francisco	NM-2603_A_60	Trout Creek (Perennial prt San Francisco R to headwaters)	5/SB	16.07	MILES	20.6.4.603	Temperature	5/SB	303(d) List (no TMDL in place)	2014	Temperature WQC is under review.	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD= NS (datasets from 2016, 2019 and 2020 w/multiple day tmax excs, and 4T3 >20°C). Temperature impairment remains and WQC is under review. BMI assessment indicates NS, not enough information to determine the specific pollutant of concern or cause of this response=SC.	
15040004	San Francisco	NM-2603_A_41	Tularosa River (Apache Creek to headwaters)	5/SB	19.19	MILES	20.6.4.603	Temperature	5/SB	303(d) List (no TMDL in place)	2024	HQCWAL may not be attainable; WQS review needed.	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD= NS (datasets from 2019 and 2020 w/ multiple day tmax excs). Temperature impairment added.	
15040004	San Francisco	NM-2603_A_40	Tularosa River (San Francisco R to Apache Creek)	5/SA	23.34	MILES	20.6.4.603	E. coli	4A	TMDL Completed	09/11/2014	2014	TMDL for specific conductance.	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (datasets from 2019 and 2020 w/multiple day tmax excs). Temperature impairment remains. 1/5 E. coli excs, therefore E. coli impairment remains. Turbidity LTD=NS (3, 4, 5, 6 and 7-day turbidity duration thresholds excs in 2019 deployment). Turbidity impairment retained.
15040004	San Francisco	NM-2603_A_40	Tularosa River (San Francisco R to Apache Creek)	5/SA	23.34	MILES	20.6.4.603	Temperature	5/SA	303(d) List (no TMDL in place)	2022	2014	TMDL for specific conductance.	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (datasets from 2019 and 2020 w/multiple day tmax excs). Temperature impairment remains. 1/5 E. coli excs, therefore E. coli impairment remains. Turbidity LTD=NS (3, 4, 5, 6 and 7-day turbidity duration thresholds excs in 2019 deployment). Turbidity impairment retained.
15040004	San Francisco	NM-2603_A_40	Tularosa River (San Francisco R to Apache Creek)	5/SA	23.34	MILES	20.6.4.603	Turbidity	4A	TMDL Completed	09/11/2014	2014	TMDL for specific conductance.	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (datasets from 2019 and 2020 w/multiple day tmax excs). Temperature impairment remains. 1/5 E. coli excs, therefore E. coli impairment remains. Turbidity LTD=NS (3, 4, 5, 6 and 7-day turbidity duration thresholds excs in 2019 deployment). Turbidity impairment retained.
15040004	San Francisco	NM-2603_A_12	Whitewater Creek (Whitewater Campgrd to headwaters)	5/SA	14.01	MILES	20.6.4.603	Temperature	5/SA	303(d) List (no TMDL in place)	2024	2022	The 2012 Whitewater Baldy Complex Fire severely burned portions of the watershed. The Whitewater Creek Native Fish Restoration Project began October 2018 to restore native fish in this reach.	Monitored during Gila/Mimbres/San Fran survey 2019-2020. Temp LTD=NS (4T3 > 20°C). Temperature impairment added. Total aluminum acute (1/3) and chronic criteria (1/3) excs, parameter cat 3C.