

Table 15. Assessed Stream Reaches either Fully Supporting w/ Impacts Observed, Partially Supporting or Not Supporting their Designated Uses.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS ^b	TOXICS AT CHRONIC LEVELS ^b	AQUATIC T or E SPECIES ON THE REACH
Rio Grande from Rio Pueblo de Taos to New Mexico ~ Colorado border (Rio Grande, 2119), M Partially Supported	51.1	Agriculture (1500), Hydromodification (7400), Recreation (8700)	0	CWF	Turbidity ^e , Stream bottom deposits ^f			NO
Rio Grande from Guaje Canyon to Rio Pueblo de Taos (Rio Grande, 2111), M Not Supporting	47.1	Agriculture (1200, 1500), Removal of riparian vegetation (7600), Unknown (9000)	0	MCWF, WWF	Metals ^e , Turbidity ^e , Stream bottom deposits ^f		AI	NO
Rio Grande from Northern Border of Isleta Pueblo to Jemez River ^d (Rio Grande, 2105, 2105.1), M Partially Supporting	38.3 (34.7)	Municipal point sources (0200), Urban runoff/storm sewers (4000)	12: Rio Rancho #2; Rio Rancho #3; General Electric; Albuquerque WWTP; Siemans; PNM (Reeves Station); Sandia Peak Ski Area; Delta Environmental/ Diamond Shamrock; Wylie Corp.; Holnam; Corrales Chevron; Duke City Distributing; Rio Grande Resources, Incorporated	LWWF, SC, IRR	Fecal coliform			YES Rio Grande Silvery Minnow Endangered
Rio de los Pinos from Colorado-New Mexico border to New Mexico- Colorado border (Rio Grande, 2120), M Partially Supporting	19.6	Agriculture (1200, 1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Road maintenance/runoff (8300), Recreation (8700)	0	HQCWF	Metals ^e , Total phosphorous ^e , Temperature ^e Stream bottom deposits ^f		AI ^g	NO
San Antonio River from mouth on Los Pinos River to the headwaters (Rio Grande, 2120), E Partially Supporting	28	Agriculture (1200, 1500), Silviculture (2200), Removal of riparian vegetation (7600), Streambank modification/ detabilization (7700), Recreation (8700)	0	HQCWF	Stream bottom deposits ^f			NO
Costilla Creek from New Mexico-Colorado border to irrigation diversion above Costilla (Rio Grande, 2120), M Partially Supporting	3	Agriculture (1200, 1500), Hydromodification (7100, 7400), Road maintenance/runoff (8300)	0	HQCWF	Stream bottom deposits ^f , Turbidity, Metals	AI		NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS ^b	TOXICS AT CHRONIC LEVELS ^b	AQUATIC T or E SPECIES ON THE REACH
Costilla Creek from irrigation diversion above Costilla to ComancheCreek (Rio Grande, 2120), M Fully Supporting, Impacts Observed	13	Agriculture (1500), Hydromodification (7400), Road maintenance/runoff (8300)	0	HQCWF	Turbidity			NO
Costilla Creek from Comanche Creek to Costilla Dam (Rio Grande, 2120), M Not Supporting	5	Agriculture (1500), Hydromodification (7400), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300)	0	HQCWF	Metals ^c	AI ^c		NO
Comanche Creek from mouth on Costilla Creek to Little Costilla Creek (Rio Grande, 2120), M Partially Supporting	4.3	Agriculture (1500), Silviculture (2300), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	HQCWF	Metals, Stream bottom deposits ^f		AI	NO
Comanche Creek from Little Costilla Creek to the headwaters (Rio Grande, 2120), M Fully Supporting, Impacts Observed	7.2	Agriculture (1500), Silviculture (2300)	0	HQCWF	Temperature ^e , Stream bottom deposits ^{e,f}			NO
Cordova Creek from mouth on Costilla Creek to the headwaters (Rio Grande, 2120), E Not Supported	3.8	Construction (3100), Hydromodification (7100), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Recreation (8705)	0	HQCWF	Total phosphorous ^{c,g} , Stream bottom deposits ^{c,f,g} , Turbidity ^{c,g}			NO
Red River from mouth on Rio Grande to Placer Creek (Rio Grande, 2119), M Not Supported	20.2	Agriculture (1500), Resource extraction (5600, 5700, 5900), Road maintenance/runoff (8300)	3: Molycorp Inc.; Red River Fish Hatchery; Red River	CWF, LW, IRR	Metals ^c , Stream bottom deposits ^f	AI ^c		NO
Red River from Placer Creek to the headwaters (Rio Grande, 2119),M Not Supported	8.0	Land development (3200), Resource extraction (5600, 5700, 5900), Road maintenance/runoff (8300)	0	CWF, LW, IRR	Metals ^c	AI ^c		NO
Bitter Creek from mouth on Red River to the headwaters (Rio Grande, 2120), M Not Supported	7.1	Agriculture (1500), Resource extraction (5100, 5800), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300) Recreation (8700)	0	HQCWF	Metals, Stream bottom deposits ^{c,f}	AI ^c		NO

Pioneer Creek from mouth on Red River to the headwaters (Rio Grande, 2120), M Not Supported	4.3	Resource extraction (5200, 5900), Removal of riparian vegetation (7600), Streambank modification / destabilization (7700), Recreation (8701, 8705)	0	HQCWF	Turbidity ^c , Stream bottom deposits ^{c,f}			NO
Placer Creek from mouth on Red River to the headwaters (Rio Grande, 2120), M Not Supported	1.3	Resource extraction (5300, 5900), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	HQCWF	Stream bottom deposits ^{c,f} , Metals ^c	AI ^c		NO
Cabresto Creek from mouth on Red River to the headwaters (Rio Grande, 2120), M Not Supported	14.6	Streambank modification/ destabilization (7700), Road maintenance/runoff (8300)	0	HQCWF	Metals ^c		AI ^c	NO
Rio Fernando de Taos from mouth on Rio Pueblo de Taos to the headwaters (Rio Grande, 2120), M Partially Supported	15.6	Agriculture (1500), Onsite Wastewater Systems (6500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Recreation (8700, 8701)	0	HQCWF	Metals ^c , Turbidity ^e , Stream bottom deposits ^f	AI ^c		NO
Rio Pueblo de Taos from mouth on Rio Grande to Rio Grande del Rancho (Rio Grande, 2119), M Partially Supported	7.5	Municipal point sources (0200), Agriculture (1500)	1: Taos	CWF, IRR	Temperature, Total ammonia, Fecal coliform ^e , Metals ^e		AI ^e	NO
Rio Grande del Rancho from mouth on Rio Pueblo de Taos to bridge on State Hwy 518 (Rio Grande, 2119), E Partially Supported	13.6	Agriculture (1200, 1500), Road construction (3100), Removal of riparian vegetation (7600), Streambank modification / destabilization (7700)	0	HQCWF	Stream bottom deposits ^f			NO
Rio Santa Barbara from Picuris Pueblo boundary to USFS Boundary ^d (Rio Grande, 2120), M Partially Supporting	9.2 (4.1)	Agriculture (1500), Construction (3200), Hydromodification (7400), Removal of riparian vegetation (7600), streambank modification/ destabilization (7700)	0	HQCWF	Stream bottom deposits ^f , Metals ^e		AI ^e	NO
Rio Santa Barbara from USFS boundary to confluence of East and West Forks (Rio Grande, 2120), M Fully Supporting, Impacts Observed	4.0	Recreation (8700, 8701)	0	HQCWF	Plant nutrients ^e			NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS ^b	TOXICS AT CHRONIC LEVELS ^b	AQUATIC T or E SPECIES ON THE REACH
Rio Pueblo from the Picuris Pueblo to the headwaters (Rio Grande, 2120), M Partially Supporting	22.2	Agriculture (1500), Construction (3200), Removal of riparian vegetation (7600), Streambank modification / destabilization (7700), Recreation (8700, 8701)	0	HQCWF	Stream bottom deposits ^f			NO
Embudo Creek from mouth on Rio Grande to border of Picuris Pueblo (Rio Grande, 2111), M Not Supported	11.0	Agriculture (1500), Land development (3200), Hydromodification (7100, 7200), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	MCWF, WWF	Metals ^c , Turbidity ^c , Stream bottom deposits ^{cf}		Al ^c	NO
Rio Quemado from mouth on Santa Cruz River to confluence of North and South Forks (Rio Grande, 2118), E Fully Supporting, Impacts Observed	14.7	Agriculture (1200, 1500), Land Disposal (6500)	0	HQCWF	Siltation ^e , Temperature ^e , Stream bottom deposits ^{ef}			NO
Pojoaque River from mouth on Rio Grande to Nambe Dam ^d (Rio Grande, 2111), E Partially Supported	14.4 (13.8)	Domestic point sources (0201), Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	2: Pojoaque Terraces Mobile Home Park; Pojoaque Valley Schools-Jacona Site	MCWF, WWF	Stream bottom deposits ^f			N/A
Rio en Medio from mouth on Pojoaque River to Aspen Ranch (Rio Grande, 2118), M Fully Supporting, Impacts Observed	4.5	Agriculture (1500), Removal of riparian vegetation (7600), Recreation (8700)	0	HQCWF	Turbidity ^e			NO
Rio Tesuque from southern border of Tesuque Pueblo to confluence of Tesuque Creek and Little Tesuque Creek ^d , (Rio Grande, 2111), M Fully Supporting, Impacts Observed	2.1	Agriculture (1200), Land development (3200)	0	MCWF, WWF	Temperature ^e			N/A
Tesuque Creek from the confluence with Little Tesuque Creek to the con- fluence of North and South Forks of Tesuque Creek (Rio Grande, 2118), M Not Supporting	6.7	Hydromodification (7100), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Road maintenance/runoff (8300)	0	HQCWF	Turbidity ^c			NO

Little Tesuque Creek from Big Tesuque Creek to the headwaters (Rio Grande, 2118), M Not Supported	8.1	Recreation (8700, 8701)	0	HQCWF ^c	Metals ^c , Turbidity ^c	AI ^c		NO
South Fork Tesuque Creek from confluence with North Fork to headwaters (Rio Grande, 2118), M Fully Supporting, Impacts Observed	1	Unknown (9000)	0	HQCWF	Metals ^e		AI ^e	NO
Rio Frijoles from confluence with Rio Medio to Pecos Wilderness boundary (Rio Grande, 2112), E Partially Supported	2.5	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	0	HQCWF	Unknown			NO
Placer Creek from mouth on Rio Vallecitos to Hopewell Lake (Rio Grande, 2112), E Fully Supporting, Impacts Observed	3.6	Resource extraction (5300, 5900), Streambank modification/destabilization (7700)	0	HQCWF	Stream bottom deposits ^{ef}			NO
Placer Creek from inflow to Hopewell Lake to the headwaters (Rio Grande, 2112), E Fully Supporting, Impacts Observed	3	Removal of riparian vegetation (7600), Streambank modification/stabilization (7700) Recreation (8700, 8701)	0	HQCWF	Plant nutrients			NO
Rio Chupadero from USFS boundary to the headwaters Rio Grande, 2118), M Not Supported	4.1	Road maintenance/runoff (8300) Recreation (8700), Unknown (9000)	0	HQCWF	Metals ^c , turbidity ^c , Stream bottom deposits ^{cf}	AI ^c		NO
Rito Cañon de Frijoles from mouth on Rio Grande to the headwaters (Rio Grande, 2118), M Partially Supported	2.8	Land disposal (6300)	0	HQCWF	Pesticides (DDT)			NO
Capulin Creek from mouth on Rio Grande to the headwaters (Rio Grande, 2118), E Partially Supported	12.1	Silviculture (2100)	0	HQCWF	Stream bottom deposits ^f , Turbidity			NO
Rio Chamita from mouth on Rio Chama to New Mexico/ Colorado border (Rio Grande, 2116), E Not Supported	12.6	Municipal point sources (0200), Agriculture (1500), Onsite wastewater systems (6500) Removal of riparian vegetation (7600)	1: Chama	HQCWF, IRR	Temperature ^{cg} , Total phosphorus ^{cg} , Total ammonia ^{cg} , Fecal coliform ^{eg} , Metals ^e , Total organic carbon ^c		AI ^e	NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits. }

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(s) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Lower Rito de Tierra Amarilla at US Highway 112 culvert (Rio Grande, 2116) M Not Supported	6	Removal of riparian vegetation (7600)	0	HQCWF	Turbidity, Temperature ^c , Stream bottom deposits ^f			NO
Rio Chama from mouth of Rio Brazos to Little Willow Creek (Rio Grande, 2116), E Partially Supported	12.6	Municipal point sources (0200), Agriculture (1200, 1500), Removal of riparian vegetation (7600), Streambank modification / destabilization (7700) Unknown (9000) ^e	1: Parkview Fish Hatchery	HQCWF	Metals ^c , Temperature ^c		AI ^e	NO
Rio Chama from mouth on Rio Grande to Abiquiu Dam ^d (Rio Grande, 2113), E Not Supported	31.6 (28.2)	Agriculture (1201, 1500), Hydromodification (7300)	0	MCWF, WWF	pH ^e , Metals ^c , Dissolved oxygen		AI ^c	NO
Rio Brazos from mouth on Rio Chama to Chavez Creek (Rio Grande, 2116), E Not Supported	3.8	Hydromodification (7100, 7200), Removal of riparian vegetation (7600)	0	HQCWF	Temperature			NO
Chavez Creek from the confluence with the Rio Brazos to the headwaters (Rio Grande, 2116), M Not Supported	2.5	Hydromodification (7100, 7200), Removal of riparian vegetation (7700)	0	HQCWF	Temperature ^c , Stream bottom deposits ^e , Turbidity ^e			NO
Canjilon Creek from inflow to Abiquiu Reservoir to Canjilon Lakes outfall (Rio Grande, 2116), E Not Supported	24.3	Agriculture (1200, 1500), Hydromodification (7100), Removal of riparian vegetation (7600), Streambank modification / destabilization (7700)	0	HQCWF	Conductivity ^c , Turbidity ^c , Dissolved oxygen ^c , Temperature ^c , Total organic carbon ^c			NO
Rio Nutrias from the confluence with the Rio Chama to the headwaters (Rio Grande, 2116), M Not Supported	45	Agriculture (1200, 1500), Removal of riparian vegetation (7600), Streambank modification / destabilization (7700)	0	HWCWF	Turbidity ^c , Temperature ^e			NO
Rio Cebolla from the confluence with the Rio Chama to the headwaters (Rio Grande, 2116), M Full Supporting, Impacts Observed	32.2	Removal of riparian vegetation (7600)	0	HQCWF	Temperature ^e			NO
Abiquiu Creek from mouth on Rio Chama to the headwaters (Rio Grande, 2113), M Partially Supported	6.1	Agriculture (1500), Hydromodification (7100), Road maintenance/runoff (8300)	0	MCWF, WWF	Dissolved oxygen, Fecal coliform ^e			NO

Rio del Oso from mouth on Rio Chama to the headwaters (Rio Grande, 2112), M Not Supported	15.1	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Recreation (8702)	0	HQCWF	Turbidity ^c , Temperature ^c , Dissolved oxygen ^e			NO
El Rito, perennial reaches above El Rito (Rio Grande, 2112), E Not Supported	20.8	Agriculture (1200, 1500)	0	HQCWF	Turbidity ^c			NO
El Rito Creek below El Rito (Rio Grande, 2113), M Not Supported	8.6	Natural (8600), Unknown (9000)	0	HQCWF	Metals ^c		Al ^c	NO
Rio Vallecitos from the confluence with the Rio Tusas to the headwaters (Rio Grande, 2112), M Not Supported	33.4	Agriculture (1200, 1500), Resource extraction (5100), Hydromodification (7100), Removal of riparian vegetation (7600), streambank modification/ destabilization (7700), Road maintenance/runoff (8300) Recreation (8700)	0	HQCWF	Metals ^c , Temperature ^c , Turbidity ^c Total organic carbon ^e	Al ^e , Cu, Zn ^f	Al ^c	NO
Rio Tusas from the confluence with the Rio Vallecitos to the headwaters (Rio Grande, 2113), M Fully Supporting, Impacts Observed	38	Agriculture (1500)	0	MCWF, WWF	Dissolved oxygen ^e			NO
Rio Ojo Caliente from the mouth on the Rio Chama to the confluence of the Rio Vallecitos and Rio Tusas (Rio Grande, 2113), M Not Supported	22.4	Agriculture (1500) Hydromodification (7100), Removal of riparian vegetation (7600), Streambank modification / destabilization (7700), Road maintenance or runoff (8300), Recreation (8700)	0	MCWF, WWF	Stream bottom deposits ^{c,f} , Temperature ^e , pH ^e , Metals		Al	NO
Cañones Creek from the inflow to Abiquiu Reservoir to the headwaters (Rio Grande, 2116), M Not Supported	17.9	Agriculture (1500), Silviculture (2100), Removal of riparian vegetation (7600)	0	HQCWF	Metals ^c , Turbidity ^c , Temperature ^c , Total organic carbon ^e , Fecal coliform ^c		Al ^c	NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Polvadera Creek from the mouth on Cañones Creek to the headwaters (Rio Grande, 2116), M Partially Supported	12.2	Removal of riparian vegetation (7600)	0	HQCWF	Temperature			NO
Clear Creek from mouth on Rio Gallina to headwaters (Rio Grande, 2116), M Partially Supported	2.5	Silviculture (2300), Streambank modification/destabilization (7700)	0	HQCWF	Stream bottom deposits ^f			NO
Cecilia Canyon Creek from the mouth on Rio Capulin to San Pedro Parks Wilderness (Rio Grande, 2116), M Partially Supported	5.6	Streambank modification/destabilization (7700), Recreation (8701)	0	HQCWF	Stream bottom deposits ^f			NO
Rito Resumidero from the mouth on Rio Puerco de Chama to the headwaters (Rio Grande, 2116), M Partially Supported	4.3	Silviculture (2100, 2200, 2300), Streambank modification / destabilization (7700)	0	HQCWF	Stream bottom deposits ^f			NO
Rio Puerco de Chama from Abiquiu Reservoir to Poleo Creek (Rio Grande, 2115), M Not Supporting	5.4	Agriculture (1500), Removal of riparian vegetation (7600)	0	HQCWF	Temperature ^c , Fecal coliform ^c			NO
Rio Puerco de Chama from Poleo Creek to the headwaters (Rio Grande, 2116), M Fully Supporting, Impacts Observed	10.3	Agriculture (1500)	0	HQCWF	Total organic carbon ^e			NO
Poleo Creek from the mouth on the Rio Puerco de Chama to the headwaters (Rio Grande, 2116), M Not Supported	6.3	Agriculture (1500), Silviculture (2300), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	HQCWF	Turbidity ^c , Total organic carbon ^e			NO
Rito Encinco from the mouth on the Rio Puerco de Chama to the headwaters (Rio Grande, 2116), M Not Supported	7.8	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Recreation (8700)	0	HQCWF	Turbidity ^e			NO

Coyote Creek from the mouth on the Rio Puerco de Chama to the headwaters (Rio Grande, 2116), M Not Supported	13.4	Agriculture (1500), Removal of riparian vegetation (7600)	0	HQCWF	Temperature ^e , Total organic carbon ^c			NO
Rito Redondo from the mouth on the Rito Resumidero to headwaters (Rio Grande, 2116), M Not Supported	2	Agriculture (1500)	0	HQCWF	Total organic carbon ^c			NO
Santa Fe River from the Cochiti Pueblo to the Santa Fe WWTP ^d (Rio Grande, 2110), M Not Supported	12.7 (6.1)	Municipal point sources (0200), Agriculture (1500), Resource extraction (5100, 5700)	1: Santa Fe WWTP	MCWF, WWF, LW	Total residual chlorine ^{e,g} , pH ^c , Stream bottom deposits ^{c,f,g} Dissolved oxygen ^c			NO
Cienega Creek from the mouth on the Santa Fe to Cienega Village (Rio Grande, 2110), M Partially Supported	4.1	Municipal point sources (0200), Agriculture (1500), Land disposal (6500), Unknown (9000)	2: Valle Vista Sewer Co.; Arroyo Hondo (Geohydrology Association)	MCWF, WWF, IRR	Fecal coliform, Total residual chlorine			NO
Rio Puerco from Rito Olguin to the headwaters (Rio Grande, 2107), E Partially Supported	39.6	Agriculture (1500), Removal of riparian vegetation(7600), streambank modification/ destabilization (7700), Road maintenance/runoff (8300)	0	CWF	Temperature, Stream bottom deposits ^f			NO
San Pablo Creek from the mouth on the Rio Puerco to the headwaters (Rio Grande, 2107), E Partially Supported	10.8	Agriculture (1500), Resource extraction (5100), Removal of riparian vegetation (7600), Streambank modification / destabilization (7700)	0	HQCWF	Turbidity ^e , Plant Nutrients, Stream bottom deposits ^f			NO
La Jara Creek, tributary to the Rio Puerco, perennial portions (Rio Grande, 2107), M Fully Supporting, Impacts Observed	7	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	CWF	Stream bottom deposits ^{e,f}			NO
Rito de los Piños, tributary to the Rio Puerco, perennial portions (Rio Grande, 2107), M Fully Supporting, Impacts Observed	2.3	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	CWF	Stream bottom deposits ^{e,f}			NO
Rito Leche, perennial portions (Rio Grande, 2107), E Partially Supported	2.9	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	CWF	Stream bottom deposits ^f			NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Nacimiento Creek from USFS boundry to San Gregorio Reservoir (Rio Grande, 2107), E Partially Supported	4.6	Agriculture (1500), Removal of riparian vegetation (7600), streambank modification/ destabilization (7700)	0	CWF	Plant nutrients, Stream bottom deposits ^f			NO
Las Huertas Creek from Placitas to Capulin Canyon (Rio Grande, 2108.5), E Partially Supported	8.8	Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Road maintenance/runoff (8300) Recreation (8700, 8701)	0	CWF	Stream bottom deposits ^f			NO
Galisteo Creek, perennial portions (Rio Grande, unclassified), E Partially Supported	5.5	Agriculture (1500), Hydromodification (7000), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	WWF	Stream bottom deposits ^f			NO
Sulphur Creek above Redondo Creek to the headwaters (Rio Grande, 2106),M Not Supported	6.8	Natural (8600), Unknown (9000)	0	HQCWF	pH ^c , Conductivity ^c , Turbidity ^e			NO
Redondo Creek from the mouth on Sulphur Creek to the headwaters (Rio Grande, 2106), M Not Supported	5.2	Agriculture (1500)	0	HQCWF	Fecal coliform ^e Turbidity ^c , Temperature ^c			NO
San Antonio Creek from the confluence with the East Fork of the Jemez River to the headwaters (Rio Grande, 2106), M Not Supported	23.6	Agriculture (1500), Silviculture (2300), Land development (3200), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Natural (8600), Recreation (8700, 8702)	0	HQCWF	Temperature, Total organic carbon ^e , Turbidity ^c			NO
East Fork of the Jemez River from the confluence with San Antonio Creek to the headwaters (Rio Grande, 2106), M Not Supported	16.3	Agriculture (1500), Siviculture (2100), Streambank modification/ detabilization (7700), Recreation (8700)	0	HQCWF	Turbidity ^c , Total organic carbon ^e			NO

Jemez River from Rio Guadalupe to the confluence of the East Fork of the Jemez River and San Antonio Creek (Rio Grande, 2106), M Not Supported	13.4	Municipal Pnt. Src.s (0200), Domestic Pnt. Src.s (0201), Agriculture (1201, 1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300) Natural (8600), Recreation (8700, 8701)	2: Jemez Springs WWTP; Jemez Springs Municipal Schools	HQCWF, CWF, LW	Turbidity ^{c g} , Stream bottom deposits ^{c f g} , Metals	AI		NO
Jemez River from mouth on Rio Grande to Rio Guadalupe (Rio Grande, 2106), M Fully Supporting, Impacts Observed	26.9	Agriculture (1500), Removal of riparian vegetation (7600), Natural (8600), Unknown (9000)	0	LWWF, LW	Fecal coliform			NO
Rio Cebolla from confluence with the Rio de las Vacas to Fenton Lake (Rio Grande, 2106), M Partially Supported	9.1	Agriculture (1500), Removal of riparian vegetation (7600), Road maintenance/runoff (8300)	0	HQCWF	Stream bottom deposits ^f			NO
Rio Cebolla from inflow to Fenton Lake to the headwaters (Rio Grande, 2106), M Not Supported	7	Agriculture (1500, 1700), Land disposal (6500), Removal of riparian vegetation (7600), Road maintenance/runoff (8300)	1: Seven Springs Fish Hatchery	HQCWF	Temperature, Stream bottom deposits ^{c f}			NO
Rio de las Vacas from the confluence with Rio Cebolla to Rito de las Palomas (Rio Grande, 2106), M Not Supported	14	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300)	0	HQCWF	Temperature ^c , Total organic carbon ^c			NO
Rito Peñas Negras from the mouth on the Rio de las Vacas to the headwaters (Rio Grande, 2106), M Partially Supported	11.6	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300)	0	HQCWF	Temperature, Stream bottom deposits ^f , Total organic carbon			NO
Rio Guadalupe from the mouth on the Jemez River to the confluence of the Rio de las Vacas and Rio Cebolla (Rio Grande, 2106), M Not Supported	12.4	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300) Natural sources (8600) Recreation (8700)	0	HQCWF	Conductivity ^e , Fecal coliform ^e , Turbidity ^{c g} , Stream bottom deposits ^{f g} , Metals	AI		NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Rio Vallecitos from the headwaters to Paliz Campground (Rio Grande, 2106), M Not Supported	12.6	Removal of riparian vegetation (7600)	0	HQCWF	Temperature ^c			NO
Clear Creek from the confluence with the Rio de las Vacas to the headwaters (Rio Grande, 2106), M Not Supported	6.8	Natural (8600) Unknown (9000)	0	HQCWF	Total organic carbon ^c , Turbidity ^c			NO
Calaveras Creek from the confluence with the Rio Cebolla to the headwaters (Rio Grande, 2106), M Not Supported	2.0	Flow regulation/ modification (7400), Road runoff (8701)	0	HQCWF	Stream bottom deposits ^{c,f}			NO
American Creek from the mouth on the Rito de las Palomas to the headwaters (Rio Grande, 2106), E Partially Supported	3.8	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	HQCWF	Temperature, Turbidity, Stream bottom deposits ^f			NO
Vallecito Creek from the eastern Jemez Pueblo boundary to the Village of Ponderosa (Rio Grande, 2105.5), E Not Supported	5.7	Agriculture (1500), Hydromodification (7100, 7400), Removal of riparian vegetation (7600), Unknown (9000)	0	CWF, SC	Temperature, Total ammonia ^e , pH ^c , Fecal coliform ^e , Stream bottom deposits ^f			NO
Rio Moquino from mouth on Rio Paguate to headwaters (Rio Grande, 2107), E Not Supported	2	Resource extraction (5100, 5700), Removal of riparian vegetation (7600)	0	CWF	Temperature ^c , Stream bottom deposits ^f			NO
Rio Paguate from inflow to Paguate Reservoir to headwaters (Rio Grande, 2107), M Not Supported	11.5	Resource extraction (5100, 5700, 5900), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Unknown (9000)	0	CWF	Metals ^c , Temperature, Stream bottom deposits ^f		Se ^c	NO
Bluewater Creek, portions on State Lands above Bluewater Reservoir and from private inholdings to the headwaters (Rio Grande, 2107), M Not Supported	10.2	Agriculture (1500), Silviculture (2100, 2300), Removal of riparian vegetation (7600), Streambank modification/ detabilization (7700)	0	CWF	Metals ^e , Temperature ^{c,e} , Turbidity ^c , Stream bottom deposits ^f	Al	Pb ^e	NO

Bluewater Creek from USFS boundary to private inholdings (Rio Grande, 2107), M Fully Supporting, Impacts Observed	6.2	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Recreation (8700)	0	CWF	Stream bottom deposits ^{e f}			NO
Bluewater Creek from the mouth on the Rio San Jose to Bluewater Dam (Rio Grande, 2107), E Partially Supported	9.6	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	CWF	Plant nutrients			NO
Rio San Jose from USGS guage at Correo to Horrace Springs ^d (Rio Grande, 2107), E Not Supported	26.4	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	0	CWF	Temperature ^c , Dissolved oxygen ^e , pH ^c , Stream bottom deposits ^f			NO
Alamosa Creek, perennial portions above Monticello diversion ditch (Rio Grande, 2103), E Partially Supported	12.2	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300) Natural (8600)	0	MCWF, WWF	Unknown			YES Alamosa Spring Snail Endangered
Percha Creek from perennial portions above Caballo Reservoir to confluence of Middle and South Forks (Rio Grande, 2103), E Partially Supported	10.5	Agriculture (1500), Resource extraction (5300), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	MCWF, WWF	Unknown			NO
Pecos River from Jacks Creek to the headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	17.8	Agriculture (1500), Recreation (8700)	0	HQCWF	Turbidity, Stream bottom deposits ^{e f}			NO
Pecos River from Alamitos Canyon to Willow Creek (Pecos River, 2214), M Not Supported	10.4	Construction (3100, 3200), Resource extraction (5600, 5700), Land disposal (6600), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300) Recreation (8701, 8703)	1: Lisboa Fish Hatchery	HQCWF	Metals ^c , Turbidity	Zn ^c	Al ^c	NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Pecos River from Cañon del Oso to Alamitos Canyon (Pecos River, 2213), M Partially Supported	71.6	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Recreation (8700)	2: Glorieta Baptist Conference Center; Native American Prep School	MCWF	Stream bottom deposits ^f			NO
Pecos River from the inflow to Sumner Reservoir to Cañon del Oso (Pecos River, 2211), M Partially Supported	102.1	Agriculture (1500), Hydromodification (7400), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	2: Rock Lake Fish Hatchery; Santa Rosa WWTP	LWWF	Metals, Stream bottom deposits ^f		AI	NO
Pecos River from Black River to Lower Tansil Dam (Pecos River, 2202), M Partially Supported	22.8	Agriculture (1201,1500), Removal of riparian vegetation (7600), Streambank modification/ stabilization (7700), Unknown (9000)	1: Carlsbad	WWF	Stream bottom deposits ^f			NO
Pecos River from the New Mexico-Texas border to Black River (Pecos River, 2201), M Not Supported	30.8	Agriculture (1200, 1500), Hydromodification (7400), Removal of riparian vegetation (7600), Streambank modification/ stabilization (7700), Natural (8600)	0	WWF, IRR, LW	Metals ^e , Temperature ^e , Stream bottom deposits ^f , Biological criteria ^c		AI ^e	NO
Rito Azul from the mouth on the Rito del Padre to the headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	2.7	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification /stabilization (7700), Recreation (8700,8701)	0	HQCWF	Turbidity, Stream bottom deposits ^{ef}			NO
Rito Sebodillos from the mouth on Rito del Padre to the headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	1.3	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification /stabilization (7700), Recreation (8700,8701)	0	HQCWF	Turbidity, Stream bottom deposits ^{ef}			NO
Panchuela Creek near its mouth on the Pecos River (Pecos River, 2214), E Fully Supporting, Impacts Observed	3	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification /stabilization (7700), Recreation (8700,8701)	0	HQCWF	Turbidity, Stream bottom deposits ^{ef}			NO
Rio Mora from mouth on Pecos River to the headwaters (Pecos River, 2214), M Partially Supported	0.25	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Recreation (8700)	0	HQCWF	Stream bottom deposits ^f			NO

Rito los Esteros from the mouth on the Rio Mora to the headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	1.6	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ stabilization (7700)	0	HQCWF	Turbidity, Stream bottom deposits ^{ef}			NO
Rito del Oso from the mouth on the Rio Mora to the headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	1.5	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ stabilization (7700)	0	HQCWF	Turbidity, Stream bottom deposits ^{ef}			NO
Willow Creek from the mouth on the Pecos River to the headwaters (Pecos River, 2214), M Partially Supported	4.6	Resource extraction (5700), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Road maintenance/runoff (8300) Unknown (9000)	0	HQCWF, DWS, IRR, LW, WH, SC, FC	Metals, Conductivity, Turbidity, Stream bottom deposits ^f	Cu, Zn, Cd		NO
Willow Creek in the drainage of the Terrero Mine (Pecos River, 2114), M Not Supported	0.5	Resource extraction (5700)	0	HQCWF, DWS, IRR, LW, WH, SC, FC	Metals ^c , Siltation ^c , Conductivity ^c , Turbidity ^c	Cu ^c , Cd ^c , Zn ^c		NO
Holy Ghost Creek from mouth on Pecos River to Doctor Creek (Pecos River, 2214), M Partially Supported	4.5	Removal of riparian vegetation (7600), Road maintenance/runoff (8300) Recreation (8700)	0	HQCWF	Metals	Al		NO
Indian Creek from the mouth on the Pecos River to the headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	5.7	Resource extraction (5900), Removal of riparian vegetation (7600), Streambank modification/ detabilization (7700)	0	HQCWF	Turbidity ^e , Stream bottom deposits ^{ef}			NO
Macho Canyon Creek from the mouth on the Pecos River to the headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	4.8	Resource extraction (5900), Removal of riparian vegetation (7600), Streambank modification/ detabilization (7700),	0	HQCWF	Turbidity ^e , Stream bottom deposits ^{ef}			NO
Dalton Canyon Creek from the mouth on the Pecos River to the headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	4	Agriculture (1500), Silviculture (2300), Removal of riparian vegetation (7600), Streambank modification/ detabilization (7700)	0	HQCWF	Turbidity ^e , Stream bottom deposits ^{ef}			NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(s) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Cow Creek from mouth on Pecos River to headwaters (Pecos River, 2214), E Partially Supported	36.7	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ detabilization (7700), Road maintenance/runoff (8300)	0	HQCWF	Stream bottom deposits ^f			NO
Rito Manzanares from mouth on Cow Creek to headwaters (Pecos River, 2214), E, Fully Supporting, Impacts Observed	5.4	Road maintenance/runoff (8300)	0	HQCWF	Stream bottom deposits ^{ef}			NO
Bull Creek from mouth on Cow Creek to headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	14.9	Agriculture (1500), Road maintenance/runoff (8300)	0	HQCWF	Stream bottom deposits ^{ef}			NO
Rito Ruidoso from mouth on Bull Creek to headwaters (Pecos River, 2214), E Fully Supporting, Impacts Observed	2.8	Agriculture (1500)	0	HQCWF	Stream bottom deposits ^{ef}			NO
Tecolote Creek from Village of Tecolote to headwaters (Pecos River, 2212), E Not Supported	26.4	Agriculture (1500), Construction (3200), Land disposal (6500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Road maintenance/runoff (8300) Recreation (8701, 8703)	0	HQCWF	Temperature, Conductivity, Turbidity ^c , Stream bottom deposits ^{ef}			NO
Wright Canyon from the mouth on Tecolote Creek to Forest Road 291 (Pecos River, 2212), E Partially Supported	0.5	Agriculture (1500), Road maintenance/runoff (8300) Recreation (8700)	0	HQCWF	Turbidity, Stream bottom deposits ^f			NO
Gallinas River from the diversion for the Las Vegas reservoir to headwaters (Pecos River, 2212), M Not Supported	7	Agriculture (1400, 1800), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Road maintenance/runoff (8300)	0	HQCWF	Turbidity, Metals ^c , Temperature ^e , Stream bottom deposits ^f	Al ^c		NO

Gallinas River from San Augustin to the diversion for the Las Vegas municipal reservoir (Pecos River, 2213), M Not Supported	62	Municipal point sources (0200), Agriculture (1500), Hydromodification (7100, 7400), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Spills (8400), Unknown (9000)	1: Medite, Incorporated	MCWF	Unknown toxicity, Total ammonia ^c , Stream bottom deposits ^f			NO
Beaver Canyon Creek from the mouth on Porvenir Creek to the headwaters (Pecos River, 2214), E Partially Supported	6	Agriculture (1500), Hydromodification (7500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Recreation (8700)	0	HQCWF	Stream bottom deposits ^f			NO
Beaver Creek from confluence with Hollinger Creek to headwaters (Pecos River, 2212), M Fully Supporting, Impacts Observed	6	Agriculture (1510), Hydromodification (7500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Recreation (8700)	0	HQCWF	Stream bottom deposits ^{ef}			NO
Hollinger Creek from confluence with Beaver Creek to headwaters (Pecos River, 2212), E Fully Supporting, Impacts Observed	6.0	Agriculture (1510), Removal of riparian vegetation (7600), Recreation (8700)	0	HQCWF	Stream bottom deposits ^{ef}			NO
Rio Hondo, perennial portions up to confluence of Rio Ruidoso and Rio Bonito (Pecos River, 2208), E Partially Supported	8	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	CWF, IRR	Unknown			NO
Rio Ruidoso from Seeping Springs Lakes to the Mescalero Apache Reservation (Pecos River, 2209), M Partially Supported	12.2	Agriculture (1500), Construction (3200), Land disposal (6500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Recreation (8700)	0	HQCWF	Temperature, Turbidity, Stream bottom deposits ^f			NO
Rio Bonito from the confluence with Rio Ruidoso to Angus Canyon (Pecos River, 2208), E Partially Supported	31.2	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	0	CWF, IRR	Stream bottom deposits ^f			NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Rio Peñasco, perennial portions (Pecos River, 2208), E Partially Supported	42.5	Agriculture (1500), Removal of Riparian Vegetation (7600), Streambank modification/ destabilization (7700), Road maintenance/runoff (8300)	1: Sacramento Methodist Assembly	CWF	Stream bottom deposits ^f			NO
Sitting Bull Creek from its mouth at Lost Chance Canyon to Sitting Bull Springs (Pecos Rvr, unclassified), E, Partially Supported	3	Agriculture (1500), Land disposal (6500), Removal of riparian vegetation (7600), Recreation (8700, 8701, 8703)	0	WWF, SC	Plant nutrients, Temperature, Fecal coliform, Stream bottom deposits ^f			NO
Black River from the mouth on the Pecos River to the headwaters (Pecos River, 2202), M Partially Supported	16.9	Agriculture (1200, 1500), Resource extraction (5500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	WWF	Metals ^e , Unknown		AI ^e	NO
Delaware River from the mouth on the Pecos River to the New Mexico/Texas border (Pecos River, 2202), M Fully Supporting, Impacts Observed	8.3	Agriculture (1500), Resource extraction(5500), Removal of riparian vegetation (7600), Streambank destabilization (7700)	0	WWF	Plant nutrients, Stream bottom deposits ^{ef}			NO
Canadian River from Cimarron River to the New Mexico-Colorado border (Canadian River, 2305), E Fully Supporting, Impacts Observed	53.8	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Recreation (8700, 8701, 8703)	1: Maxwell WWTP	LWWF, IRR	Fecal coliform ^e			NO
Chicorica Creek from the mouth on the Canadian River to Raton Creek (Canadian River, 2305), E Partially Supported	9.2	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Recreation (8700, 8701, 8703)	0	LWWF, IRR	Plant nutrients, Fecal coliform ^e			NO
Hunter Creek from inflow to Throttle Reservoir to the headwaters (Canadian River, 2305), E Fully Supporting, Impacts Observed	1	Agriculture (1500), Unknown (9000)	0	LWWF	Fecal coliform ^e			NO
Raton Creek from the mouth on Chicorica Creek to the headwaters (Canadian River, 2305), E Partially Supported	17.3	Municipal point sources (0200), Agriculture (1500), Unknown (9000)	2: Raton WWTP; Raton Public Service Co.	LWWF	Plant nutrients			NO

Una de Gato Creek from the mouth on Chicorica Creek to Throttle Dam (Canadian River, 2305), E Fully Supporting, Impacts Observed	14.7	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	LWWF, IRR	Fecal coliform ^e			NO
Cieneguilla Creek from the inflow to Eagle Nest Lake to the headwaters (Canadian River, 2306), M Not Supported	13.6	Domestic point sources (0201), Agriculture (1500), Animal Holding/Management Areas (1800), Onsite Wastewater Systems (6500) Recreation (8705), Wildlife Impacts (8706)	0	HQCWF, IRR	Fecal coliform ^{c g} , Turbidity ^{c g} , Stream bottom deposits ^{c f g} , Metals ^{c e} , Temperature ^c	Pb ^e	Al ^c	NO
Six-Mile Creek from the inflow to Eagle Nest Lake to the headwaters (Canadian River, 2306) M Not Supported	6.6	Agriculture (1500) Animal Holding/Management Areas (1800), Onsite Wastewater Systems (6500), Wildlife Impacts (8706)	0	HQCWF, IRR	Fecal coliform ^{c g} , Turbidity ^{c g}			NO
Moreno Creek from the inflow to Eagle Nest Lake to the headwaters (Canadian River, 2306), M Not Supported	14.4	Rangeland (1500), Animal Holding/Management Areas (1800), Onsite Wastewater Systems (6500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Recreation (8700) Wildlife Impacts (8706)	0	HQCWF, IRR	Fecal coliform ^{c g} , Plant nutrients ^e , Turbidity ^{c g} ,			NO
Cimarron River from Turkey Creek to Eagle Nest Dam (Canadian River, 2306), M Partially Supported	17.6	Agriculture (1500), Recreation (8700)	0	HQCWF	Metals		Al	NO
Cimarron River from the mouth on the Canadian River to Turkey Creek (Canadian River, 2305), E Partially Supported	35.3	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	LWWF	Plant nutrients			NO
Ponil Creek from the mouth on the Cimarron River to the confluence of North Ponil and South Ponil Creeks (Canadian River, 2306), M Not Supported	15.8	Municipal point sources (0200), Agriculture (1500) Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	HQCWF	Temperature ^c , Conductivity ^c , Turbidity ^c Fecal coliform ^e Streambottom deposits ^c			NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS ^b	TOXICS AT CHRONIC LEVELS ^b	AQUATIC T or E SPECIES ON THE REACH
North Ponil Creek from the confluence with South Ponil Creek to the mouth of M ^c Crystal Creek (Canadian River, 2306), M Not Supported	17.6	Agriculture (1500), Silviculture (2300), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Natural (8600), Unknown (9000)	0	HQCWF, IRR	Temperature ^{c,g} , Fecal coliform ^e , Total phosphorus ^{c,g} , Stream bottom deposits ^{c,f,g} , Turbidity ^{c,g} , Total organic carbon ^e			NO
M ^c Crystal Creek from the confluence with North Ponil Creek to the headwaters (Canadian River, 2306), M Partial Support	3	Removal of riparian vegetation (7600)	0	HQCWF	Temperature			NO
Middle Ponil Creek from the confluence with South Ponil Creek to the headwaters (Canadian River, 2306), M Not Supported	20.9	Agriculture (1500), Silviculture (2300), Removal of riparian vegetation (7600), Natural (8600), Road runoff (8701), Unknown (9000)	0	HQCWF	Stream bottom deposits ^{c,f} , Temperature ^c , Turbidity, Total organic carbon ^e			NO
Rayado Creek from the Miami Lake diversion to the headwaters (Canadian River, 2306), M Fully Supporting, Impacts Observed	21.2	Agriculture (1500), Recreation (8700)	0	HQCWF	Temperature ^e , Stream bottom deposits ^{e,f}			NO
Mora River from Rio la Casa to the headwaters (Canadian River, 2306), E Not Supported	22.3	Agriculture (1500)	0	HQCWF	Turbidity ^c , Fecal coliform ^e , Stream bottom deposits ^{c,f}			NO
Mora River from the mouth on the Canadian River to Wolf Creek (Canadian River, 2305), E Partially Supported	50.9	Agriculture (1500) Unknown (9000)	0	LWWF	Metals, Fecal coliform ^e		Pb	NO
Sapello River from the mouth on the Mora River to Manuelitas Creek (Canadian River, 2305.3), M Partially Supported	27.1	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	MCWF, WWF	Unknown			NO
Ocate Creek from below the Village of Ocate to Wheaton Creek (Canadian River, 2305.3, 2306), E Partially Supported	7.1	Agriculture (1200, 1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700) Road maintenance/runoff (8300)	0	HQCWF, MCWF, WWF	Unknown			NO

Manuelas Creek from Wheaton Creek to Manuelitas Canyon (Canadian River, 2306), E Partially Supported	1.5	Agriculture (1200, 1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	HQCWF	Unknown			NO
Rio la Casa from the mouth on the Mora River to the confluence of North and South Forks (Canadian River, 2306), E Partially Supported	5.8	Construction (3100), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300)	0	HQCWF	Stream bottom deposits ^f			NO
Coyote Creek from mouth on Mora River to Black Lake (Canadian River, 2606), E Not Supported	30.1	Agriculture (1201, 1500), Road maintenance/runoff (8300)	0	HQCWF	Fecal coliform ^e , Stream bottom deposits ^f			NO
Little Coyote Creek from inflow to Black Lake to the headwaters (Canadian River, 2306), E Not Supported	1	Road Construction (3100)	0	HQCWF	Turbidity ^c , Temperature ^c , Stream bottom deposits ^{cf}			NO
San Juan River from Cañon Largo to Navajo Dam (San Juan River, 2405), E Not Supported	11.1	Agriculture (1500), Resource extraction (5500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	0	HQCWF, WWF	Turbidity ^c , Stream bottom deposits ^{cf}			NO
San Juan River from the Animas River to Cañon Largo (San Juan River, 2401), M Not Supported	26	Agriculture (1200, 1500), Urban runoff (4000), Resource extraction (5500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	3: Farmington Sand and Gravel; Bloomfield; Bloomfield Municipal Schools	MCWF, WWF	Stream bottom deposits ^{cf} , Fecal coliform ^c			NO
San Juan River from the Chaco River to the Animas River (San Juan River, 2401), M Partially Supported	31.2	Agriculture (1200, 1500), Resource extraction (5500, 5900), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	7: San Juan Concrete; Farmington; Farmington DWTP; Harper Valley Subdivision; Central Consolidated Schools; San Juan Coal Company, San Juan Mine; Public Service Company, San Juan Plant	MCWF, WWF	Stream bottom deposits ^f			YES Colorado Squaw Fish Endangered

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS ^b	TOXICS AT CHRONIC LEVELS ^b	AQUATIC T or E SPECIES ON THE REACH
Animas River from the mouth on the San Juan River to Estes Arroyo (San Juan River, 2403), M Partially Supported	16.5	Urban runoff (4000), Resource extraction (5500), Hydromodification (7100), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700), Unknown (9000)	4: Aztec WWTP; Farmington Animas Steam Plant; Farmington MOC; North Star Water Project	MCWF, WWF	Stream bottom deposits ^f			NO
Animas River from Estes Arroyo to the New Mexico- Colorado Border (San Juan River, 2404), M Partially Supported	19.9	Agriculture (1200, 1500), Urban runoff (4000), Resource extraction (5500), Hydromodification (7100), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	CWF	Stream bottom deposits ^f			NO
La Plata River from the mouth on the San Juan River to the New Mexico- Colorado border (San Juan River, 2402), E Partially Supported	24.7	Agriculture (1500) Resource extraction (5100, 5500, 5900), Removal of Riparian Vegetation (7600), Streambank modification/ destabilization (7700), Unknown (9000)	2: Black Diamond Coal Company – La Plata; San Juan Coal Company – La Plata Mine	LWWF, MCWF	Plant nutrients			NO
Rio Nutria from mouth on Zuni River to headwaters ^d (Lower Colorado River, unclassified), E Partially Supported	22.8 (7)	Unknown (9000)	0	WWF	Metals		Hg	NO
San Francisco River from Centerfire Creek to Largo Canyon (San Francisco River, 2602), M, Fully Supporting, Impacts Observed	15.5	Agriculture (1500), Removal of Riparian Vegetation (7600), Streambank modification/ destabilization (7700), Upstream impoundment (8800)	0	CWF	pH ^e			NO
San Francisco River from Centerfire Creek to the New Mexico/Arizona border (San Francisco River, 2602), M, Not Supported	15	Natural (8600), Source Unknown (9000)	0	CWF, PC	Temperature ^c , Turbidity, Streambottom deposits ^{ef}			NO
Centerfire Creek from the mouth on the San Francisco River to the headwaters (San Francisco River, 2603), M, Partially Supported	7.1	Agriculture (1500), Removal of Riparian Vegetation (7600), Streambank modification/ destabilization (7700)	0	HQCWF	Temperature ^e , Conductivity, Plant nutrients			NO

San Francisco River above Pueblo Creek (San Francisco River, 2601), M Not Supported	71	Natural (8600), Source unknown (9000)	0	MCW	Streambottom deposits ^{c f}			NO
San Francisco River above Luna (San Francisco River, 2602), M Not Supported	4	Agriculture (1500), Natural (8600), Upstream impoundment (8800), Source unknown (9000)	0	CWF, PC	Turbidity, Streambottom deposits ^{e f}			NO
San Francisco River at Glenwood Gage (San Francisco River, 2601), M Not Supported	58	Natural (8600), Source unknown (9000)	0	MCW	Streambottom deposits ^{c f}			NO
San Francisco River above Reserve (San Francisco River, 2602), M Not Supported	30	Natural (8600), Source unknown (9000)	0	CWF, PC	Temperature ^c , Turbidity, Streambottom deposits ^{e f}			NO
San Francisco River below Reserve (San Francisco River, 2602), M Not Supported	5	Natural (8600), Unknown	0	MCW	Stream bottom deposits ^{c f}			NO
Tularosa River from the mouth on the San Francisco River to Apache Creek (Tularosa River above SFR) (San Francisco River, 2603), M, Not Supported	22.5	Natural (8600), Source unknown (9000)	0	HQCWF	Conductivity ^c , Streambottom deposits ^{e f}			NO
Tularosa River from the mouth on the San Francisco River to Apache Creek (Tularosa River at FR233) (San Francisco River, 2603), M Not Supported	12	Natural (8600), Source unknown (9000)	0	HQCWF	Conductivity ^c			NO
Tularosa River above Apache Creek to Tularosa Springs (San Francisco River, 2603), M Not Supported	10	Natural (8600), Source unknown (9000)	0	HQCWF	Temperature ^c , Conductivity ^c , Streambottom deposits ^{e f}			NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Apache Creek at its mouth on the Tularosa River (San Francisco River, 2603), E, Not Supported	2.5	Natural (8600), Source unknown (9000)	0	HQCWF	Temperature ^e , Conductivity ^c , Dissolved oxygen ^e			NO
Negrito Creek from the mouth on the Tularosa River to South Fork Negrito Creek (San Francisco River, 2603), M Fully Supporting, Impacts Observed	12	Natural (8600), Source unknown (9000)	0	HQCWF	Temperature ^e			NO
Negrito Creek above Tularosa confluence (San Francisco River, 2603), M Fully Supporting, Impacts Observed	5	Natural (8600), Source unknown (9000)	0	HQCWF	Temperature ^e , Streambottom deposits ^{e f}			NO
South Fork of Negrito Creek from the confluence with the North Fork to the headwaters (San Francisco River, 2603), M, Partially Supported	5.4	Natural (8600), Source unknown (9000)	0	HQCWF	Temperature			NO
Mineral Creek from the mouth on the San Francisco River to headwaters (San Francisco River, 2603), M Not Supported	17	Natural (8600), Source unknown (9000)	0	HQCWF	Metals ^c , Temperature ^c		Al ^c	NO
Silver Creek from the mouth on Mineral Creek to Little Fannie Mine (San Francisco River, 2603), M, Not Supported	3.3	Natural (8600), Source unknown (9000)	0	HQCWF	Temperature ^e , Turbidity ^c , Conductivity ^c			NO
Silver Creek below Bearup Mine (San Francisco River, 2603), M Not Supported	3.3	Natural (8600), Source unknown (9000)	0	HQCWF	Temperature ^e , Turbidity ^c , Conductivity ^c			NO

Whitewater Creek from the mouth on the San Francisco River to Whitewater Campground (Whitewater Creek at Catwalk) (San Francisco River, 2603), M, Partially Supported	5.6	Hydromodification (7100, 7200, 7400), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300), Natural (8600), Source unknown (9000)	0	HQCWF	Metals ^e , Turbidity ^e , Stream bottom deposits ^f	Zn	Al	NO
Whitewater Creek from the mouth on the San Francisco River to Whitewater Campground (Whitewater Creek at Glenwood) (San Francisco River, 2603), M Not Supported	5.6	Natural (8600), Unknown (9000)	0	HQCWF	Metals ^c , Streambottom deposits ^f , Turbidity	Zn ^c	Al ^c	NO
Trout Creek from the mouth on the San Francisco River to the headwaters (San Francisco River, 2603), M, Fully Supporting, Impacts Observed	4	Natural (8600), Source unknown (9000)	0	HQCWF	Metals ^e		Pb ^e	NO
Gila River from Mangas Creek to Mogollon Creek (Gila River, 2502), M Not Supported	15	Agriculture (1200, 1500), Removal of riparian vegetation (7600), streambank modification/destabilization (7700)	0	MCWF, WWF, PC	Turbidity ^c , Stream bottom deposits ^{c,f}			YES Spikedace and Loach Minnow Threatened
Gila River from Mogollon Creek to the East and West Forks of the Gila River (Gila River, 2502), M Not Supported	39.8	Agriculture (1500), Removal of riparian vegetation (7600), streambank modification/destabilization (7700)	0	MCWF	Turbidity ^c			YES Spikedace and Loach Minnow Threatened
Gila River from the New Mexico-Arizona border to Mangas Creek (Gila Rvr., 2501, 2502), M Not Supported	38.6	Agriculture (1201, 1500), Removal of riparian vegetation (7600), streambank modification/destabilization (7700)	0	LWWF, WWF, MCWF, PC	Turbidity ^c , Stream bottom deposits ^{c,f}			YES Spikedace and Loach Minnow Threatened
Middle Fork of the Gila River from the mouth on the West Fork of the Gila River to the USFS Ranger Station (Middle Fork of the Gila above Iron Creek) (Gila River, 2503), M Partially Supported	40.0	Agriculture (1500), Removal of riparian vegetation (7600)	0	HQCWF	Metals, Temperature, Turbidity, Plant nutrients, Dissolved oxygen, Conductivity, pH		Al	YES Spikedace and Loach Minnow Threatened

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits. }

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Iron Creek from the mouth on the Middle Fork of the Gila River to the headwaters (Iron Creek above the Middle Fork of the Gila) (Gila River, 2503), M Partially Supported	10.8	Agriculture (1500)	0	HQCWF	Plant nutrients, pH, Temperature, Conductivity, Turbidity, Dissolved oxygen			YES Gila Trout Endangered
East Fork of the Gila River from the confluence with the West Fork of the Gila River to the confluence of Beaver and Taylor Creeks (East Fork of the Gila above the West Fork of the Gila) (Gila River, 2503), M Partially Supported	25.5	Agriculture (1500), Removal of riparian vegetation (7600)	0	HQCWF	Metals, pH, Total organic carbon, Dissolved oxygen, Temperature, Conductivity		AI	YES Spikedace and Loach Minnow Threatened
West Fork of the Gila River from the confluence with the East Fork of the Gila River to above the Gila Cliff Dwellings (West Fork of the Gila River above the East Fork of the Gila River) (Gila Rvr., 2502, 2503), M Not Supported	5.7	Agriculture (1500)	0	HQCWF	Turbidity ^c , Plant nutrients ^c , Temperature ^c , pH ^c , Conductivity ^c , Dissolved oxygen ^c			YES Spikedace and Loach Minnow Threatened
West Fork of the Gila River above the confluence with the Middle Fork of the Gila River (West Fork of the Gila River above the Middle Fork of the Gila River) (Gila River, 2503), M Not Supported	6.5	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	HQCWF	Turbidity ^c , Temperature ^c , pH ^c , Plant nutrients ^c , Conductivity ^c , Dissolved oxygen ^c			YES Spikedace and Loach Minnow Threatened
Gilita Creek from the confluence with Snow Canyon Creek to Willow Creek (Gilita Creek above Snow Canyon Creek) (Gila River, 2503), M Partially Supported	6	Agriculture (1500), Land disposal (6500), Removal of riparian vegetation (7600)	0	HQCWF	Metals, Dissolved oxygen, Plant nutrients, Temperature, pH, Turbidity, Conductivity		AI	NO
Snow Canyon Creek from the confluence with Gilita Creek to Snow Lake (Snow Canyon Creek above Gilita) (Gila River, 2503), M Not Supported	1	Agriculture (1500), Removal of riparian vegetation (7600), Upstream impoundment (8800), Unknown (9000)	0	HQCWF	Metals ^c , Temperature ^c , Dissolved oxygen ^c , Plant nutrients ^c , Turbidity ^c , Conductivity ^c , pH ^c , Stream bottom deposits ^{cf}		AI	NO

Canyon Creek from the mouth on the Middle Fork of the Gila to the headwaters (Canyon Creek at FR 142) (Gila River, 2503), M Not Supported	4.5	Agriculture (1500), Removal of riparian vegetation (7600)	0	HQCWF	Temperature ^c , Turbidity ^c , Conductivity ^c , pH ^c , Dissolved oxygen ^c			NO
Hoyt Creek upstream from Wall Lake (Hoyt Creek above Wall Lake) (Gila River, 2503), M Not Supported	4.2	Agriculture (1500), Removal of riparian vegetation (7600)	0	HQCWF	Temperature ^c , Plant nutrients ^c , Turbidity ^c , Conductivity ^c , pH ^c , Dissolved oxygen			NO
Turkey Creek from the mouth on Gila River to the headwaters (Turkey Creek above the Gila River) (Gila River, 2503), M Partially Supported	2.0	Removal of riparian vegetation (7600), Natural (8600)	0	HQCWF	Temperature, Plant nutrients, pH, Dissolved oxygen, Turbidity			NO
Taylor Creek from the confluence with Beaver Creek to Wall Lake (Taylor Creek below Wall Lake) (Gila River, 2503), M Not Supported	1.5	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ Destabilization (7700), Unknown (9000)	0	HQCWF	Temperature ^c , Metals ^c , pH ^c , Turbidity ^c , Conductivity ^c , Dissolved oxygen ^c ,			NO
Diamond Creek from the mouth on the East Fork of the Gila River to the headwaters (Diamond Creek at FR 225) (Gila River, 2503), M Partially Supported	2.3	Agriculture (1500), Removal of riparian vegetation (7600)	0	HQCWF	Temperature, Plant nutrients, pH, Dissolved oxygen, Turbidity, Conductivity, Metals			YES Gila Trout Endangered
Black Canyon Creek from the mouth on the East Fork of the Gila River to the headwaters (Black Canyon Creek at the Wilderness Boundary) (Gila River, 2503), M Not Supported	2	Agriculture (1500), Silviculture (2100), Removal of riparian vegetation (7600), Streambank modification/ Destabilization (7700)	0	HQCWF	Temperature ^c , Plant nutrients ^c , Turbidity ^c , Dissolved oxygen ^c , Conductivity ^c , pH ^c			NO
Sapillo Creek from the mouth on the Gila River to Lake Roberts (Sapillo Creek below Lake Roberts) (Gila River, 2503), M Partially Supported	5.0	Agriculture (1500), Hydromodification (7100), Removal of Riparian Vegetation (7600), Streambank modification/ destabilization (7700), Upstream impoundment (8800)	0	HQCWF	Biological impairment, Temperature, pH, Turbidity, Conductivity, Plant nutrients, Dissolved oxygen			NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS ^b	TOXICS AT CHRONIC LEVELS ^b	AQUATIC T or E SPECIES ON THE REACH
Sapillo Creek from the mouth on the Gila River to Lake Roberts (Sapillo Creek at the Wilderness Boundary) (Gila River, 2503), M Partially Supported	5.0	Agriculture (1500), Hydromodification (7700), Upstream impoundment (8800)	0	HQCWF	Biological impairment, Plant nutrients, Dissolved oxygen, Conductivity, Turbidity, pH, Temperature			NO
Mogollon Creek, perennial portions above the USGS gauge (Gila River, 2503), M Partially Supported	12.6	Agriculture (1500), Resource Extraction (5600, 5900), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	0	HQCWF	Metals, Stream bottom deposits ^f , pH, Turbidity, Plant nutrients, Temperature, Conductivity, Dissolved oxygen		Pb, Al	YES Gila Trout Endangered
Mangas Creek from the mouth on the Gila River to Mangas Springs (Mangas Creek at FR 809) (Gila River, 2502), M Partially Supported	4.7	Agriculture (1500), Resource extraction (5700), Hydromodification(7400), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	MCWF, WWF, PC	Turbidity ^e , Plant nutrients, Stream bottom deposits ^f Temperature, pH, Metals, Conductivity, Dissolved oxygen			NO
Mangas Creek below Mangas Springs (Gila River, 2502), M Not Supported	7.0	Agriculture (1500), Resource extraction (5700), Hydromodification (7400), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	0	MCWF, WWF, PCR	Turbidity ^e , Temperature ^c , pH ^c , Metals ^c , Conductivity ^c , Plant nutrients ^c , Dissolved oxygen ^c			NO
Mangas Creek from Mangas Springs to headwaters (Gila River, 2502), M Fully Supporting, Impacts Observed	2.5	Resource extraction (5200, 5800)	0	MCWF, WWF	Metals ^e		Al ^e , Co ^e , Cu ^e , Zn ^e , Cd ^e , Pb ^e	NO
Bear Creek from the mouth on the Gila River to the headwaters (Bear Creek above Cyprus Mine) (Gila River, 2502), M Partially Supported	2.5	Agriculture (1500), Resource extraction (5100, 5700), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	1: Cyprus Pinos Altos Corp.	MCWF, WWF, LW	Metals, Plant nutrients, Temperature, Turbidity, Conductivity, pH, Dissolved oxygen	Al, Zn, Cu		NO
Bear Creek from mouth on the Gila River to the headwaters (Bear Creek below Cyprus Mine) (Gila River, 2502), M Partially Supported	2.5	Agriculture (1500), Resource extraction (5100, 5700), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700)	1: Cyprus Pinos Altos Corp.	MCWF, WWF, LW	Metals, Plant nutrients, Temperature, Turbidity, Conductivity, pH, Dissolved oxygen	Al, Zn, Cn		NO

Carlisle Creek, perennial portions in New Mexico (Carlisle Creek above Carlisle Mine) (Gila River, 2501), M Partially Supported	5	Agriculture (1500), Resource extraction (5800)	0	LWWF, IRR, LW	Metals, Plant nutrients, pH, Conductivity, Dissolved oxygen	Al, Cu, Zn, Cd		NO
Carlisle Creek, Perennial portions in New Mexico (Carlisle Creek below Carlisle Mine) (Gila River, 2501), M Partially Supported	5	Agriculture (1500), Resource extraction (5800)	0	LWWF, IRR, LW	Metals, Plant nutrients, pH, Conductivity, Dissolved oxygen	Al, Cu, Zn, Cd		NO
Dry Cimarron River, perennial portions (Dry Cimarron River, 2701), E Not Supported	71.9	Agriculture (1500), Removal of rip. veg. (7600), Streambank mod./destabilization (7700), Natural (8600)	0	CWF	Temperature ^c , pH ^c , Total ammonia ^c , TDS ^c , Stream bottom deposits ^{cf} , Fecal coliform ^e			NO
Long Canyon, perennial portions (Dry Cimarron River, 2701), E Not Supported	4.9	Agriculture (1500), Removal of riparian vegetation (7600), streambank modification/destabilization (7700), Natural (8600)	0	CWF	Temperature ^c			NO
Oak Creek from the mouth on the Dry Cimarron River to the headwaters (Dry Cimarron River, 2701), E Partially Supported	9.1	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Natural (8600)	0	CWF	Temperature ^e , Total ammonia ^e , pH ^e , Unknown			NO
Carrizozo Creek from the mouth on the Dry Cimarron River to the headwaters (Dry Cimarron River, 2701), E, Partially Supported	1.5	Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	0	CWF	Chloride ^e , Unknown			NO
Sacramento River, perennial portions (Closed basins, 2801), E Fully Supporting, Impacts Observed	13.8	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Road maintenance/runoff (8300)	0	MCWF	Stream bottom deposits ^{ef}			NO
Tularosa Creek from the town of Tularosa to the headwaters (Closed basins, 2801), M Partially Supported	10.2	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/destabilization (7700), Unknown (9000)	0	CWF	Metals ^e , Unknown		Hg	NO

^a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.

^b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.

^c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.

^d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.

^e = Fully supported; impacts observed.

^f = NMED/SWQB has no physical data to support "stream bottom deposits" listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}

^g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

WATER BODY NAME (Basin, segment) EVALUATED OR MONITORED (E/M), SUPPORT STATUS	TOTAL SIZE AFFECTED (MILES WITHIN STATE OF NM JURISDICTION)	PROBABLE SOURCE(S) OF POLLUTANT/THREAT (see Table 17b)	NUMBER OF NPDES PERMITS ON THE REACH	USES NOT FULLY SUPPORTED/ THREATENED ^a (see Table 17a)	SPECIFIC POLLUTANT OR THREAT	TOXICS AT ACUTE LEVELS^b	TOXICS AT CHRONIC LEVELS^b	AQUATIC T or E SPECIES ON THE REACH
Three Rivers, perennial portions from U.S. Hwy 54 to White Mountain Wilderness Boundary (Closed Basins, 2802), M Not Supported	7.5	Agriculture (1500)	0	HQCWF	Temperature ^c , Conductivity ^c			NO
Mimbres River from Sheppard Canyon to Cooney Campground (Mimbres River, 2804), M Not Supported	11.6	Agriculture (1500), Resource extraction (5400), Hydromodification (7200), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	HQCWF	Metals ^e , Dissolved oxygen ^c , Temperature ^c , Stream bottom deposits ^f		AI ^e	YES Chihuahua Chub Threatened
Mimbres River, perennial portions below Sheppard Canyon (Mimbres River, 2803), M Not Supported	12.5	Agriculture (1200, 1500), Hydromodification (7200), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	CWF, IRR	Metals ^e , Temperature ^c , Fecal coliform ^e , Stream bottom deposits ^f		AI ^e	YES Chihuahua Chub Threatened
Gallinas Creek from the mouth on the Mimbres River to the headwaters (Mimbres River, 2803), E Partially Supported	14.0	Agriculture (1200, 1500), Resource extraction (5900), Removal of riparian vegetation (7600), streambank modification/ destabilization (7700), Natural (8600)	0	CWF	Temperature, Fecal coliform ^e , Stream bottom deposits ^f			NO
Hot Springs Creek from the mouth on the Mimbres River to the headwaters (Mimbres River, 2803), E Not Supported	11.0	Agriculture (1500), Removal of riparian vegetation (7600), Streambank modification/ destabilization (7700)	0	CWF	Unknown			NO
Cold Springs Creek from the mouth on Hot Springs Creek to the headwaters (Mimbres River, 2803), E Not Supported	8.0	Resource extraction (5200, 5700)	0	CWF	Metals ^c	Cu, Zn		NO

- a = Conclusions concerning attainment of fishery uses are largely based on water quality analysis; where available, biological data was used to verify these results.
- b = All toxics for which USEPA has prepared a federal Clean Water Act § 304(a) guidance document were reviewed as required by USEPA.
- c = Pollutants present in concentrations or combinations such that designated or attainable uses are not supported.
- d = This reach includes areas wholly or in-part on Tribal Lands which are removed and separate from State of New Mexico jurisdictional authority.
- e = Fully supported; impacts observed.
- f = NMED/SWQB has no physical data to support “stream bottom deposits” listings. {SWQB is in the process of developing stream bottom deposit protocols for the expressed purpose of measuring the impacts of stream bottom deposits.}
- g = A Total Maximum Daily Load for this pollutant has been approved by the WQCC on this streamreach.

