



SUSANA MARTINEZ
Governor

JOHN A. SANCHEZ
Lieutenant Governor

NEW MEXICO
ENVIRONMENT DEPARTMENT

Surface Water Quality Bureau

Harold Runnels Building, N2050
1190 South St. Francis Drive (87505)
P.O. Box 5469, Santa Fe, NM 87502-5469
Phone (505) 827-0187 Fax (505) 827-0160
www.nmenv.state.nm.us



DAVE MARKLIN
Secretary

BUTCH TONGATE
Deputy Secretary

Certified Mail - Return Receipt Requested

December 1, 2011

Kahtleen Kalivoda, Vice President
Wise Recycling, LLC
857 Elkridge Landing Rd. Ste. 600
Linthicum, MD 21090

**RE: Industrial Storm Water; SIC 5093; NPDES Compliance Evaluation Inspection; Wise Recycling LLC
Sandia Recycling Center; NPDES Permit NMR05GF35; November 14, 2011**

Dear Ms. Kalivoda:

Enclosed please find a copy of the report for the referenced inspection that the New Mexico Environment Department (NMED) conducted at your facility on behalf of the U.S. Environmental Protection Agency (USEPA). This inspection report will be sent to the USEPA in Dallas, for their review. These inspections are used by USEPA to determine compliance with the National Pollutant Discharge Elimination System (NPDES) permitting program in accordance with requirements of the federal Clean Water Act.

Problems noted during this inspection are discussed in the Further Explanations section of the inspection report. You are encouraged to review the inspection report and required to correct any problems noted during the inspection and to modify your operational and/or administrative procedures, as appropriate. Further, you are encouraged to notify, in writing, both USEPA (Diana McDonald, USEPA (6EN-WM), 1445 Ross Ave., Dallas, Texas 75202) and NMED (at above address) regarding modifications and compliance schedules.

The NPDES Storm Water Multi-Sector General Permit for Industrial Activities (MSGP-2008) was reissued on September 29, 2008. The MSGP, fact sheet and other information on the industrial storm water program can be downloaded at <http://cfpub2.epa.gov/npdes/stormwater/msgp.cfm>.

If you have any questions about this inspection report, please contact me at (505) 827-2575.

Sincerely,

/s/Daniel Valenta

Daniel Valenta
Surface Water Quality Bureau

Cc: Marcia Gail Adams, EPA, Enforcement Section by e-mail
Carol Peters-Wagnon, EPA by e-mail
Diana McDonald, EPA by e-mail
Samual Tate, EPA, by e-mail
Darlene Whitten-Hill, EPA, by e-mail
NMED District I by e-mail
Donald Torres, Service Center Manager, by e-mail



NPDES Compliance Inspection Report

Section A: National Data System Coding

Transaction Code			NPDES										yr/mo/day					Inspec. Type		Inspector		Fac Type							
1	N	2	5	3	N	M	R	0	5	G	F	3	5	11	12	1	1	1	1	1	4	17	18	~	19	S	20	2	
Remarks																													
S C R A P M E T A L R E C Y C L I N G																													
Inspection Work Days						Facility Evaluation Rating						BI		QA		Reserved													
67						70	2	71	N	72	N	73			74														80

Section B: Facility Data

Name and Location of Facility Inspected (For industrial users discharging to POTW, also include POTW name and NPDES permit number)		Entry Time /Date 1330 Hours / 11-14-2011	Permit Effective Date 9-29-2008
Wise Recycling, LLC – Sandia Recycling Center, 2401 B 2th Street, NW, Albuquerque, NM Bernalillo County		Exit Time/Date 1515/ 11-14-2011	Permit Expiration Date 9-29-2013
Name(s) of On-Site Representative(s)/Title(s)/Phone and Fax Number(s)		Other Facility Data	
Donald Torres/Service Center Manager/505-345-8005 cell 505-362-3162		N. 35° 06' 42.63" W. -106° 38' 41.54"	
Name, Address of Responsible Official/Title/Phone and Fax Number		Contacted	
Kahleen Kalivoda, 857 Elkridge Landing Rd. Ste. 600, Linthicum, MD 21090/ Vice President/410-609-9256, 410-636-6501		Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
		SIC 5093 Sector N	

Section C: Areas Evaluated During Inspection
(S = Satisfactory, M = Marginal, U = Unsatisfactory, N = Not Evaluated)

S	Permit	N	Flow Measurement	N	Operations & Maintenance	N	CSO/SSO
U	Records/Reports	U	Self-Monitoring Program	N	Sludge Handling/Disposal	N	Pollution Prevention
S	Facility Site Review	N	Compliance Schedules	N	Pretreatment	N	Multimedia
N	Effluent/Receiving Waters	N	Laboratory	M	Storm Water	N	Other:

Section D: Summary of Findings/Comments (Attach additional sheets if necessary)

- Inspector arrived on site at 1330 on 11/14/2011, conducted entrance interview with Donald Torres, during which the Inspector made introductions, showed credentials and explained the purpose of the inspection.
- See attached checklist.
- This report is based on a review of the files maintained by the permittee and NMED, on-site observations by NMED personnel, and verbal information provide by the facility's representative.
- An exit interview to discuss the preliminary finding of the inspection was conducted at approximately 1515 on 11/14/2011 with Donald Torres, at the site.

Name(s) and Signature(s) of Inspector(s)	Agency/Office/Telephone/Fax	Date
DANIEL VALENTA /s/ <i>Daniel Valenta</i>	NMED/SWQB 505-827-2575	12/1/2011
Signature of Management QA Reviewer	Agency/Office/Phone and Fax Numbers	Date
RICHARD E. POWELL /s/ <i>Richard Powell</i>	505-827-2798	12/1/2011

National Database Information		General	
Inspection Type	Compliance Evaluation	Inspector Name	Daniel Valenta
NPDES ID Number	NMR05GF35	Telephone	505-827-2575
Inspection Date	11/14/2011	Entry Time	1330
Inspector Type (circle one)	EPA <input type="checkbox"/> State <input checked="" type="checkbox"/> EPA Oversight	Exit Time	1515
Facility Sector/ SIC/Activity Code	Sector N/Recycling Facility/5093	Signature	

Facility Location Information			
Name/Location/ Mailing Address	Wise Recycling, LLC - Sandia Recycling Center 2701B 2th Street, NW Albuquerque, NM 87107		
GPS Coordinates	Latitude	35° 06' 42.63" N	Longitude 106° 38' 41.54" W
Receiving Water(s)	Albuquerque MS4 system to the Rio Grande in segment 20.6.4.104		

Contact Information		
	Name(s)	Telephone
Name(s) and Role(s) of All Parties Meeting the Definition of Operator	Wise Recycling, LLC/Owner	410-609-9256
Facility Contact	Donald Torres – Service Center Manager	505-345-8005 505-362-3162
Authorized Official(s)	Kahtleen Kalivoda - Vice President	410-636-6501

Basic Permit Information			Basic SWPPP Information		
Permit Coverage	<input checked="" type="checkbox"/> Y	N	SWPPP Prepared & Available	<input checked="" type="checkbox"/> Y	N
Permit Type	<input checked="" type="checkbox"/> General	Individual	SWPPP Contents Satisfactory	Y	<input checked="" type="checkbox"/> N
Operational Date	Wise acquired site in 1/1/2002		SWPPP Implementation Satisfactory	Y	<input checked="" type="checkbox"/> N
NOI/Application Date	02/03/2009		SWPPP Date	unknown	
If applicable, is no exposure certification on file?	Y	<input checked="" type="checkbox"/> N	<i>Intentionally left blank</i>		

NPDES Industrial Storm Water Checklist (MSGP)

SWPPP Review			
<u>General</u>	Notes:		
Was the SWPPP completed prior to NOI submission?	<input checked="" type="checkbox"/> Y	N	SWPPP is a combination of different dated material.
Copy of the NOI and acknowledgment letter from EPA?	<input checked="" type="checkbox"/> Y	N	
Copy of the permit language?	Y	<input checked="" type="checkbox"/> N	
Have copies of inspection reports/all other documentation been retained as part of the SWPPP for 3 years from date permit coverage expires?	<input checked="" type="checkbox"/> Y	N	
Does the SWPPP contain a signed/certified statement indicating that the site is inactive and unstaffed, and that there are no industrial materials or activities exposed to precipitation, in accordance with the substantive requirements in 40 CFR 122.26(g)(4)(iii)? Applicable to: <ul style="list-style-type: none"> • Routine facility inspection (4.1.3) • Quarterly visual assessment (4.2.3) • Benchmark monitoring (6.2.1.3). 	Y	N	N/A
Does the SWPPP include copies of relevant parts of other documents (e.g., SPCC) referenced in the SWPPP?	Y	<input checked="" type="checkbox"/> N	
Does the SWPPP include documentation to support eligibility under the Endangered Species Act?	<input checked="" type="checkbox"/> Y	N	
Does the SWPPP include documentation to support eligibility under the Historic Preservation Act?	Y	<input checked="" type="checkbox"/> N	
Does the SWPPP include documentation to support eligibility under NEPA (New Source)?	Y	N	N/A
Did all "operators" sign/certify the SWPPP?	Y	<input checked="" type="checkbox"/> N	SWPPP signed in 2002 by Cary Curtis who was Vice President at this time.
Is the storm water pollution prevention team identified (name or title)?	<input checked="" type="checkbox"/> Y	N	
Are the storm water pollution prevention team's responsibilities identified?	<input checked="" type="checkbox"/> Y	N	

NPDES Industrial Storm Water Checklist (MSGP)

<u>Site Description</u>			Notes:
SWPPP provides a description of the facility's industrial activities?	Y	<input type="checkbox"/> N	
Is there a general location map (e.g., USGS quadrangle map) with enough detail to identify the location of the facility and all receiving waters for storm water discharges?	<input checked="" type="checkbox"/> Y	N	
Is there a site specific site map?	<input checked="" type="checkbox"/> Y	N	
Does the site map contain the size of the property in acres?	Y	<input type="checkbox"/> N	Information in site plan section, 0.08 acres.
Does the site map contain the location and extent of significant structures and impervious surfaces?	<input checked="" type="checkbox"/> Y	N	
Does the site map contain directions of storm water flow (indicated by arrows)?	<input checked="" type="checkbox"/> Y	N	
Does the site map contain locations of all existing structural control measures?	<input checked="" type="checkbox"/> Y	N	
Does the site map contain locations of all receiving waters in the immediate vicinity of the facility, indicating if any of the waters are impaired, and if so, whether the waters have TMDLs established for them?	<input checked="" type="checkbox"/> Y	N	Site discharges to Albuquerque MS4 system.
Does the site map contain locations of all storm water conveyances including ditches, pipes and swales?	<input checked="" type="checkbox"/> Y	N	
Does the site map contain locations of all potential pollutants and significant materials identified under Part 5.1.3.2?	<input checked="" type="checkbox"/> Y	N	
Does the site map contain locations where significant spills or leaks identified under Part 5.1.3.3 have occurred?	Y	<input type="checkbox"/> N	No significant spills or leaks noted.
Does the site map contain locations of all storm water monitoring points?	<input checked="" type="checkbox"/> Y	N	
Does the site map contain locations of storm water inlets and outfalls, with a unique identification (e.g., 001, 002) for each outfall and if substantially identical?	<input checked="" type="checkbox"/> Y	N	Two outfalls noted and named.
Does the site map contain municipal separate storm sewers and where the facility discharges to them?	<input checked="" type="checkbox"/> Y	N	
Does the site map contain locations and descriptions of all non-storm water discharges?	Y	<input type="checkbox"/> N	SWPPP certifies no non-storm water discharges.

NPDES Industrial Storm Water Checklist (MSGP)

Site Description			Notes:
<p>Does the site map contain locations of the following activities where these activities are exposed to precipitation?</p> <ul style="list-style-type: none"> • Fueling stations - NO • Vehicle and equipment maintenance and/or cleaning areas - NO • Loading/unloading areas - YES • Locations used for the treatment, storage or disposal of wastes - NO • Liquid storage tanks – N/A • Processing and storage areas - YES • Immediate access roads and rail lines used or travelled by carriers of raw materials, manufactured products, waste materials, or by-products used or created by the facility - YES • Transfer areas for substances in bulk - YES • Machinery - YES 	Y	<input type="checkbox"/> N	
Does the site map contain locations and sources of run-on to the site from adjacent property that contains significant quantities of pollutants?	Y	<input type="checkbox"/> N	Rain run-on eliminated.
Does the SWPPP document areas at the facility where industrial materials or activities are exposed to storm water and from which allowable non-storm water discharges are released?	Y	<input type="checkbox"/> N	
Does the SWPPP include a list of the industrial activities exposed to storm water (e.g., material storage; equipment fueling, maintenance, and cleaning; cutting steel beams)?	Y	<input type="checkbox"/> N	
Does the SWPPP include a list of pollutants and/or pollutant constituents associated with each identified activity?	Y	<input type="checkbox"/> N	Potential pollutants not listed or described.
Does the SWPPP include documentation of where spills and leaks occurred for three years prior to the preparation of the SWPPP?	Y	<input type="checkbox"/> N	No spills or leaks are documented in the SWPPP.

NPDES Industrial Storm Water Checklist (MSGP)

<u>Site Description</u>		Notes:	
Does the SWPPP include a non-storm water discharge evaluation in the SWPPP? Does it include: <ul style="list-style-type: none"> • Date - NO • Description of evaluation criteria - NO • List of the outfalls or onsite drainage points directly observed - NO • Different types of non-storm water discharges and source locations - NO • Actions taken such as a list of control measures for elimination. - NO 	Y	<input type="checkbox"/> N	SWPPP contains statement that no non-storm water discharges occur, but no details of how this was determined.
Does salt storage occur at this facility?	Y	<input type="checkbox"/> N	N/A
Does the SWPPP include a summary of storm water sampling data for the previous permit term?	Y	<input type="checkbox"/> N	No summary included.
<u>Controls to Reduce Pollutants</u>		Notes:	
Does the SWPPP include documentation of the location and type of control measures at the facility to comply with the requirements in Part 2?	Y	<input type="checkbox"/> N	Limited; no discussion of what BMP's will be used.
Does the SWPPP include documentation that selection and design of control measures were based on a consideration of the practices and procedures in Part 2.1.1?	Y	<input type="checkbox"/> N	
Does the SWPPP include measures to minimize the exposure of manufacturing, processing, and material storage areas (including loading and unloading, storage, disposal, cleaning, maintenance, and fueling operations) to rain, snow, snowmelt, and runoff by either locating these industrial materials and activities inside or protecting them with storm resistant coverings?	<input type="checkbox"/> Y	N	Raw materials whenever possible are stored under covered areas or enclosed sheds.
Does the SWPPP include good housekeeping measures (e.g., keeping all exposed areas that are potential sources of pollutants clean, using such measures as sweeping at regular intervals, keeping materials orderly and labeled, and storing materials in appropriate containers)?	<input type="checkbox"/> Y	N	SWPPP describes training and practices to keep site orderly and clean. Trash bins are present to contain waste.

NPDES Industrial Storm Water Checklist (MSGP)

Controls to Reduce Pollutants		Notes:	
Does the SWPPP include a schedule for pickup and disposal of wastes and routine inspections of tanks and drums?	Y	<input type="checkbox"/> N	No schedule for pickup and disposal of trash.
Does the SWPPP include preventative maintenance procedures, including regular inspections, testing, maintenance, and repair of all industrial equipment and systems, and control measures, and back-up practices should a runoff event occur while a control measure is off-line?	<input checked="" type="checkbox"/> Y	N	Activities described in SWPPP.
Does the SWPPP include a schedule for preventative maintenance procedures?	Y	<input type="checkbox"/> N	No schedule included.
Does the SWPPP include procedures for minimizing the potential for leaks, spills and other releases that may be exposed to storm water and develop plans for effective response to such spills if or when they occur?	<input checked="" type="checkbox"/> Y	N	SWPPP describes inspections and good housekeeping practices.
Does the facility implement procedures for plainly labeling containers (e.g., "Used Oil," "Spent Solvents," "Fertilizers and Pesticides," etc.) that could be susceptible to spillage or leakage to encourage proper handling and facilitate rapid response if spills or leaks occur?	Y	<input type="checkbox"/> N	
Does the facility implement preventative measures such as barriers between material storage and traffic areas, secondary containment provisions, and procedures for material storage and handling?	<input checked="" type="checkbox"/> Y	N	
Does the facility implement procedures for expeditiously stopping, containing, and cleaning up leaks, spills, and other releases?	<input checked="" type="checkbox"/> Y	N	SWPPP describes procedures for controlling, cleaning, and checking for spills or releases.
Does the facility train employees who may cause, detect, or respond to a spill or leak in these procedures and have necessary spill response equipment available?	<input checked="" type="checkbox"/> Y	N	Some training materials present in SWPPP.
Does the facility document and follow procedures for notification of appropriate facility personnel, emergency response agencies, and regulatory agencies?	<input checked="" type="checkbox"/> Y	N	

NPDES Industrial Storm Water Checklist (MSGP)

Controls to Reduce Pollutants		Notes:	
Does the SWPPP document erosion and sediment controls?	<input checked="" type="checkbox"/> Y	N	Area covered in asphalt.
Does the facility stabilize exposed areas and contain runoff using structural and/or non-structural control measures to minimize onsite erosion and sedimentation, and the resulting discharge of pollutants?	<input checked="" type="checkbox"/> Y	N	Area covered in asphalt.
Does the facility place flow velocity dissipation devices at discharge locations and within outfall channels where necessary to reduce erosion and/or settle out pollutants?	Y	<input checked="" type="checkbox"/> N	Discharge flows to the street gutter and thence to Albuquerque's MS4 system.
If the facility stores salt at this facility, are the piles enclosed or covered? Does the facility implement appropriate measures (e.g., good housekeeping, diversions, containment) to minimize exposure resulting from adding to or removing materials from the pile?	Y	N	N/A
Employee Training – is there a schedule for regular (at least annually) employee training?	Y	<input checked="" type="checkbox"/> N	
Does training cover both the specific control measures used to achieve the effluent limits in Part 2 and monitoring, inspection, planning, reporting, and documentation requirements in other parts of the permit?	Y	<input checked="" type="checkbox"/> N	
Does the facility ensure that waste, garbage, and floatable debris are not discharged to receiving waters by keeping exposed areas free of such materials or by intercepting them before they are discharged?	Y	<input checked="" type="checkbox"/> N	
Does the facility minimize generation of dust and off-site tracking of raw, final, or waste materials?	<input checked="" type="checkbox"/> Y	N	Area covered in asphalt.
Has the facility eliminated non-storm water discharges not authorized by an NPDES permit?	<input checked="" type="checkbox"/> Y	N	

NPDES Industrial Storm Water Checklist (MSGP)

Notes on SWPPP Review

Site Description:

The Sandia Recycling Center in Albuquerque NM is owned and operated by Wise Recycling Inc. Storm water from the site flows into the city storm water system which feeds into various arroyos and eventually end up in the Rio Grande. The site covers 0.08 acres with most of the site covered by sheds or shelters (see overview).

NPDES Industrial Storm Water Checklist (MSGP)

Inspections (Part 4)			
<u>General</u>	Notes:		
Routine Facility Inspections			
Are routine facility inspections conducted at least quarterly while facility operating?	Y	<input type="checkbox"/> N	Missing four quarterly inspections.
Are inspections documented, including: <ul style="list-style-type: none"> • Date and time NO • Name and signature of inspector NO • Weather information and a description of discharge occurring at the time of the inspection NO • Previously unidentified discharges from site NO • Control measures needing maintenance or repairs YES • Failed control measures that need replacement NO • Incidents of noncompliance observed YES • Additional control measures needed. YES 	Y	<input type="checkbox"/> N	
Exceptions, including (see 4.1.3): <ul style="list-style-type: none"> • Inactive and unstaffed sites 	Y	N	N/A
Quarterly Visual Assessment			
Are quarterly visual assessments conducted?	<input checked="" type="checkbox"/> Y	N	
Does the assessment consist of a sample collected: <ul style="list-style-type: none"> • Within the first 30 minutes of discharge • On discharges that occur at least 72 hours (3 days) from the previous discharge • Collected in a clean, clear glass or plastic container. 	<input checked="" type="checkbox"/> Y	N	Sample collected during rain events.

NPDES Industrial Storm Water Checklist (MSGP)

Inspections			
Are assessments documented, including: <ul style="list-style-type: none"> • Sample location YES • Sample collection date/time & visual assessment date/time NO • Personnel collecting sample & performing assessment and their signature NO • Nature of the discharge (runoff or snowmelt) NO • Results of observations (including color, odor, clarity, floating solids, settled solids, suspended solids, foam, oil sheen and other obvious indicators) YES • Probable sources of contamination NO • If applicable, reason for not taking samples within 1st 30 minutes. 	Y	<input type="checkbox"/> N	
Exceptions, including (see 4.2.3): <ul style="list-style-type: none"> • Adverse weather conditions • Climates with irregular storm water runoff • Areas subject to snow • Substantially identical outfalls (per 5.1.5.2) • Inactive and unstaffed sites. 	Y	N	N/A
Comprehensive Site Inspections			
Are comprehensive site inspections conducted annually (start 9/29/08)?	Y	<input type="checkbox"/> N	No inspection completed for 2010.
Conducted by qualified personnel including at least one member of the storm water pollution prevention team?	<input checked="" type="checkbox"/> Y	N	
Cover all areas of the facility?	Y	<input type="checkbox"/> N	Unknown
Include a review of monitoring data? Do inspectors consider the results of the past year's visual and analytical monitoring when planning and conducting inspections?	Y	<input type="checkbox"/> N	Unknown

NPDES Industrial Storm Water Checklist (MSGP)

Inspections		
<p>Include observations of the following:</p> <ul style="list-style-type: none"> • Industrial materials, residue, or trash that may have or could come into contact with storm water YES • Leaks or spills from industrial equipment, drums, tanks, and other containers YES • Offsite tracking of industrial or waste materials, or sediment where vehicles enter or exit the site NO • Tracking or blowing of raw, final, or waste materials from areas of no exposure to exposed areas N/A • Control measures needing replacement, maintenance, or repair YES • All storm water control measures observed. YES 	Y	<input type="checkbox"/> N
<p>Are inspections documented, including:</p> <ul style="list-style-type: none"> • Date of inspection YES • Names and titles of personnel making the inspection NO • Findings from examination of areas of facility from Part 4.3.1 YES • All observations relating to implementation of control measures YES • Any required revisions to the SWPPP resulting from inspection YES • Any incidents of noncompliance identified OR certification that facility is in compliance with the permit YES • A statement signed in accordance with Appendix B, Subsection 11 NO 	Y	<input type="checkbox"/> N

NPDES Industrial Storm Water Checklist (MSGP)

Monitoring (Part 6)			
<u>General</u>	Notes:		
Does the SWPPP contain a procedure for conducting sector (and co-located) specific benchmark monitoring?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
Does the SWPPP contain procedures for conducting effluent limitations guidelines monitoring?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N	
Does the SWPPP contain a procedure for other monitoring (state or tribal specific; impaired waters; other as required)	Y	<input checked="" type="checkbox"/> N	None required
Are samples analyzed in accordance with 40 CFR Part 136 methods?	Y	<input type="checkbox"/> N	Unknown, no sample ever taken.
Benchmark Monitoring			
Does the monitoring consist of a sample collected: <ul style="list-style-type: none"> • Within the first 30 minutes of discharge • On discharges that occur at least 72 hours (3 days) from the previous discharge • Document the date and duration (in hours) of the rainfall event, rainfall total (snow - date only) for that rainfall • Prior to commingling. 	Y	<input checked="" type="checkbox"/> N	No sample ever taken.
Is monitoring conducted during each of the first four full quarterly (calendar) monitoring periods following permit coverage?	Y	<input checked="" type="checkbox"/> N	
Is the average of the first four quarterly samples < the parameter benchmark?	Y	<input checked="" type="checkbox"/> N	

NPDES Industrial Storm Water Checklist (MSGP)

Monitoring			
Is the average of the first four quarterly samples > the parameter benchmark? <ul style="list-style-type: none"> Make the necessary modifications Continue quarterly monitoring Determine and document that no further pollutant reductions are technologically available and economically practicable and achievable, continue monitoring once per year, notify EPA Natural background pollutant level documentation 	Y	<input type="checkbox"/> N	
Exceptions, including (see 6.1 & 6.2): <ul style="list-style-type: none"> Adverse weather conditions Climates with irregular storm water runoff Snowmelt Substantially identical outfalls (per 5.1.5.2) Inactive and unstaffed sites. 	Y	<input type="checkbox"/> N	
Effluent Limitations Monitoring			
Sampled once per year?	Y	<input type="checkbox"/> N	
Follow-up requirements if discharge exceeds effluent limit (see 6.3)?	Y	<input type="checkbox"/> N	
Other Required Monitoring			
<ul style="list-style-type: none"> State or Tribal provisions Discharges to impaired waters Additional monitoring required by EPA. 	Y	N	N/A
Reporting (Part 7)			
General		Notes:	
Is monitoring data reported to EPA within 30 days of receiving analytical results for the monitoring period?	Y	<input type="checkbox"/> N	
Is the annual report submitted by 45 days after conducting the comprehensive site inspection?	Y	<input type="checkbox"/> N	Inspection reports not submitted.
If follow-up effluent limitations monitoring results exceed numeric limits, was a report submitted to EPA no later than 30 days after results were received?	Y	<input type="checkbox"/> N	

NPDES Industrial Storm Water Checklist (MSGP)

SWPPP Implementation	
<p>Measures to minimize the exposure of manufacturing, processing, and material storage areas (including loading and unloading, storage, disposal, cleaning, maintenance, and fueling operations) to rain, snow, snowmelt, and runoff</p>	<p><i>(e.g., use grading, berming, or curbing to prevent runoff of contaminated flows and divert run-on away; locate materials, equipment, and activities so that leaks are contained in existing containment and diversion systems; clean up spills and leaks promptly using dry methods (e.g., absorbents) to prevent the discharge of pollutants; use drip pans and absorbents under or around leaky vehicles and equipment or store indoors where feasible; use spill/overflow protection equipment; drain fluids from equipment and vehicles prior to on-site storage or disposal; perform all cleaning operations indoors, under cover, or in bermed areas that prevent runoff and run-on and also that capture any overspray; and ensure that all washwater drains to a proper collection system)</i></p> <p>Materials stored under sheds or in enclosed areas when possible.</p>
<p>Good Housekeeping</p>	<p><i>(e.g., keeping all exposed areas that are potential sources of pollutants clean, using such measures as sweeping at regular intervals, keeping materials orderly and labeled, and storing materials in appropriate containers)</i></p> <p>Procedures are listed in SWPPP; site is orderly and appears to be well managed.</p>
<p>Preventative maintenance</p>	<p><i>(e.g., regular inspections, testing, maintenance, and repair of all industrial equipment and systems, and control measures, and back-up practices should a runoff event occur while a control measure is off-line)</i></p> <p>Forklift and can crusher on site, crusher under covered area. Maintenance on forklift performed under covered area when needed.</p>

NPDES Industrial Storm Water Checklist (MSGP)

SWPPP Implementation	
Spill Prevention and Response	<p><i>(e.g., minimizing the potential for leaks, spills and other releases that may be exposed to storm water and develop plans for effective response to such spills if or when they occur)</i></p> <p>Spill procedures and response are discussed in SWPPP. No documentation in SWPPP of any spill event occurring. Emergency numbers and contact personnel listed in SWPPP.</p>
Erosion and Sediment Controls	<p><i>(e.g., stabilize exposed areas and contain runoff using structural and/or non-structural control measures to minimize onsite erosion and sedimentation, flow velocity dissipation devices at discharge locations and within outfall channels)</i></p> <p>Site is covered with asphalt and sheds/building.</p>
Management of Runoff	<p><i>(e.g., divert, infiltrate, reuse, contain, or otherwise reduce storm water runoff, to minimize pollutants in discharges)</i></p> <p>Runoff discharges down the driveway or out a pipe to the street gutter, (see overview).</p>
Salt Storage Piles	<p><i>(e.g., enclose or cover piles appropriate measures (e.g., good housekeeping, diversions, containment) to minimize exposure resulting from adding to or removing materials from the pile)</i></p> <p>N/A</p>

NPDES Industrial Storm Water Checklist (MSGP)

SWPPP Implementation	
Waste, Garbage and Floatable Debris	<p><i>(e.g., keep exposed areas free of such materials or by intercepting them before they are discharged)</i></p> <p>Waste containers on site, area well maintained and ordered.</p>
Evidence of non-storm water discharges	<p>No evidence of non-storm water discharges observed.</p>
Dust Generation and Vehicle Tracking of Industrial Materials	<p><i>(minimize generation of dust and off-site tracking of raw, final, or waste materials)</i></p> <p>Site is covered with asphalt and sheds/building.</p>

NPDES Industrial Storm Water Checklist (MSGP)

Notes on SWPPP Implementation and Sector Specific Requirements

List and describe structural controls *(The selection, design, installation, and implementation of these control measures must be in accordance with good engineering practices and manufacturer's specifications)*

The SWPPP contains two documents addressing structural controls. One document says currently Wise Recycling primarily relies on structural control measures to prevent pollutants from entering storm water discharges and the other notes they rely on non-structural control measures.

Site contains numerous sheds and shelters to cover incoming materials. No other controls on site.

**NMED/SWQB
Map of Area**

City/County: Albuquerque/ Bernalillo	
Location: 2701B 2th Street, Albuquerque, New Mexico	
Subject: Overview of Wise Recycling, Sandia Recycling Center, not taken on day of inspection.	

