HALL
ENVIRONMENTAL
ANALYSIS
LABORATORY

COVER LETTER

Wednesday, September 09, 2009

Joseph Tracy
Intera, Inc.
6000 Uptown Boulevard, NE Suite 100
Albuquerque, NM 87110

TEL: (505) 246-1600
FAX (505) 246-2600

RE: SFC-JC

Order No.: 0908471

Dear Joseph Tracy:

Hall Environmental Analysis Laboratory, Inc. received 6 sample(s) on 8/27/2009 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites.

Reporting limits are determined by EPA methodology. No determination of compounds below these (denoted by the ND or < sign) has been made.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman, Laboratory Manager

NM Lab # NM9425
AZ license # AZ0682
ORELAP Lab # NM100001
Texas Lab# T104704424-08-TX

4901 Hawkins NE ■ Suite D ■ Albuquerque, NM 87109
505.345.3975 ■ Fax 505.345.4107
www.hallenvironmental.com

Hall Environmental Analysis Laboratory, Inc. **Date:** *09-Sep-09*

CLIENT: Intera, Inc.
Project: SFC-JC
Lab Order: 0908471

CASE NARRATIVE

Analytical Comments for METHOD 504.1_W, SAMPLE 0908471-05B: Surrogate not recovered due to sample dilution. Analytical Comments for METHOD 8260_W, SAMPLE 0908471-05a: necessary dilution due to late eluting hydrocarbons

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-09
Lab Order:	0908471	**Collection Date:**	8/26/2009 1:00:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-01	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 504.1: EDB						Analyst: **JAT**
1,2-Dibromoethane	ND	0.010		µg/L	1	8/28/2009 6:57:54 PM
Surr: 1,2,3-Trichloropropane	79.1	60-131		%REC	1	8/28/2009 6:57:54 PM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: **NSB**
Gasoline Range Organics (GRO)	ND	0.050		mg/L	1	8/29/2009 3:02:29 AM
Surr: BFB	83.8	55.2-107		%REC	1	8/29/2009 3:02:29 AM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: **SNV**
Lead	ND	0.0050		mg/L	1	9/2/2009 3:09:08 PM
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
Benzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Toluene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Ethylbenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Naphthalene	ND	2.0		µg/L	1	8/31/2009 11:44:49 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	8/31/2009 11:44:49 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	8/31/2009 11:44:49 PM
Acetone	ND	10		µg/L	1	8/31/2009 11:44:49 PM
Bromobenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Bromodichloromethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Bromoform	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Bromomethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
2-Butanone	ND	10		µg/L	1	8/31/2009 11:44:49 PM
Carbon disulfide	ND	10		µg/L	1	8/31/2009 11:44:49 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Chlorobenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Chloroethane	ND	2.0		µg/L	1	8/31/2009 11:44:49 PM
Chloroform	1.8	1.0		µg/L	1	8/31/2009 11:44:49 PM
Chloromethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
2-Chlorotoluene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
4-Chlorotoluene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
cis-1,2-DCE	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	8/31/2009 11:44:49 PM
Dibromochloromethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Dibromomethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-09
Lab Order:	0908471	**Collection Date:**	8/26/2009 1:00:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-01	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
1,3-Dichlorobenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	8/31/2009 11:44:49 PM
1,1-Dichloropropene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
2-Hexanone	ND	10		µg/L	1	8/31/2009 11:44:49 PM
Isopropylbenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	8/31/2009 11:44:49 PM
Methylene Chloride	ND	3.0		µg/L	1	8/31/2009 11:44:49 PM
n-Butylbenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
n-Propylbenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
sec-Butylbenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Styrene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
tert-Butylbenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	8/31/2009 11:44:49 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
trans-1,2-DCE	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Trichloroethene (TCE)	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	8/31/2009 11:44:49 PM
Vinyl chloride	ND	1.0		µg/L	1	8/31/2009 11:44:49 PM
Xylenes, Total	ND	1.5		µg/L	1	8/31/2009 11:44:49 PM
Surr: 1,2-Dichloroethane-d4	93.7	54.6-141		%REC	1	8/31/2009 11:44:49 PM
Surr: 4-Bromofluorobenzene	99.4	60.1-133		%REC	1	8/31/2009 11:44:49 PM
Surr: Dibromofluoromethane	95.9	78.5-130		%REC	1	8/31/2009 11:44:49 PM
Surr: Toluene-d8	99.3	79.5-126		%REC	1	8/31/2009 11:44:49 PM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-09D
Lab Order:	0908471	**Collection Date:**	8/26/2009 12:30:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-02	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 504.1: EDB						Analyst: **JAT**
1,2-Dibromoethane	ND	0.010		µg/L	1	8/28/2009 7:10:51 PM
Surr: 1,2,3-Trichloropropane	80.3	60-131		%REC	1	8/28/2009 7:10:51 PM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: **NSB**
Gasoline Range Organics (GRO)	ND	0.050		mg/L	1	8/29/2009 3:32:57 AM
Surr: BFB	86.3	55.2-107		%REC	1	8/29/2009 3:32:57 AM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: **SNV**
Lead	ND	0.025		mg/L	5	9/2/2009 3:55:22 PM
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
Benzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Toluene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Ethylbenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Naphthalene	ND	2.0		µg/L	1	9/1/2009 12:12:57 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	9/1/2009 12:12:57 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	9/1/2009 12:12:57 AM
Acetone	ND	10		µg/L	1	9/1/2009 12:12:57 AM
Bromobenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Bromoform	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Bromomethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
2-Butanone	ND	10		µg/L	1	9/1/2009 12:12:57 AM
Carbon disulfide	ND	10		µg/L	1	9/1/2009 12:12:57 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Chlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Chloroethane	ND	2.0		µg/L	1	9/1/2009 12:12:57 AM
Chloroform	1.3	1.0		µg/L	1	9/1/2009 12:12:57 AM
Chloromethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
2-Chlorotoluene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
4-Chlorotoluene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
cis-1,2-DCE	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	9/1/2009 12:12:57 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Dibromomethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-09D
Lab Order:	0908471	**Collection Date:**	8/26/2009 12:30:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-02	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/1/2009 12:12:57 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
2-Hexanone	ND	10		µg/L	1	9/1/2009 12:12:57 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/1/2009 12:12:57 AM
Methylene Chloride	ND	3.0		µg/L	1	9/1/2009 12:12:57 AM
n-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
n-Propylbenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
sec-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Styrene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
tert-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/1/2009 12:12:57 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
trans-1,2-DCE	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/1/2009 12:12:57 AM
Vinyl chloride	ND	1.0		µg/L	1	9/1/2009 12:12:57 AM
Xylenes, Total	ND	1.5		µg/L	1	9/1/2009 12:12:57 AM
Surr: 1,2-Dichloroethane-d4	94.4	54.6-141		%REC	1	9/1/2009 12:12:57 AM
Surr: 4-Bromofluorobenzene	98.9	60.1-133		%REC	1	9/1/2009 12:12:57 AM
Surr: Dibromofluoromethane	96.9	78.5-130		%REC	1	9/1/2009 12:12:57 AM
Surr: Toluene-d8	98.0	79.5-126		%REC	1	9/1/2009 12:12:57 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-8
Lab Order:	0908471	**Collection Date:**	8/26/2009 1:50:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-03	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 504.1: EDB						Analyst: **JAT**
1,2-Dibromoethane	ND	0.010		µg/L	1	8/28/2009 7:23:53 PM
Surr: 1,2,3-Trichloropropane	81.0	60-131		%REC	1	8/28/2009 7:23:53 PM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: **NSB**
Gasoline Range Organics (GRO)	ND	0.050		mg/L	1	8/29/2009 4:03:34 AM
Surr: BFB	78.4	55.2-107		%REC	1	8/29/2009 4:03:34 AM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: **SNV**
Lead	0.0061	0.0050		mg/L	1	9/2/2009 3:17:07 PM
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
Benzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Toluene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Ethylbenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Naphthalene	ND	2.0		µg/L	1	9/1/2009 12:41:04 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	9/1/2009 12:41:04 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	9/1/2009 12:41:04 AM
Acetone	ND	10		µg/L	1	9/1/2009 12:41:04 AM
Bromobenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Bromoform	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Bromomethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
2-Butanone	ND	10		µg/L	1	9/1/2009 12:41:04 AM
Carbon disulfide	ND	10		µg/L	1	9/1/2009 12:41:04 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Chlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Chloroethane	ND	2.0		µg/L	1	9/1/2009 12:41:04 AM
Chloroform	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Chloromethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
2-Chlorotoluene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
4-Chlorotoluene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
cis-1,2-DCE	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	9/1/2009 12:41:04 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Dibromomethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-8
Lab Order:	0908471	**Collection Date:**	8/26/2009 1:50:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-03	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: DAM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/1/2009 12:41:04 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
2-Hexanone	ND	10		µg/L	1	9/1/2009 12:41:04 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/1/2009 12:41:04 AM
Methylene Chloride	ND	3.0		µg/L	1	9/1/2009 12:41:04 AM
n-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
n-Propylbenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
sec-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Styrene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
tert-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/1/2009 12:41:04 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
trans-1,2-DCE	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/1/2009 12:41:04 AM
Vinyl chloride	ND	1.0		µg/L	1	9/1/2009 12:41:04 AM
Xylenes, Total	ND	1.5		µg/L	1	9/1/2009 12:41:04 AM
Surr: 1,2-Dichloroethane-d4	92.9	54.6-141		%REC	1	9/1/2009 12:41:04 AM
Surr: 4-Bromofluorobenzene	103	60.1-133		%REC	1	9/1/2009 12:41:04 AM
Surr: Dibromofluoromethane	91.3	78.5-130		%REC	1	9/1/2009 12:41:04 AM
Surr: Toluene-d8	100	79.5-126		%REC	1	9/1/2009 12:41:04 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-12
Lab Order:	0908471	**Collection Date:**	8/26/2009 6:15:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-04	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 504.1: EDB						Analyst: **JAT**
1,2-Dibromoethane	ND	0.010		µg/L	1	8/28/2009 7:36:41 PM
Surr: 1,2,3-Trichloropropane	88.6	60-131		%REC	1	8/28/2009 7:36:41 PM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: **NSB**
Gasoline Range Organics (GRO)	ND	0.050		mg/L	1	8/29/2009 4:33:57 AM
Surr: BFB	98.0	55.2-107		%REC	1	8/29/2009 4:33:57 AM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: **SNV**
Lead	0.010	0.0050		mg/L	1	9/2/2009 3:21:02 PM
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
Benzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Toluene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Ethylbenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2,4-Trimethylbenzene	1.9	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Naphthalene	ND	2.0		µg/L	1	9/1/2009 1:09:10 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	9/1/2009 1:09:10 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	9/1/2009 1:09:10 AM
Acetone	12	10		µg/L	1	9/1/2009 1:09:10 AM
Bromobenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Bromoform	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Bromomethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
2-Butanone	ND	10		µg/L	1	9/1/2009 1:09:10 AM
Carbon disulfide	ND	10		µg/L	1	9/1/2009 1:09:10 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Chlorobenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Chloroethane	ND	2.0		µg/L	1	9/1/2009 1:09:10 AM
Chloroform	1.1	1.0		µg/L	1	9/1/2009 1:09:10 AM
Chloromethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
2-Chlorotoluene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
4-Chlorotoluene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
cis-1,2-DCE	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	9/1/2009 1:09:10 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Dibromomethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-12
Lab Order:	0908471	**Collection Date:**	8/26/2009 6:15:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-04	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,1-Dichloroethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/1/2009 1:09:10 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
2-Hexanone	ND	10		µg/L	1	9/1/2009 1:09:10 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/1/2009 1:09:10 AM
Methylene Chloride	ND	3.0		µg/L	1	9/1/2009 1:09:10 AM
n-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
n-Propylbenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
sec-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Styrene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
tert-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/1/2009 1:09:10 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
trans-1,2-DCE	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/1/2009 1:09:10 AM
Vinyl chloride	ND	1.0		µg/L	1	9/1/2009 1:09:10 AM
Xylenes, Total	3.1	1.5		µg/L	1	9/1/2009 1:09:10 AM
Surr: 1,2-Dichloroethane-d4	91.0	54.6-141		%REC	1	9/1/2009 1:09:10 AM
Surr: 4-Bromofluorobenzene	101	60.1-133		%REC	1	9/1/2009 1:09:10 AM
Surr: Dibromofluoromethane	91.6	78.5-130		%REC	1	9/1/2009 1:09:10 AM
Surr: Toluene-d8	98.6	79.5-126		%REC	1	9/1/2009 1:09:10 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-11
Lab Order:	0908471	**Collection Date:**	8/26/2009 8:50:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-05	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 504.1: EDB						Analyst: **JAT**
1,2-Dibromoethane	6.7	0.20		µg/L	20	8/29/2009 10:11:53 AM
Surr: 1,2,3-Trichloropropane	0	60-131	S	%REC	20	8/29/2009 10:11:53 AM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: **NSB**
Gasoline Range Organics (GRO)	18	1.0		mg/L	20	8/30/2009 11:58:58 AM
Surr: BFB	97.9	55.2-107		%REC	20	8/30/2009 11:58:58 AM
EPA 6010B: TOTAL RECOVERABLE METALS						Analyst: **SNV**
Lead	ND	0.0050		mg/L	1	9/2/2009 3:26:51 PM
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
Benzene	2800	50		µg/L	50	9/1/2009 1:37:13 AM
Toluene	1500	50		µg/L	50	9/1/2009 1:37:13 AM
Ethylbenzene	310	50		µg/L	50	9/1/2009 1:37:13 AM
Methyl tert-butyl ether (MTBE)	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,2,4-Trimethylbenzene	530	50		µg/L	50	9/1/2009 1:37:13 AM
1,3,5-Trimethylbenzene	160	50		µg/L	50	9/1/2009 1:37:13 AM
1,2-Dichloroethane (EDC)	75	50		µg/L	50	9/1/2009 1:37:13 AM
1,2-Dibromoethane (EDB)	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Naphthalene	180	100		µg/L	50	9/1/2009 1:37:13 AM
1-Methylnaphthalene	ND	200		µg/L	50	9/1/2009 1:37:13 AM
2-Methylnaphthalene	ND	200		µg/L	50	9/1/2009 1:37:13 AM
Acetone	ND	500		µg/L	50	9/1/2009 1:37:13 AM
Bromobenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Bromodichloromethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Bromoform	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Bromomethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
2-Butanone	ND	500		µg/L	50	9/1/2009 1:37:13 AM
Carbon disulfide	ND	500		µg/L	50	9/1/2009 1:37:13 AM
Carbon Tetrachloride	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Chlorobenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Chloroethane	ND	100		µg/L	50	9/1/2009 1:37:13 AM
Chloroform	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Chloromethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
2-Chlorotoluene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
4-Chlorotoluene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
cis-1,2-DCE	ND	50		µg/L	50	9/1/2009 1:37:13 AM
cis-1,3-Dichloropropene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,2-Dibromo-3-chloropropane	ND	100		µg/L	50	9/1/2009 1:37:13 AM
Dibromochloromethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Dibromomethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,2-Dichlorobenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	SFCMW-11
Lab Order:	0908471	**Collection Date:**	8/26/2009 8:50:00 PM
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-05	**Matrix:**	AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
1,3-Dichlorobenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,4-Dichlorobenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Dichlorodifluoromethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,1-Dichloroethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,1-Dichloroethene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,2-Dichloropropane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,3-Dichloropropane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
2,2-Dichloropropane	ND	100		µg/L	50	9/1/2009 1:37:13 AM
1,1-Dichloropropene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Hexachlorobutadiene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
2-Hexanone	ND	500		µg/L	50	9/1/2009 1:37:13 AM
Isopropylbenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
4-Isopropyltoluene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
4-Methyl-2-pentanone	ND	500		µg/L	50	9/1/2009 1:37:13 AM
Methylene Chloride	ND	150		µg/L	50	9/1/2009 1:37:13 AM
n-Butylbenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
n-Propylbenzene	84	50		µg/L	50	9/1/2009 1:37:13 AM
sec-Butylbenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Styrene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
tert-Butylbenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,1,1,2-Tetrachloroethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,1,2,2-Tetrachloroethane	ND	100		µg/L	50	9/1/2009 1:37:13 AM
Tetrachloroethene (PCE)	ND	50		µg/L	50	9/1/2009 1:37:13 AM
trans-1,2-DCE	ND	50		µg/L	50	9/1/2009 1:37:13 AM
trans-1,3-Dichloropropene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,2,3-Trichlorobenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,2,4-Trichlorobenzene	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,1,1-Trichloroethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,1,2-Trichloroethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Trichloroethene (TCE)	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Trichlorofluoromethane	ND	50		µg/L	50	9/1/2009 1:37:13 AM
1,2,3-Trichloropropane	ND	100		µg/L	50	9/1/2009 1:37:13 AM
Vinyl chloride	ND	50		µg/L	50	9/1/2009 1:37:13 AM
Xylenes, Total	2400	75		µg/L	50	9/1/2009 1:37:13 AM
Surr: 1,2-Dichloroethane-d4	95.7	54.6-141		%REC	50	9/1/2009 1:37:13 AM
Surr: 4-Bromofluorobenzene	101	60.1-133		%REC	50	9/1/2009 1:37:13 AM
Surr: Dibromofluoromethane	95.0	78.5-130		%REC	50	9/1/2009 1:37:13 AM
Surr: Toluene-d8	98.8	79.5-126		%REC	50	9/1/2009 1:37:13 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	TRIP BLANK
Lab Order:	0908471	**Collection Date:**	
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-06	**Matrix:**	TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 504.1: EDB						Analyst: **JAT**
1,2-Dibromoethane	ND	0.010		µg/L	1	8/28/2009 8:02:29 PM
Surr: 1,2,3-Trichloropropane	84.1	60-131		%REC	1	8/28/2009 8:02:29 PM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: **NSB**
Gasoline Range Organics (GRO)	ND	0.050		mg/L	1	8/29/2009 6:36:11 AM
Surr: BFB	76.9	55.2-107		%REC	1	8/29/2009 6:36:11 AM
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
Benzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Toluene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Ethylbenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Naphthalene	ND	2.0		µg/L	1	9/1/2009 2:05:19 AM
1-Methylnaphthalene	ND	4.0		µg/L	1	9/1/2009 2:05:19 AM
2-Methylnaphthalene	ND	4.0		µg/L	1	9/1/2009 2:05:19 AM
Acetone	ND	10		µg/L	1	9/1/2009 2:05:19 AM
Bromobenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Bromodichloromethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Bromoform	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Bromomethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
2-Butanone	ND	10		µg/L	1	9/1/2009 2:05:19 AM
Carbon disulfide	ND	10		µg/L	1	9/1/2009 2:05:19 AM
Carbon Tetrachloride	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Chlorobenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Chloroethane	ND	2.0		µg/L	1	9/1/2009 2:05:19 AM
Chloroform	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Chloromethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
2-Chlorotoluene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
4-Chlorotoluene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
cis-1,2-DCE	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	9/1/2009 2:05:19 AM
Dibromochloromethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Dibromomethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Dichlorodifluoromethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

Hall Environmental Analysis Laboratory, Inc.

Date: *09-Sep-09*

CLIENT:	Intera, Inc.	**Client Sample ID:**	TRIP BLANK
Lab Order:	0908471	**Collection Date:**	
Project:	SFC-JC	**Date Received:**	8/27/2009
Lab ID:	0908471-06	**Matrix:**	TRIP BLANK

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
EPA METHOD 8260B: VOLATILES						Analyst: **DAM**
1,1-Dichloroethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,1-Dichloroethene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2-Dichloropropane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,3-Dichloropropane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
2,2-Dichloropropane	ND	2.0		µg/L	1	9/1/2009 2:05:19 AM
1,1-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Hexachlorobutadiene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
2-Hexanone	ND	10		µg/L	1	9/1/2009 2:05:19 AM
Isopropylbenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
4-Isopropyltoluene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	9/1/2009 2:05:19 AM
Methylene Chloride	ND	3.0		µg/L	1	9/1/2009 2:05:19 AM
n-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
n-Propylbenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
sec-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Styrene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
tert-Butylbenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	9/1/2009 2:05:19 AM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
trans-1,2-DCE	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Trichloroethene (TCE)	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Trichlorofluoromethane	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	9/1/2009 2:05:19 AM
Vinyl chloride	ND	1.0		µg/L	1	9/1/2009 2:05:19 AM
Xylenes, Total	ND	1.5		µg/L	1	9/1/2009 2:05:19 AM
Surr: 1,2-Dichloroethane-d4	98.1	54.6-141		%REC	1	9/1/2009 2:05:19 AM
Surr: 4-Bromofluorobenzene	99.9	60.1-133		%REC	1	9/1/2009 2:05:19 AM
Surr: Dibromofluoromethane	97.3	78.5-130		%REC	1	9/1/2009 2:05:19 AM
Surr: Toluene-d8	102	79.5-126		%REC	1	9/1/2009 2:05:19 AM

Qualifiers:

*	Value exceeds Maximum Contaminant Level	B	Analyte detected in the associated Method Blank
E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	MCL	Maximum Contaminant Level
ND	Not Detected at the Reporting Limit	RL	Reporting Limit
S	Spike recovery outside accepted recovery limits		

QA/QC SUMMARY REPORT

Client: Intera, Inc.
Project: SFC-JC
Work Order: 0908471

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 504.1: EDB											
Sample ID: MB-19985		*MBLK*				Batch ID:	**19985**	Analysis Date:		8/28/2009 4:12:18 PM	
1,2-Dibromoethane	ND	µg/L	0.010								
Sample ID: LCS-19985		*LCS*				Batch ID:	**19985**	Analysis Date:		8/28/2009 4:25:03 PM	
1,2-Dibromoethane	0.1080	µg/L	0.010	0.1	0	108	70	130			
Sample ID: LCSD-19985		*LCSD*				Batch ID:	**19985**	Analysis Date:		8/28/2009 4:37:51 PM	
1,2-Dibromoethane	0.09800	µg/L	0.010	0.1	0	98.0	70	130	9.71	20	
Method: EPA Method 8015B: Gasoline Range											
Sample ID: b 9		*MBLK*				Batch ID:	**R35085**	Analysis Date:		8/28/2009 1:49:58 PM	
Gasoline Range Organics (GRO)	ND	mg/L	0.050								
Sample ID: b 48		*MBLK*				Batch ID:	**R35085**	Analysis Date:		8/29/2009 9:38:45 AM	
Gasoline Range Organics (GRO)	ND	mg/L	0.050								
Sample ID: 5ML RB		*MBLK*				Batch ID:	**R35087**	Analysis Date:		8/30/2009 9:25:59 AM	
Gasoline Range Organics (GRO)	ND	mg/L	0.050								
Sample ID: 2.5UG GRO LCS		*LCS*				Batch ID:	**R35085**	Analysis Date:		8/29/2009 7:06:46 AM	
Gasoline Range Organics (GRO)	0.4922	mg/L	0.050	0.5	0	98.4	80	115			
Sample ID: 2.5UG GRO LCS-II		*LCS*				Batch ID:	**R35085**	Analysis Date:		8/29/2009 8:07:38 AM	
Gasoline Range Organics (GRO)	0.4696	mg/L	0.050	0.5	0	93.9	80	115			
Sample ID: 2.5UG GRO LCS		*LCS*				Batch ID:	**R35087**	Analysis Date:		8/30/2009 8:43:00 PM	
Gasoline Range Organics (GRO)	0.4748	mg/L	0.050	0.5	0	95.0	80	115			
Sample ID: 2.5UG GRO LCSD		*LCSD*				Batch ID:	**R35085**	Analysis Date:		8/29/2009 7:37:10 AM	
Gasoline Range Organics (GRO)	0.4630	mg/L	0.050	0.5	0	92.6	80	115	6.11	8.39	
Method: EPA 6010B: Total Recoverable Metals											
Sample ID: MB-19988		*MBLK*				Batch ID:	**19988**	Analysis Date:		9/2/2009 3:03:14 PM	
Lead	ND	mg/L	0.0050								
Sample ID: LCS-19988		*LCS*				Batch ID:	**19988**	Analysis Date:		9/2/2009 3:06:21 PM	
Lead	0.5116	mg/L	0.0050	0.5	0	102	80	120			

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Intera, Inc.
Project: SFC-JC **Work Order:** 0908471

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 8260B: VOLATILES											
Sample ID: 0908471-03a msd		*MSD*				Batch ID:	**R35108**	Analysis Date:		9/1/2009 3:29:25 AM	
Benzene	20.11	µg/L	1.0	20	0	101	78.9	115	0.136	15	
Toluene	18.70	µg/L	1.0	20	0	93.5	80.5	105	1.93	15	
Chlorobenzene	18.52	µg/L	1.0	20	0	92.6	85	102	3.74	15	
1,1-Dichloroethene	20.53	µg/L	1.0	20	0	103	80.2	128	1.98	17.8	
Trichloroethene (TCE)	18.97	µg/L	1.0	20	0	94.9	70.3	125	1.87	19.8	
Sample ID: 5ml rb		*MBLK*				Batch ID:	**R35108**	Analysis Date:		8/31/2009 9:06:03 AM	
Benzene	ND	µg/L	1.0								
Toluene	ND	µg/L	1.0								
Ethylbenzene	ND	µg/L	1.0								
Methyl tert-butyl ether (MTBE)	ND	µg/L	1.0								
1,2,4-Trimethylbenzene	ND	µg/L	1.0								
1,3,5-Trimethylbenzene	ND	µg/L	1.0								
1,2-Dichloroethane (EDC)	ND	µg/L	1.0								
1,2-Dibromoethane (EDB)	ND	µg/L	1.0								
Naphthalene	ND	µg/L	2.0								
1-Methylnaphthalene	ND	µg/L	4.0								
2-Methylnaphthalene	ND	µg/L	4.0								
Acetone	ND	µg/L	10								
Bromobenzene	ND	µg/L	1.0								
Bromodichloromethane	ND	µg/L	1.0								
Bromoform	ND	µg/L	1.0								
Bromomethane	ND	µg/L	1.0								
2-Butanone	ND	µg/L	10								
Carbon disulfide	ND	µg/L	10								
Carbon Tetrachloride	ND	µg/L	1.0								
Chlorobenzene	ND	µg/L	1.0								
Chloroethane	ND	µg/L	2.0								
Chloroform	ND	µg/L	1.0								
Chloromethane	ND	µg/L	1.0								
2-Chlorotoluene	ND	µg/L	1.0								
4-Chlorotoluene	ND	µg/L	1.0								
cis-1,2-DCE	ND	µg/L	1.0								
cis-1,3-Dichloropropene	ND	µg/L	1.0								
1,2-Dibromo-3-chloropropane	ND	µg/L	2.0								
Dibromochloromethane	ND	µg/L	1.0								
Dibromomethane	ND	µg/L	1.0								
1,2-Dichlorobenzene	ND	µg/L	1.0								
1,3-Dichlorobenzene	ND	µg/L	1.0								
1,4-Dichlorobenzene	ND	µg/L	1.0								
Dichlorodifluoromethane	ND	µg/L	1.0								
1,1-Dichloroethane	ND	µg/L	1.0								
1,1-Dichloroethene	ND	µg/L	1.0								
1,2-Dichloropropane	ND	µg/L	1.0								
1,3-Dichloropropane	ND	µg/L	1.0								

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

QA/QC SUMMARY REPORT

Client: Intera, Inc.
Project: SFC-JC **Work Order:** 0908471

Analyte	Result	Units	PQL	SPK Va	SPK ref	%Rec	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Method: EPA Method 8260B: VOLATILES											
Sample ID: 5ml rb		*MBLK*				Batch ID:	**R35108**	Analysis Date:	8/31/2009 9:06:03 AM		
2,2-Dichloropropane	ND	µg/L	2.0								
1,1-Dichloropropene	ND	µg/L	1.0								
Hexachlorobutadiene	ND	µg/L	1.0								
2-Hexanone	ND	µg/L	10								
Isopropylbenzene	ND	µg/L	1.0								
4-Isopropyltoluene	ND	µg/L	1.0								
4-Methyl-2-pentanone	ND	µg/L	10								
Methylene Chloride	ND	µg/L	3.0								
n-Butylbenzene	ND	µg/L	1.0								
n-Propylbenzene	ND	µg/L	1.0								
sec-Butylbenzene	ND	µg/L	1.0								
Styrene	ND	µg/L	1.0								
tert-Butylbenzene	ND	µg/L	1.0								
1,1,1,2-Tetrachloroethane	ND	µg/L	1.0								
1,1,2,2-Tetrachloroethane	ND	µg/L	2.0								
Tetrachloroethene (PCE)	ND	µg/L	1.0								
trans-1,2-DCE	ND	µg/L	1.0								
trans-1,3-Dichloropropene	ND	µg/L	1.0								
1,2,3-Trichlorobenzene	ND	µg/L	1.0								
1,2,4-Trichlorobenzene	ND	µg/L	1.0								
1,1,1-Trichloroethane	ND	µg/L	1.0								
1,1,2-Trichloroethane	ND	µg/L	1.0								
Trichloroethene (TCE)	ND	µg/L	1.0								
Trichlorofluoromethane	ND	µg/L	1.0								
1,2,3-Trichloropropane	ND	µg/L	2.0								
Vinyl chloride	ND	µg/L	1.0								
Xylenes, Total	ND	µg/L	1.5								
Sample ID: 100ng lcs		*LCS*				Batch ID:	**R35108**	Analysis Date:	8/31/2009 10:02:25 AM		
Benzene	20.67	µg/L	1.0	20	0	103	76.7	114			
Toluene	19.87	µg/L	1.0	20	0	99.3	78.4	117			
Chlorobenzene	19.39	µg/L	1.0	20	0	96.9	80.7	127			
1,1-Dichloroethene	21.23	µg/L	1.0	20	0	106	80.2	128			
Trichloroethene (TCE)	20.13	µg/L	1.0	20	0	101	77.4	115			
Sample ID: 0908471-03a ms		*MS*				Batch ID:	**R35108**	Analysis Date:	9/1/2009 3:01:23 AM		
Benzene	20.14	µg/L	1.0	20	0	101	78.9	115			
Toluene	19.06	µg/L	1.0	20	0	95.3	80.5	105			
Chlorobenzene	19.23	µg/L	1.0	20	0	96.2	85	102			
1,1-Dichloroethene	20.94	µg/L	1.0	20	0	105	80.2	128			
Trichloroethene (TCE)	19.33	µg/L	1.0	20	0	96.6	70.3	125			

Qualifiers:

E	Estimated value	H	Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
R	RPD outside accepted recovery limits	S	Spike recovery outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name **INT**

Date Received: **8/27/2009**

Work Order Number **0908471**

Received by: AT

Sample ID labels checked by: AS (Initials)

Checklist completed by: [signature] (Signature) 8/27/09 (Date)

Matrix:

Carrier name: Client drop-off

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	
Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	Not Present ☐	Not Shipped ☑
Custody seals intact on sample bottles?	Yes ☑	No ☐	N/A ☐	
Chain of custody present?	Yes ☑	No ☐		
Chain of custody signed when relinquished and received?	Yes ☑	No ☐		
Chain of custody agrees with sample labels?	Yes ☑	No ☐		
Samples in proper container/bottle?	Yes ☑	No ☐		
Sample containers intact?	Yes ☑	No ☐		
Sufficient sample volume for indicated test?	Yes ☑	No ☐		
All samples received within holding time?	Yes ☑	No ☐		
Water - VOA vials have zero headspace?	No VOA vials submitted ☐	Yes ☑	No ☐	
Water - Preservation labels on bottle and cap match?	Yes ☑	No ☐	N/A ☐	
Water - pH acceptable upon receipt?	Yes ☒	No ☒ TJ 8/27/09	N/A ☐	
Container/Temp Blank temperature?	**5.4°**	*<6° C Acceptable* If given sufficient time to cool.		

Number of preserved bottles checked for pH: ~~5~~ 2

<2 >12 unless noted below.

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: Added 2 mls HNO_3 to heal #2 + 3 and added 3 mls HNO_3 to heal #4 to get to acceptable ph. TJ 8/27/09

Corrective Action _____

Chain-of-Custody Record

Client: Intera

Mailing Address: on file

Phone #: 246-1600

email or Fax#: jtracy@intera.com

QA/QC Package:
☒ Standard ☐ Level 4 (Full Validation)

Accreditation
☒ NELAP ☐ Other

☒ EDD (Type)

Turn-Around Time:
☒ Standard ☐ Rush

Project Name: SFC-JC

Project #: SFC-005-01-04

Project Manager: Joe Tracy

Sampler: LWD

On Ice: ☒ Yes ☐ No

Sample Temperature: 5.5

HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No. C908411	BTEX + MTBE + TMB's (8021)	BTEX + MTBE + TPH (Gas only)	TPH Method 8015B (Gas/Diesel)	TPH (Method 418.1)	EDB (Method 504.1)	8310 (PNA or PAH)	RCRA 8 Metals	Anions (F,Cl,NO_3,NO_2,PO_4,SO_4)	8081 Pesticides / 8082 PCB's	8260B (VOA) Full List	8270 (Semi-VOA)	Total Pb				Air Bubbles (Y or N)
8/26/09	1300	Aq	SFCMW-095	6/40mL 1/40mL 1/500mL	HgCl2 Na-Thiosulfate H2SO4	1			X		X					X		X				
	1230		SFCMW-09D			2			X		X					X		X				
	1350		SFCMW-8			3			X		X					X		X				
	1815		SFCMW-12			4			X		X					X		X				
	2050		SFCMW-11			5			X		X					X		X				
			Trip Blank			6																

Date:	Time:	Relinquished by:	Received by:	Date	Time
8/27/09	0945	[signature]	[signature]	8/27/09	0945
Date:	Time:	Relinquished by:	Received by:	Date	Time

Remarks: Changed sample ID SFCMW-095 to SFCMW-09 per Joe Tracy 090309 @ 0844 KLL

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.