# STATE OF NEW MEXICO WATER QUALITY CONTROL COMMISSION



IN THE MATTER OF PROPOSED AMENDMENTS TO 20.6.4 NMAC ESTABLISHING A NUTRIENT TEMPORARY STANDARD

No. WQCC 19-46 (R)

Surface Water Quality Bureau, Water Protection Division, New Mexico Environment Department,

Petitioner.

# NEW MEXICO ENVIRONMENT DEPARTMENT'S NOTICE OF COMPLIANCE WITH THE SMALL BUSINESS REGULATORY RELIEF ACT

The New Mexico Environment Department gives notice that it has filed in the record of this proceeding a letter dated December 5, 2019, to the Small Business Regulatory Advisory Commission, a copy of which is attached hereto, as required by NMSA 1978, Section 14-4A-4 of the Small Business Regulatory Relief Act.

Respectfully submitted,

Chris Vigil Assistant General Counsel New Mexico Environment Department 121 Tijeras Ave. NW, Ste 1000 Albuquerque, NM 87102 Phone: (505) 383-2060 christopherj.vigil@state.nm.us

## **CERTIFICATE OF SERVICE**

I hereby certify that a copy of the foregoing *Notice of Compliance* was served on the following party on December 5, 2019 by email:

Cody Barnes, Hearing Officer Administrator Room S-2104, Runnels Building 1190 St. Francis Dr. Santa Fe, New Mexico 87505

.

.

Chris Vigil Assistant General Counsel



Michelle Lujan Grisham Governor

> Howie C. Morales Lt. Governor

# NEW MEXICO ENVIRONMENT DEPARTMENT

Harold Runnels Building 1190 Saint Francis Drive, PO Box 5469 Santa Fe, NM 87502-5469 Telephone (505) 827-2855 www.env.nm.gov



James C. Kenney Cabinet Secretary

Jennifer J. Pruett Deputy Secretary

December 5, 2019

**VIA EMAIL** 

Small Business Regulatory Advisory Commission c/o Johanna Nelson, Administrator New Mexico Economic Development Department 1100 S. St. Francis Drive Santa Fe, NM 87505-4147

# **RE:** Proposed Amendments to the *Standards for Interstate and Intrastate Surface Waters* (20.6.4 NMAC)

Dear Commission Members,

The New Mexico Environment Department ("Department") hereby provides notice to the Small Business Regulatory Advisory Commission pursuant to the Small Business Regulatory Relief Act, NMSA 1978, Section 14-4A-1 through -6 (2005), that the Department's Water Protection Division, Surface Water Quality Bureau ("SWQB") has petitioned the Water Quality Control Commission ("WQCC") to amend the *Standards for Interstate and Intrastate Surface Waters* (20.6.4 NMAC) to create a new section, 20.6.4.318 NMAC for Doggett Creek, and to establish a Temporary Water Quality Standard for the City of Raton Wastewater Treatment Plant ("WWTP"), NPDES Permit No. NM0020273 ("Regulations").

New Mexico's temporary standards regulations at 20.6.4.10(F) NMAC are based on the U.S. Environmental Protection Agency ("EPA") regulation on Water Quality Standard variances at 40 C.F.R. 131.14. The New Mexico regulation defines a temporary standard as "a time-limited designated use and criterion for a specific pollutant(s) or water quality parameter(s) that reflect the highest attainable condition ["HAC"] during the term of the temporary standard" 20.6.4.10(F)(12) NMAC. In New Mexico, the HAC may be considered synonymous with the State's definition of "temporary standard" as the "highest degree of protection feasible in the short-term." 20.6.4.10(F)(1)(b) NMAC.

A temporary standard provides a mechanism for making progress toward attaining a designated use and water quality criterion that are not currently attainable. If a temporary standard has a term longer than 5 years, the HAC must be re-evaluated at least once every five (5) years with the opportunity for public input. 40 C.F.R. 131.14(b)(1)(v). Further, all temporary standards in New

Small Business Regulatory Advisory Commission December 5, 2019 Page 2

Mexico are subject to a required review during each succeeding triennial review of water quality standards pursuant to 20.6.4.10(F)(8) NMAC.

The WQCC will hold a public hearing beginning at 9:00 am on March 10, 2020 and continuing thereafter as necessary at the Runnels Auditorium located in the Harold Runnels Building, 1190 South St. Francis Drive, Santa Fe, NM 87505. The hearing location may change prior to the hearing date, and those interested in attending should visit the New Mexico Environment Department's ("NMED") website prior to the hearing: https://www.env.nm.gov/water-quality-control-commission/wqcc/. The purpose of the hearing is to consider proposed amendments to 20.6.4 NMAC, Establishing a Nutrient Temporary Standard for the City of Raton, NM Wastewater Treatment Plant. The proposed amendments would allow the Bureau to implement a mechanism for making progress toward attaining a designated use and water quality criterion that are not currently attainable.

If Commission members have further questions, comments, or would like to meet and discuss the Regulations, please feel free to contact me directly at (505) 383-2060 or via email: christopherj.vigil@state.nm.us. A copy of the proposed Regulations is enclosed.

2

Sincerely,

Chris Vigil Assistant General Counsel

Enclosure

Cc: Shelly Lemon, Bureau Chief, SWQB Jennifer Fullam Kris Barrios

2 **CHAPTER 6** WATER QUALITY

#### 3 PART 4 STANDARDS FOR INTERSTATE AND INTRASTATE SURFACE WATERS 4

5 20.6.4.1 **ISSUING AGENCY:** Water Quality Control commission.

[20.6.4.1 NMAC - Rp 20 NMAC 6.1.1001, 10/12/2000] 6

8 20.6.4.2 SCOPE: Except as otherwise provided by statute or regulation of the water quality control 9 commission, this part governs all surface waters of the state of New Mexico, which are subject to the New Mexico 10 Water Quality Act, Sections 74-6-1 through 74-6-17 NMSA 1978.

[20.6.4.2 NMAC - Rp 20 NMAC 6.1.1002, 10/12/2000; A, 5/23/2005] 11

STATUTORY AUTHORITY: This part is adopted by the water quality control commission 13 20.6.4.3 14 pursuant to Subsection C of Section 74-6-4 NMSA 1978.

- [20.6.4.3 NMAC Rp 20 NMAC 6.1.1003, 10/12/2000] 15
- 16

7

12

19

17 20.6.4.4 **DURATION:** Permanent.

18 [20.6.4.4 NMAC - Rp 20 NMAC 6.1.1004, 10/12/2000]

20 20.6.4.5 EFFECTIVE DATE: October 12, 2000, unless a later date is indicated in the history note at the 21 end of a section.

22 [20.6.4.5 NMAC - Rp 20 NMAC 6.1.1005, 10/12/2000] 23

#### 24 20.6.4.6 **OBJECTIVE:**

25 A. The purpose of this part is to establish water quality standards that consist of the designated use or 26 uses of surface waters of the state, the water quality criteria necessary to protect the use or uses and an 27 antidegradation policy.

28 B The state of New Mexico is required under the New Mexico Water Quality Act (Subsection C of 29 Section 74-6-4 NMSA 1978) and the federal Clean Water Act, as amended (33 U.S.C. Section 1251 et seq.) to adopt 30 water quality standards that protect the public health or welfare, enhance the quality of water and are consistent with 31 and serve the purposes of the New Mexico Water Quality Act and the federal Clean Water Act. It is the objective of 32 the federal Clean Water Act to restore and maintain the chemical, physical and biological integrity of the nation's 33 waters, including those in New Mexico. This part is consistent with Section 101(a)(2) of the federal Clean Water 34 Act, which declares that it is the national goal that wherever attainable, an interim goal of water quality that provides 35 for the protection and propagation of fish, shellfish and wildlife and provides for recreation in and on the water be achieved by July 1, 1983. Agricultural, municipal, domestic and industrial water supply are other essential uses of 36 37 New Mexico's surface water; however, water contaminants resulting from these activities will not be permitted to lower the quality of surface waters of the state below that required for protection and propagation of fish, shellfish 38 39 and wildlife and recreation in and on the water, where practicable.

40 Pursuant to Subsection A of Section 74-6-12 NMSA 1978, this part does not grant to the water **C**. 41 quality control commission or to any other entity the power to take away or modify property rights in water. [20.6.4.6 NMAC - Rp 20 NMAC 6.1.1006, 10/12/2000; A, 5/23/2005] 42 43

44 DEFINITIONS: Terms defined in the New Mexico Water Quality Act, but not defined in this 20.6.4.7 45 part will have the meaning given in the Water Quality Act.

46 47

Terms beginning with numerals or the letter "A," and abbreviations for units. Α.

(1) "4T3 temperature" means the temperature not to be exceeded for four or more 48 consecutive hours in a 24-hour period on more than three consecutive days.

49 "6T3 temperature" means the temperature not to be exceeded for six or more (2) 50 consecutive hours in a 24-hour period on more than three consecutive days.

51

Abbreviations used to indicate units are defined as follows:

52 "cfu/100 mL" means colony-forming units per 100 milliliters; the results for E. **(a)** coli may be reported as either colony forming units (CFU) or the most probable number (MPN), depending on the 53 54 analytical method used; 55

**(b)** "cfs" means cubic feet per second;

(3)

"µg/L" means micrograms per liter, equivalent to parts per billion when the 1 (c) 2 specific gravity of the solution equals 1.0; 3 (d) "µS/cm" means microsiemens per centimeter; one µS/cm is equal to one 4 umho/cm; 5 "mg/kg" means milligrams per kilogram, equivalent to parts per million; **(e)** "mg/L" means milligrams per liter, equivalent to parts per million when the 6 **(f)** 7 specific gravity of the solution equals 1.0; 8 "MPN/100 mL" means most probable number per 100 milliliters; the results for (g) E. coli may be reported as either CFU or MPN, depending on the analytical method used: 9 10 "NTU" means nephelometric turbidity unit; **(h)** "pCi/L" means picocuries per liter; 11 **(i)** "pH" means the measure of the acidity or alkalinity and is expressed in standard 12 **(i)** 13 units (su). 14 (4) "Acute toxicity" means toxicity involving a stimulus severe enough to induce a response 15 in 96 hours of exposure or less. Acute toxicity is not always measured in terms of lethality, but may include other toxic effects that occur within a short time period. 16 17 "Adjusted gross alpha" means the total radioactivity due to alpha particle emission as (5) 18 inferred from measurements on a dry sample, including radium-226, but excluding radon-222 and uranium. Also 19 excluded are source, special nuclear and by-product material as defined by the Atomic Energy Act of 1954. 20 (6) "Aquatic life" means any plant or animal life that uses surface water as primary habitat 21 for at least a portion of its life cycle, but does not include avian or mammalian species. 22 (7) "Attainable" means achievable by the imposition of effluent limits required under 23 sections 301(b) and 306 of the Clean Water Act and implementation of cost-effective and reasonable best 24 management practices for nonpoint source control. 25 B. Terms beginning with the letter "B". "Best management practices" or "BMPs": 26 (1) 27 for national pollutant discharge elimination system (NPDES) permitting **(a)** purposes means schedules of activities, prohibitions of practices, maintenance procedures and other management 28 practices to prevent or reduce the pollution of "waters of the United States;" BMPs also include treatment 29 requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or waste 30 31 disposal or drainage from raw material storage; or 32 **(b)** for nonpoint source pollution control purposes means methods, measures or practices selected by an agency to meet its nonpoint source control needs; BMPs include but are not limited to 33 structural and nonstructural controls and operation and maintenance procedures; BMPS can be applied before, 34 during and after pollution-producing activities to reduce or eliminate the introduction of pollutants into receiving 35 36 waters; BMPs for nonpoint source pollution control purposes shall not be mandatory except as required by state or 37 federal law. 38 "Bioaccumulation" refers to the uptake and retention of a substance by an organism (2) 39 from its surrounding medium and food. 40 (3) "Bioaccumulation factor" is the ratio of a substance's concentration in tissue versus its 41 concentration in ambient water, in situations where the organism and the food chain are exposed. "Biomonitoring" means the use of living organisms to test the suitability of effluents for 42 (4) 43 discharge into receiving waters or to test the quality of surface waters of the state. Terms beginning with the letter "C". 44 **C**. "CAS number" means an assigned number by chemical abstract service (CAS) to 45 (1) 46 identify a substance. CAS numbers index information published in chemical abstracts by the American chemical 47 society. 48 "Chronic toxicity" means toxicity involving a stimulus that lingers or continues for a (2) relatively long period relative to the life span of an organism. Chronic effects include, but are not limited to, 49 lethality, growth impairment, behavioral modifications, disease and reduced reproduction. 50 "Classified water of the state" means a surface water of the state, or reach of a surface 51 (3) 52 water of the state, for which the commission has adopted a segment description and has designated a use or uses and applicable water quality criteria in 20.6.4.101 through 20.6.4.899 NMAC. 53 "Closed basin" is a basin where topography prevents the surface outflow of water and 54 (4) 55 water escapes by evapotranspiration or percolation.

20.6.4 NMAC

\*

NMED ATTACHMENT 2

1		(5)	"Coldwater" in reference to an aquatic life use means a surface water of the state where
2		ature and	other characteristics are suitable for the support or propagation or both of coldwater
3	aquatic life.	(0)	
4 5		e suitable	<b>"Coolwater"</b> in reference to an aquatic life use means the water temperature and other for the support or propagation of aquatic life whose physiological tolerances are
6	intermediate betw		nay overlap those of warm and coldwater aquatic life.
7			"Commission" means the New Mexico water quality control commission.
8			"Criteria" are elements of state water quality standards, expressed as constituent
9			irrative statements, representing a quality of water that supports a use. When criteria are
10			tect the designated use.
11	D.		eginning with the letter "D".
12			"DDT and derivatives" means 4,4'-DDT (CAS number 50293), 4,4'-DDE (CAS
13	number 72559) a		DD (CAS number 72548).
14			"Department" means the New Mexico environment department.
15	<b>6</b> . <b>6</b>		"Designated use" means a use specified in 20.6.4.97 through 20.6.4.899 NMAC for a
16	surface water of		whether or not it is being attained.
17	0.45		"Dissolved" refers to the fraction of a constituent of a water sample that passes through a
18	0.45-micrometer		filter. The "dissolved" fraction is also termed "filterable residue."
19		(5)	"Domestic water supply" means a surface water of the state that could be used for
20			ses after disinfection.
21	E.		eginning with the letter "E".
22			"E. coli" means the bacteria Escherichia coli.
23			"Ephemeral" when used to describe a surface water of the state means the water body
24		neffy only	in direct response to precipitation; its bed is always above the water table of the adjacent
25	region.	(2)	
26	Manual an 29, 10		"Existing use" means a use actually attained in a surface water of the state on or after
27			er or not it is a designated use.
28	<b>F.</b>		eginning with the letter "F".
29		(1)	"Fish culture" means production of coldwater or warmwater fishes in a hatchery or
30	rearing station.	(2)	
31			"Fish early life stages" means the egg and larval stages of development of fish ending
32			omplement of fin rays and loses larval characteristics.
33 34	G. Н.		eginning with the letter "G". [RESERVED] eginning with the letter "H".
34 35	п.		"High quality coldwater" in reference to an aquatic life use means a perennial surface
35 36	water of the state		mally disturbed condition with considerable aesthetic value and superior coldwater
30 37			ace water of the state to be so categorized must have water quality, stream bed
38			tributes of habitat sufficient to protect and maintain a propagating coldwater aquatic life
39	population.	iu otner at	modies of habitat sufficient to protect and manitain a propagating coluwater aquatic me
40	population.	(2)	"Human health-organism only" means the health of humans who ingest fish or other
41	aquatic organism		iters that contain pollutants.
42	I.		eginning with the letter "I".
43	1.		"Industrial water supply" means the use or storage of water by a facility for process
44	operations unless		is supplied by a public water system. Industrial water supply does not include irrigation
45	or other agricultu		is suppried by a public water system. Industrial water suppry does not metade intgation
46	or other ugricult		"Intermittent" when used to describe a surface water of the state means the water body
47	contains water fo		d periods only at certain times of the year, such as when it receives seasonal flow from
48	springs or meltin		
49	springs of motion		"Interstate waters" means all surface waters of the state that cross or form a part of the
50	border between s		where we are an earliest where of the state that cross of form a part of the
51			"Intrastate waters" means all surface waters of the state that are not interstate waters.
52		• •	" <b>Irrigation</b> " means application of water to land areas to supply the water needs of
53	beneficial plants.		B
54	- street Pression		"Irrigation storage" means storage of water to supply the needs of beneficial plants.
55	J.		eginning with the letter "J". [RESERVED]
56	K.		eginning with the letter "K". [RESERVED]

•

•

20.6.4 NMAC

.

NMED ATTACHMENT 2

3

1 L. Terms beginning with the letter "L". 2 "LC-50" means the concentration of a substance that is lethal to fifty percent of the test (1) 3 organisms within a defined time period. The length of the time period, which may vary from 24 hours to one week or more, depends on the test method selected to yield the information desired. 4 5 "Limited aquatic life" as a designated use, means the surface water is capable of (2) supporting only a limited community of aquatic life. This subcategory includes surface waters that support aquatic 6 7 species selectively adapted to take advantage of naturally occurring rapid environmental changes, ephemeral or intermittent water, high turbidity, fluctuating temperature, low dissolved oxygen content or unique chemical 8 9 characteristics. 10 "Livestock watering" means the use of a surface water of the state as a supply of water (3) 11 for consumption by livestock. Terms beginning with the letter "M". 12 M. "Marginal coldwater" in reference to an aquatic life use means that natural intermittent 13 (1) or low flows, or other natural habitat conditions severely limit maintenance of a coldwater aquatic life population or 14 historical data indicate that the temperature in the surface water of the state may exceed 25°C (77°F). 15 "Marginal warmwater" in reference to an aquatic life use means natural intermittent or 16 (2) 17 low flow or other natural habitat conditions severely limit the ability of the surface water of the state to sustain a natural aquatic life population on a continuous annual basis; or historical data indicate that natural water temperature 18 19 routinely exceeds 32.2°C (90°F). 20 (3) "Maximum temperature" means the instantaneous temperature not to be exceeded at 21 any time. 22 (4) "Minimum quantification level" means the minimum quantification level for a 23 constituent determined by official published documents of the United States environmental protection agency. 24 Terms beginning with the letter "N". N. 25 "Natural background" means that portion of a pollutant load in a surface water (1) resulting only from non-anthropogenic sources. Natural background does not include impacts resulting from historic 26 27 or existing human activities. "Natural causes" means those causal agents that would affect water quality and the 28 (2) 29 effect is not caused by human activity but is due to naturally occurring conditions. 30 "Nonpoint source" means any source of pollutants not regulated as a point source that (3) degrades the quality or adversely affects the biological, chemical or physical integrity of surface waters of the state. 31 Terms beginning with the letter "O". 32 0. 33 "Organoleptic" means the capability to produce a detectable sensory stimulus such as (1) 34 odor or taste. 35 "Oversight agency" means a state or federal agency, such as the United States (2) 36 department of agriculture forest service, that is responsible for land use or water quality management decisions 37 affecting nonpoint source discharges where an outstanding national resource water is located. Terms beginning with the letter "P". 38 Ρ. 39 (1) "Playa" means a shallow closed basin lake typically found in the high plains and deserts. "Perennial" when used to describe a surface water of the state means the water body 40 (2) typically contains water throughout the year and rarely experiences dry periods. 41 "Point source" means any discernible, confined and discrete conveyance from which 42 (3) pollutants are or may be discharged into a surface water of the state, but does not include return flows from irrigated 43 44 agriculture. 45 "Practicable" means that which may be done, practiced or accomplished; that which is (4) 46 performable, feasible, possible. 47 "Primary contact" means any recreational or other water use in which there is (5) prolonged and intimate human contact with the water, such as swimming and water skiing, involving considerable 48 49 risk of ingesting water in quantities sufficient to pose a significant health hazard. Primary contact also means any use of surface waters of the state for cultural, religious or ceremonial purposes in which there is intimate human 50 51 contact with the water, including but not limited to ingestion or immersion, that could pose a significant health 52 hazard. "Public water supply" means the use or storage of water to supply a public water 53 (6) 54 system as defined by New Mexico's Drinking Water Regulations, 20.7.10 NMAC. Water provided by a public water system may need to undergo treatment to achieve drinking water quality. 55 Terms beginning with the letter "Q". [RESERVED] 56 0.

20.6.4 NMAC

NMED ATTACHMENT 2

2 S. Terms beginning with the letter "S". 3 "Secondary contact" means any recreational or other water use in which human contact (1) 4 with the water may occur and in which the probability of ingesting appreciable quantities of water is minimal, such 5 as fishing, wading, commercial and recreational boating and any limited seasonal contact. "Segment" means a classified water of the state described in 20.6.4.101 through 6 (2) 7 20.6.4.899 NMAC. The water within a segment should have the same uses, similar hydrologic characteristics or 8 flow regimes, and natural physical, chemical and biological characteristics and exhibit similar reactions to external 9 stresses, such as the discharge of pollutants. 10 "Specific conductance" is a measure of the ability of a water solution to conduct an (3) 11 electrical current. 12 (4) "State" means the state of New Mexico. "Surface water(s) of the state" means all surface waters situated wholly or partly within 13 (5) 14 or bordering upon the state, including lakes, rivers, streams (including intermittent streams), mudflats, sandflats, 15 wetlands, sloughs, prairie potholes, wet meadows, playa lakes, reservoirs or natural ponds. Surface waters of the state also means all tributaries of such waters, including adjacent wetlands, any manmade bodies of water that were 16 17 originally created in surface waters of the state or resulted in the impoundment of surface waters of the state, and any "waters of the United States" as defined under the Clean Water Act that are not included in the preceding 18 19 description. Surface waters of the state does not include private waters that do not combine with other surface or 20 subsurface water or any water under tribal regulatory jurisdiction pursuant to Section 518 of the Clean Water Act. 21 Waste treatment systems, including treatment ponds or lagoons designed and actively used to meet requirements of 22 the Clean Water Act (other than cooling ponds as defined in 40 CFR Part 423.11(m) that also meet the criteria of 23 this definition), are not surface waters of the state, unless they were originally created in surface waters of the state 24 or resulted in the impoundment of surface waters of the state. 25 Т. Terms beginning with the letter "T". 26 (1) "TDS" means total dissolved solids, also termed "total filterable residue." 27 (2)"Toxic pollutant" means those pollutants, or combination of pollutants, including 28 disease-causing agents, that after discharge and upon exposure, ingestion, inhalation or assimilation into any 29 organism, either directly from the environment or indirectly by ingestion through food chains, will cause death, 30 shortened life spans, disease, adverse behavioral changes, reproductive or physiological impairment or physical 31 deformations in such organisms or their offspring. "Tributary" means a perennial, intermittent or ephemeral waterbody that flows into a 32 (3) 33 larger waterbody, and includes a tributary of a tributary. 34 "Turbidity" is an expression of the optical property in water that causes incident light to (4) 35 be scattered or absorbed rather than transmitted in straight lines. 36 Terms beginning with the letter "U". [RESERVED] U. 37 V. Terms beginning with the letter "V". [RESERVED] 38 W. Terms beginning with the letter "W". 39 "Warmwater" with reference to an aquatic life use means that water temperature and (1) 40 other characteristics are suitable for the support or propagation or both of warmwater aquatic life. 41 "Water contaminant" means any substance that could alter if discharged or spilled the (2) physical, chemical, biological or radiological qualities of water. "Water contaminant" does not mean source, special 42 43 nuclear or by-product material as defined by the Atomic Energy Act of 1954, but may include all other radioactive 44 materials, including but not limited to radium and accelerator-produced isotopes. 45 "Water pollutant" means a water contaminant in such quantity and of such duration as (3) 46 may with reasonable probability injure human health, animal or plant life or property, or to unreasonably interfere 47 with the public welfare or the use of property. 48 "Wetlands" means those areas that are inundated or saturated by surface or ground water (4) 49 at a frequency and duration sufficient to support, and under normal circumstances do support, a prevalence of 50 vegetation typically adapted for life in saturated soil conditions in New Mexico. Wetlands that are constructed 51 outside of a surface water of the state for the purpose of providing wastewater treatment and that do not impound a 52 surface water of the state are not included in this definition. 53 "Wildlife habitat" means a surface water of the state used by plants and animals not (5) 54 considered as pathogens, vectors for pathogens or intermediate hosts for pathogens for humans or domesticated

Terms beginning with the letter "R". [RESERVED]

livestock and plants.

55

56

1

R.

X. Terms beginning with the letters "X" through "Z". [RESERVED]

۹.

20.6.4 NMAC

1 [20.6.4.7 NMAC - Rp 20 NMAC 6.1.1007, 10/12/2000; A, 7/19/2001; A, 5/23/2005; A, 7/17/2005; A, 8/1/2007; A, 2 12/1/2010; A, 1/14/2011; A, 3/2/2017]

3 4

5

6

7

8

9

28

29

36

20.6.4.8

ANTIDEGRADATION POLICY AND IMPLEMENTATION PLAN:

A. Antidegradation Policy: This antidegradation policy applies to all surface waters of the state.
 (1) Existing instream water uses and the level of water quality necessary to protect the

existing uses shall be maintained and protected in all surface waters of the state. (2) Where the quality of a surface water of the state exceeds levels necessary to support the propagation of fish, shellfish, and wildlife, and recreation in and on the water, that quality shall be maintained and

protected unless the commission finds, after full satisfaction of the intergovernmental coordination and public participation provisions of the state's continuing planning process, that allowing lower water quality is necessary to accommodate important economic and social development in the area in which the water is located. In allowing such degradation or lower water quality, the state shall assure water quality adequate to protect existing uses fully. Further, the state shall assure that there shall be achieved the highest statutory and regulatory requirements for all new and existing point sources and all cost-effective and reasonable BMPs for nonpoint source control.

new and existing point sources and all cost-effective and reasonable BMPs for nonpoint source control.
 Additionally, the state shall encourage the use of watershed planning as a further means to protect surface waters of
 the state.

(3) No degradation shall be allowed in waters designated by the commission as outstanding
 national resource waters (ONRWs), except as provided in Subparagraphs (a) through (e) of this paragraph and in
 Paragraph (4) of this Subsection A.

(a) After providing a minimum 30-day public review and comment period, the commission determines that allowing temporary and short-term degradation of water quality is necessary to accommodate public health or safety activities in the area in which the ONRW is located. Examples of public health or safety activities include but are not limited to replacement or repair of a water or sewer pipeline or a roadway bridge. In making its decision, the commission shall consider whether the activity will interfere with activities implemented to restore or maintain the chemical, physical or biological integrity of the water. In approving the activity, the commission shall require that:

(i) the degradation shall be limited to the shortest possible time and shall not exceed six months;

(ii) the degradation shall be minimized and controlled by best management
 practices or in accordance with permit requirements as appropriate; all practical means of minimizing the duration,
 magnitude, frequency and cumulative effects of such degradation shall be utilized;

(iii) the degradation shall not result in water quality lower than necessary to
 protect any existing use in the ONRW; and
 (iv) the degradation shall not alter the essential character or special use that

(iv) the degradation shall not alter the essential character or special use that makes the water an ORNW.

(b) Prior to the commission making a determination, the department or appropriate
 oversight agency shall provide a written recommendation to the commission. If the commission approves the
 activity, the department or appropriate oversight agency shall oversee implementation of the activity.

40 (c) Where an emergency response action that may result in temporary and short-41 term degradation to an ONRW is necessary to mitigate an immediate threat to public health or safety, the emergency 42 response action may proceed prior to providing notification required by Subparagraph (a) of this paragraph in 43 accordance with the following:

(i) only actions that mitigate an immediate threat to public health or safety
 may be undertaken pursuant to this provision; non-emergency portions of the action shall comply with the
 requirements of Subparagraph (a) of this paragraph;

47 (ii) the discharger shall make best efforts to comply with requirements (i)
48 through (iv) of Subparagraph (a) of this paragraph;

49 (iii) the discharger shall notify the department of the emergency response
 50 action in writing within seven days of initiation of the action;

(iv) within 30 days of initiation of the emergency response action, the
 discharger shall provide a summary of the action taken, including all actions taken to comply with requirements (i)
 through (iv) of Subparagraph (a) of this paragraph.

f4 (d) Preexisting land-use activities, including grazing, allowed by federal or state law
 prior to designation as an ONRW, and controlled by best management practices (BMPs), shall be allowed to

20.6.4 NMAC

**NMED ATTACHMENT 2** 

1 continue so long as there are no new or increased discharges resulting from the activity after designation of the 2 ONRW. 3 Acequia operation, maintenance, and repairs are not subject to new requirements (e) 4 because of ONRW designation. However, the use of BMPs to minimize or eliminate the introduction of pollutants 5 into receiving waters is strongly encouraged. This antidegradation policy does not prohibit activities that may result in degradation in 6 (4) 7 surface waters of the state when such activities will result in restoration or maintenance of the chemical, physical or 8 biological integrity of the water. 9 **(a)** For ONRWs, the department or appropriate oversight agency shall review on a case-by-case basis discharges that may result in degradation from restoration or maintenance activities, and may 10 approve such activities in accordance with the following: 11 12 the degradation shall be limited to the shortest possible time; **(i)** 13 (ii) the degradation shall be minimized and controlled by best management practices or in accordance with permit requirements as appropriate, and all practical means of minimizing the 14 duration, magnitude, frequency and cumulative effects of such degradation shall be utilized; 15 the degradation shall not result in water quality lower than necessary to 16 (iiii) 17 protect any existing use of the surface water; and 18 (iv) the degradation shall not alter the essential character or special use that makes the water an ORNW. 19 20 For surface waters of the state other than ONRWs, the department shall review (b) 21 on a case-by-case basis discharges that may result in degradation from restoration or maintenance activities, and 22 may approve such activities in accordance with the following: 23 the degradation shall be limited to the shortest possible time; (i) 24 the degradation shall be minimized and controlled by best management **(ii)** 25 practices or in accordance with permit requirements as appropriate, and all practical means of minimizing the 26 duration, magnitude, frequency and cumulative effects of such degradation shall be utilized; and 27 (iii) the degradation shall not result in water quality lower than necessary to 28 protect any existing use of the surface water. 29 (5) In those cases where potential water quality impairment associated with a thermal 30 discharge is involved, this antidegradation policy and implementing method shall be consistent with Section 316 of the federal Clean Water Act. 31 32 In implementing this section, the commission through the appropriate regional offices of (6) 33 the United States environmental protection agency will keep the administrator advised and provided with such 34 information concerning the surface waters of the state as he or she will need to discharge his or her responsibilities 35 under the federal Clean Water Act. Implementation Plan: The department, acting under authority delegated by the commission, 36 B. 37 implements the water quality standards, including the antidegradation policy, by describing specific methods and procedures in the continuing planning process and by establishing and maintaining controls on the discharge of 38 pollutants to surface waters of the state. The steps summarized in the following paragraphs, which may not all be 39 40 applicable in every water pollution control action, list the implementation activities of the department. These implementation activities are supplemented by detailed antidegradation review procedures developed under the 41 42 state's continuing planning process. The department: 43 obtains information pertinent to the impact of the effluent on the receiving water and (1) 44 advises the prospective discharger of requirements for obtaining a permit to discharge; 45 reviews the adequacy of existing data and conducts a water quality survey of the (2) receiving water in accordance with an annually reviewed, ranked priority list of surface waters of the state requiring 46 47 total maximum daily loads pursuant to Section 303(d) of the federal Clean Water Act; assesses the probable impact of the effluent on the receiving water relative to its 48 (3) 49 attainable or designated uses and numeric and narrative criteria; 50 requires the highest and best degree of wastewater treatment practicable and (4) 51 commensurate with protecting and maintaining the designated uses and existing water quality of surface waters of 52 the state; 53 develops water quality based effluent limitations and comments on technology based (5) 54 effluent limitations, as appropriate, for inclusion in any federal permit issued to a discharger pursuant to Section 402 55 of the federal Clean Water Act:

NMED ATTACHMENT 2

1 (6) requires that these effluent limitations be included in any such permit as a condition for 2 state certification pursuant to Section 401 of the federal Clean Water Act; 3 (7) coordinates its water pollution control activities with other constituent agencies of the 4 commission, and with local, state and federal agencies, as appropriate; 5 (8) develops and pursues inspection and enforcement programs to ensure that dischargers comply with state regulations and standards, and complements EPA's enforcement of federal permits; 6 ensures that the provisions for public participation required by the New Mexico Water 7 (9) 8 Quality Act and the federal Clean Water Act are followed; (10) 9 provides continuing technical training for wastewater treatment facility operators through 10 the utility operators training and certification programs; provides funds to assist the construction of publicly owned wastewater treatment 11 (11) 12 facilities through the wastewater construction program authorized by Section 601 of the federal Clean Water Act, and through funds appropriated by the New Mexico legislature; 13 conducts water quality surveillance of the surface waters of the state to assess the 14 (12) 15 effectiveness of water pollution controls, determines whether water quality standards are being attained, and proposes amendments to improve water quality standards; 16 encourages, in conjunction with other state agencies, implementation of the best 17 (13) management practices set forth in the New Mexico statewide water quality management plan and the nonpoint 18 source management program, such implementation shall not be mandatory except as provided by federal or state 19 20 law: 21 evaluates the effectiveness of BMPs selected to prevent, reduce or abate sources of water (14) 22 pollutants; 23 (15) develops procedures for assessing use attainment as required by 20.6.4.15 NMAC and 24 establishing site-specific standards; and 25 (16) develops list of surface waters of the state not attaining designated uses, pursuant to Sections 305(b) and 303(d) of the federal Clean Water Act. 26 [20.6.4.8 NMAC - Rp 20 NMAC 6.1.1101, 10/12/2000; A, 5/23/2005; A, 8/1/2007; A, 1/14/2011] 27 28 **OUTSTANDING NATIONAL RESOURCE WATERS:** 29 20.6.4.9 Procedures for nominating an ONRW: Any person may nominate a surface water of the state 30 Α. 31 for designation as an ONRW by filing a petition with the commission pursuant to the guidelines for water quality control commission regulation hearings. A petition to designate a surface water of the state as an ONRW shall 32 33 include: 34 a map of the surface water of the state, including the location and proposed upstream and (1) downstream boundaries: 35 a written statement and evidence based on scientific principles in support of the 36 (2) nomination, including specific reference to one or more of the applicable ONRW criteria listed in Subsection B of 37 this section; 38 water quality data including chemical, physical or biological parameters, if available, to 39 (3) 40 establish a baseline condition for the proposed ONRW; 41 a discussion of activities that might contribute to the reduction of water quality in the (4) 42 proposed ONRW; 43 any additional evidence to substantiate such a designation, including a discussion of the (5) 44 economic impact of the designation on the local and regional economy within the state of New Mexico and the 45 benefit to the state; and affidavit of publication of notice of the petition in a newspaper of general circulation in 46 (6) 47 the affected counties and in a newspaper of general statewide circulation. Criteria for ONRWs: A surface water of the state, or a portion of a surface water of the state, 48 R may be designated as an ONRW where the commission determines that the designation is beneficial to the state of 49 50 New Mexico, and: 51 the water is a significant attribute of a state special trout water, national or state park, (1) national or state monument, national or state wildlife refuge or designated wilderness area, or is part of a designated 52 wild river under the federal Wild and Scenic Rivers Act; or 53 the water has exceptional recreational or ecological significance; or 54 (2)

**NMED ATTACHMENT 2** 

1 the existing water quality is equal to or better than the numeric criteria for protection of (3) 2 aquatic life and contact uses and the human health-organism only criteria, and the water has not been significantly modified by human activities in a manner that substantially detracts from its value as a natural resource. 3 4 Pursuant to a petition filed under Subsection A of this section, the commission may classify a C. 5 surface water of the state or a portion of a surface water of the state as an ONRW if the criteria set out in Subsection 6 B of this section are met. 7 Waters classified as ONRWs: The following waters are classified as ONRWs: D. 8 Rio Santa Barbara, including the west, middle and east forks from their headwaters (1) 9 downstream to the boundary of the Pecos Wilderness; and 10 the waters within the United States forest service Valle Vidal special management unit (2) 11 including: 12 Rio Costilla, including Comanche, La Cueva, Fernandez, Chuckwagon, Little **(a)** Costilla, Powderhouse, Holman, Gold, Grassy, LaBelle and Vidal creeks, from their headwaters downstream to the 13 boundary of the United States forest service Valle Vidal special management unit; 14 Middle Ponil creek, including the waters of Greenwood Canyon, from their 15 **(b)** 16 headwaters downstream to the boundary of the Elliott S. Barker wildlife management area; 17 Shuree lakes: (c) 18 (d) North Ponil creek, including McCrystal and Seally Canyon creeks, from their 19 headwaters downstream to the boundary of the United States forest service Valle Vidal special management unit; 20 and 21 (e) Leandro creek from its headwaters downstream to the boundary of the United 22 States forest service Valle Vidal special management unit. 23 the named perennial surface waters of the state, identified in Subparagraph (a) below, (3) 24 located within United States department of agriculture forest service wilderness. Wilderness are those lands 25 designated by the United States congress as wilderness pursuant to the Wilderness Act. Wilderness areas included in 26 this designation are the Aldo Leopold wilderness, Apache Kid wilderness, Blue Range wilderness, Chama River Canyon wilderness, Cruces Basin wilderness, Dome wilderness, Gila wilderness, Latir Peak wilderness, Pecos 27 28 wilderness, San Pedro Parks wilderness, Wheeler Peak wilderness, and White Mountain wilderness. 29 (a) The following waters are designated in the Rio Grande basin: 30 in the Aldo Leopold wilderness: Byers Run, Circle Seven creek, Flower **(i)** 31 canyon, Holden Prong, Indian canyon, Las Animas creek, Mud Spring canyon, North Fork Palomas creek, North 32 Seco creek, Pretty canyon, Sids Prong, South Animas canyon, Victorio Park canyon, Water canyon; 33 in the Apache Kid wilderness Indian creek and Smith canyon; **(ii)** 34 in the Chama River Canyon wilderness: Chavez canyon, Ojitos canyon, (iii) 35 Rio Chama; 36 (iv) in the Cruces Basin wilderness: Beaver creek, Cruces creek, Diablo 37 creek, Escondido creek, Lobo creek, Osha creek; 38 in the Dome wilderness: Capulin creek, Medio creek, Sanchez (v) 39 canyon/creek; 40 in the Latir Peak wilderness: Bull creek, Bull Creek lake, Heart lake, (vi) 41 Lagunitas Fork, Lake Fork creek, Rito del Medio, Rito Primero, West Latir creek; 42 in the Pecos wilderness: Agua Sarca, Hidden lake, Horseshoe lake (vii) 43 (Alamitos), Jose Vigil lake, Nambe lake, Nat lake IV, No Fish lake, North Fork Rio Quemado, Rinconada, Rio 44 Capulin, Rio de las Trampas (Trampas creek), Rio de Truchas, Rio Frijoles, Rio Medio, Rio Molino, Rio Nambe, 45 Rio San Leonardo, Rito con Agua, Rito Gallina, Rito Jaroso, Rito Quemado, San Leonardo lake, Santa Fe lake, 46 Santa Fe river, Serpent lake, South Fork Rio Quemado, Trampas lake (East), Trampas lake (West); 47 (viii) in the San Pedro Parks wilderness: Agua Sarca, Cañon Madera, Cave creek, Cecilia Canyon creek, Clear creek (North SPP), Clear creek (South SPP), Corralitos creek, Dove creek, Jose 48 49 Miguel creek, La Jara creek, Oso creek, Rio Capulin, Rio de las Vacas, Rio Gallina, Rio Puerco de Chama, Rito 50 Anastacio East, Rito Anastacio West, Rito de las Palomas, Rito de las Perchas, Rito de los Pinos, Rito de los Utes, 51 Rito Leche, Rito Redondo, Rito Resumidero, San Gregorio lake; 52 in the Wheeler Peak wilderness: Black Copper canyon, East Fork Red (ix) 53 river, Elk lake, Horseshoe lake, Lost lake, Sawmill creek, South Fork lake, South Fork Rio Hondo, Williams lake. 54 The following waters are designated in the Pecos River basin: (b) 55 in the Pecos wilderness: Albright creek, Bear creek, Beatty creek, **(i)** 56 Beaver creek, Carpenter creek, Cascade canyon, Cave creek, El Porvenir creek, Hollinger creek, Holy Ghost creek,

NMED ATTACHMENT 2

Horsethief creek, Jack's creek, Jarosa canyon/creek, Johnson lake, Lake Katherine, Lost Bear lake, Noisy brook, 1 2 Panchuela creek, Pecos Baldy lake, Pecos river, Rio Mora, Rio Valdez, Rito Azul, Rito de los Chimayosos, Rito de 3 los Esteros, Rito del Oso, Rito del Padre, Rito las Trampas, Rito Maestas, Rito Oscuro, Rito Perro, Rito 4 Sebadilloses, South Fork Bear creek, South Fork Rito Azul, Spirit lake, Stewart lake, Truchas lake (North), Truchas lake (South), Winsor creek; 5 in the White Mountain wilderness: Argentina creek, Aspen creek, 6 **(ii)** Bonito creek, Little Bonito creek, Mills canyon/creek, Rodamaker creek, South Fork Rio Bonito, Turkey 7 8 canyon/creek. 9 (c) The following waters are designated in the Gila River basin: in the Aldo Leopold wilderness: Aspen canyon, Black Canyon creek, 10 (i) 11 Bonner canyon, Burnt canyon, Diamond creek, Falls canyon, Fisherman canyon, Running Water canyon, South 12 Diamond creek; 13 **(ii)** in the Gila wilderness: Apache creek, Black Canyon creek, Brush 14 canyon, Canyon creek, Chicken Coop canyon, Clear creek, Cooper canyon, Cow creek, Cub creek, Diamond creek, 15 East Fork Gila river, Gila river, Gilita creek, Indian creek, Iron creek, Langstroth canyon, Lilley canyon, Little creek, Little Turkey creek, Lookout canyon, McKenna creek, Middle Fork Gila river, Miller Spring canyon, 16 Mogollon creek, Panther canyon, Prior creek, Rain creek, Raw Meat creek, Rocky canyon, Sacaton creek, Sapillo 17 creek, Sheep Corral canyon, Skeleton canyon, Squaw creek, Sycamore canyon, Trail canyon, Trail creek, Trout 18 19 creek, Turkey creek, Turkey Feather creek, Turnbo canyon, West Fork Gila river, West Fork Mogollon creek, White 20 creek, Willow creek, Woodrow canyon. 21 (d) The following waters are designated in the Canadian River basin: in the Pecos 22 wilderness Daily creek, Johns canyon, Middle Fork Lake of Rio de la Casa, Middle Fork Rio de la Casa, North Fork Lake of Rio de la Casa, Rito de Gascon, Rito San Jose, Sapello river, South Fork Rio de la Casa, Sparks creek 23 24 (Manuelitas creek). 25 The following waters are designated in the San Francisco River basin: (e) in the Blue Range wilderness: Pueblo creek; 26 (i) 27 in the Gila wilderness: Big Dry creek, Lipsey canyon, Little Dry creek, **(ii)** Little Whitewater creek, South Fork Whitewater creek, Spider creek, Spruce creek, Whitewater creek. 28 The following waters are designated in the Mimbres Closed basin: in the Aldo 29 **(f)** Leopold wilderness Corral canyon, Mimbres river, North Fork Mimbres river, South Fork Mimbres river. 30 The following waters are designated in the Tularosa Closed basin: in the White 31 **(g)** Mountain wilderness Indian creek, Nogal Arroyo, Three Rivers. 32 The wetlands designated are identified on the Maps and List of Wetlands Within 33 (h) United States Forest Service Wilderness Areas Designated as Outstanding National Resource Waters published at 34 35 the New Mexico state library and available on the department's website. [20.6.4.9 NMAC - Rn, Subsections B, C and D of 20.6.4.8 NMAC, 5/23/2005; A, 5/23/2005; A, 7/17/2005; A, 36 37 2/16/2006; A, 12/1/2010; A, 1/14/2011] 38 39 **REVIEW OF STANDARDS; NEED FOR ADDITIONAL STUDIES:** 20.6.4.10 40 Section 303(c)(1) of the federal Clean Water Act requires that the state hold public hearings at Α. least once every three years for the purpose of reviewing water quality standards and proposing, as appropriate, 41 necessary revisions to water quality standards. 42 It is recognized that, in some cases, numeric criteria have been adopted that reflect use 43 В. designations rather than existing conditions of surface waters of the state. Narrative criteria are required for many 44 constituents because accurate data on background levels are lacking. More intensive water quality monitoring may 45 identify surface waters of the state where existing quality is considerably better than the established criteria. When 46 47 justified by sufficient data and information, the water quality criteria will be modified to protect the attainable uses. It is also recognized that contributions of water contaminants by diffuse nonpoint sources of water 48 Ċ. pollution may make attainment of certain criteria difficult. Revision of these criteria may be necessary as new 49 information is obtained on nonpoint sources and other problems unique to semi-arid regions. 50 51 D. Site-specific criteria. The commission may adopt site-specific numeric criteria applicable to all or part of a 52 (1) surface water of the state based on relevant site-specific conditions such as: 53 actual species at a site are more or less sensitive than those used in the national 54 **(a)** 55 criteria data set;

20.6.4 NMAC

NMED ATTACHMENT 2

1 **(b)** physical or chemical characteristics at a site such as pH or hardness alter the 2 biological availability and/or toxicity of the chemical; 3 physical, biological or chemical factors alter the bioaccumulation potential of a (c) 4 chemical: 5 (d) the concentration resulting from natural background exceeds numeric criteria for 6 aquatic life, wildlife habitat or other uses if consistent with Subsection E of 20.6.4.10 NMAC; or other factors or combination of factors that upon review of the commission may 7 (e) 8 warrant modification of the default criteria, subject to EPA review and approval. 9 Site-specific criteria must fully protect the designated use to which they apply. In the case (2)10 of human health-organism only criteria, site-specific criteria must fully protect human health when organisms are consumed from waters containing pollutants. 11 12 Any person may petition the commission to adopt site-specific criteria. A petition for the (3) 13 adoption of site-specific criteria shall: 14 identify the specific waters to which the site-specific criteria would apply; (a) 15 **(b)** explain the rationale for proposing the site-specific criteria; describe the methods used to notify and solicit input from potential stakeholders 16 (c) 17 and from the general public in the affected area, and present and respond to the public input received; 18 present and justify the derivation of the proposed criteria. (d) 19 (4) A derivation of site-specific criteria shall rely on a scientifically defensible method, such 20 as one of the following: 21 the recalculation procedure, the water-effect ratio for metals procedure or the **(a)** 22 resident species procedure as described in the water quality standards handbook (EPA-823-B-94-005a, 2nd edition, 23 August 1994); 24 **(b)** the streamlined water-effect ratio procedure for discharges of copper (EPA-822-25 R-01-005, March 2001); 26 the biotic ligand model as described in aquatic life ambient freshwater quality (c) 27 criteria - copper (EPA-822-R-07-001, February 2007); 28 the methodology for deriving ambient water quality criteria for the protection of (d) 29 human health (EPA-822-B-00-004, October 2000) and associated technical support documents; or 30 (e) a determination of the natural background of the water body as described in 31 Subsection E of 20.6.4.10 NMAC. 32 Site-specific criteria based on natural background. The commission may adopt site-specific E 33 criteria equal to the concentration resulting from natural background where that concentration protects the 34 designated use. The concentration resulting from natural background supports the level of aquatic life and wildlife 35 habitat expected to occur naturally at the site absent any interference by humans. Domestic water supply, primary or secondary contact, or human health-organism only criteria shall not be modified based on natural background. A 36 37 determination of natural background shall: 38 consider natural spatial and seasonal to interannual variability as appropriate; (1) 39 document the presence of natural sources of the pollutant; (2) 40 document the absence of human sources of the pollutant or quantify the human (3) 41 contribution; and 42 (4) rely on analytical, statistical or modeling methodologies to quantify the natural 43 background. 44 F. **Temporary standards:** 45 Any person may petition the commission to adopt a temporary standard applicable to all (1) or part of a surface water of the state as provided for in this section and applicable sections in 40 CFR Part 131, 46 47 Water Quality Standards; specifically, Section 131.14. The commission may adopt a proposed temporary standard 48 if the petitioner demonstrates that: 49 attainment of the associated designated use may not be feasible in the short term **(a)** 50 due to one or more of the factors listed in 40 CFR 131.10(g), or due to the implementation of actions necessary to 51 facilitate restoration such as through dam removal or other significant wetland or water body reconfiguration activities as demonstrated by the petition and supporting work plan requirements in Paragraphs (4) and (5) of 52 53 Subsection F of 20.6.4.10 NMAC; 54 **(b)** the proposed temporary standard represents the highest degree of protection 55 feasible in the short term, limits the degradation of water quality to the minimum necessary to achieve the original

1 standard by the expiration date of the temporary standard, and adoption will not cause the further impairment or loss 2 of an existing use; 3 (c) for point sources, existing or proposed discharge control technologies will 4 comply with applicable technology-based limitations and feasible technological controls and other management 5 alternatives, such as a pollution prevention program; and 6 (d) for restoration activities, nonpoint source or other control technologies shall 7 limit downstream impacts, and if applicable, existing or proposed discharge control technologies shall be in place consistent with Subparagraph (c) of Paragraph (1) of Subsection F of 20.6.4.10 NMAC. 8 9 (2) A temporary standard shall apply to specific designated use(s), pollutant(s), or permittee(s), and to specific water body segment(s). The adoption of a temporary standard does not exempt 10 11 dischargers from complying with all other applicable water quality standards or control technologies. 12 Designated use attainment as reported in the federal Clean Water Act, Section (3) 305(b)/303(d) Integrated Report shall be based on the original standard and not on a temporary standard. 13 14 A petition for a temporary standard shall: (4) 15 identify the currently applicable standard(s), the proposed temporary standard (a) 16 for the specific pollutant(s), the permittee(s), and the specific surface water body segment(s) of the state to which the temporary standard would apply; 17 include the basis for any factor(s) specific to the applicability of the temporary 18 (b) 19 standard (for example critical flow under Subsection B of 20.6.4.11 NMAC); 20 demonstrate that the proposed temporary standard meets the requirements in this (c) 21 subsection; 22 present a work plan with timetable of proposed actions for achieving compliance (d) 23 with the original standard in accordance with Paragraph (5) of Subsection F of 20.6.4.10 NMAC; 24 (e) include any other information necessary to support the petition. As a condition of a petition for a temporary standard, in addition to meeting the 25 (5) requirements in this Subsection, the petitioner shall prepare a work plan in accordance with Paragraph (4) of 26 Subsection F of 20.6.4.10 NMAC and submit the work plan to the department for review and comment. The work 27 plan shall identify the factor(s) listed in 40 CFR 131.10(g) or Subparagraph (a) of Paragraph (1) of Subsection F of 28 20.6.4.10 NMAC affecting attainment of the standard that will be analyzed and the timeline for proposed actions to 29 30 be taken to achieve the uses attainable over the term of the temporary standard, including baseline water quality, and any investigations, projects, facility modifications, monitoring, or other measures necessary to achieve compliance 31 with the original standard. The work plan shall include provisions for review of progress in accordance with 32 Paragraph (8) of Subsection F of 20.6.4.10 NMAC, public notice and consultation with appropriate state, tribal, 33 34 local and federal agencies. 35 The commission may condition the approval of a temporary standard by requiring (6) additional monitoring, relevant analyses, the completion of specified projects, submittal of information, or any other 36 37 actions. Temporary standards may be implemented only after a public hearing before the 38 (7) commission, commission approval and adoption pursuant to Subsection F of 20.6.4.10 NMAC for all state purposes, 39 40 and the federal Clean Water Act Section 303 (c) approval for any federal action. 41 All temporary standards are subject to a required review during each succeeding review (8) of water quality standards conducted in accordance with Subsection A of 20.6.4.10 NMAC. The petitioner shall 42 provide a written report to the commission documenting the progress of proposed actions, pursuant to a reporting 43 schedule stipulated in the approved temporary standard. The purpose of the review is to determine progress 44 consistent with the original conditions of the petition for the duration of the temporary standard. If the petitioner 45 cannot demonstrate that sufficient progress has been made the commission may revoke approval of the temporary 46 standard or provide additional conditions to the approval of the temporary standard. 47 The commission may consider a petition to extend a temporary standard. The effective 48 period of a temporary standard shall be extended only if demonstrated to the commission that the factors precluding 49 attainment of the underlying standard still apply, that the petitioner is meeting the conditions required for approval 50 51 of the temporary standard, and that reasonable progress towards meeting the underlying standard is being achieved. A temporary standard shall expire no later than the date specified in the approval of the 52 (10) 53 temporary standard. Upon expiration of a temporary standard, the original standard becomes applicable. Temporary standards shall be identified in 20.6.4.97-899 NMAC as appropriate for the 54 (11) 55 surface water affected.

NMED ATTACHMENT 2

"Temporary standard" means a time-limited designated use and criterion for a specific 1 (12)2 pollutant(s) or water quality parameter(s) that reflect the highest attainable condition during the term of the 3 temporary standard.

- 4 [20.6.4.10 NMAC - Rp 20 NMAC 6.1.1102, 10/12/2000; Rn, 20.6.4.9 NMAC, 5/23/2005; A, 5/23/2005; A, 5 12/1/2010; A, 3/2/2017]
- 6

#### 7 **APPLICABILITY OF WATER QUALITY STANDARDS:** 20.6.4.11 8

#### Α. [RESERVED]

9 B. Critical low flow: The critical low flow of a stream at a particular site shall be used in developing point source discharge permit requirements to meet numeric criteria set in 20.6.4.97 through 20.6.4.900 NMAC and 10 Subsection F of 20.6.4.13 NMAC. 11

12 (1) For human health-organism only criteria, the critical low flow is the harmonic mean flow; 13 "harmonic mean flow" is the number of daily flow measurements divided by the sum of the reciprocals of the flows; 14 that is, it is the reciprocal of the mean of reciprocals. For ephemeral waters the calculation shall be based upon the nonzero flow intervals and modified by including a factor to adjust for the proportion of intervals with zero flow. 15 16 The equations are as follows:

- 17
- Harmonic Mean =  $\underline{n}$  $\sum \frac{1}{Q}$ 18
- 19 20

22

23

n = number of flow values 21 where

and Q =flow value

Modified Harmonic Mean = 
$$\begin{bmatrix} \frac{Nt - N_0}{\sum_{i=1}^{Nt} Q_i} \\ Nt - N_0 \end{bmatrix}^{-1} x \begin{bmatrix} Nt - N_0 \\ Nt \end{bmatrix}$$

24 where 
$$Qi = \text{nonzero flow}$$
  
25  $Nt = \text{total number of flow values}$   
26 and  $N_{\theta} = \text{number of zero flow values}$ 

27

28 For all other narrative and numeric criteria, the critical low flow is the minimum average (2) 29 four consecutive day flow that occurs with a frequency of once in three years (4Q3). The critical low flow may be 30 determined on an annual, a seasonal or a monthly basis, as appropriate, after due consideration of site-specific 31 conditions.

32 С. Guaranteed minimum flow: The commission may allow the use of a contractually guaranteed 33 minimum streamflow in lieu of a critical low flow determined under Subsection B of this section on a case-by-case 34 basis and upon consultation with the interstate stream commission. Should drought, litigation or any other reason 35 interrupt or interfere with minimum flows under a guaranteed minimum flow contract for a period of at least 30 36 consecutive days, such permission, at the sole discretion of the commission, may then be revoked. Any minimum 37 flow specified under such revoked permission shall be superseded by a critical low flow determined under Subsection B of this section. A public notice of the request for a guaranteed minimum flow shall be published in a 38 39 newspaper of general circulation by the department at least 30 days prior to scheduled action by the commission. 40 These water quality standards do not grant to the commission or any other entity the power to create, take away or 41 modify property rights in water.

42 D. Mixing zones: A limited mixing zone, contiguous to a point source wastewater discharge, may be 43 allowed in any stream receiving such a discharge. Mixing zones serve as regions of initial dilution that allow the application of a dilution factor in calculations of effluent limitations. Effluent limitations shall be developed that 44 will protect the most sensitive existing, designated or attainable use of the receiving water. 45

46 Mixing zone limitations: Wastewater mixing zones, in which the numeric criteria set under Е. Subsection F of 20.6.4.13 NMAC, 20.6.4.97 through 20.6.4.899 NMAC or 20.6.4.900 NMAC may be exceeded, 47 48 shall be subject to the following limitations:

.

1 (1) Mixing zones are not allowed for discharges to lakes, reservoirs, or playas; these 2 effluents shall meet all applicable criteria set under Subsection F of 20.6.4.13 NMAC, 20.6.4.97 through 20.6.4.899 3 NMAC and 20.6.4.900 NMAC at the point of discharge.

4 (2) The acute aquatic life criteria, as set out in Subsection I, Subsection J, and Subsection K 5 of 20.6.4.900 NMAC, shall be attained at the point of discharge for any discharge to a surface water of the state with 6 a designated aquatic life use.

7 (3) The general criteria set out in Subsections A, B, C, D, E, G, H and J of 20.6.4.13 NMAC, 8 and the provision set out in Subsection D of 20.6.4.14 NMAC are applicable within mixing zones.

9 (4) The areal extent and concentration isopleths of a particular mixing zone will depend on 10 site-specific conditions including, but not limited to, wastewater flow, receiving water critical low flow, outfall 11 design, channel characteristics and climatic conditions and, if needed, shall be determined on a case-by-case basis. 12 When the physical boundaries or other characteristics of a particular mixing zone must be known, the methods 13 presented in Section 4.4.5, "Ambient-induced mixing," in "Technical support document for water quality-based 14 toxics control" (March 1991, EPA/505/2-90-001) shall be used.

(5) All applicable water quality criteria set under Subsection F of 20.6.4.13 NMAC,
 20.6.4.97 through 20.6.4.899 NMAC and 20.6.4.900 NMAC shall be attained at the boundaries of mixing zones. A
 continuous zone of passage through or around the mixing zone shall be maintained in which the water quality meets
 all applicable criteria and allows the migration of aquatic life presently common in surface waters of the state with
 no effect on their populations.

F. Multiple uses: When a surface water of the state has more than a single designated use, the applicable numeric criteria shall be the most stringent of those established for such water.

**G.** Human health-organism only criteria in Subsection J of 20.6.4.900 NMAC apply to those waters with a designated, existing or attainable aquatic life use. When limited aquatic life is a designated use, the human health-organism only criteria apply only if adopted on a segment-specific basis. The human health-organism only criteria for persistent toxic pollutants, as identified in Subsection J of 20.6.4.900 NMAC, also apply to all tributaries of waters with a designated, existing or attainable aquatic life use.

H. Unclassified waters of the state: Unclassified waters of the state are those surface waters of the state not identified in 20.6.4.101 through 20.6.4.899 NMAC. An unclassified surface water of the state is presumed to support the uses specified in Section 101(a)(2) of the federal Clean Water Act. As such, it is subject to 20.6.4.98 NMAC if nonperennial or subject to 20.6.4.99 NMAC if perennial. The commission may include an ephemeral unclassified surface water of the state under 20.6.4.97 NMAC only if a use attainability analysis demonstrates pursuant to 20.6.4.15 NMAC that attainment of Section 101(a)(2) uses is not feasible.

I. Exceptions: Numeric criteria for temperature, dissolved solids, dissolved oxygen, sediment or
 turbidity adopted under the Water Quality Act do not apply when changes in temperature, dissolved solids,
 dissolved oxygen, sediment or turbidity in a surface water of the state are attributable to:

anatural causes (discharges from municipal separate storm sewers are not covered by this
 exception.); or

(2) the reasonable operation of irrigation and flood control facilities that are not subject to
federal or state water pollution control permitting; major reconstruction of storage dams or diversion dams except
for emergency actions necessary to protect health and safety of the public are not covered by this exception.
[20.6.4.11 NMAC - Rp 20 NMAC 6.1.1103, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.10 NMAC, 5/23/2005; A,
5/23/2005; A, 12/1/2010]

43

۰.

20.6.4.12 COMPLIANCE WITH WATER QUALITY STANDARDS: The following provisions apply to determining compliance for enforcement purposes; they do not apply for purposes of determining attainment of uses. The department has developed assessment protocols for the purpose of determining attainment of uses that are available for review from the department's surface water quality bureau.

48 A. Compliance with acute water quality criteria shall be determined from the analytical results of a 49 single grab sample. Acute criteria shall not be exceeded.

50 **B.** Compliance with chronic water quality criteria shall be determined from the arithmetic mean of 51 the analytical results of samples collected using applicable protocols. Chronic criteria shall not be exceeded more 52 than once every three years.

53 C. Compliance with water quality standards for total ammonia shall be determined by performing the 54 biomonitoring procedures set out in Subsections D and E of 20.6.4.14 NMAC, or by attainment of applicable 55 ammonia criteria set out in Subsections K, L and M of 20.6.4.900 NMAC.

\*

۹.

1 **D.** Compliance with the human health-organism only criteria shall be determined from the analytical 2 results of representative grab samples, as defined in the water quality management plan. Human health-organism 3 only criteria shall not be exceeded.

4 E. The commission may establish a numeric water quality criterion at a concentration that is below 5 the minimum quantification level. In such cases, the water quality standard is enforceable at the minimum 6 quantification level.

F. For compliance with hardness-dependent numeric criteria, dissolved hardness (as mg CaCO<sub>3</sub>/L)
 shall be determined from a sample taken at the same time that the sample for the contaminant is taken.

Compliance schedules: It shall be the policy of the commission to allow on a case-by-case basis 9 G. the inclusion of a schedule of compliance in a NPDES permit issued to an existing facility. Such schedule of 10 compliance will be for the purpose of providing a permittee with adequate time to make treatment facility 11 modifications necessary to comply with water quality based permit limitations determined to be necessary to 12 implement new or revised water quality standards or wasteload allocation. Compliance schedules may be included 13 in NPDES permits at the time of permit renewal or modification and shall be written to require compliance at the 14 earliest practicable time. Compliance schedules shall also specify milestone dates so as to measure progress towards 15 final project completion (e.g., design completion, construction start, construction completion, date of compliance). 16

H. It is a policy of the commission to allow a temporary standard approved and adopted pursuant to
Subsection F of 20.6.4.10 NMAC to be included in the applicable federal Clean Water Act permit as enforceable
limits and conditions. The temporary standard and any schedule of actions may be included at the earliest
practicable time, and shall specify milestone dates so as to measure progress towards meeting the original standard.
[20.6.4.12 NMAC - Rp 20 NMAC 6.1.1104, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.11 NMAC, 5/23/2005; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017]

23

24 20.6.4.13 GENERAL CRITERIA: General criteria are established to sustain and protect existing or 25 attainable uses of surface waters of the state. These general criteria apply to all surface waters of the state at all 26 times, unless a specified criterion is provided elsewhere in this part. Surface waters of the state shall be free of any 27 water contaminant in such quantity and of such duration as may with reasonable probability injure human health, 28 animal or plant life or property, or unreasonably interfere with the public welfare or the use of property.

29

## Bottom deposits and suspended or settleable solids:

30 (1) Surface waters of the state shall be free of water contaminants including fine sediment 31 particles (less than two millimeters in diameter), precipitates or organic or inorganic solids from other than natural 32 causes that have settled to form layers on or fill the interstices of the natural or dominant substrate in quantities that 33 damage or impair the normal growth, function or reproduction of aquatic life or significantly alter the physical or 34 chemical properties of the bottom.

35 (2) Suspended or settleable solids from other than natural causes shall not be present in 36 surface waters of the state in quantities that damage or impair the normal growth, function or reproduction of aquatic 37 life or adversely affect other designated uses.

**B.** Floating solids, oil and grease: Surface waters of the state shall be free of oils, scum, grease and other floating materials resulting from other than natural causes that would cause the formation of a visible sheen or visible deposits on the bottom or shoreline, or would damage or impair the normal growth, function or reproduction of human, animal, plant or aquatic life.

42 **C. Color:** Color-producing materials resulting from other than natural causes shall not create an 43 aesthetically undesirable condition nor shall color impair the use of the water by desirable aquatic life presently 44 common in surface waters of the state.

45 **D**.

Α.

## D. Organoleptic quality:

46 (1) Flavor of fish: Water contaminants from other than natural causes shall be limited to 47 concentrations that will not impart unpalatable flavor to fish.

48 (2) Odor and taste of water: Water contaminants from other than natural causes shall be 49 limited to concentrations that will not result in offensive odor or taste arising in a surface water of the state or 50 otherwise interfere with the reasonable use of the water.

51 **E. Plant nutrients:** Plant nutrients from other than natural causes shall not be present in 52 concentrations that will produce undesirable aquatic life or result in a dominance of nuisance species in surface 53 waters of the state.

54

Toxic pollutants:

55 (1) Except as provided in 20.6.4.16 NMAC, surface waters of the state shall be free of toxic 56 pollutants from other than natural causes in amounts, concentrations or combinations that affect the propagation of

F.

1 fish or that are toxic to humans, livestock or other animals, fish or other aquatic organisms, wildlife using aquatic 2 environments for habitation or aquatic organisms for food, or that will or can reasonably be expected to 3 bioaccumulate in tissues of fish, shellfish and other aquatic organisms to levels that will impair the health of aquatic organisms or wildlife or result in unacceptable tastes, odors or health risks to human consumers of aquatic 4 5 organisms. Pursuant to this section, the human health-organism only criteria shall be as set out in 6 20.6.4.900 NMAC. When a human health-organism only criterion is not listed in 20.6.4.900 NMAC, the following 7 provisions shall be applied in accordance with 20.6.4.11, 20.6.4.12 and 20.6.4.14 NMAC. 8 The human health-organism only criterion shall be the recommended human 9 **(a)** health criterion for "consumption of organisms only" published by the U.S. environmental protection agency 10 pursuant to Section 304(a) of the federal Clean Water Act. In determining such criterion for a cancer-causing toxic 11 pollutant, a cancer risk of 10<sup>-5</sup> (one cancer per 100,000 exposed persons) shall be used. 12 When a numeric criterion for the protection of human health for the 13 **(b)** 14 consumption of organism only has not been published by the U.S. environmental protection agency, a quantifiable 15 criterion may be derived from data available in the U.S. environmental protection agency's Integrated Risk Information System (IRIS) using the appropriate formula specified in Methodology For Deriving Ambient Water 16 Quality Criteria For The Protection Of Human Health (2000), EPA-822-B-00-004. 17 18 Pursuant to this section, the chronic aquatic life criteria shall be as set out in 20.6.4.900 (3) 19 NMAC. When a chronic aquatic life criterion is not listed in 20.6.4.900 NMAC, the following provisions shall be applied in sequential order in accordance with 20.6.4.11, 20.6.4.12 and 20.6.4.14 NMAC. 20 21 **(a)** The chronic aquatic life criterion shall be the "freshwater criterion continuous 22 concentration" published by the U.S. environmental protection agency pursuant to Section 304(a) of the federal Clean Water Act; 23 If the U.S. environmental protection agency has not published a chronic aquatic 24 **(b)** life criterion, a geometric mean LC-50 value shall be calculated for the particular species, genus or group that is 25 representative of the form of life to be preserved, using the results of toxicological studies published in scientific 26 27 journals. 28 The chronic aquatic life criterion for a toxic pollutant that does not (i) bioaccumulate shall be ten percent of the calculated geometric mean LC-50 value; and 29 The chronic aquatic life criterion for a toxic pollutant that does 30 **(ii)** 31 bioaccumulate shall be: the calculated geometric mean LC-50 adjusted by a bioaccumulation factor for the particular species, genus or group representative of the form of life to be preserved, but when such bioaccumulation factor has 32 not been published, the criterion shall be one percent of the calculated geometric mean LC-50 value. 33 Pursuant to this section, the acute aquatic life criteria shall be as set out in 20.6.4.900 34 (4) NMAC. When an acute aquatic life criterion is not listed in 20.6.4.900 NMAC, the acute aquatic life criterion shall 35 be the "freshwater criterion maximum concentration" published by the U.S. environmental protection agency 36 37 pursuant to Section 304(a) of the federal Clean Water Act. 38 (5) Within 90 days of the issuance of a final NPDES permit containing a numeric criterion selected or calculated pursuant to Paragraph 2, Paragraph 3 or Paragraph 4 of Subsection F of this section, the 39 department shall petition the commission to adopt such criterion into these standards. 40 Radioactivity: The radioactivity of surface waters of the state shall be maintained at the lowest 41 G. practical level and shall in no case exceed the criteria set forth in the New Mexico Radiation Protection Regulations, 42 43 20.3.1 and 20.3.4 NMAC. 44 Pathogens: Surface waters of the state shall be free of pathogens from other than natural causes Η. in sufficient quantity to impair public health or the designated, existing or attainable uses of a surface water of the 45 46 state. 47 Temperature: Maximum temperatures for surface waters of the state have been specified in I. 20.6.4.97 through 20.6.4.900 NMAC. However, the introduction of heat by other than natural causes shall not 48 increase the temperature, as measured from above the point of introduction, by more than 2.7°C (5°F) in a stream, or 49 more than 1.7°C (3°F) in a lake or reservoir. In no case will the introduction of heat be permitted when the 50 maximum temperature specified for the reach would thereby be exceeded. These temperature criteria shall not apply 51 52 to impoundments constructed offstream for the purpose of heat disposal. High water temperatures caused by unusually high ambient air temperatures are not violations of these criteria. 53 Turbidity: Turbidity attributable to other than natural causes shall not reduce light transmission 54 J. to the point that the normal growth, function or reproduction of aquatic life is impaired or that will cause substantial 55 visible contrast with the natural appearance of the water. Activities or discharges shall not cause turbidity to 56 16

20.6.4 NMAC

4

**NMED ATTACHMENT 2** 

1 increase more than 10 NTU over background turbidity when the background turbidity, measured at a point 2 immediately upstream of the activity, is 50 NTU or less, nor to increase more than twenty percent when the background turbidity is more than 50 NTU. However, limited-duration turbidity increases caused by dredging, 3 construction or other similar activities may be allowed provided all practicable turbidity control techniques have 4 5 been applied and all appropriate permits, certifications and approvals have been obtained. **Total dissolved solids (TDS):** TDS attributable to other than natural causes shall not damage or 6 K. 7 impair the normal growth, function or reproduction of animal, plant or aquatic life. TDS shall be measured by either the "calculation method" (sum of constituents) or the filterable residue method. Approved test procedures for these 8 9 determinations are set forth in 20.6.4.14 NMAC. 10 Dissolved gases: Surface waters of the state shall be free of nitrogen and other dissolved gases at L. levels above one hundred ten percent saturation when this supersaturation is attributable to municipal, industrial or 11 12 other discharges. 13 Biological integrity: Surface waters of the state shall support and maintain a balanced and Μ. 14 integrated community of aquatic organisms with species composition, diversity and functional organization comparable to those of natural or minimally impacted water bodies of a similar type and region. 15 [20.6.4.13 NMAC - Rp 20 NMAC 6.1.1105, 10/12/2000; A, 10/11/2002; Rn, 20.6.4.12 NMAC, 5/23/2005; A, 16 17 5/23/2005; A, 12/1/2010] 18 19 20.6.4.14 SAMPLING AND ANALYSIS: 20 Sampling and analytical techniques shall conform with methods described in the following Α. 21 references unless otherwise specified by the commission pursuant to a petition to amend these standards: "Guidelines Establishing Test Procedures For The Analysis Of Pollutants Under The 22 (1) 23 Clean Water Act," 40 CFR Part 136 or any test procedure approved or accepted by EPA using procedures provided 24 in 40 CFR Parts 136.3(d), 136.4, and 136.5; 25 (2) Standard Methods For The Examination Of Water And Wastewater, latest edition, 26 American public health association; 27 (3) Methods For Chemical Analysis Of Water And Waste, and other methods published by EPA office of research and development or office of water; 28 29 (4) Techniques Of Water Resource Investigations Of The U.S. Geological Survey; 30 Annual Book Of ASTM Standards: volumes 11.01 and 11.02, water (I) and (II), latest (5) 31 edition, ASTM international; 32 Federal Register, latest methods published for monitoring pursuant to Resource (6) 33 Conservation and Recovery Act regulations; 34 National Handbook Of Recommended Methods For Water-Data Acquisition, latest (7) 35 edition, prepared cooperatively by agencies of the United States government under the sponsorship of the U.S. 36 geological survey; or Federal Register, latest methods published for monitoring pursuant to the Safe Drinking 37 (8) 38 Water Act regulations. 39 Bacteriological Surveys: The monthly geometric mean shall be used in assessing attainment of R. 40 criteria when a minimum of five samples is collected in a 30-day period. 41 **C**. **Sampling Procedures:** 42 Streams: Stream monitoring stations below discharges shall be located a sufficient (1) 43 distance downstream to ensure adequate vertical and lateral mixing. 44 Lakes: Sampling stations in lakes shall be located at least 250 feet from a discharge. (2) 45 Lakes: Except for the restriction specified in Paragraph (2) of this subsection, lake (3) 46 sampling stations shall be located at any site where the attainment of a water quality criterion is to be assessed. 47 Water quality measurements taken at intervals in the entire water column at a sampling station shall be averaged for the epilimnion, or in the absence of an epilimnion, for the upper one-third of the water column of the lake to 48 49 determine attainment of criteria, except that attainment of criteria for toxic pollutants shall be assessed during 50 periods of complete vertical mixing, e.g., during spring or fall turnover, or by taking depth-integrated composite samples of the water column. 51 52 Acute toxicity of effluent to aquatic life shall be determined using the procedures specified in U.S. D. environmental protection agency "Methods For Measuring The Acute Toxicity Of Effluents And Receiving Waters 53 To Freshwater And Marine Organisms" (5th Ed., 2002, EPA 821-R-02-012), or latest edition thereof if adopted by 54 EPA at 40 CFR Part 136, which is incorporated herein by reference. Acute toxicities of substances shall be 55 determined using at least two species tested in whole effluent and a series of effluent dilutions. Acute toxicity due to 56

20.6.4 NMAC

NMED ATTAÇHMENT 2

discharges shall not occur within the wastewater mixing zone in any surface water of the state with an existing or
 designated aquatic life use.

3 **E**. Chronic toxicity of effluent or ambient surface waters of the state to aquatic life shall be determined using the procedures specified in U.S. environmental protection agency "Short-Term Methods For 4 5 Estimating The Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms" (4th Ed., 2002, EPA 821-R-02-013), or latest edition thereof if adopted by EPA at 40 CFR Part 136, which is incorporated herein by 6 7 reference. Chronic toxicities of substances shall be determined using at least two species tested in ambient surface water or whole effluent and a series of effluent dilutions. Chronic toxicity due to discharges shall not occur at the 8 9 critical low flow, or any flow greater than the critical low flow, in any surface water of the state with an existing or 10 designated aquatic life use more than once every three years.

11 [20.6.4.14 NMAC - Rp 20 NMAC 6.1.1106, 10/12/2000; Rn, 20.6.4.13 NMAC, 5/23/2005 & A, 5/23/2005; A,
 12/1/2010]

13 14

## 20.6.4.15 USE ATTAINABILITY ANALYSIS:

A. A use attainability analysis is a scientific study conducted for the purpose of assessing the factors
 affecting the attainment of a use. Whenever a use attainability analysis is conducted, it shall be subject to the
 requirements and limitations set forth in 40 CFR Part 131, Water Quality Standards; specifically, Subsections
 131.3(g), 131.10(g), 131.10(h) and 131.10(j) shall be applicable.

19 (1) The commission may remove a designated use specified in Section 101(a)(2) of the 20 federal Clean Water Act or adopt subcategories of a Section 101(a)(2) use requiring less stringent criteria only if a 21 use attainability analysis demonstrates that attaining the use is not feasible because of a factor listed in 40 CFR 22 131.10(g). Section 101(a)(2) uses, which refer to the protection and propagation of fish, shellfish and wildlife and 23 recreation in and on the water, are also specified in Subsection B of 20.6.4.6 NMAC.

A designated use cannot be removed if it is an existing use unless a use requiring more stringent criteria is designated.

26 B. A use attainability analysis shall assess the physical, chemical, biological, economic or other 27 factors affecting the attainment of a use. The analysis shall rely on scientifically defensible methods such as the 28 methods described in the following documents:

(1) Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use
 Attainability Analyses, volume I (November 1983) and volume III (November 1984) or latest editions, United States
 environmental protection agency, office of water, regulations and standards, Washington, D.C., for the evaluation of
 aquatic life or wildlife uses;

the department's *Hydrology Protocol*, latest edition, approved by the commission, for
 identifying ephemeral and intermittent waters; or

Interim Economic Guidance For Water Quality Standards - Workbook, March 1995,
 United States environmental protection agency, office of water, Washington, D.C. for evaluating economic impacts.

37 С. If a use attainability analysis based on the department's Hydrology Protocol (latest edition), approved by the commission, demonstrates to the satisfaction of the department that Section 101(a)(2) uses are not 38 feasible in an ephemeral water body, the department shall post the use attainability analysis on its water quality 39 standards website and notify its interested parties list of a 30-day public comment period. After reviewing any 40 comments received, the department may proceed by submitting the use attainability analysis and response to 41 42 comments to region 6 EPA for technical approval. If technical approval is granted, the water shall be subject to 20.6.4.97 NMAC. The use attainability analysis, the technical approval, and the applicability of 20.6.4.97 NMAC to 43 44 the water shall be posted on the department's water quality standards website. The department shall periodically petition the commission to list ephemeral waters under Subsection C of 20.6.4.97 NMAC and to incorporate changes 45 to classified segments as appropriate. 46

47 Use attainability analysis conducted by an entity other than the department. Any person may D. submit notice to the department stating the intent to conduct a use attainability analysis. The proponent shall 48 49 develop a work plan to conduct the use attainability analysis and shall submit the work plan to the department and region 6 EPA for review and comment. The work plan shall identify the scope of data currently available and the 50 scope of data to be gathered, the factors affecting use attainment that will be analyzed and provisions for public 51 notice and consultation with appropriate state and federal agencies. Upon approval of the work plan by the 52 53 department, the proponent shall conduct the use attainability analysis in accordance with the approved work plan. 54 The cost of such analysis shall be the responsibility of the proponent. Upon completion of the use attainability 55 analysis, the proponent shall submit the data, findings and conclusions to the department. The department or the

proponent may petition the commission to modify the designated use if the conclusions of the analysis support such
 action.
 [20.6.4.15 NMAC - Rp 20 NMAC 6.1.1107, 10/12/2000; Rn, 20.6.4.14 NMAC, 5/23/2005; A, 5/23/2005; A,

4	7/17/2005; A, 12/1/2010]					
5						
6	20.6.4.16 PLANNED USE OF A PISCICIDE: The use of a piscicide registered under the Federal					
7	Insecticide, Fungicide, and Rodenticide Act (FIFRA), 7 U.S.C. Section 136 et seq., and under the New Mexico					
8	Pesticide Control Act (NMPCA), Section 76-4-1 et seq. NMSA 1978 (1973) in a surface water of the state, shall not					
9	be a violation of Subsection F of 20.6.4.13 NMAC when such use is covered by a federal national pollutant					
10	discharge elimination system (NPDES) permit or has been approved by the commission under procedures provided					
11	in this section. The use of a piscicide which is covered by a NPDES permit shall require no further review by the					
12	commission and the person whose application is covered by the NPDES permit shall meet the additional notification					
13	and monitoring requirements outlined in Subsection G of 20.6.4.16 NMAC. The commission may approve the					
14	reasonable use of a piscicide under this section if the proposed use is not covered by a NPDES permit to further a					
15	Clean Water Act objective to restore and maintain the physical or biological integrity of surface waters of the state,					
16	including restoration of native species.					
17	A. Any person seeking commission approval of the use of a piscicide not covered by a NPDES					
18	permit shall file a written petition concurrently with the commission and the surface water bureau of the department.					
19	The petition shall contain, at a minimum, the following information:					
20	(1) petitioner's name and address;					
21	(2) identity of the piscicide and the period of time (not to exceed five years) or number of					
22	applications for which approval is requested;					
23	(3) documentation of registration under FIFRA and NMPCA and certification that the					
24	petitioner intends to use the piscicide according to the label directions, for its intended function;					
25	(4) target and potential non-target species in the treated waters and adjacent riparian area,					
26	including threatened or endangered species;					
27	(5) potential environmental consequences to the treated waters and the adjacent riparian area,					
28	and protocols for limiting such impacts;					
29	(6) surface water of the state proposed for treatment;					
30	(7) results of pre-treatment survey;					
31	(8) evaluation of available alternatives and justification for selecting piscicide use;					
32	(9) documentation of notice requesting public comment on the proposed use within a 30-day					
33	period, including information as described in Paragraphs (1), (2) and (6) of Subsection A of 20.6.4.16 NMAC,					
34	provided to:					
35	(a) local political subdivisions;					
36	(b) local water planning entities;					
37	(c) local conservancy and irrigation districts; and					
38	(d) local media outlets, except that the petitioner shall only be required to publish					
39	notice in a newspaper of circulation in the locality affected by the proposed use.					
40	(10) copies of public comments received in response to the publication of notice and the					
41	petitioner's responses to public comments received;					
42	(11) post-treatment assessment monitoring protocol; and					
43	(12) any other information required by the commission.					
44	<b>B.</b> Within 30 days of receipt of the petition, the department shall review the petition and file a					
45	recommendation with the commission to grant, grant with conditions or deny the petition. The recommendation					
46	shall include reasons, and a copy shall be sent to the petitioner by certified mail.					
47	<b>C.</b> The commission shall review the petition, the public comments received under Paragraphs (9) and					
48	(10) of Subsection A of 20.6.4.16 NMAC, the petitioner's responses to public comments and the department's					
49	technical recommendations for the petition. A public hearing shall be held if the commission determines there is					
50	substantial public interest. The commission shall notify the petitioner and those commenting on the petition of the					
51	decision whether to hold a hearing and the reasons therefore in writing.					
52	<b>D.</b> If the commission determines there is substantial public interest a public hearing shall be held					
53	within 90 days of receipt of the department's recommendation in the locality affected by the proposed use in					
54 55	accordance with 20.1.3 NMAC, Adjudicatory Procedures - Water Quality Control Commission. Notice of the					
55 56	hearing shall be given in writing by the petitioner to individuals listed under Subsection A of 20.6.4.16 NMAC as					
56	well as to individuals who provided public comment under that subsection at least 30 days prior to the hearing.					

NMED ATTACHMENT 2

In a hearing provided for in this section or, if no hearing is held, in a commission meeting, the 1 E. 2 registration of a piscicide under FIFRA and NMPCA shall provide a rebuttable presumption that the determinations 3 of the EPA Administrator in registering the piscicide, as outlined in 7 U.S.C. Section 136a(c)(5), are valid. For 4 purposes of this Section the rebuttable presumptions regarding the piscicide include:

8

9

32

41

Its composition is such as to warrant the proposed claims for it;

5 (1) Its labeling and other material submitted for registration comply with the requirements of 6 (2) 7 FIFRA and NMPCA;

environment: and

It will perform its intended function without unreasonable adverse effects on the (3)

When used in accordance with all FIFRA label requirements it will not generally cause 10 (4) unreasonable adverse effects on the environment. 11

12 "Unreasonable adverse effects on the environment" has the meaning provided in FIFRA, (5) 13 7 U.S.C. Section 136(bb): "any unreasonable risk to man or the environment, taking into account the economic, 14 social, and environmental costs and benefits of the use of any pesticide."

15 F. After a public hearing, or commission meeting if no hearing is held, the commission may grant the 16 petition in whole or in part, may grant the petition subject to conditions, or may deny the petition. In granting any petition in whole or part or subject to conditions, the commission shall require the petitioner to implement post-17 treatment assessment monitoring and provide notice to the public in the immediate and near downstream vicinity of 18 19 the application prior to and during the application.

20 G. Any person whose application is covered by a NPDES permit shall provide written notice to local 21 entities as described in Subsection A of 20.6.4.16 NMAC and implement post-treatment assessment monitoring 22 within the application area as described in Subsection F of 20.6.4.16 NMAC.

[20.6.4.16 NMAC - Rn, Paragraph (6) of Subsection F of 20.6.4.12 NMAC, 5/23/2005; A, 5/23/2005; A, 3/2/2017] 23 24

20.6.4.17 - 20.6.4.49 [RESERVED] 25 26

BASINWIDE PROVISIONS - Special provisions arising from interstate compacts, international 27 20.6.4.50 treaties or court decrees or that otherwise apply to a basin are contained in 20.6.4.51 through 20.6.4.59 NMAC. 28 29 [20.6.4.50 NMAC - N, 5/23/2005] 30

#### 31 20.6.4.51 [RESERVED]

PECOS RIVER BASIN - In order to protect existing and designated uses, it is a goal of the state 33 20.6.4.52 of New Mexico to prevent increases in TDS in the Pecos river above the following benchmark values, which are 34 35 expressed as flow-weighted, annual average concentrations, at three USGS gaging stations: at Santa Rosa 500 mg/L; near Artesia 2,700 mg/L; and near Malaga 3,600 mg/L. The benchmark values serve to guide state action. They are 36 37 adopted pursuant to the New Mexico Water Quality Act, not the Clean Water Act.

[20.6.4.52 NMAC - N, 12/1/2010] 38 39

40 20.6.4.53 [RESERVED]

42 20.6.4.54 COLORADO RIVER BASIN - For the tributaries of the Colorado river system, the state of New Mexico will cooperate with the Colorado river basin states and the federal government to support and implement the 43 salinity policy and program outlined in the most current "review, water quality standards for salinity, Colorado river 44 system" or equivalent report by the Colorado river salinity control forum. 45

Numeric criteria expressed as the flow-weighted annual average concentration for salinity are 46 Α. established at three points in the Colorado river basin as follows: below Hoover dam, 723 mg/L; below Parker dam, 47 747 mg/L; and at Imperial dam, 879 mg/L. 48

As a part of the program, objectives for New Mexico shall include the elimination of discharges of 49 B. water containing solids in solution as a result of the use of water to control or convey fly ash from coal-fired electric 50 51 generators, wherever practicable.

52 [20.6.4.54 NMAC - Rn, Paragraphs (1) through (3) of Subsection K of 20.6.4.12 NMAC, 5/23/2005; A, 5/23/2005] 53

4

54 20.6.4.55 - 20.6.4.96 [RESERVED]

55

20.6.4 NMAC

**NMED ATTACHMENT 2** 

1	20.6.4.97			WATERS: Ephemeral surface waters of the state as identified below and		
2	additional ephemo	eral water	rs as iden	tified on the department's water quality standards website pursuant to		
3	Subsection C of 20.6.4.15 NMAC are subject to the designated uses and criteria as specified in this section.					
4	Ephemeral waters classified in 20.6.4.101-899 NMAC are subject to the designated uses and criteria as specified in					
5	those sections.					
6	А.	Designa	ted uses:	livestock watering, wildlife habitat, limited aquatic life and secondary contact.		
7	В.			-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses.		
8	C.	Waters:				
9	0.	(1)		wing waters are designated in the Rio Grande basin:		
10		(1)	(a)	Cunningham gulch from Santa Fe county road 55 upstream 1.4 miles to a point		
11	unstream of the I	aa miner		identified as Ortiz mine on U.S. geological survey topographic maps;		
12	upstream of the L	ac miner	-	an unnamed tributary from Arroyo Hondo upstream 0.4 miles to the Village of		
	Oshana watan nasl		(b) Sa ailian an			
13	Oshara water recl	amation	•			
14	•,	. C. 11	(c)	an unnamed tributary from San Pedro creek upstream 0.8 miles to the PAA-KO		
15	community sewer	outfall;				
16				Inditos draw from the crossing of an unnamed road along a power line one-		
17	quarter mile west	of McKi	nley coui	nty road 19 upstream to New Mexico highway 509;		
18			(e)	an unnamed tributary from the diversion channel connecting Blue canyon and		
19	Socorro canyon u	pstream (	0.6 miles	to the New Mexico firefighters academy treatment facility outfall;		
20			(f)	an unnamed tributary from the Albuquerque metropolitan arroyo flood control		
21	authority (AMAF	CA) Rio	Grande s	south channel upstream of the crossing of New Mexico highway 47 upstream to		
22	I-25;					
23			(g)	the south fork of Cañon del Piojo from Canon del Piojo upstream 1.2 miles to an		
24	unnamed tributary	v:	.0,	5 5 1		
25			(h)	an unnamed tributary from the south fork of Cañon del Piojo upstream 1 mile to		
26	the Resurrection	mine outf		,		
27			(i)	Arroyo del Puerto from San Mateo creek upstream 6.8 miles to the Ambrosia		
28	Lake mine entran	ce road.	(-)			
29	Luno mino omiun	ee roud,	(j)	an unnamed tributary from San Mateo creek upstream 1.5 miles to the Roca		
30	Honda mine facil	ity outfal		an annance troutery non-ben mateo creek upstream 1.5 miles to the Roca		
31	110liua lillile laeli	ity outiai	(k)	San Isidro arroyo from the Lee Ranch mine facility outfall upstream to Tinaja		
32	arrovo		(K)	San Isluto arroyo nom the Lee Ranch filme facility outian upsitean to Tinaja		
	arroyo;		a)	Timi		
33			(l)	Tinaja arroyo from San Isidro arroyo upstream to Mulatto canyon; and		
34		,	(m)	Mulatto canyon from Tinaja arroyo upstream to 1 mile northeast of the Cibola		
35	national forest bo					
36		(2)		wing waters are designated in the Pecos river basin:		
37			(a)	an unnamed tributary from Hart canyon upstream 1 mile to South Union road;		
38			(b)	Aqua Chiquita from Rio Peñasco upstream to McEwan canyon; and		
39			(c)	Grindstone canyon upstream of Grindstone reservoir.		
40		(3)	the follo	wing waters are designated in the Canadian river basin:		
41			(a)	Bracket canyon upstream of the Vermejo river;		
42			(b)	an unnamed tributary from Bracket canyon upstream 2 miles to the Ancho mine;		
43	and					
44			(c)	Gachupin canyon from the Vermejo river upstream 2.9 miles to an unnamed		
45	west tributary nea	ar the And	cho mine	outfall.		
46	·	(4)	in the Sa	n Juan river basin an unnamed tributary of Kim-me-ni-oli wash upstream of the		
47	mine outfall.					
48		(5)	the follo	wing waters are designated in the Little Colorado river basin:		
49			(a)	Defiance draw from County Road 1 to upstream of West Defiance Road; and		
50			(b)	an unnamed tributary of Defiance draw from McKinley county road 1 upstream		
51	to New Mexico h	ighway ?				
52	10 11011 MICHIOO II	(6)		wing waters are designated in the closed basins:		
53		(9)	(a)	in the Tularosa river closed basin San Andres canyon downstream of South San		
54	Andres canyon; a	nd	(4)	in the runarosa fiver closed basin san Andres canyon downsheam of South San		
55	Anures canyon; a	unu	(h)	in the Mimbres river closed basin San Visente arroys from the Mimbres river		
55 56	upstream to Mau	des convo	(b)	in the Mimbres river closed basin San Vicente arroyo from the Mimbres river		
50	upsireant to Mau	acs cally	<i>и</i> 1.			

.

×

۰.

NMED ATTACHMENT 2

۹

۰.

1 [20.6.4.97 NMAC - N, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 2 3 20.6.4.98 **INTERMITTENT WATERS:** All non-perennial surface waters of the state, except those 4 ephemeral waters included under section 20.6.4.97 NMAC or classified in 20.6.4.101-899 NMAC. Designated uses: livestock watering, wildlife habitat, marginal warmwater aquatic life and 5 Α. 6 primary contact. Criteria: the use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses, 7 В. 8 except that the following site-specific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100 mL or less, single sample 940 cfu/100 mL or less. 9 [20.6.4.98 NMAC - N, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 10 11 12 20.6.4.99 PERENNIAL WATERS: All perennial surface waters of the state except those classified in 20.6.4.101-899 NMAC. 13 14 Designated uses: Warmwater aquatic life, livestock watering, wildlife habitat and primary Α. 15 contact. Criteria: The use-specific criteria in 20.6.4,900 NMAC are applicable to the designated uses, 16 Β. except that the following site-specific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100 mL 17 or less, single sample 940 cfu/100 mL or less. 18 19 [20.6.4.99 NMAC - N, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 20 21 20.6.4.100 [RESERVED] 22 23 20.6.4.101 RIO GRANDE BASIN: The main stem of the Rio Grande from the international boundary with Mexico upstream to one mile downstream of Percha dam. 24 Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat 25 Α. 26 and primary contact. 27 В. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 28 (1) designated uses except that the following segment-specific criterion applies: temperature 34°C (93.2°F) or less. 29 At mean monthly flows above 350 cfs, the monthly average concentration for: TDS 2,000 30 (2) mg/L or less, sulfate 500 mg/L or less and chloride 400 mg/L or less. 31 Remarks: sustained flow in the Rio Grande below Caballo reservoir is dependent on release from С. 32 Caballo reservoir during the irrigation season; at other times of the year, there may be little or no flow. 33 [20.6.4.101 NMAC - Rp 20 NMAC 6.1.2101, 10/12/2000; A, 12/15/2001; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 34 35 RIO GRANDE BASIN: The main stem of the Rio Grande from one mile downstream of 36 20.6.4.102 37 Percha dam upstream to Caballo dam. Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and warmwater 38 **A**. 39 aquatic life. 40 **B**. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 41 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 42 Remarks: sustained flow in the Rio Grande downstream of Caballo reservoir is dependent on 43 С. release from Caballo reservoir during the irrigation season; at other times of the year, there may be little or no flow. 44 [20.6.4.102 NMAC - Rp 20 NMAC 6.1.2102, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 45 46 RIO GRANDE BASIN: The main stem of the Rio Grande from the headwaters of Caballo 47 20.6.4.103 reservoir upstream to Elephant Butte dam and perennial reaches of tributaries to the Rio Grande in Sierra 48 and Socorro counties, excluding waters on tribal lands. 49 Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life, 50 Α. secondary contact and warmwater aquatic life. 51 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 52 **B**. 53 designated uses. С. Remarks: flow in this reach of the Rio Grande main stem is dependent upon release from 54 Elephant Butte dam. 55 [20.6.4.103 NMAC - Rp 20 NMAC 6.1.2103, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 56

4

20.6.4 NMAC

۹.

NMED ATTACHMENT 2

1 2 20.6.4.104 **RIO GRANDE BASIN: Caballo and Elephant Butte reservoir.** Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and 3 Α. 4 warmwater aquatic life. 5 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the В. designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 6 7 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 8 [20.6.4.104 NMAC - Rp 20 NMAC 6.1.2104, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 9 10 RIO GRANDE BASIN: The main stem of the Rio Grande from the headwaters of Elephant 20.6.4.105 Butte reservoir upstream to Alameda bridge (Corrales bridge), excluding waters on Isleta pueblo. 11 12 Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, public water Α. supply, wildlife habitat and primary contact. 13 14 Criteria: В. 15 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 16 designated uses. 17 At mean monthly flows above 100 cfs, the monthly average concentration for: TDS 1,500 (2) mg/L or less, sulfate 500 mg/L or less and chloride 250 mg/L or less. 18 19 [20.6.4.105 NMAC - Rp 20 NMAC 6.1.2105, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 20 21 20.6.4.106 **RIO GRANDE BASIN:** The main stem of the Rio Grande from Alameda bridge (Corrales 22 bridge) upstream to the Angostura diversion works, excluding waters on Santa Ana pueblo, and intermittent 23 water in the Jemez river below the Jemez pueblo boundary, excluding waters on Santa Ana and Zia pueblos, 24 that enters the main stem of the Rio Grande. Portions of the Rio Grande in this segment are under the joint 25 jurisdiction of the state and Sandia pueblo. 26 Α. **Designated uses:** irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat 27 and primary contact; and public water supply on the Rio Grande. 28 **B**. Criteria: 29 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 30 designated uses. 31 (2) At mean monthly flows above 100 cfs, the monthly average concentration for: TDS 1,500 32 mg/L or less, sulfate 500 mg/L or less and chloride 250 mg/L or less. 33 [20.6.4.106 NMAC - Rp 20 NMAC 6.1.2105.1, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 34 35 20.6.4.107 RIO GRANDE BASIN: The Jemez river from the Jemez pueblo boundary upstream to Soda dam near the town of Jemez Springs and perennial reaches of Vallecito creek. 36 37 Designated uses: coldwater aquatic life, primary contact, irrigation, livestock watering and Α. 38 wildlife habitat; and public water supply on Vallecito creek. 39 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the R 40 designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F). 41 [20.6.4.107 NMAC - Rp 20 NMAC 6.1.2105.5, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 42 43 20.6.4.108 RIO GRANDE BASIN: Perennial reaches of the Jemez river and all its tributaries above 44 Soda dam near the town of Jemez Springs, except San Gregorio lake and Sulphur creek above its confluence 45 with Redondo creek, and perennial reaches of the Guadalupe river and all its tributaries. 46 Designated uses: domestic water supply, fish culture, high quality coldwater aquatic life, Α. 47 irrigation, livestock watering, wildlife habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 48 В. 49 designated uses, except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less 50 (800  $\mu$ S/cm or less on Sulphur creek); the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less; and pH within the range of 2.0 to 8.8 on Sulphur creek. 51 [20.6.4.108 NMAC - Rp 20 NMAC 6.1.2106, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 52 53 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 54 segment are under 20.6.4.124 NMAC. The standards for San Gregorio lake are in 20.6.4.134 NMAC, effective 55 7/10/2012] 56

4

NMED ATTACHMENT 2

1 RIO GRANDE BASIN: Perennial reaches of Bluewater creek excluding Bluewater lake and 20.6.4.109 waters on tribal lands, Rio Moquino upstream of Laguna pueblo, Seboyeta creek, Rio Paguate upstream of 2 Laguna pueblo, the Rio Puerco upstream of the northern boundary of Cuba, and all other perennial reaches 3 of tributaries to the Rio Puerco, including the Rio San Jose in Cibola county from the USGS gaging station at 4 5 Correo upstream to Horace springs excluding waters on tribal lands. Designated uses: coldwater aquatic life, domestic water supply, fish culture, irrigation, livestock 6 Α. 7 watering, wildlife habitat and primary contact; and public water supply on La Jara creek. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 8 **B**. designated uses, except that the following segment-specific criteria apply: phosphorus (unfiltered sample) 0.1 mg/L 9 or less; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or 10 11 less. [20.6.4.109 NMAC - Rp 20 NMAC 6.1.2107, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 12 [NOTE: The standards for Bluewater lake are in 20.6.4.135 NMAC, effective 7/10/2012] 13 14 15 20.6.4.110 **RIO GRANDE BASIN:** The main stem of the Rio Grande from Angostura diversion works upstream to Cochiti dam, excluding the reaches on San Felipe, Kewa and Cochiti pueblos. 16 Designated uses: irrigation, livestock watering, wildlife habitat, primary contact, coldwater 17 **A.** 18 aquatic life and warmwater aquatic life. 19 **B**. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 20 designated uses, except that the following segment-specific criteria apply: pH within the range of 6.6 to 9.0 and 21 temperature 25°C (77°F) or less. 22 [20.6.4.110 NMAC - Rp 20 NMAC 6.1.2108, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 23 RIO GRANDE BASIN: Perennial reaches of Las Huertas creek from the San Felipe pueblo 24 20.6.4.111 25 boundary to the headwaters. Designated uses: high quality coldwater aquatic life, irrigation, livestock watering, wildlife 26 **A**. 27 habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 28 **B**. designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. 29 [20.6.4.111 NMAC - Rp 20 NMAC 6.1.2108.5, 10/12/2000; A, 7/25/2001; A, 5/23/2005; A, 12/1/2010] 30 31 **NOTE:** The segment covered by this section was divided effective 5/23/2005. The standards for the additional 32 segment are under 20.6.4.125 NMAC.] 33 34 [RESERVED] 20.6.4.112 [20.6.4.112 NMAC - Rp 20 NMAC 6.1.2109, 10/12/2000; A, 5/23/2005; Repealed, 12/1/2010] 35 36 37 RIO GRANDE BASIN: The Santa Fe river and perennial reaches of its tributaries from the 20.6.4.113 38 Cochiti pueblo boundary upstream to the outfall of the Santa Fe wastewater treatment facility. Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and coolwater 39 **A**. 40 aquatic life. Criteria: The use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses, 41 В. except that the following segment-specific criterion applies: temperature 30°C (86°F) or less. 42 [20.6.4.113 NMAC - Rp 20 NMAC 6.1.2110, 10/12/2000; A, 10/11/2002; A, 5/23/2005; A, 12/1/2010; A, 43 44 2/14/2013] 45 46 20.6.4.114 RIO GRANDE BASIN: The main stem of the Rio Grande from the Cochiti pueblo boundary upstream to Rio Pueblo de Taos excluding waters on San Ildefonso, Santa Clara and Ohkay 47 Owingeh pueblos, Embudo creek from its mouth on the Rio Grande upstream to the Picuris Pueblo 48 boundary, the Santa Cruz river from the Santa Clara pueblo boundary upstream to the Santa Cruz dam, the 49 Rio Tesuque except waters on the Tesuque and Pojoaque pueblos, and the Pojoaque river from the San 50 Ildefonso pueblo boundary upstream to the Pojoaque pueblo boundary. Some Rio Grande waters in this 51 52 segment are under the joint jurisdiction of the state and San Ildefonso pueblo. Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life, 53 Α. primary contact and warmwater aquatic life; and public water supply on the main stem Rio Grande. 54 55 **Criteria: B**.

4

**NMED ATTACHMENT 2** 

1 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 2 designated uses, except that the following segment-specific criteria apply: 6T3 temperature 22°C (71.6°F) and 3 maximum temperature 25°C (78.8°F). In addition, the following criteria based on a 12-month rolling average are 4 applicable to the public water supply use for monitoring and public disclosure purposes only: 5

Radionuclide	pCi/L
Americium-241	1.9
Cesium-137	6.4
Plutonium-238	1.5
Plutonium-239/240	1.5
Strontium-90	3.5
Tritium	4,000

6 7 (2) At mean monthly flows above 100 cfs, the monthly average concentration for: TDS 500 8 mg/L or less, sulfate 150 mg/L or less and chloride 25 mg/L or less. 9 [20.6.4.114 NMAC - Rp 20 NMAC 6.1.2111, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 10 11 20.6.4.115 RIO GRANDE BASIN: The perennial reaches of Rio Vallecitos and its tributaries except Hopewell lake, and perennial reaches of Rio del Oso and perennial reaches of El Rito creek above the town of 12 13 El Rito. 14 Α. **Designated uses:** domestic water supply, irrigation, high quality coldwater aquatic life, livestock 15 watering, wildlife habitat and primary contact; public water supply on the Rio Vallecitos and El Rito creek. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 16 R. 17 designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 18 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 19 [20.6.4.115 NMAC - Rp 20 NMAC 6.1.2112, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 20 [NOTE: The standards for Hopewell lake are in 20.6.4.134 NMAC, effective 7/10/2012] 21 22 20.6.4.116 RIO GRANDE BASIN: The Rio Chama from its mouth on the Rio Grande upstream to 23 Abiquiu reservoir, perennial reaches of the Rio Tusas, perennial reaches of the Rio Ojo Caliente, perennial reaches of Abiquiu creek and perennial reaches of El Rito creek downstream of the town of El Rito. 24 25 Designated uses: irrigation, livestock watering, wildlife habitat, coldwater aquatic life, Α. 26 warmwater aquatic life and secondary contact. 27 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the R. 28 designated uses, except that the following segment-specific criterion applies: temperature 31°C (87.8°F) or less. 29 [20.6.4.116 NMAC - Rp 20 NMAC 6.1.2113, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 30 31 20.6.4.117 **RIO GRANDE BASIN:** Abiquiu reservoir. 32 Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact, Α. 33 coldwater aquatic life and warmwater aquatic life. 34 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the **B**. 35 designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. [20.6.4.117 NMAC - Rp 20 NMAC 6.1.2114, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 36 37 38 20.6.4.118 **RIO GRANDE BASIN:** The Rio Chama from the headwaters of Abiquiu reservoir 39 upstream to El Vado reservoir and perennial reaches of the Rio Gallina and Rio Puerco de Chama north of 40 state highway 96. Some Rio Chama waters in this segment are under the joint jurisdiction of the state and the Jicarilla Apache tribe. 41 Designated uses: irrigation, livestock watering, wildlife habitat, coldwater aquatic life, 42 Α. 43 warmwater aquatic life and primary contact. 44 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the R. designated uses, except that the following segment-specific criterion applies: temperature 26°C (78.8°F) or less. 45 [20.6.4.118 NMAC - Rp 20 NMAC 6.1.2115, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 46 47

20.6.4 NMAC

NMED ATTACHMENT 2

RIO GRANDE BASIN: All perennial reaches of tributaries to the Rio Chama above 1 20.6.4.119 Abiquiu dam, except Canjilon lakes a, c, e and f and the Rio Gallina and Rio Puerco de Chama north of state 2 highway 96 and excluding waters on Jicarilla Apache reservation, and the main stem of the Rio Chama from 3 the headwaters of El Vado reservoir upstream to the New Mexico-Colorado line. Some Cañones creek and 4 5 Rio Chama waters in this segment are under the joint jurisdiction of the state and the Jicarilla Apache tribe. Designated uses: domestic water supply, fish culture, high quality coldwater aquatic life, 6 Α. 7 irrigation, livestock watering, wildlife habitat and primary contact; and public water supply on the Rio Brazos and 8 Rio Chama. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 9 **B**. 10 designated uses, except that the following segment-specific criteria apply: specific conductance 500 µS/cm or less (1,000 µS or less for Coyote creek); the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single 11 sample 235 cfu/100 mL or less. 12 [20.6.4.119 NMAC - Rp 20 NMAC 6.1.2116, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 13 14 **[NOTE:** The standards for Canjilon lakes a, c, e and f are in 20.6.4.134 NMAC, effective 7/10/2012] 15 20.6.4.120 **RIO GRANDE BASIN: El Vado and Heron reservoirs.** 16 17 Designated uses: irrigation storage, livestock watering, wildlife habitat, public water supply, **A.** 18 primary contact and coldwater aquatic life. 19 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. 20 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 21 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.120 NMAC - Rp 20 NMAC 6.1.2117, 10/12/2000; A. 5/23/2005; A, 12/1/2010] 22 23 RIO GRANDE BASIN: Perennial tributaries to the Rio Grande in Bandelier national 24 20.6.4.121 25 monument and their headwaters in Sandoval county and all perennial reaches of tributaries to the Rio Grande in Santa Fe county unless included in other segments and excluding waters on tribal lands. 26 27 Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock Α. 28 watering, wildlife habitat and primary contact; and public water supply on Little Tesuque creek, the Rio en Medio, 29 and the Santa Fe river. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 30 **B**. 31 designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 32 [20.6.4.121 NMAC - Rp 20 NMAC 6.1.2118, 10/12/2000; A. 5/23/2005; A, 12/1/2010; A, 2/14/2013] 33 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 34 segments are under 20.6.4.126, 20.6.4.127 and 20.6.4.128 NMAC.] 35 36 37 RIO GRANDE BASIN: The main stem of the Rio Grande from Rio Pueblo de Taos 20.6.4.122 38 upstream to the New Mexico-Colorado line, the Red river from its mouth on the Rio Grande upstream to the 39 mouth of Placer creek, and the Rio Pueblo de Taos from its mouth on the Rio Grande upstream to the mouth 40 of the Rio Grande del Rancho. Some Rio Grande and Rio Pueblo de Taos waters in this segment are under 41 the joint jurisdiction of the state and Taos pueblo. Designated uses: coldwater aquatic life, fish culture, irrigation, livestock watering, wildlife 42 **A**. 43 habitat and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 44 R. designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 45 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 46 47 [20.6.4.122 NMAC - Rp 20 NMAC 6.1.2119, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 48 RIO GRANDE BASIN: Perennial reaches of the Red river upstream of the mouth of Placer 49 20.6.4.123 creek, all perennial reaches of tributaries to the Red river, and all other perennial reaches of tributaries to 50 the Rio Grande in Taos and Rio Arriba counties unless included in other segments and excluding waters on 51 Santa Clara, Ohkay Owingeh, Picuris and Taos pueblos. 52 Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock 53 **A**. watering, wildlife habitat and primary contact; and public water supply on the Rio Pueblo and Rio Fernando de 54 55 Taos.

4

۹.

NMED ATTACHMENT 2

1 **B**. **Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 2 designated uses, except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less (500 µS/cm or less for the Rio Fernando de Taos); the monthly geometric mean of E. coli bacteria 126 cfu/100 mL 3 4 or less, single sample 235 cfu/100 mL or less; and phosphorus (unfiltered sample) less than 0.1 mg/L for the Red 5 river. [20.6.4.123 NMAC - Rp 20 NMAC 6.1.2120, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 6 7 **NOTE:** The segment covered by this section was divided effective 5/23/2005. The standards for the additional 8 segment are under 20.6.4.129 NMAC.] 9 10 20.6.4.124 **RIO GRANDE BASIN:** Perennial reaches of Sulphur creek from its confluence with 11 Redondo creek upstream to its headwaters. Designated uses: limited aquatic life, wildlife habitat, livestock watering and secondary contact. 12 Α. Criteria: the use-specific criteria set forth in 20.6.4.900 NMAC are applicable to the designated 13 B. uses, except that the following segment-specific criteria apply: pH within the range of 2.0 to 9.0, maximum 14 temperature 30°C (86°F), and the chronic aquatic life criteria of Subsections I and J of 20.6.4.900 NMAC. 15 16 [20.6.4.124 NMAC - N, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 17 18 20.6.4.125 RIO GRANDE BASIN: Perennial reaches of San Pedro creek from the San Felipe pueblo 19 boundary to the headwaters. 20 Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and **A**. 21 primary contact. 22 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 23 designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. [20.6.4.125 NMAC - N, 5/23/2005; A, 12/1/2010] 24 25 26 20.6.4.126 **RIO GRANDE BASIN:** Perennial portions of Cañon de Valle from Los Alamos national 27 laboratory (LANL) stream gage E256 upstream to Burning Ground spring, Sandia canyon from Sigma 28 canyon upstream to LANL NPDES outfall 001, Pajarito canyon from Arroyo de La Delfe upstream into Starmers gulch and Starmers spring and Water canyon from Area-A canyon upstream to State Route 501. 29 30 Designated uses: coldwater aquatic life, livestock watering, wildlife habitat and secondary Α. 31 contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 32 **B**. 33 designated uses. 34 [20.6.4.126 NMAC - N, 5/23/2005; A, 12/1/2010] 35 36 20.6.4.127 RIO GRANDE BASIN: Perennial portions of Los Alamos canyon upstream from Los 37 Alamos reservoir and Los Alamos reservoir. 38 Designated uses: coldwater aquatic life, livestock watering, wildlife habitat, irrigation and Α. 39 primary contact. 40 **B**. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 41 designated uses. 42 [20.6.4.127 NMAC - N, 5/23/2005; A, 12/1/2010] 43 44 RIO GRANDE BASIN: Ephemeral and intermittent portions of watercourses within lands 20.6.4.128 45 managed by U.S. department of energy (DOE) within LANL, including but not limited to: Mortandad 46 canyon, Cañada del Buey, Ancho canyon, Chaquehui canyon, Indio canyon, Fence canyon, Potrillo canyon 47 and portions of Cañon de Valle, Los Alamos canyon, Sandia canyon, Pajarito canyon and Water canyon not specifically identified in 20.6.4.126 NMAC. (Surface waters within lands scheduled for transfer from DOE to 48 49 tribal, state or local authorities are specifically excluded.) 50 Designated uses: livestock watering, wildlife habitat, limited aquatic life and secondary contact. **A**. Criteria: the use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses, В. 51 52 except that the following segment-specific criteria apply: the acute total ammonia criteria set forth in Subsection K of 20.6.4.900 NMAC (salmonids absent). 53 54 [20.6.4.128 NMAC - N, 5/23/2005; A, 12/1/2010] 55

## 56 20.6.4.129 RIO GRANDE BASIN: Perennial reaches of the Rio Hondo.

20.6.4 NMAC

۰

1	A. <b>Designated uses:</b> domestic water supply, high quality coldwater aquatic life, irrigation, livestock						
2	watering, wildlife habitat and primary contact.						
3	<b>B.</b> Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the						
4	designated uses, except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less						
5	and phosphorus (unfiltered sample) less than 0.1 mg/L.						
6	[20.6.4.129 NMAC - N, 5/23/2005; A, 12/1/2010]						
7							
8	20.6.4.130 RIO GRANDE BASIN: The Rio Puerco from the Rio Grande upstream to Arroyo Chijuilla,						
9	excluding the reaches on Isleta, Laguna and Cañoncito Navajo pueblos. Some waters in this segment are						
10	under the joint jurisdiction of the state and Isleta, Laguna or Cañoncito Navajo pueblos.						
11	A. <b>Designated uses:</b> irrigation, warmwater aquatic life, livestock watering, wildlife habitat and						
12	primary contact.						
13	<b>B.</b> Criteria: (1) The use specific summaria spitaria set forth in 20.6.4.000 NMAAC are applies his to the						
14	(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the						
15	designated uses.						
16	(2) At mean monthly flows above 100 cfs, the monthly average concentration for: TDS 1,500						
17	mg/L or less, sulfate 500 mg/L or less and chloride 250 mg/L or less.						
18	[20.6.4.130 NMAC - N, 12/1/2010]						
19	20 C 4 121 DEC OD ANDE DAGIN. The Dis Decise from the confluence of Amore Children and						
20	20.6.4.131 RIO GRANDE BASIN: The Rio Puerco from the confluence of Arroyo Chijuilla upstream						
21	to the northern boundary of Cuba.						
22	A. Designated uses: warmwater aquatic life, irrigation, livestock watering, wildlife habitat and						
23	primary contact. B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the						
24 25							
	designated uses. [20.6.4.131 NMAC - N, 12/1/2010]						
26 27	[20.0.4.131 NMAC - N, 12/1/2010]						
28	20.6.4.132 RIO GRANDE BASIN: Rio Grande (Klauer) spring.						
28 29	A. <b>Designated uses:</b> domestic water supply, wildlife habitat, livestock watering, coldwater aquatic						
30	life use and primary contact.						
31	B. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the						
32	designated uses.						
33	[20.6.4.132 NMAC - N, 12/1/2010]						
34							
35	20.6.4.133 <b>RIO GRANDE BASIN: Bull Creek lake, Cow lake, Elk lake, Goose lake, Heart lake,</b>						
36	Hidden lake (Lake Hazel), Horseshoe lake, Horseshoe (Alamitos) lake, Jose Vigil lake, Lost lake, Middle Fork						
37	lake, Nambe lake, Nat II lake, Nat IV lake, No Fish lake, Pioneer lake, San Leonardo lake, Santa Fe lake,						
38	Serpent lake, South Fork lake, Trampas lakes (east and west) and Williams lake.						
39	A. <b>Designated uses:</b> high quality coldwater aquatic life, irrigation, domestic water supply, primary						
40	contact, livestock watering and wildlife habitat.						
41	<b>B.</b> Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the						
42	designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less;						
43	the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.						
44	[20.6.4.133 NMAC - N, 7/10/2012]						
45							
46	20.6.4.134 RIO GRANDE BASIN: Cabresto lake, Canjilon lakes a, c, e and f, Fawn lakes (east and						
47	west), Hopewell lake and San Gregorio lake.						
48	A. <b>Designated uses:</b> high quality coldwater aquatic life, irrigation, domestic water supply, primary						
49	contact, livestock watering and wildlife habitat.						
50	B. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the						
51	designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less;						
52	the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.						
53	[20.6.4.134 NMAC - N, 7/10/2012]						
54							
55	20.6.4.135 RIO GRANDE BASIN: Bluewater lake.						

•

55 20.6.4.135 RIO GRANDE BASIN: Bluewater lake.

. 52

20.6.4 NMAC

•

NMED ATTACHMENT 2

28

.

1 **Designated uses:** coldwater aquatic life, irrigation, domestic water supply, primary contact, Α. 2 livestock watering and wildlife habitat. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 3 В. 4 designated uses except that the following segment-specific criteria apply: phosphorus (unfiltered sample) 0.1 mg/L or less; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or 5 6 less. 7 [20.6.4.135 NMAC - N, 7/10/2012] 8 9 RIO GRANDE BASIN: The Santa Fe river from the outfall of the Santa Fe wastewater 20.6.4.136 10 treatment facility to Guadalupe street. 11 Designated uses: limited aquatic life, wildlife habitat, primary contact, livestock watering, and Α. 12 irrigation. 13 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the **B**. 14 designated uses. [20.6.4.136 NMAC - N, 2/14/2013] 15 16 17 20.6.4.137 RIO GRANDE BASIN: The Santa Fe river from Guadalupe street to Nichols reservoir. 18 Designated uses: coolwater aquatic life, wildlife habitat, primary contact, livestock watering, and Α. 19 irrigation. 20 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the В. 21 designated uses. 22 [20.6.4.137 NMAC - N, 2/14/2013] 23 24 20.6.4.138 **RIO GRANDE BASIN:** Nichols and McClure reservoirs. 25 **Designated uses:** high quality coldwater aquatic life, wildlife habitat, primary contact, public Α. 26 water supply and irrigation. 27 R. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 28 designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 29 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 30 [20.6.4.138 NMAC - N, 2/14/2013] 31 32 20.6.4.139 **RIO GRANDE BASIN:** Perennial reaches of Galisteo creek and perennial reaches of its 33 tributaries from Kewa pueblo upstream to 2.2 miles upstream of Lamy. 34 Designated uses: coolwater aquatic life, primary contact, irrigation, livestock watering, domestic Α. 35 water supply and wildlife habitat; and public water supply on Cerrillos reservoir. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 36 **B**. 37 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 38 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 39 [20.6.4.139 NMAC - N, 2/14/2013] 40 41 20.6.4.140 - 20.6.4.200 [RESERVED] 42 43 20.6.4.201 PECOS RIVER BASIN: The main stem of the Pecos river from the New Mexico-Texas line 44 upstream to the mouth of the Black river (near Loving). 45 Designated uses: irrigation, livestock watering, wildlife habitat, primary contact and warmwater **A**. 46 aquatic life. 47 В. Criteria: 48 **(I)** The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 49 designated uses, except that the following segment-specific criterion applies: dissolved boron for irrigation use 50 2,000 µg/L or less. At all flows above 50 cfs: TDS 20,000 mg/L or less, sulfate 3,000 mg/L or less and 51 (2) 52 chloride 10,000 mg/L or less. [20.6.4.201 NMAC - Rp 20 NMAC 6.1.2201, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 53 54

NMED ATTACHMENT 2

1	20.6.4.202	PECOS RIVER BASIN: The main stem of the Pecos river from the mouth of the Black
2		to lower Tansil dam, including perennial reaches of the Black river, the Delaware river and
3	Blue spring.	
4	А.	Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, primary
5	contact and war	mwater aquatic life.
6	В.	Criteria:
7		(I) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
8	designated uses	, except that the following segment-specific criterion applies: temperature 34°C (93.2°F) or less.
9	designated uses	(2) At all flows above 50 cfs: TDS 8,500 mg/L or less, sulfate 2,500 mg/L or less and chloride
10	3,500 mg/L or l	
11	5,500 mg/L of 1	<b>Remarks:</b> diversion for irrigation frequently limits summer flow in this reach of the main stem
		hat contributed by springs along the watercourse.
12		
13		IAC - Rp 20 NMAC 6.1.2202, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
14		egment covered by this section was divided effective 5/23/2005. The standards for Lower Tansil Lake
15	and Lake Carlst	bad are under 20.6.4.218 NMAC.]
16		
17	20.6.4.203	PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Lake
18	Carlsbad upsti	ream to Avalon dam.
19	А.	Designated uses: industrial water supply, livestock watering, wildlife habitat, primary contact
20	and warmwater	
21	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
22	designated uses	, except that the following segment-specific criteria apply: temperature 34°C (93.2°F) or less; the
23		tric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.
24	[20.6.4.203 NM	IAC - Rp 20 NMAC 6.1.2203, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
25	NOTE: The se	egment covered by this section was divided effective 5/23/2005. The standards for Lower Tansil Lake
26		bad are under 20.6.4.218 and for Avalon Reservoir are under 20.6.4.219 NMAC.]
27		
28	20.6.4.204	PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Avalon
29		ream to Brantley dam.
30	A.	<b>Designated uses:</b> irrigation, livestock watering, wildlife habitat, secondary contact and
31	warmwater aqu	
32	B.	<b>Criteria:</b> the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
33	designated uses	· · · · · · · · · · · · · · · · · · ·
		IAC - Rp 20 NMAC 6.1.2204, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
34		egment covered by this section was divided effective 5/23/2005. The standards for Avalon Reservoir
35		
36	are under 20.6.4	4.219 NMAC.]
37		
38	20.6.4.205	PECOS RIVER BASIN: Brantley reservoir.
39	А.	Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and
40	warmwater aqu	
41	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
42	designated uses	
43	[20.6.4.205 NM	IAC - Rp 20 NMAC 6.1.2205, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
44		
45	20.6.4.206	<b>PECOS RIVER BASIN:</b> The main stem of the Pecos river from the headwaters of Brantley
46	reservoir upsti	ream to Salt creek (near Acme), perennial reaches of the Rio Peñasco downstream from state
47	highway 24 ne	ar Dunken, perennial reaches of the Rio Hondo and its tributaries downstream of Bonney
48	canyon and pe	rennial reaches of the Rio Felix.
49	A.	Designated uses: irrigation, livestock watering, wildlife habitat, secondary contact and
50	warmwater aqu	
51	B.	Criteria:
52		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
53	designated uses	
54	200.0.10100 0000	(2) At all flows above 50 cfs: TDS 14,000 mg/L or less, sulfate 3,000 mg/L or less and
55	chloride 6,000 i	
56		IAC - Rp 20 NMAC 6.1.2206, $10/12/2000$ ; A, $05/23/2005$ ; A, $12/1/2010$ ; A, $3/2/2017$ ]
50	20.0.7.200 141	$\frac{1}{10} = \frac{1}{10} \frac{1}{1000} $
	20 6 4 30 4 4 0	10
	20.6.4 NMAC	30

.

20.6.4 NMAC

 $\mathbf{x}_{i}$ 

٩

**NMED ATTACHMENT 2** 

1 2 20.6.4.207 PECOS RIVER BASIN: The main stem of the Pecos river from Salt creek (near Acme) 3 upstream to Sumner dam. 4 Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat Α. 5 and secondary contact. 6 В. Criteria: 7 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 8 designated uses. 9 (2) At all flows above 50 cfs: TDS 8,000 mg/L or less, sulfate 2,500 mg/L or less and 10 chloride 4,000 mg/L or less. 11 [20.6.4.207 NMAC - Rp 20 NMAC 6.1.2207, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 12 13 20.6.4.208 PECOS RIVER BASIN: Perennial reaches of the Rio Peñasco and its tributaries above state 14 highway 24 near Dunken, perennial reaches of the Rio Bonito downstream from state highway 48 (near Angus), the Rio Ruidoso downstream of the U.S. highway 70 bridge near Seeping Springs lakes, perennial 15 16 reaches of the Rio Hondo upstream from Bonney canyon and perennial reaches of Agua Chiquita. Designated uses: fish culture, irrigation, livestock watering, wildlife habitat, coldwater aquatic 17 Α. 18 life and primary contact. 19 R Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 20 designated uses, except that the following segment-specific criteria apply: temperature 30°C (86°F) or less, and 21 phosphorus (unfiltered sample) less than 0.1 mg/L. [20.6.4.208 NMAC - Rp 20 NMAC 6.1.2208, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 22 23 24 20.6.4.209 PECOS RIVER BASIN: Perennial reaches of Eagle creek upstream of Alto dam to the 25 Mescalero Apache boundary, perennial reaches of the Rio Bonito and its tributaries upstream of state 26 highway 48 (near Angus) excluding Bonito lake, and perennial reaches of the Rio Ruidoso and its tributaries upstream of the U.S. highway 70 bridge near Seeping Springs lakes, above and below the Mescalero Apache 27 28 boundary. 29 Α. Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock 30 watering, wildlife habitat, public water supply and primary contact. 31 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the R. designated uses, except that the following segment-specific criteria apply: specific conductance 600 µS/cm or less in 32 33 Eagle creek, 1,100 µS/cm or less in Bonito creek and 1,500 µS/cm or less in the Rio Ruidoso; phosphorus (unfiltered 34 sample) less than 0.1 mg/L; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 35 235 cfu/100 mL or less. [20.6.4.209 NMAC - Rp 20 NMAC 6.1.2209, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 36 37 [NOTE: The standards for Bonito lake are in 20.6.4.223 NMAC, effective 7/10/2012] 38 39 PECOS RIVER BASIN: Sumner reservoir. 20.6.4.210 40 Designated uses: irrigation storage, livestock watering, wildlife habitat, primary contact and Α. 41 warmwater aquatic life. 42 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 43 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 44 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 45 [20.6.4.210 NMAC - Rp 20 NMAC 6.1.2210, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 46 47 20.6.4.211 PECOS RIVER BASIN: The main stem of the Pecos river from the headwaters of Sumner 48 reservoir upstream to Tecolote creek excluding Santa Rosa reservoir. 49 Designated uses: fish culture, irrigation, marginal warmwater aquatic life, livestock watering, Α. 50 wildlife habitat and primary contact. 51 **B**. **Criteria:** 52 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 53 designated uses. 54 At all flows above 50 cfs: TDS 3,000 mg/L or less, sulfate 2,000 mg/L or less and (2) 55 chloride 400 mg/L or less. 56 [20.6.4.211 NMAC - Rp 20 NMAC 6.1.2211, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012]

20.6.4 NMAC

NMED ATTACHMENT 2

1 [NOTE: The standards for Santa Rosa reservoir are in 20.6.4.225 NMAC, effective 7/10/2012] 2 3 20.6.4.212 PECOS RIVER BASIN: Perennial tributaries to the main stem of the Pecos river from the 4 headwaters of Sumner reservoir upstream to Santa Rosa dam. 5 **A**. Designated uses: irrigation, coldwater aquatic life, livestock watering, wildlife habitat and 6 primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 7 **B**. 8 designated uses, except that the following segment-specific criterion applies; temperature 25°C (77°F) or less. 9 [20.6.4.212 NMAC - Rp 20 NMAC 6.1.2211.1, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 10 11 PECOS RIVER BASIN: McAllister lake. 20.6.4.213 Designated uses: coldwater aquatic life, secondary contact, livestock watering and wildlife 12 Α. 13 habitat. 14 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the **B**. 15 designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. [20.6.4.213 NMAC - Rp 20 NMAC 6.1.2211.3, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 16 17 PECOS RIVER BASIN: Storrie lake. 18 20.6.4.214 19 Designated uses: coldwater aquatic life, warmwater aquatic life, primary contact, livestock Α. 20 watering, wildlife habitat, public water supply and irrigation storage. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 21 **B**. designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 22 23 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 24 [20.6.4.214 NMAC - Rp 20 NMAC 6.1.2211.5, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 25 26 PECOS RIVER BASIN: Perennial reaches of the Gallinas river and all its tributaries 20.6.4.215 upstream of the diversion for the Las Vegas municipal reservoir, perennial reaches of Tecolote creek 27 upstream of Blue creek, and all perennial tributaries of Tecolote creek. 28 Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock 29 **A**. watering, wildlife habitat, industrial water supply and primary contact; and public water supply on the Gallinas river. 30 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 31 R designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less 32 (450 µS/cm or less in Wright Canyon creek); the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or 33 less, single sample 235 cfu/100 mL or less. 34 35 [20.6.4.215 NMAC - Rp 20 NMAC 6.1.2212, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 2/13/2018] [NOTE: This segment was divided effective 2/13/2018. The standards for Tecolote creek from I-25 to Blue creek 36 37 are under 20.6.4.230 NMAC.] 38 PECOS RIVER BASIN: The main stem of the Pecos river from Tecolote creek upstream to 39 20.6.4.216 40 Cañon de Manzanita. Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life 41 Α. 42 and primary contact. 43 В. **Criteria:** The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 44 (1) designated uses, except that the following segment-specific criterion applies: temperature 30°C (86°F) or less. 45 At all flows above 10 cfs: TDS 250 mg/L or less, sulfate 25 mg/L or less and chloride 5 46 (2) 47 mg/L or less. [20.6.4.216 NMAC - Rp 20 NMAC 6.1.2213, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 48 49 PECOS RIVER BASIN: Perennial reaches of Cow creek and all perennial reaches of its 50 20.6.4.217 51 tributaries and the main stem of the Pecos river from Cañon de Manzanita upstream to its headwaters, including perennial reaches of all tributaries thereto except lakes identified in 20.6.4.222 NMAC. 52 Designated uses: domestic water supply, fish culture, high quality coldwater aquatic life, 53 Α. irrigation, livestock watering, wildlife habitat and primary contact; and public water supply on the main stem of the 54 55 Pecos river.

\*

20.6.4 NMAC

.

NMED ATTACHMENT 2

1 B. **Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 2 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 3 4 [20.6.4.217 NMAC - Rp 20 NMAC 6.1.2214, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 5 **NOTE:** The segment covered by this section was divided effective 5/23/2005. The standards for the additional 6 segments are under 20.6.4.220 and 20.6.4.221 NMAC.] 7 8 20.6.4.218 PECOS RIVER BASIN: Lower Tansil lake and Lake Carlsbad. 9 Designated uses: industrial water supply, livestock watering, wildlife habitat, primary contact Α. 10 and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 11 B. 12 designated uses, except that the following segment-specific criterion applies: temperature 34°C (93.2°F) or less. [20.6.4.218 NMAC - N, 5/23/2005; A, 12/1/2010] 13 14 15 20.6.4.219 PECOS RIVER BASIN: Avalon reservoir. 16 Designated uses: irrigation storage, livestock watering, wildlife habitat, secondary contact and Α. 17 warmwater aquatic life. 18 Β. **Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 19 designated uses. 20 [20.6.4.219 NMAC - N, 5/23/2005; A, 12/1/2010] 21 22 20.6.4.220 PECOS RIVER BASIN: Perennial reaches of the Gallinas river and its tributaries from its 23 mouth upstream to the diversion for the Las Vegas municipal reservoir, except Pecos Arroyo. 24 Designated uses: irrigation, livestock watering, wildlife habitat, marginal coldwater aquatic life Α. 25 and primary contact. 26 **B**. **Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 27 designated uses, except that the following segment-specific criterion applies: temperature 30°C (86°F) or less. [20.6.4.220 NMAC - N, 5/23/2005; A, 12/1/2010] 28 29 30 20.6.4.221 **PECOS RIVER BASIN:** Pecos Arroyo. 31 **Designated uses:** livestock watering, wildlife habitat, warmwater aquatic life and primary Α. 32 contact. 33 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 34 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 35 bacteria 206 cfu/100 mL, single sample 940 cfu/100 mL. [20.6.4.221 NMAC - N, 5/23/2005; A, 12/1/2010] 36 37 38 20.6.4.222 PECOS RIVER BASIN: Johnson lake, Katherine lake, Lost Bear lake, Pecos Baldy lake, 39 Spirit lake, Stewart lake and Truchas lakes (north and south). 40 Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary Α. 41 contact, livestock watering and wildlife habitat. 42 В. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 43 designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 44 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 45 [20.6.4.222 NMAC - N, 7/10/2012] 46 47 20.6.4.223 **PECOS RIVER BASIN: Bonito lake.** Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary 48 Α. 49 contact, livestock watering, wildlife habitat and public water supply. 50 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the R. designated uses except that the following segment-specific criteria apply: specific conductance 1100 µS/cm or less; 51 phosphorus (unfiltered sample) less than 0.1 mg/L; the monthly geometric mean of E. coli bacteria 126 cfu/100 mL 52 53 or less, single sample 235 cfu/100 mL or less. [20.6.4.223 NMAC - N, 7/10/2012] 54 55

# 56 20.6.4.224 PECOS RIVER BASIN: Monastery lake.

20.6.4 NMAC

4

1 2 3 4 5 6	bacteria 206 cfu/	<b>Designated uses:</b> coolwater aquatic life, primary contact, livestock watering and wildlife habitat. <b>Criteria:</b> The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criteria apply: the monthly geometric mean of <i>E. coli</i> 100 mL or less, single sample 940 cfu/100 mL or less. AC - N, 7/10/2012]
7	20.6.4.225	PECOS RIVER BASIN: Santa Rosa reservoir.
8		<b>Designated uses:</b> coolwater aquatic life, irrigation, primary contact, livestock watering and
° 9	A. wildlife habitat.	Designated uses: coorwater aquatic me, imgation, primary contact, investock watering and
10	B.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
11	designated uses.	enterna. The use-specific humane enterna set forth in 20.0.4.900 fitting are appreade to the
12 13		AC - N, 7/10/2012]
14	20.6.4.226	PECOS RIVER BASIN: Perch lake.
15	A.	<b>Designated uses:</b> coolwater aquatic life, primary contact, livestock watering and wildlife habitat.
16	B.	<b>Criteria:</b> The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
17		except that the following segment-specific criteria apply: the monthly geometric mean of <i>E. coli</i>
18		100 mL or less, single sample 235 cfu/100 mL or less.
19		AC - N, 7/10/2012]
20		
21	20.6.4.227	PECOS RIVER BASIN: Lea lake.
22	A.	<b>Designated uses:</b> warmwater aquatic life, primary contact and wildlife habitat.
23	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
24	designated uses e	except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
25		100 mL or less, single sample 235 cfu/100 mL or less.
26 27		AC - N, 7/10/2012]
28	20.6.4.228	PECOS RIVER BASIN: Cottonwood lake and Devil's Inkwell.
29	А.	Designated uses: coolwater aquatic life, primary contact and wildlife habitat.
30	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
31	designated uses,	except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
32	bacteria 206 cfu/	100 mL or less, single sample 940 cfu/100 mL or less.
33	[20.6.4.228 NMA	AC - N, 7/10/2012]
34		
35	20.6.4.229	PECOS RIVER BASIN: Mirror lake.
36	Α.	Designated uses: warmwater aquatic life, primary contact and wildlife habitat.
37	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
38		except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
39		100 mL or less, single sample 940 cfu/100 mL or less.
40	[20.6.4.229 NMA	AC - N, 7/10/2012]
41		
42	20.6.4.230	PECOS RIVER BASIN: Perennial reaches of Tecolote creek from I-25 to Blue creek.
43	<b>A.</b>	Designated uses: domestic water supply, coolwater aquatic life, irrigation, livestock watering,
44		and primary contact.
45	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
46		except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
47		100 mL or less, single sample 235 cfu/100 mL or less.
48	[20.6.4.230 NM/	AC - N, 2/13/2018]
49	20 6 4 221 20 6	4 200 (DESEDVED)
50	20.6.4.231 - 20.6	6.4.300 [RESERVED]
51	20 6 4 201	CANADIAN RIVER BASIN: The main stem of the Canadian river from the New Mexico-
52 53	20.6.4.301	canadian RIVER BASIN: The main stem of the Canadian river from the New Mexico-
53 54	A.	<b>Designated uses:</b> irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
54 55	A. and primary cont	
56	and primary cont <b>B.</b>	Criteria:
50	23.	

.

20.6.4 NMAC

5

.

NMED ATTACHMENT 2

.

34

.

1		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
2	designated uses.	contraction of the second s
3		(2) TDS 6,500 mg/L or less at flows above 25 cfs.
4	[20.6.4.301 NM/	AC - Rp 20 NMAC 6.1.2301, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
5		
6	20.6.4.302	CANADIAN RIVER BASIN: Ute reservoir.
7	А.	Designated uses: livestock watering, wildlife habitat, public water supply, industrial water
8	supply, primary	contact and warmwater aquatic life.
9	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
10	designated uses,	except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
11	bacteria 126 cfu/	(100 mL or less, single sample 235 cfu/100 mL or less.
12	[20.6.4.302 NM	AC - Rp 20 NMAC 6.1.2302, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
13	-	
14	20.6.4.303	CANADIAN RIVER BASIN: The main stem of the Canadian river from the headwaters of
15	Ute reservoir up	pstream to Conchas dam, the perennial reaches of Pajarito and Ute creeks and their perennial
16	tributaries.	
17	А.	Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
18	and primary cont	
19	<b>B</b> .	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
20	designated uses.	
21		AC - Rp 20 NMAC 6.1.2303, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
22	-	
23	20.6.4.304	CANADIAN RIVER BASIN: Conchas reservoir.
24	- A.	Designated uses: irrigation storage, livestock watering, wildlife habitat, public water supply,
25	primary contact a	and warmwater aquatic life.
26	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
27	designated uses,	except that the following segment-specific criteria apply: the monthly geometric mean of E. coli
28	bacteria 126 cfu/	(100 mL or less, single sample 235 cfu/100 mL or less.
29	[20.6.4.304 NM/	AC - Rp 20 NMAC 6.1.2304, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
30		
31	20.6.4.305	CANADIAN RIVER BASIN: The main stem of the Canadian river from the headwaters of
32		oir upstream to the New Mexico-Colorado line, perennial reaches of the Conchas river, the
33		Instream from the USGS gaging station near Shoemaker, the Vermejo river downstream from
34		d perennial reaches of Raton, Chicorica (except Lake Maloya and Lake Alice) and Uña de
35	Gato creeks.	
36	Α.	Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat
37	and primary cont	
38	В.	Criteria:
39		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
40	designated uses.	
41		(2) TDS 3,500 mg/L or less at flows above 10 cfs.
42		AC - Rp 20 NMAC 6.1.2305, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017]
43		gment was divided effective 12/1/2010. The standards for Lake Alice and Lake Maloya are under
44	20.6.4.311 and 2	0.6.4.312 NMAC, respectively.
45		
46	20.6.4.306	CANADIAN RIVER BASIN: The Cimarron river downstream from state highway 21 in
47		e Canadian river and all perennial reaches of tributaries to the Cimarron river downstream
48	-	way 21 in Cimarron.
49	A.	Designated uses: irrigation, warmwater aquatic life, livestock watering, wildlife habitat and
50	• • •	and public water supply on Cimarroncito creek.
51	В.	Criteria:
52		(1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
53	designated uses.	
54		(2) TDS 3,500 mg/L or less at flows above 10 cfs.
55	[20.6.4.306 NM	AC - Rp 20 NMAC 6.1.2305.1, 10/12/2000; A, 7/19/2001; A, 5/23/2005; A, 12/1/2010]
56		

a.

20.6.4 NMAC

٩

NMED ATTACHMENT 2

1 20.6.4.307 CANADIAN RIVER BASIN: Perennial reaches of the Mora river from the USGS gaging 2 station near Shoemaker upstream to the state highway 434 bridge in Mora, all perennial reaches of 3 tributaries to the Mora river downstream from the USGS gaging station at La Cueva in San Miguel and 4 Mora counties except lakes identified in 20.6.4.313 NMAC, perennial reaches of Ocate creek and its tributaries downstream of Ocate, and perennial reaches of Rayado creek downstream of Miami lake 5 6 diversion in Colfax county. 7 **A**. Designated uses: marginal coldwater aquatic life, warmwater aquatic life, primary contact, 8 irrigation, livestock watering and wildlife habitat. 9 **B**. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 10 designated uses. [20.6.4.307 NMAC - Rp 20 NMAC 6.1.2305.3, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 11 12 13 20.6.4.308 **CANADIAN RIVER BASIN:** Charette lakes. Designated uses: coldwater aquatic life, warmwater aquatic life, secondary contact, livestock 14 Α. watering and wildlife habitat. 15 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 16 В. designated uses. 17 [20.6.4.308 NMAC - Rp 20 NMAC 6.1.2305.5, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 18 19 20 CANADIAN RIVER BASIN: The Mora river and perennial reaches of its tributaries 20.6.4.309 upstream from the state highway 434 bridge in Mora except lakes identified in 20.6.4.313 NMAC, all 21 perennial reaches of tributaries to the Mora river upstream from the USGS gaging station at La Cueva, 22 23 perennial reaches of Coyote creek and its tributaries, the Cimarron river and its perennial tributaries above 24 state highway 21 in Cimarron except Eagle Nest lake, all perennial reaches of tributaries to the Cimarron river north and northwest of highway 64 except north and south Shuree ponds, perennial reaches of Rayado 25 creek and its tributaries above Miami lake diversion, Ocate creek and perennial reaches of its tributaries 26 upstream of Ocate, perennial reaches of the Vermejo river upstream from Rail canyon and all other 27 perennial reaches of tributaries to the Canadian river northwest and north of U.S. highway 64 in Colfax 28 29 county unless included in other segments. 30 Designated uses: domestic water supply, irrigation, high quality coldwater aquatic life, livestock Α. watering, wildlife habitat, and primary contact; and public water supply on the Cimarron river upstream from 31 Cimarron and on perennial reaches of Rayado creek and its tributaries. 32 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 33 **B**. designated uses, except that the following segment-specific criteria apply: specific conductance 500 µS/cm or less; 34 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 35 [20.6.4.309 NMAC - Rp 20 NMAC 6.1.2306, 10/12/2000; A, 7/19/2001; A, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 36 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 37 segment are under 20.6.4.310 NMAC. The standards for Shuree ponds are in 20.6.4.314 NMAC and the standards 38 for Eagle Nest lake are in 20.6.4.315 NMAC, effective 7/10/2012] 39 40 41 20.6.4.310 CANADIAN RIVER BASIN: Perennial reaches of Corrumpa creek. 42 Designated uses: livestock watering, wildlife habitat, irrigation, primary contact and coldwater Α. 43 aquatic life. 44 В. **Criteria:** 45 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: temperature 25°C (77°F) or less; the 46 monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 47 TDS 1,200 mg/L or less, sulfate 600 mg/L or less, chloride 40 mg/L or less. 48 (2) [20.6.4.310 NMAC - N, 5/23/2005; A, 12/1/2010] 49 50 20.6.4.311 51 Lake Alice. 52 Designated uses: marginal coldwater aquatic life, irrigation, livestock watering, wildlife habitat, Α. primary contact and public water supply. 53 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 54 В. 55 designated uses. [20.6.4.311 NMAC - N, 12/1/2010] 56 36

ж.

20.6.4 NMAC

.

.

**NMED ATTACHMENT 2** 

#### 2 20.6.4.312 Lake Maloya.

3 Α. **Designated uses:** coldwater aquatic life, irrigation, livestock watering, wildlife habitat, primary 4 contact and public water supply.

5 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 6 designated uses.

7 [20.6.4.312 NMAC - N, 12/1/2010] 8

- 9 20.6.4.313 CANADIAN RIVER BASIN: Encantada lake, Maestas lake, Middle Fork lake of Rio de la 10 Casa, North Fork lake of Rio de la Casa and Pacheco lake.
- Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary 11 **A**. 12 contact, livestock watering and wildlife habitat.
- Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 13 **B**. designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 14 15 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 16 [20.6.4.313 NMAC - N, 7/10/2012]

17

18

#### 20.6.4.314 CANADIAN RIVER BASIN: Shuree ponds (north and south).

19 **Designated uses:** high quality coldwater aquatic life, irrigation, domestic water supply, primary Α. 20 contact, livestock watering and wildlife habitat.

21 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the **B**. 22 designated uses except that the following segment-specific criteria apply: specific conductance 500 µS/cm or less; 23 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 24 [20.6.4.314 NMAC - N, 7/10/2012]

25

#### 26 20.6.4.315

## **CANADIAN RIVER BASIN: Eagle Nest lake.**

27 Α. Designated uses: high quality coldwater aquatic life, irrigation, domestic water supply, primary 28 contact, livestock watering, wildlife habitat and public water supply.

29 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. designated uses except that the following segment-specific criteria apply: specific conductance 500 µS/cm or less; 30 31 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 32 [20.6.4.315 NMAC - N, 7/10/2012] 33

34 20.6.4.316

# CANADIAN RIVER BASIN: Clayton lake.

35 Designated uses: coolwater aquatic life, primary contact, livestock watering and wildlife habitat. Α. **B**. 36 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 37 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 38 bacteria 206 cfu/100 mL or less, single sample 940 cfu/100 mL or less.

- 39 [20.6.4.316 NMAC - N, 7/10/2012]
- 40 41

#### 20.6.4.317 **CANADIAN RIVER BASIN:** Springer lake.

42 Designated uses: coolwater aquatic life, irrigation, primary contact, livestock watering, wildlife Α. 43 habitat, and public water supply.

44 В. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 45 designated uses.

46 [20.6.4.317 NMAC - N, 7/10/2012; A, 3/2/2017] 47

#### 48 **CANADIAN RIVER BASIN: Doggett creek.** 20.6.4.318

- 49 Designated Uses: Warmwater aquatic life, livestock watering, wildlife habitat and primary Α. 50 contact. 51 B. Criteria: The use-specific criteria in 20.6.4.900 NMAC are applicable to the designated uses, except that the following site-specific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100 mL 52 53 or less, single sample 940 cfu/100 mL or less. 54 C. Discharger-specific temporary standard: 55 Discharger: City of Raton wastewater treatment plant. (1) 56
  - NPDES permit number: NM0020273. Outfall 001. (2)

## 20.6.4 NMAC

**NMED ATTACHMENT 2** 

	(3) Receiving waterbody: Doggett creek, 20.6.4.318 NMAC.
	(4) Discharge latitude/longitude: 36° 52' 13.91" N / 104° 25' 39.18" W.
	(5) Pollutants: nutrients: total nitrogen and total phosphorus.
	(6) Factor of issuance: substantial and widespread economic and social impacts (40 C.F.R.
<u>131.10(g)(6)</u> .	
	(7) Highest attainable condition: interim effluent condition of 8.0 mg/L total nitrogen and
	1.6 mg/L total phosphorus as 30-day averages. The highest attainable condition shall be either the
	highest attainable condition identified at the time of the adoption, or any higher attainable condition
	later identified during any reevaluation, whichever is more stringent (40 C.F.R. 131.14(b)(1)(iii)).
	(8) Effective date of temporary standard: This temporary standard becomes effective for
Clean Water Ac	ct purposes on the date of EPA approval.
	(9) Expiration date of temporary standard: no later than 20 years from the effective date.
	(10) Reevaluation period: at each succeeding review of water quality standards, and at least
	years from the effective date of the temporary standard (20.6.4.10(F)(8) NMAC; 40 C.F.R.
131.14(b)(1)(V)	)). If the Discharger cannot demonstrate that sufficient progress has been made, the commission may
revoke approva	l of the temporary standard or provide additional conditions to the approval of the temporary
standard. If the	reevaluation is not completed at the frequency specified or the Department does not submit the
reevaluation to	EPA within 30 days of completion, the underlying designated use and criterion will be the applicable
	andard for Clean Water Act purposes until the Department completes and submits the reevaluation to
	out on the reevaluation will be invited during NPDES permit renewals or triennial reviews, as
	ccordance with the State's most current approved water quality management plan and continuing
planning proces	
	(11) Timetable for proposed actions: Tasks and target completion dates are listed in most
recent. WOCC-	approved version of the New Mexico Environment Department, Surface Water Quality Bureau
	trient Temporary Standard for: City of Raton Wastewater Treatment Plant NPDES Permit Number
	Doggett Creek."
	IAC - N, XX/XX/2020]
120.0.1.51011	
20 6 4 31820 6	4.319 - 20.6.4.400 [RESERVED]
10.0.4.510 <u>20.0.</u>	
20.6.4.401	SAN JUAN RIVER BASIN: The main stem of the San Juan river from the Navajo Nation
	he Hogback upstream to its confluence with the Animas river. Some waters in this segment are
	t jurisdiction of the state and the Navajo Nation.
A.	<b>Designated uses:</b> public water supply, industrial water supply, irrigation, livestock watering,
	, primary contact, marginal coldwater aquatic life and warmwater aquatic life.
B.	<b>Criteria:</b> the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
	b, except that the following segment-specific criterion applies: temperature $32.2^{\circ}C$ (90°F) or less.
	MAC - Rp 20 NMAC 6.1.2401, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
	egment covered by this section was divided effective 5/23/2005. The standards for the additional
segment are une	der 20.6.4.408 NMAC.]
20.6.4.402	SAN JUAN RIVER BASIN: La Plata river from its confluence with the San Juan river
upstream to th	e New Mexico-Colorado line.
А.	Designated uses: irrigation, marginal warmwater aquatic life, marginal coldwater aquatic life,
livestock wateri	ing, wildlife habitat and primary contact.
В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
designated uses	s, except that the following segment-specific criterion applies: temperature 32.2°C (90°F) or less.
120.6.4.402 NM	[AC - Rp 20 NMAC 6.1.2402, 10/12/2000; A. 5/23/2005; A. 12/1/2010]
[20.6.4.402 NM	IAC - Rp 20 NMAC 6.1.2402, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
-	
20.6.4.403	SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river
20.6.4.403 upstream to Es	SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river stes arroyo.
20.6.4.403 upstream to Es A.	SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river stes arroyo. Designated uses: Public water supply, industrial water supply, irrigation, livestock watering,
20.6.4.403 upstream to Es A. wildlife habitat,	SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river stes arroyo. Designated uses: Public water supply, industrial water supply, irrigation, livestock watering, , coolwater aquatic life, and primary contact.
20.6.4.403 upstream to Es A. wildlife habitat, B.	SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river stes arroyo. Designated uses: Public water supply, industrial water supply, irrigation, livestock watering, , coolwater aquatic life, and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
20.6.4.403 upstream to Es A. wildlife habitat, B. designated uses	SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river stes arroyo. Designated uses: Public water supply, industrial water supply, irrigation, livestock watering, coolwater aquatic life, and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the s, except that the following segment-specific criterion applies: temperature 29°C (84.2°F) or less.
20.6.4.403 upstream to Es A. wildlife habitat, B. designated uses	SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river stes arroyo. Designated uses: Public water supply, industrial water supply, irrigation, livestock watering, , coolwater aquatic life, and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
20.6.4.403 upstream to Es A. wildlife habitat, B. designated uses	SAN JUAN RIVER BASIN: The Animas river from its confluence with the San Juan river stes arroyo. Designated uses: Public water supply, industrial water supply, irrigation, livestock watering, coolwater aquatic life, and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the s, except that the following segment-specific criterion applies: temperature 29°C (84.2°F) or less.

۰.

**NMED ATTACHMENT 2** 

1		
2	20.6.4.404	SAN JUAN RIVER BASIN: The Animas river from Estes arroyo upstream to the Southern
3	Ute Indian trib	al boundary.
4	А.	Designated uses: Coolwater aquatic life, irrigation, livestock watering, wildlife habitat, public
5	water supply, in	dustrial water supply and primary contact.
6	В.	Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
7		except that the following segment-specific criterion applies: phosphorus (unfiltered sample) 0.1
8	mg/L or less.	
9	[20.6.4.404 NM	AC - Rp 20 NMAC 6.1.2404, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017]
10		
11	20.6.4.405	SAN JUAN RIVER BASIN: The main stem of the San Juan river from Canyon Largo
12	upstream to the	
13	A.	Designated uses: high quality coldwater aquatic life, irrigation, livestock watering, wildlife
14	•	vater supply, industrial water supply and primary contact.
15	B.	<b>Criteria:</b> the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
16		except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less;
17 18		metric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. AC - Rp 20 NMAC 6.1.2405, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
10	[20.0.4.403 1414]	AC - Kp 20 MMAC 0.1.2403, 10/12/2000, A, 3/25/2003, A, 12/1/2010]
20	20.6.4.406	SAN JUAN RIVER BASIN: Navajo reservoir in New Mexico.
20	20.0.4.400 A.	<b>Designated uses:</b> coldwater aquatic life, warmwater aquatic life, irrigation storage, livestock
22		fe habitat, public water supply, industrial water supply and primary contact.
23	B.	<b>Criteria</b> : the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
24		except that the following segment-specific criteria apply: phosphorus (unfiltered sample) 0.1 mg/L
25		thly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or
26	less.	
27		AC - Rp 20 NMAC 6.1.2406, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
28	L	
29	20.6.4.407	SAN JUAN RIVER BASIN: Perennial reaches of the Navajo river from the Jicarilla
30	Apache reserva	tion boundary to the Colorado border and perennial reaches of Los Pinos river in New
31	Mexico.	
32	А.	Designated uses: coldwater aquatic life, irrigation, livestock watering, public water supply,
33	wildlife habitat	and primary contact.
34	В.	Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
35		except that the following segment-specific criteria apply: phosphorus (unfiltered sample) 0.1 mg/L
36		thly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or
37	less.	
38	[20.6.4.407 NM	AC - Rp 20 NMAC 6.1.2407, 10/12/2000; A, 5/23/2005; A, 12/1/2010]
39		
40	20.6.4.408	SAN JUAN RIVER BASIN: The main stem of the San Juan river from its confluence with
41		er upstream to its confluence with Canyon Largo.
42	A.	<b>Designated uses:</b> public water supply, industrial water supply, irrigation, livestock watering,
43	B.	primary contact, marginal coldwater aquatic life and warmwater aquatic life.
44 45		<b>Criteria:</b> the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the except that the following segment-specific criterion applies: temperature 32.2°C (90°F) or less.
45		[AC - N, 5/23/2005; A, 12/1/2010]
47	[20.0.4.408 1414]	RC = [1, 5/25/2005, R, 12/1/2010]
48	20.6.4.409	SAN JUAN RIVER BASIN: Lake Farmington.
40 49	20.0.4.409 A.	<b>Designated uses:</b> public water supply, wildlife habitat, livestock watering, primary contact,
50		ic life and warmwater aquatic life.
51	B.	<b>Criteria:</b> the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
52		, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less.
53		[AC - N, 12/1/2010]
54	L	······································
55	20.6.4.410	SAN JUAN RIVER BASIN: Jackson lake.

.

20.6.4 NMAC

۰.

.

NMED ATTACHMENT 2

39

1 Α. Designated uses: coolwater aquatic life, irrigation, primary contact, livestock watering and 2 wildlife habitat. 3 **B**. **Criteria:** The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 4 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli bacteria 206 cfu/100 mL or less, single sample 940 cfu/100 mL or less. 5 [20.6.4.410 NMAC - N, 7/10/2012] 6 7 8 20.6.4.411 - 20.6.4.450: [RESERVED] 9 10 20.6.4.451 LITTLE COLORADO RIVER BASIN: The Rio Nutria upstream of the Zuni pueblo 11 boundary, Tampico draw, Agua Remora, Tampico springs. 12 Designated uses: coolwater aquatic life, livestock watering, wildlife habitat and primary contact. Α. 13 В. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 14 designated uses. [20.6.4.451 NMAC - N, 12/1/2010] 15 16 LITTLE COLORADO RIVER BASIN: Ramah lake. 17 20.6.4.452 Designated uses: coldwater aquatic life, warmwater aquatic life, irrigation, livestock watering, 18 Α. 19 wildlife habitat and primary contact. 20 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the R. 21 designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. 22 [20.6.4.452 NMAC - N, 12/1/2010] 23 24 20.6.4.453 LITTLE COLORADO RIVER BASIN: Quemado lake. Designated uses: coolwater aquatic life, primary contact, livestock watering and wildlife habitat. 25 Α. 26 В. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 27 designated uses. 28 [20.6.4.453 NMAC - N, 7/10/2012] 29 30 20.6.4.454 - 20.6.4.500 [RESERVED] 31 32 GILA RIVER BASIN: The main stem of the Gila river from the New Mexico-Arizona line 20.6.4.501 upstream to Redrock canyon and perennial reaches of streams in Hidalgo county. 33 Designated uses: irrigation, marginal warmwater aquatic life, livestock watering, wildlife habitat 34 **A**. 35 and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 36 **B**. 37 designated uses. [20.6.4.501 NMAC - Rp 20 NMAC 6.1.2501, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 38 39 40 GILA RIVER BASIN: The main stem of the Gila river from Redrock canyon upstream to 20.6.4.502 41 the confluence of the West Fork Gila river and East Fork Gila river and perennial reaches of tributaries to 42 the Gila river downstream of Mogollon creek. Designated uses: industrial water supply, irrigation, livestock watering, wildlife habitat, marginal 43 Α. 44 coldwater aquatic life, primary contact and warmwater aquatic life. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 45 В. designated uses, except that the following segment-specific criterion applies: 28°C (82.4°F) or less. 46 [20.6.4.502 NMAC - Rp 20 NMAC 6.1.2502, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 47 48 GILA RIVER BASIN: All perennial tributaries to the Gila river upstream of and including 20.6.4.503 49 50 Mogollon creek. 51 Designated uses: domestic water supply, high quality coldwater aquatic life, irrigation, livestock Α. watering, wildlife habitat and primary contact. 52 53 Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. designated uses, except that the following segment-specific criteria apply: specific conductance of 400 µS/cm or less 54 for all perennial tributaries except West Fork Gila and tributaries thereto, specific conductance of 300 µS/cm or less; 55

20.6.4 NMAC

4

NMED ATTACHMENT 2

1 32.2°C (90°F) or less in the east fork of the Gila river and Sapillo creek downstream of Lake Roberts; the monthly 2 geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 3 [20.6.4.503 NMAC - Rp 20 NMAC 6.1.2503, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 4 5 20.6.4.504 GILA RIVER BASIN: Wall lake, Lake Roberts and Snow lake. 6 **Designated uses:** coldwater aquatic life, irrigation, livestock watering, wildlife habitat and Α. 7 primary contact. 8 **Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. designated uses, except that the following segment-specific criterion applies: specific conductance 300 µS/cm or 9 10 less. [20.6.4.504 NMAC - Rp 20 NMAC 6.1.2504, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 11 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 12 13 segment are under 20.6.4.806 NMAC.] 14 15 20.6.4.505 GILA RIVER BASIN: Bill Evans lake. 16 Designated uses: coolwater aquatic life, primary contact, livestock watering and wildlife habitat. Α. В. 17 **Criteria:** The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 18 designated uses. 19 [20.6.4.505 NMAC - N, 7/10/2012] 20 21 20.6.4.506 - 20.6.4.600 [RESERVED] 22 23 20.6.4.601 SAN FRANCISCO RIVER BASIN: The main stem of the San Francisco river from the New 24 Mexico-Arizona line upstream to state highway 12 at Reserve and perennial reaches of Mule creek. 25 Designated uses: irrigation, marginal warmwater and marginal coldwater aquatic life, livestock Α. 26 watering, wildlife habitat and primary contact. 27 **B**. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 28 designated uses. 29 [20.6.4.601 NMAC - Rp 20 NMAC 6.1.2601, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 30 SAN FRANCISCO RIVER BASIN: The main stem of the San Francisco river from state 31 20.6.4.602 32 highway 12 at Reserve upstream to the New Mexico-Arizona line. 33 Α. Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and primary contact. 34 35 **B**. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criterion applies: temperature 25°C (77°F) or less. 36 37 [20.6.4.602 NMAC - Rp 20 NMAC 6.1.2602, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 38 39 20.6.4.603 SAN FRANCISCO RIVER BASIN: All perennial reaches of tributaries to the San 40 Francisco river above the confluence of Whitewater creek and including Whitewater creek. 41 Designated uses: domestic water supply, fish culture, high quality coldwater aquatic life, Α. 42 irrigation, livestock watering, wildlife habitat and primary contact. 43 R. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 44 designated uses, except that the following segment-specific criteria apply: specific conductance 400 µS/cm or less; 45 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less; and 46 temperature 25°C (77°F) or less in Tularosa creek. 47 [20.6.4.603 NMAC - Rp 20 NMAC 6.1.2603, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 48 49 20.6.4.604 - 20.6.4.700 [RESERVED] 50 51 20.6.4.701 DRY CIMARRON RIVER: Perennial portions of the Dry Cimarron river above Oak creek 52 and perennial reaches of Oak creek. 53 Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and Α. 54 primary contact. 55 B. Criteria:

٠

20.6.4 NMAC

NMED ATTACHMENT 2

The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 1 (1) designated uses, except that the following segment-specific criteria apply: temperature 25°C (77°F) or less, the 2 monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 3 TDS 1,200 mg/L or less, sulfate 600 mg/L or less and chloride 40 mg/L or less. 4 (2) [20.6.4.701 NMAC - Rp 20 NMAC 6.1.2701, 10/12/2000; A, 5/23/2005 A, 12/1/2010] 5 [NOTE: The segment covered by this section was divided effective 5/23/2005. The standards for the additional 6 7 segment are under 20.6.4.702 NMAC.] 8 DRY CIMARRON RIVER: Perennial portions of the Dry Cimarron river below Oak creek, 9 20.6.4.702 10 and perennial portions of Long canyon and Carrizozo creeks. Designated uses: coolwater aquatic life, irrigation, livestock watering, wildlife habitat and 11 **A**. 12 primary contact. 13 B. **Criteria:** 14 (1) The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 15 16 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. TDS 1,200 mg/L or less, sulfate 600 mg/L or less and chloride 40 mg/L or less. 17 (2) [20.6.4.702 NMAC - N, 5/23/2005; A, 12/1/2010; A, 7/10/2012] 18 19 20 20.6.4.703 - 20.6.4.800 [RESERVED] 21 CLOSED BASINS: Rio Tularosa upstream of the old U.S. highway 70 bridge crossing east 22 20.6.4.801 of Tularosa and all perennial tributaries to the Tularosa basin except Three Rivers and Dog Canyon creek, 23 and excluding waters on the Mescalero tribal lands. 24 Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat, public 25 Α. 26 water supply and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 27 R. designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 28 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 29 [20.6.4.801 NMAC - Rp 20 NMAC 6.1.2801, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 2/13/2018] 30 [NOTE: This segment was divided effective 2/13/2018. The standards for Dog Canyon creek are under 20.6.4.810 31 32 NMAC.] 33 34 20.6.4.802 **CLOSED BASINS:** Perennial reaches of Three Rivers. 35 Designated uses: irrigation, domestic water supply, high quality coldwater aquatic life, primary Α. 36 contact, livestock watering and wildlife habitat. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 37 **B**. designated uses, except that the following segment-specific criteria apply: specific conductance 500 µS/cm or less; 38 39 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.802 NMAC - Rp 20 NMAC 6.1.2802, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 40 41 **CLOSED BASINS:** Perennial reaches of the Mimbres river downstream of the confluence 42 20.6.4.803 43 with Allie canyon and all perennial reaches of tributaries thereto. Designated uses: Coolwater aquatic life, irrigation, livestock watering, wildlife habitat and 44 Α. 45 primary contact. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 46 В. designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 47 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less and temperature of 30°C (86°F) or less. 48 49 [20.6.4.803 NMAC - Rp 20 NMAC 6.1.2803, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017] 50 51 CLOSED BASINS: Perennial reaches of the Mimbres river upstream of the confluence with 20.6.4.804 Allie canyon to Cooney canyon, and all perennial reaches of East Fork Mimbres (McKnight canyon) 52 53 downstream of the fish barrier, and all perennial reaches thereto. 54 Designated uses: Irrigation, domestic water supply, coldwater aquatic life, livestock watering, Α. 55 wildlife habitat and primary contact.

۹.

4

NMED ATTACHMENT 2

**Criteria:** The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 1 **B**. 2 designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli 3 bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. [20.6.4.804 NMAC - Rp 20 NMAC 6.1.2804, 10/12/2000; A, 5/23/2005; A, 12/1/2010; A, 3/2/2017; A, 2/28/2018] 4 5 **NOTE:** The segment covered by this section was divided effective 3/2/2017. The standards for the additional 6 segment are covered under 20.6.4.807 NMAC.] 7 8 20.6.4.805 **CLOSED BASINS:** Perennial reaches of the Sacramento river (Sacramento-Salt Flat closed 9 basin) and all perennial tributaries thereto. 10 **Designated uses:** domestic water supply, livestock watering, wildlife habitat, marginal coldwater Α. 11 aquatic life and primary contact. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 12 В. 13 designated uses. 14 [20.6.4.805 NMAC - Rp 20 NMAC 6.1.2805, 10/12/2000; A, 5/23/2005; A, 12/1/2010] 15 16 20.6.4.806 **CLOSED BASINS: Bear canyon reservoir.** Designated uses: coldwater aquatic life, irrigation, livestock watering, wildlife habitat and 17 Α. 18 primary contact. 19 R. Criteria: the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criterion applies: specific conductance 300 µS/cm or 20 21 less 22 [20.6.4.806 NMAC - N, 5/23/2005; A, 12/1/2010] 23 24 CLOSED BASINS: Perennial reaches of the Mimbres river upstream of Cooney canyon and 20.6.4.807 25 all perennial reaches thereto, including perennial reaches of East Fork Mimbres river (McKnight canyon) 26 upstream of the fish barrier. 27 Designated uses: Irrigation, domestic water supply, high quality coldwater aquatic life, livestock Α. 28 watering, wildlife habitat and primary contact. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the 29 B. designated uses, except that the following segment-specific criteria apply: specific conductance 300 µS/cm or less; 30 the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less. 31 32 [20.6.4.807 NMAC - N, 3/2/2017] 33 34 20.6.4.808 **CLOSED BASINS: Perennial and intermittent watercourses within Smelter Tailing Soils** 35 Investigation Unit lands at the Chino mines company, excluding those ephemeral waters listed in 20.6.4.809 NMAC and including, but not limited to. the mainstem of Lampbright draw, beginning at the confluence of 36 Lampbright Draw with Rustler canyon, all tributaries that originate west of Lampbright draw to the 37 intersection of Lampbright draw with U.S. 180, and all tributaries of Whitewater creek that originate east of 38 39 Whitewater creek from the confluence of Whitewater creek with Bayard canyon downstream to the 40 intersection of Whitewater creek with U.S. 180. 41 Designated uses: Warmwater aquatic life, livestock watering, wildlife habitat and primary Α. 42 contact. 43 Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the B. 44 designated uses, except that the following segment-specific criteria apply: the acute and chronic aquatic life criteria for copper set forth in Subsection I of 20.6.4.900 NMAC shall be determined by multiplying that criteria by the 45 46 water effect ratio ("WER") adjustment expressed by the following equation:  $\frac{[10^{0.588+(0.703 \times \log DOC)+(0.395 \times \log Alkalinity)}] \times (\frac{100}{\text{Hardness}})^{0.9422}$ WER = 47 19.31 48 For purposes of this section, dissolved organic carbon (DOC) is expressed in units of milligrams carbon per liter or 49 mg C/L; alkalinity is expressed in units of mg/L as CaCO<sub>3</sub>, and hardness is expressed in units of mg/L as CaCO<sub>3</sub>. In waters that contain alkalinity concentrations greater than 250 mg/L, a value of 250 mg/L shall be used in the 50 equation. In waters that contain DOC concentrations greater than 16 mg C/L, a value of 16 mg C/L shall be used in 51 52 the equation. In waters that contain hardness concentrations greater than 400 mg/L, a value of 400 mg/L shall be used in the equation. The alkalinity, hardness and DOC concentrations used to calculate the WER value are those 53 54 measured in the subject water sample.

20.6.4 NMAC

NMED ATTACHMENT 2

### 1 [20.6.4.808 NMAC - N, 3/2/2017]

2

17

26

36

37

38

47

48

49

3 20.6.4.809 **CLOSED BASINS:** Ephemeral watercourses within smelter tailing soils investigation unit 4 lands at the Chino mines company, limited to Chino mines property subwatershed drainage A and tributaries thereof, Chino mines property subwatershed drainage B and tributaries thereof (excluding the northwest 5 tributary containing Ash spring and the Chiricahua leopard frog critical habitat transect); Chino mines 6 7 property subwatershed drainage C and tributaries thereof (excluding reaches containing Bolton spring, the 8 Chiricahua leopard frog critical habitat transect and all reaches in subwatershed C that are upstream of the 9 Chiricahua leopard frog critical habitat); subwatershed drainage D and tributaries thereof (drainages D-1, D-2 and D-3, excluding the southeast tributary in drainage D1 that contains Brown spring) and subwatershed 10 11 drainage E and all tributaries thereof (drainages E-1, E-2 and E-3).

A. Designated uses: Limited aquatic life, livestock watering, wildlife habitat and secondary contact.
 B. Criteria: The use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the
 designated uses, except that the following segment-specific criteria apply: the acute aquatic life criteria for copper
 set forth in Subsection I of 20.6.4.900 NMAC shall be determined by multiplying that criteria by the water effect
 ratio ("WER") adjustment expressed by the following equation:

$$WER = \frac{\left[10^{0.588+(0.703 \times \log DOC)+(0.395 \times \log Alkalinity)}\right] \times \left(\frac{100}{Hardness}\right)}{100}$$

19.31

For purposes of this section, dissolved organic carbon (DOC) is expressed in units of milligrams carbon per liter or mg C/L; alkalinity is expressed in units of mg/L as CaCO<sub>3</sub>, and hardness is expressed in units of mg/L as CaCO<sub>3</sub>. In waters that contain alkalinity concentrations greater than 250 mg/L, a value of 250 mg/L shall be used in the equation. In waters that contain DOC concentrations greater than 16 mg C/L, a value of 16 mg C/L shall be used in the equation. In waters that contain hardness concentrations greater than 400 mg/L, a value of 400 mg/L shall be used in the equation. The alkalinity, hardness and DOC concentrations used to calculate the WER value are those measured in the subject water sample.

25 [20.6.4.809 NMAC - N, 3/2/2017]

# 27 20.6.4.810 CLOSED BASINS: Perennial reaches of Dog Canyon creek.

A. Designated uses: coolwater aquatic life, irrigation, livestock watering, wildlife habitat, public
 water supply, and primary contact.

**B. Criteria:** the use-specific numeric criteria set forth in 20.6.4.900 NMAC are applicable to the designated uses, except that the following segment-specific criteria apply: the monthly geometric mean of E. coli bacteria 126 cfu/100 mL or less, single sample 235 cfu/100 mL or less.

33 [20.6.4.810 NMAC - N, 2/13/2018] 34

# 35 20.6.4.811 - 20.6.4.899 [RESERVED]

## 20.6.4.900 CRITERIA APPLICABLE TO EXISTING, DESIGNATED OR ATTAINABLE USES UNLESS OTHERWISE SPECIFIED IN 20.6.4.97 THROUGH 20.6.4.899 NMAC:

39 A. Fish culture and water supply: Fish culture, public water supply and industrial water supply are 40 designated uses in particular classified waters of the state where these uses are actually being realized. However, no 41 numeric criteria apply uniquely to these uses. Water quality adequate for these uses is ensured by the general criteria 42 and numeric criteria for bacterial quality, pH and temperature.

B. Domestic water supply: Surface waters of the state designated for use as domestic water supplies
 shall not contain substances in concentrations that create a lifetime cancer risk of more than one cancer per 100,000
 exposed persons. Those criteria listed under domestic water supply in Subsection J of this section apply to this use.
 **C.** Irrigation and irrigation storage: the following numeric criteria and those criteria listed under

**C. Irrigation and irrigation storage**: the following numeric criteria and those criteria listed under irrigation in Subsection J of this section apply to this use:

(1) dissolved selenium

0.13 mg/L

0.9422

(2) dissolved selenium in presence of  $>500 \text{ mg/L SO}_4$  0.25 mg/L.

50 **D.** Primary contact: The monthly geometric mean of E. coli bacteria of 126 cfu/100 mL or 51 MPN/100 ml and single sample of 410 cfu/100 mL or MPN/100 mL and pH within the range of 6.6 to 9.0 apply to 52 this use. The results for *E. coli* may be reported as either colony forming units (CFU) or the most probable number

53 (MPN) depending on the analytical method used.

4

20.6.4 NMAC

NMED ATTACHMENT 2

1 Secondary contact: The monthly geometric mean of E. coli bacteria of 548 cfu/100 mL or Ε. 2 MPN/100 mL and single sample of 2507 cfu/100 mL or MPN/100 mL apply to this use. The results for E. coli may be reported as either colony forming units (CFU) or the most probable number (MPN), depending on the analytical 3 4 method used. 5 F. **Livestock watering:** the criteria listed in Subsection J of this section for livestock watering apply 6 to this use. 7 Wildlife habitat: Wildlife habitat shall be free from any substances at concentrations that are G.

toxic to or will adversely affect plants and animals that use these environments for feeding, drinking, habitat or
 propagation; can bioaccumulate; or might impair the community of animals in a watershed or the ecological
 integrity of surface waters of the state. The numeric criteria listed in Subsection J for wildlife habitat apply to this
 use.

H. Aquatic life: Surface waters of the state with a designated, existing or attainable use of aquatic life shall be free from any substances at concentrations that can impair the community of plants and animals in or the ecological integrity of surface waters of the state. Except as provided in Paragraph (7) of this subsection, the acute and chronic aquatic life criteria set out in Subsections I, J, K and L of this section and the human healthorganism only criteria set out in Subsection J of this section are applicable to all aquatic life use subcategories. In addition, the specific criteria for aquatic life subcategories in the following paragraphs apply to waters classified under the respective designations.

19 (1) High quality coldwater: dissolved oxygen 6.0 mg/L or more, 4T3 temperature 20°C 20 (68°F), maximum temperature 23°C (73°F), pH within the range of 6.6 to 8.8 and specific conductance a segment-21 specific limit between 300  $\mu$ S/cm and 1,500  $\mu$ S/cm depending on the natural background in the particular surface 22 water of the state (the intent of this criterion is to prevent excessive increases in dissolved solids which would result 23 in changes in community structure). Where a single segment-specific temperature criterion is indicated in 24 20.6.4.101-899 NMAC, it is the maximum temperature and no 4T3 temperature applies.

(2) Coldwater: dissolved oxygen 6.0 mg/L or more, 6T3 temperature 20°C (68°F),
 maximum temperature 24°C (75°F) and pH within the range of 6.6 to 8.8. Where a single segment-specific
 temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature and no 6T3 temperature
 applies.

29 (3) Marginal coldwater: dissolved oxygen 6 mg/L or more, 6T3 temperature 25°C (77°F), 30 maximum temperature 29°C (84°F) and pH within the range from 6.6 to 9.0. Where a single segment-specific 31 temperature criterion is indicated in 20.6.4.101-899 NMAC, it is the maximum temperature and no 6T3 temperature 32 applies.

33 (4) Coolwater: dissolved oxygen 5.0 mg/L or more, maximum temperature 29°C (84°F)
 34 and pH within the range of 6.6 to 9.0.

35 (5) Warmwater: dissolved oxygen 5 mg/L or more, maximum temperature 32.2°C (90°F)
 36 and pH within the range of 6.6 to 9.0. Where a segment-specific temperature criterion is indicated in 20.6.4.101-899
 37 NMAC, it is the maximum temperature.

(6) Marginal warmwater: dissolved oxygen 5 mg/L or more, pH within the range of 6.6 to
 9.0 and maximum temperature 32.2°C (90°F). Where a segment-specific temperature criterion is indicated in
 20.6.4.101-899 NMAC, it is the maximum temperature.

(7) Limited aquatic life: The acute aquatic life criteria of Subsections I and J of this section
 apply to this subcategory. Chronic aquatic life criteria do not apply unless adopted on a segment-specific basis.
 Human health-organism only criteria apply only for persistent pollutants unless adopted on a segment-specific basis.

**I.** Hardness-dependent acute and chronic aquatic life criteria for metals are calculated using the following equations. The criteria are expressed as a function of dissolved hardness (as mg CaCO<sub>3</sub>/L). With the exception of aluminum, the equations are valid only for dissolved hardness concentrations of 0-400 mg/L. For dissolved hardness concentrations above 400 mg/L, the criteria for 400 mg/L apply. For aluminum the equations are valid only for dissolved hardness concentrations of 0-220 mg/L. For dissolved hardness concentrations above 220 mg/L, the aluminum criteria for 220 mg/L apply.

50 (1) Acute aquatic life criteria for metals: The equation to calculate acute criteria in  $\mu g/L$  is 51 exp(m<sub>A</sub>[ln(hardness)] + b<sub>A</sub>)(CF). Except for aluminum, the criteria are based on analysis of dissolved metal. For 52 aluminum, the criteria are based on analysis of total recoverable aluminum in a sample that is filtered to minimize 53 mineral phases as specified by the department. The EPA has disapproved the hardness-based equation for total 54 recoverable aluminum in waters where the pH is less than 6.5 in the receiving stream for federal purposes of the 55 Clean Water Act. The equation parameters are as follows:

[	Metal	mA	UA	Conversion factor (CF)

20.6.4 NMAC

NMED ATTACHMENT 2

Aluminum (Al)	1.3695	1.8308	
Cadmium (Cd)	0.8968	-3.5699	1.136672-[(ln hardness)(0.041838)]
Chromium (Cr) III	0.8190	3.7256	0.316
Copper (Cu)	0.9422	-1.700	0.960
Lead (Pb)	1.273	-1.460	1.46203-[(ln hardness)(0.145712)]
Manganese (Mn)	0.3331	6.4676	
Nickel (Ni)	0.8460	2.255	0.998
Silver (Ag)	1.72	-6.59	0.85
Zinc (Zn)	0.9094	0.9095	0.978

(2) Chronic aquatic life criteria for metals: The equation to calculate chronic criteria in

 $\mu g/L$  is exp(m<sub>c</sub>[ln(hardness)] + b<sub>c</sub>)(CF). Except for aluminum, the criteria are based on analysis of dissolved metal.

3 For aluminum, the criteria are based on analysis of total recoverable aluminum in a sample that is filtered to

4 minimize mineral phases as specified by the department. The EPA has disapproved the hardness-based equation for

5 total recoverable aluminum in waters where the pH is less than 6.5 in the receiving stream for federal purposes of

6 the Clean Water Act. The equation parameters are as follows:

Metal	mc	bc	Conversion factor (CF)
Aluminum (Al)	1.3695	0.9161	
Cadmium (Cd)	0.7647	-4.2180	1.101672-[(ln hardness)(0.041838)]
Chromium (Cr) III	0.8190	0.6848	0.860
Copper (Cu)	0.8545	-1.702	0.960
Lead (Pb)	1.273	-4.705	1.46203-[(ln hardness)(0.145712)]
Manganese (Mn)	0.3331	5.8743	
Nickel (Ni)	0.8460	0.0584	0.997
Zinc (Zn)	0.9094	0.6235	0.986

7

ZIIIC (ZII)	(3) Se		ues of cal	culated ac	ute and		riteria (µg			
Hardness as CaCO3, dissolved (mg/L)		Al	Cd	Cr III	Cu	Pb	Mn	Ni	Ag	Zn
25	Acute	512	0.51	180	4	14	1,881	140	0.3	45
23	Chronic	205	0.17	24	3	1	1,040	16		34
30	Acute	658	0.59	210	4	17	1,999	170	0.4	54
30	Chronic	263	0.19	28	3	1	1,105	19		41
40	Acute	975	0.76	270	6	24	2,200	220	0.7	70
40	Chronic	391	0.23	35	4	1	1,216	24		53
50	Acute	1,324	0.91	320	7	30	2,370	260	1.0	85
50	Chronic	530	0.28	42	5	1	1,309	29		65
60	Acute	1,699	1.07	370	8	37	2,519	300	1.3	101
60	Chronic	681	0.31	49	6	1	1,391	34		76
70	Acute	2,099	1.22	430	10	44	2,651	350	1.7	116
70	Chronic	841	0.35	55	7	2	1,465	38		88
80	Acute	2,520	1.37	470	11	51	2,772	390	2.2	131
80	Chronic	1,010	0.39	62	7	2	1,531	43		99
00	Acute	2,961	1.51	520	12	58	2,883	430	2.7	145
90	Chronic	1,186	0.42	68	8	2	1,593	48		110
100	Acute	3,421	1.65	570	13	65	2,986	470	3.2	160
100	Chronic	1,370	0.45	74	9	3	1,650	52		121
200	Acute	8,838	2.98	1,010	26	140	3,761	840	11	301
200	Chronic	3,541	0.75	130	16	5	2,078	90		228

20.6.4 NMAC

4

NMED ATTACHMENT 2

Hardness as CaCO3, dissolved (mg/L)		Al	Cd	Cr III	Cu	Pb	Mn	Ni	Ag	Zn
220	Acute	10,071	3.23	1,087	28	151	3,882	912	13	328
220	Chronic	4,035	0.80	141	18	6	2,145	101		248
300	Acute		4.21	1,400	38	210	4,305	1190	21	435
500	Chronic		1.00	180	23	8	2,379	130		329
400 and	Acute		5.38	1,770	50	280	4,738	1510	35	564
above	Chronic		1.22	230	29	11	2,618	170		428
J.	Use-specifi	c numerio	criteria	•						_

> 4 5

# Use-specific numeric criteria.

Table of numeric criteria: The following table sets forth the numeric criteria applicable (1)

to existing, designated and attainable uses. For metals, criteria represent the total sample fraction unless otherwise specified in the table. Additional criteria that are not compatible with this table are found in Subsections A through

# I, K and L of this section.

Pollutant	CAS						Aquatic L	ife	
Pollutant	Number	DWS	Irr	LW	WH	Acute	Chronic	HH-OO	Туре
Aluminum, dissolved	7429-90-5		5,000						
Aluminum, total									
recoverable	7429-90-5					a	a		
Antimony, dissolved	7440-36-0	6						640	Р
Arsenic, dissolved	7440-38-2	10	100	200		340	150	9.0	C,P
Asbestos	1332-21-4	7,000,000 fibers/L							
Barium, dissolved	7440-39-3	2,000							
Beryllium, dissolved	7440-41-7	4	-	İ					
Boron, dissolved	7440-42-8		750	5,000		1			
Cadmium, dissolved	7440-43-9	5	10	50		a	a		
Chlorine residual	7782-50-5				11	19	11		
Chromium III, dissolved	16065-83-1					a	а		
Chromium VI, dissolved	18540-29-9					16	11		
Chromium, dissolved	7440-47-3	100	100	1,000					
Cobalt, dissolved	7440-48-4		50	1,000					
Copper, dissolved	7440-50-8	1300	200	500		а	а		
Cyanide, total									
recoverable	57-12-5	200			5.2	22.0	5.2	140	T.
Lead, dissolved	7439-92-1	15	5,000	100		а	a		
Manganese, dissolved	7439-96-5					а	a		
Mercury	7439-97-6	2		10	0.77				
Mercury, dissolved	7439-97-6					1.4	0.77		
								0.3 mg/kg in fish	_
Methylmercury	22967-92-6		1.000					tissue	Р
Molybdenum, dissolved	7439-98-7		1,000						
Molybdenum, total	7430 00 5					7 000	1.005		
recoverable	7439-98-7	700				7,920	1,895	4.600	
Nickel, dissolved	7440-02-0	700				a	a	4,600	Р
Nitrate as N		10 mg/L		120					
Nitrite + Nitrate				132 mg/L					
Selenium, dissolved	7782-49-2	50	b	50		+		4,200	P

٠

20.6.4 NMAC

4

.

	<b>C</b> 10						Aquatic L	ife	
Pollutant	CAS Number	DWS	Irr	LW	WH	Acute	Chronic	нн-оо	Туре
Selenium, total									
recoverable	7782-49-2				5.0	20.0	5.0		
Silver, dissolved	7440-22-4					a			
Thallium, dissolved	7440-28-0	2						0.47	Р
Uranium, dissolved	7440-61-1	30							
Vanadium, dissolved	7440-62-2		100	100					
Zinc, dissolved	7440-66-6	10,500	2,000	25,000		a	a	26,000	Р
				15					
Adjusted gross alpha		15 pCi/L		pCi/L					]
Radium 226 + Radium				30.0					
228		5 pCi/L		pCi/L					
Strontium 90		8 pCi/L		·					
		20,000		20,000					
Tritium		pCi/L		pCi/L					
Acenaphthene	83-32-9	2,100	1					990	
Acrolein	107-02-8	18	1					9	Ì
Acrylonitrile	107-13-1	0.65						2.5	С
Aldrin	309-00-2	0.021	1	1		3.0		0.00050	C,P
Anthracene	120-12-7	10,500		1				40,000	
Benzene	71-43-2	5						510	C
Benzidine	92-87-5	0.0015				-		0.0020	C
Benzo(a)anthracene	56-55-3	0.048						0.18	C
Benzo(a)pyrene	50-32-8	0.040	+					0.18	C,P
Benzo(b)fluoranthene	205-99-2	0.048	+					0.18	C
Benzo(k)fluoranthene	203-99-2	0.048						0.18	C
alpha-BHC	319-84-6	0.048						0.18	C
beta-BHC	319-85-7	0.030				-		0.049	
	58-89-9	0.091	+			0.95		1.8	
Gamma-BHC (Lindane)			+			0.95		5.3	С
Bis(2-chloroethyl) ether	111-44-4	0.30	+					3.5	
Bis(2-chloroisopropyl)	109 60 1	1 400						65.000	
ether	108-60-1	1,400	+					65,000	
Bis(2-ethylhexyl) phthalate	117817	6						22	с
-	75-25-2	44						1,400	
Bromoform						<u> </u>		1,400	
Butylbenzyl phthalate	85-68-7	7,000		-					
Carbon tetrachloride	56-23-5	5				2.4	0.0042	16	C
Chlordane	57-74-9	2				2.4	0.0043	0.0081	C,P
Chlorobenzene	108-90-7	100						1,600	
Chlorodibromomethane	124-48-1	4.2						130	C
Chloroform	67-66-3	57						4,700	C
2-Chloronaphthalene	91-58-7	2,800						1,600	
2-Chlorophenol	95-57-8	175						150	
Chrysene	218-01-9	0.048						0.18	C
Diazinon	333-41-5					0.17	0.17		
4,4'-DDT and derivatives		1.0			0.001	1.1	0.001	0.0022	C,P
Dibenzo(a,h)anthracene	53-70-3	0.048						0.18	C
Dibutyl phthalate	84-74-2	3,500						4,500	
1,2-Dichlorobenzene	95-50-1	600						1,300	
1,3-Dichlorobenzene	541-73-1	469						960	
1,4-Dichlorobenzene	106-46-7	75						190	

•

20.6.4 NMAC

4

.

NMED ATTACHMENT 2

4

48

Pollutant	CAS						Aquatic L	ife	
Ponutant	Number	DWS	Irr	LW -	WH	Acute	Chronic	нн-оо	Туре
3,3'-Dichlorobenzidine	91-94-1	0.78						0.28	С
Dichlorobromomethane	75-27-4	5.6						170	С
1.2-Dichloroethane	107-06-2	5						370	С
1,1-Dichloroethylene	75-35-4	7						7,100	C
2,4-Dichlorophenol	120-83-2	105						290	
1,2-Dichloropropane	78-87-5	5.0						150	С
1,3-Dichloropropene	542-75-6	3.5						210	C
Dieldrin	60-57-1	0.022				0.24	0.056	0.00054	C,P
Diethyl phthalate	84-66-2	28,000				0.24	0.050	44,000	
Dimethyl phthalate	131-11-3	350,000		<u> </u>				1,100,000	
2,4-Dimethylphenol	105-67-9	700						850	
2,4-Dinitrophenol	51-28-5	700						5,300	
2,4-Dinitrotoluene	121-14-2	1.1						34	С
	121-14-2	3.0E-05						5.1E-08	
Dioxin	122 66 7								C,P
1,2-Diphenylhydrazine	122-66-7	0.44				0.00	0.050	2.0	С
alpha-Endosulfan	959-98-8	62			<u> </u>	0.22	0.056	89	
beta-Endosulfan	33213-65-9	62				0.22	0.056	89	
Endosulfan sulfate	1031-07-8	62			ļ			89	
Endrin	72-20-8	2		ļ		0.086	0.036	0.060	
Endrin aldehyde	7421-93-4	10.5						0.30	
Ethylbenzene	100-41-4	700						2,100	
Fluoranthene	206-44-0	1,400						140	
Fluorene	86-73-7	1,400						5,300	
Heptachlor	76-44-8	0.40				0.52	0.0038	0.00079	С
Heptachlor epoxide	1024-57-3	0.20				0.52	0.0038	0.00039	С
Hexachlorobenzene	118-74-1	1						0.0029	C,P
Hexachlorobutadiene	87-68-3	4.5						180	С
Hexachlorocyclopen-									
tadiene	77-47-4	50						1,100	
Hexachloroethane	67-72-1	25						33	С
Ideno(1,2,3-cd)pyrene	193-39-5	0.048						0.18	С
Isophorone	78-59-1	368						9,600	С
Methyl bromide	74-83-9	49		1.1				1,500	
2-Methyl-4,6-								67	
dinitrophenol	534-52-1	14						280	
Methylene chloride	75-09-2	5						5,900	С
Nitrobenzene	98-95-3	18						690	
N-Nitrosodimethylamine		0.0069						30	С
N-Nitrosodi-n-					1	<u> </u>			
propylamine	621-64-7	0.050						5.1	С
N-Nitrosodiphenylamine		71		1				60	C
Nonylphenol	84852-15-3	, .				28	6.6		
Polychlorinated	01052 15 5			1	<u> </u>	20	0.0		
Biphenyls (PCBs)	1336-36-3	0.50			0.014	2	0.014	0.00064	C,P
Pentachlorophenol	87-86-5	1.0		<u> </u>	0.017	19	15	30	C
Phenol	108-95-2	10,500				17	1.5	860,000	
Pyrene	129-00-0	1,050						4,000	
1,1,2,2-	122-00-0	1,000			<u> </u>			-,000	
Tetrachloroethane	79-34-5	1.8						40	С
Tetrachloroethylene	127-18-4	5						33	C,P
r chachiorochiylelle	12/-10-4		I	1	I	L	I		U,r

20.6.4 NMAC

\*

.

•

NMED ATTACHMENT 2

Pollutant	CAS Number	DWS	Irr	LW	WH	Acute	Chronic	нн-оо	Туре
Foluene	108-88-3	1,000						15,000	
Foxaphene	8001-35-2	3				0.73	0.0002	0.0028	C
1,2-Trans-									
lichloroethylene	156-60-5	100						10,000	
1,2,4-Trichlorobenzene	120-82-1	70						70	
1,1,1-Trichloroethane	71-55-6	200							
1,1,2-Trichloroethane	79-00-5	5						160	C
Frichloroethylene	79-01-6	5						300	C
2,4,6-Trichlorophenol	88-06-2	32						24	C
Vinyl chloride (2)	75-01-4	2 cable to the table		_				_24	C
be referenced in Subsection Subsection C of 20.6.4.90 for "CAS number" in 20. storage; LW - livestock w P - persistent.	on I of 20.6.4 (b) WI 00 NMAC. (c) Cri (d) Ab 6.4.7 NMAC) vatering; WH	teria are in µ breviations a ; DWS - dor - wildlife hal	r "b" is in ug/L unles are as foll nestic wa bitat; HH	dicated i ss otherw ows: CA ter suppl -OO - hu	in a cell, t vise indic S - chem y; Irr/Irr iman heal	the criteri ated. ical abstr storage- i th-organi	on can be r acts service rrigation or ism only; C	eferenced i e (see defin r irrigation	n ition ausing
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota	a for alur ineral ph ed under onsumed t the heal eria apply polychlo n of all aro l ammoni	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep	re based of pecified be ealth-org ters containans who um of the iphenyls pendent of	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and	s of total re- partment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the present	ecoverable ) are intend nese criteria aquatic valents exp sum of all	led to a do ressee
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur ineral ph ed under onsumed t the heal eria apply polychlo n of all aro l ammoni	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- partment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the present	ecoverable ) are intend nese criteria aquatic valents exp sum of all ce or absen	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a almonids. The criteria in	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlo n of all are l ammoni ysis of un tere Salm	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- partment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- pows: here Salme	ecoverable ) are intend nese criteria aquatic valents exp sum of all ce or absen	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in pH	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur ineral ph ed under onsumed t the heal eria apply polychlo n of all ard l ammoni ysis of un tere Salm	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids P	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bare Salmon 48 46	ecoverable are intendinese criteria aquatic valents exp sum of all ce or absen onids Abse 3.8 5.8	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. As 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in <u>PH</u> 6.5 and bel 6.6 6.7	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlo n of all are l ammoni ysis of un asis of un <u>asis 3</u> 3	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pn 2.6 1.3 9.8	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bere Salme 48 46 44	ecoverable ecoverable are intend nese criteria aquatic valents exp sum of all ce or absen onids Absec 5.8 5.8 5.8	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in <u>PH</u> 6.5 and bel 6.6 6.7 6.8	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlon of all ard l ammoni ysis of un ere Salm 3 2 2 2	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pn 2.6 1.3 9.8 8.1	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bws: here Salme 48 46 44 42	ecoverable ecoverable are intend nese criteria aquatic valents exp sum of all ce or absen onids Abse 3.8 5.8 5.8 5.0	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. As 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in <u>PH</u> <u>6.5 and bel</u> <u>6.6</u> <u>6.7</u> <u>6.8</u> <u>6.9</u>	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlor of all ard l ammoni ysis of un tere Salm 3 2 2 2 2	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids PI 2.6 1.3 9.8 8.1 6.2	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bws: here Salme 48 44 44 42 39	ecoverable ) are intendinese criteria aquatic valents exp sum of all ce or absen onids Absec 3.8 5.8 5.8 5.8 5.0 0.1	led to a do ressec ce of
aluminum in a sample that protect human health when hot protect the aquatic life organisms. As 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in <u>PH</u> 6.5 and bel 6.6 6.7 6.8 6.9 7.0	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlon of all ard l ammoni ysis of un ere Salm 3 2 2 2 2 2	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pi 2.6 1.3 9.8 8.1 6.2 4.1	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bere Salme 48 44 44 42 39 36	ecoverable ) are intendinese criteria aquatic valents exp sum of all ce or absen onids Absec 3.8 1.6 2.0 0.1 5.1	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in <u>PH</u> <u>6.5 and bel</u> <u>6.6</u> <u>6.7</u> <u>6.8</u> <u>6.9</u> <u>7.0</u> 7.1	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlor of all ard l ammoni ysis of un ere Salm 2 2 2 2 2 2 2 2 2 2	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids P1 2.6 1.3 9.8 8.1 6.2 4.1 2.0	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bare Salmo 48 46 44 42 39 36 32	ecoverable ) are intendinese criteria aquatic valents exp sum of all ce or absen onids Abse 3.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. As 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in <u>PH</u> 6.5 and bel 6.6 6.7 6.8 6.9 7.0 7.1 7.2	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlon of all ard l ammoni ysis of un ere Salm 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pn 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- partment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- pows: here Salmo 48 46 44 42 39 36 32 29	ecoverable ) are intendinese criteria aquatic valents exp sum of all ce or absen onids Abse 3.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in <u>PH</u> 6.5 and bel 6.6 6.7 6.8 6.9 7.0 7.1 7.2 7.3	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlo n of all ard l ammoni ysis of un ere Salm 2 2 2 2 2 2 1 1	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pn 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7 7.5	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- partment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- pows: here Salmon 48 46 44 42 39 36 32 29 26	ecoverable ) are intendinese criteria aquatic valents exp sum of all ce or absen onids Abse 3.8 5.8 5.8 5.2	led to a do ressec ce of
aluminum in a sample that protect human health when hot protect the aquatic life organisms. As 2,3,7,8-TCDD dioxin. congeners, to the sum of a salmonids. The criteria in <u>PH</u> 6.5 and bel 6.6 6.7 6.8 6.9 7.0 7.1 7.1 7.2 7.3 7.4	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlon of all are l ammoni ysis of un tere Salm 3 2 2 2 2 2 2 1 1 1 1	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pi 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7 7.5 5.4	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- partment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- pows: here Salme 48 46 44 42 39 36 32 29 26 23	ecoverable )) are intendinese criteria aquatic valents exp sum of all ce or absen onids Absec 3.8 5.8 5.8 5.2 5.2 5.0	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a K. Acute a salmonids. The criteria in <u>PH</u> 6.5 and bel 6.6 6.7 6.8 6.9 7.0 7.1 7.2 7.3	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlon of all are l ammoni ysis of un tere Salm 3 2 2 2 2 2 2 1 1 1 1	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pn 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7 7.5	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total repartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bws: here Salme 48 46 44 42 39 36 32 29 26 23 19	ecoverable )) are intendinese criteria aquatic valents exp sum of all ce or absen onids Abse 3.8 5.8 5.8 5.2 5.2 5.0 0.9	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a salmonids. The criteria in <u>PH</u> <u>6.5 and bel</u> <u>6.6</u> <u>6.7</u> <u>6.8</u> <u>6.9</u> <u>7.0</u> <u>7.1</u> <u>7.2</u> <u>7.3</u> <u>7.4</u> <u>7.5</u> <u>7.6</u>	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlo n of all ard l ammoni ysis of un tere Salm 3 2 2 2 2 2 2 2 1 1 1 1 1	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids PI 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7 7.5 5.4 3.3 1.4	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bws: here Salme 48 44 44 42 39 36 32 29 26 23 19 17	ecoverable ecoverable ) are intendinese criteria aquatic valents exp sum of all ce or absen onids Absection 3.8 5.8 5.6 2.0 0.1 5.1 2.8 0.5 5.2 3.0 0.9 7.0	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of the salmonids. The criteria in <u>PH</u> 6.5 and bel 6.6 6.7 6.8 6.9 7.0 7.1 7.1 7.2 7.3 7.4 7.5	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlo n of all ard l ammoni ysis of un tere Salm 3 2 2 2 2 2 2 2 1 1 1 1 1	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pi 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7 7.5 5.4 3.3	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bws: here Salme 48 44 44 42 39 36 32 29 26 23 19 17	ecoverable )) are intendinese criteria aquatic valents exp sum of all ce or absen onids Absec 3.8 5.8 5.8 5.2 5.2 5.0 0.9	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of a salmonids. The criteria in <u>PH</u> <u>6.5 and bel</u> <u>6.6</u> <u>6.7</u> <u>6.8</u> <u>6.9</u> <u>7.0</u> <u>7.1</u> <u>7.2</u> <u>7.3</u> <u>7.4</u> <u>7.5</u> <u>7.6</u>	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlon of all ard l ammoni ysis of un ere Salm 3 2 2 2 2 2 2 2 1 1 1 1 1 9	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids PI 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7 7.5 5.4 3.3 1.4	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total repartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presence $\frac{48}{444}$ $\frac{42}{39}$ $\frac{39}{36}$ $\frac{32}{29}$ 26 23 19 17 14	ecoverable ecoverable ) are intendinese criteria aquatic valents exp sum of all ce or absen onids Absection 3.8 5.8 5.6 2.0 0.1 5.1 2.8 0.5 5.2 3.0 0.9 7.0	led to a do ressec ce of
salmonids. The criteria in pH 6.5 and bel 6.6 6.7 6.8 6.9 7.0 7.1 7.2 7.3 7.4 7.5 7.6 7.7	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlon of all ard l ammoni ysis of un ere Salm 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids P1 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7 7.5 5.4 3.3 1.4 .65	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bare Salmo Mere Salmo 48 46 44 42 39 36 32 29 26 23 19 17 14 12	ecoverable ecoverable ) are intendinese criteria aquatic valents exp sum of all ce or absen onids Absec 3.8 1.6 2.0 0.1 5.1 2.8 0.5 5.2 3.0 0.9 7.0 4.4	led to a do ressec ce of
aluminum in a sample that protect human health when not protect the aquatic life organisms. as 2,3,7,8-TCDD dioxin. congeners, to the sum of $\mathbf{K}$ . Acute a salmonids. The criteria in $\mathbf{PH}$ 6.5 and bel 6.6 6.7 6.8 6.9 7.0 7.1 7.1 7.2 7.3 7.4 7.5 7.6 7.6 7.7 7.8	chronic aquat at is filtered to (f) The en aquatic org e itself; rather (g) The (h) The all homologs aquatic life cri 1 mg/L as N ba	ic life criteri minimize m e criteria list anisms are co , they protec e dioxin crite e criteria for or to the sum teria for tota ased on analy	a for alur nineral ph ed under onsumed t the heal eria apply polychlon of all ard l ammoni ysis of un ere Salm 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ninum ar ases as s human h from wa th of hum to the su rinated b oclors. a are dep filtered s onids Pi 2.6 1.3 9.8 8.1 6.2 4.1 2.0 9.7 7.5 5.4 3.3 1.4 .65 .11	re based of pecified to ealth-org ters contain nans who um of the iphenyls bendent of camples a	on analysi by the dep anism on aining pol ingest fis dioxin to (PCBs) a n pH and re as follo	s of total re- bartment. ly (HH-OO llutants. The sh or other exicity equi- pply to the the presen- bare Salmo Mere Salmo 48 46 44 42 39 36 32 29 36 32 29 26 23 19 17 14 12 10	ecoverable accoverable accoverable accoverable valents exp sum of all ce or absen onids Absec 3.8 5.8 6.6 2.0 0.1 5.1 2.8 0.5 5.2 5.2 5.2 5.2 5.2 5.2 5.2 5	led to a do ressec ce of

20.6.4 NMAC

NMED ATTACHMENT 2

•

рН	Where Salmonids Present	Where Salmonids Absent		
8.2	3.83	5.72		
8.3	3.15	4.71		
8.4	2.59	3.88		
8.5	2.14	3.20		
8.6	1.77	2.65		
8.7	1.47	2.20		
8.8	1.23	1.84		
8.9	1.04	1.56		
9.0 and above	0.885	1.32		

present:

9

10 11

12

L. Chronic aquatic life criteria for total ammonia are dependent on pH, temperature and whether fish in early life stages are present or absent. The criteria are based on analysis of unfiltered samples and are calculated according to the equations in Paragraphs (1) and (2) of this subsection. For temperatures from below 0 to 14°C, the criteria for 14°C apply; for temperatures above 30°C, the criteria for 30°C apply. For pH values below 6.5, the criteria for 6.5 apply; for pH values above 9.0, the criteria for 9.0 apply.

(1) Chronic aquatic life criteria for total ammonia when fish early life stages are

(a) The equation to calculate chronic criteria in mg/L as N is:

 $((0.0577/(1 + 10^{7.688-pH})) + (2.487/(1 + 10^{pH-7.688})) \times MIN (2.85, 1.45 \times 10^{0.028 \times (25-T)})$ 

(b) Selected values of calculated chronic criteria in mg/L as N:

	Temperature (°C)										
рН	14 and below	15	16	18	20	22	24	26	28	30 and above	
6.5 and below	6.67	6.46	6.06	5.33	4.68	4.12	3.62	3.18	2.80	2.46	
6.6	6.57	6.36	5.97	5.25	4.61	4.05	3.56	3.13	2.75	2.42	
6.7	6.44	6.25	5.86	5.15	4.52	3.98	3.50	3.07	2.70	2.37	
6.8	6.29	6.10	5.72	5.03	4.42	3.89	3.42	3.00	2.64	2.32	
6.9	6.12	5.93	5.56	4.89	4.30	3.78	3.32	2.92	2.57	2.25	
7.0	5.91	5.73	5.37	4.72	4.15	3.65	3.21	2.82	2.48	2.18	
7.1	5.67	5.49	5.15	4.53	3.98	3.50	3.08	2.70	2.38	2.09	
7.2	5.39	5.22	4.90	4.31	3.78	3.33	2.92	2.57	2.26	1.99	
7.3	5.08	4.92	4.61	4.06	3.57	3.13	2.76	2.42	2.13	1.87	
7.4	4.73	4.59	4.30	3.78	3.32	2.92	2.57	2.26	1.98	1.74	
7.5	4.36	4.23	3.97	3.49	3.06	2.69	2.37	2.08	1.83	1.61	
7.6	3.98	3.85	3.61	3.18	2.79	2.45	2.16	1.90	1.67	1.47	
7.7	3.58	3.47	3.25	2.86	2.51	2.21	1.94	1.71	1.50	1.32	
7.8	3.18	3.09	2.89	2.54	2.23	1.96	1.73	1.52	1.33	1.17	
7.9	2.80	2.71	2.54	2.24	1.96	1.73	1.52	1.33	1.17	1.03	
8.0	2.43	2.36	2.21	1.94	1.71	1.50	1.32	1.16	1.02	0.897	
8.1	2.10	2.03	1.91	1.68	1.47	1.29	1.14	1.00	0.879	0.773	
8.2	1.79	1.74	1.63	1.43	1.26	1.11	0.973	0.855	0.752	0.661	
8.3	1.52	1.48	1.39	1.22	1.07	0.941	0.827	0.727	0.639	0.562	
8.4	1.29	1.25	1.17	1.03	0.906	0.796	0.700	0.615	0.541	0.475	
8.5	1.09	1.06	0.990	0.870	0.765	0.672	0.591	0.520	0.457	0.401	
8.6	0.920	0.892	0.836	0.735	0.646	0.568	0.499	0.439	0.386	0.339	
8.7	0.778	0.754	0.707	0.622	0.547	0.480	0.422	0.371	0.326	0.287	
8.8	0.661	0.641	0.601	0.528	0.464	0.408	0.359	0.315	0.277	0.244	
8.9	0.565	0.548	0.513	0.451	0.397	0.349	0.306	0.269	0.237	0.208	
9.0 and above	0.486	0.471	0.442	0.389	0.342	0.300	0.264	0.232	0.204	0.179	

13

Chronic aquatic life criteria for total ammonia when fish early life stages are absent.

(2)

.

#### **(a)** The equation to calculate chronic criteria in mg/L as N is:

# $((0.0577/(1 + 10^{7.688-pH})) + (2.487/(1 + 10^{pH-7.688})) \times 1.45 \times 10^{0.028 \times (25-MAX(T,7))})$

	Temperature (°C)									
рН	7 and below	8	9	10	11	12	13	14	15 and above	
6.5 and below	10.8	10.1	9.51	8.92	8.36	7.84	7.35	6.89	6.46	
6.6	10.7	9.99	9.37	8.79	8.24	7.72	7.24	6.79	6.36	
6.7	10.5	9.81	9.20	8.62	8.08	7.58	7.11	6.66	6.25	
6.8	10.2	9.58	8.98	8.42	7.90	7.40	6.94	6.51	6.10	
6.9	9.93	9.31	8.73	8.19	7.68	7.20	6.75	6.33	5.93	
7.0	9.60	9.00	8.43	7.91	7.41	6.95	6.52	6.11	5.73	
7.1	9.20	8.63	8.09	7.58	7.11	6.67	6.25	5.86	5.49	
7.2	8.75	8.20	7.69	7.21	6.76	6.34	5.94	5.57	5.22	
7.3	8.24	7.73	7.25	6.79	6.37	5.97	5.60	5.25	4.92	
7.4	7.69	7.21	6.76	6.33	5.94	5.57	5.22	4.89	4.59	
7.5	7.09	6.64	6.23	5.84	5.48	5.13	4.81	4.51	4.23	
7.6	6.46	6.05	5.67	5.32	4.99	4.68	4.38	4.11	3.85	
7.7	5.81	5.45	5.11	4.79	4.49	4.21	3.95	3.70	3.47	
7.8	5.17	4.84	4.54	4.26	3.99	3.74	3.51	3.29	3.09	
7.9	4.54	4.26	3.99	3.74	3.51	3.29	3.09	2.89	2.71	
8.0	3.95	3.70	3.47	3.26	3.05	2.86	2.68	2.52	2.36	
8.1	3.41	3.19	2.99	2.81	2.63	2.47	2.31	2.17	2.03	
8.2	2.91	2.73	2.56	2.40	2.25	2.11	1.98	1.85	1.74	
8.3	2.47	2.32	2.18	2.04	1.91	1.79	1.68	1.58	1.48	
8.4	2.09	1.96	1.84	1.73	1.62	1.52	1.42	1.33	1.25	
8.5	1.77	1.66	1.55	1.46	1.37	1.28	1.20	1.13	1.06	
8.6	1.49	1.40	1.31	1.23	1.15	1.08	1.01	0.951	0.892	
8.7	1.26	1.18	1.11	1.04	0.976	0.915	0.858	0.805	0.754	
8.8	1.07	1.01	0.944	0.855	0.829	0.778	0.729	0.684	0.641	
8.9	0.917	0.860	0.806	0.756	0.709	0.664	0.623	0.584	0.548	
9.0 and above	0.790	0.740	0.694	0.651	0.610	0.572	0.536	0.503	0.471	

(b) Selected values of calculated chronic criteria in mg/L as N:

At 15°C and above, the criterion for fish early life stages absent is the same as the criterion for fish early life stages present (refer to table in Paragraph (1) of this subsection).

[20.6.4.900 NMAC - Rp 20 NMAC 6.1.3100, 10/12/2000; A, 10/11/2002; A, 05/23/2005; A, 07/17/2005; A, 12/1/2010; A, 3/2/2017]

PUBLICATION REFERENCES: These documents are intended as guidance and are available 9 20.6.4.901 for public review during regular business hours at the offices of the surface water quality bureau. Copies of these 10 documents have also been filed with the New Mexico state records center in order to provide greater access to this 11 12 information.

13

6 7

8

1

2

3 4

5

American public health association. 1992. Standard Methods For The Examination Of Water Α. And Wastewater, 18th Edition. Washington, D.C. 1048 p. 14

American public health association. 1995. Standard Methods For The Examination Of Water And 15 B. 16 Wastewater, 19th Edition. Washington, D.C. 1090 p.

American public health association. 1998. Standard Methods For The Examination Of Water And 17 С. Wastewater, 20th Edition. Washington, D.C. 1112 p. 18

United States geological survey. 1987. Methods For Determination Of Inorganic Substances In 19 D. Water And Fluvial Sediments, Techniques Of Water-Resource Investigations Of The United States Geological 20

Survey. Washington, D.C. 80 p. 21

## 20.6.4 NMAC

**NMED ATTACHMENT 2** 

- E. United States geological survey. 1987. Methods for the determination of organic substances in
   water and fluvial sediments, techniques of water-resource investigations of the U.S. Geological survey.
   Washington, D.C. 80 p.
- F. United States environmental protection agency. 1974. Methods For Chemical Analysis Of Water
   And Wastes. National environmental research center, Cincinnati, Ohio. (EPA-625-/6-74-003). 298 p.
- 6 G. New Mexico water quality control commission. 2003. (208) State Of New Mexico Water Quality 7 Management Plan. Santa Fe, New Mexico. 85 p.
- 8 H. Colorado river basin salinity control forum. 2014. 2014 Review, Water Quality Standards For 9 Salinity, Colorado River System. Phoenix, Arizona. 99 p.
- I. United States environmental protection agency. 2002. Methods For Measuring The Acute Toxicity
   Of Effluents And Receiving Waters To Freshwater And Marine Organisms. Office of research and development,
   Washington, D.C. (5<sup>th</sup> Ed., EPA 821-R-02-012). 293 p. http://www.epa.gov/ostWET/disk2/atx.pdf
- J. United States environmental protection agency. 2002. Short-Term Methods For Estimating The
   Chronic Toxicity Of Effluents And Receiving Waters To Freshwater Organisms. Environmental monitoring systems
   laboratory, Cincinnati, Ohio. ([4th Ed., EPA 821-R-02-01). 335 p.
- K. Ambient-induced mixing, in United States environmental protection agency. 1991. *Technical Support Document For Water Quality-Based Toxics Control*. Office of water, Washington, D.C. (EPA/505/2-90 001). 2 p.
- L. United States environmental protection agency. 1983. Technical Support Manual: Waterbody
   Surveys And Assessments For Conducting Use Attainability Analyses. Office of water, regulations and standards,
   Washington, D.C. 251 p. http://www.epa.gov/OST/library/wqstandards/uaavol123.pdf
- M. United States environmental protection agency. 1984. *Technical Support Manual: Waterbody Surveys And Assessments For Conducting Use Attainability Analyses, Volume Iii: Lake Systems*. Office of water,
   regulations and standards, Washington, D.C. 208 p. http://www.epa.gov/OST/library/wqstandards/uaavol123.pdf
   [20.6.4.901 NMAC Rp 20 NMAC 6.1.4000, 10/12/2000; A, 05/23/2005; A, 12/1/2010; A, 3/2/2017]
- 26

# 27 HISTORY of 20.6.4 NMAC:

- 28 **Pre-NMAC History:**
- Material in the part was derived from that previously filed with the commission of public records state records center and archives:
- 31 WQC 67-1, Water Quality Standards, filed 7-17-67, effective 8-18-67
- 32 WQC 67-1, Amendment Nos. 1-6, filed 3-21-68, effective 4-22-68
- 33 WQC 67-1, Amendment No. 7, filed 2-27-69, effective 3-30-69
- 34 WQC 67-1, Amendment No. 8, filed 7-14-69, effective 8-15-69
- 35 WQC 70-1, Water Quality Standards for Intrastate Waters and Tributaries to Interstate Streams, filed July 17, 1970;
- 36 WQC 67-1, Amendment Nos. 9 and 10, filed 2-12-71, effective 3-15-71
- 37 WQC 67-1, Amendment No. 11, filed 3-4-71, effective 4-5-71
- 38 WQC 73-1, New Mexico Water Quality Standards, filed 9-17-73, effective 10-23-73
- 39 WQC 73-1, Amendment Nos. 1 and 2, filed 10-3-75, effective 11-4-75
- 40 WQC 73-1, Amendment No. 3, filed 1-19-76, effective 2-14-76
- 41 WQC 77-2, Amended Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 2-24-77,
- 42 effective 3-11-77
- 43 WQC 77-2, Amendment No. 1, filed 3-23-78, effective 4-24-78
- 44 WQC 77-2, Amendment No. 2, filed 6-12-79, effective 7-13-79
- 45 WQCC 80-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 8-28-80, effective 46 9-28-80
- WQCC 81-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 5-5-81, effective 6 4-81
- 49 WQCC 81-1, Amendment No. 1, filed 5-19-82, effective 6-18-82
- 50 WQCC 81-1, Amendment No. 2, filed 6-24-82, effective 7-26-82
- 51 WQCC 85-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 1-16-85, effective 52 2-15-85
- 53 WQCC 85-1, Amendment No. 1, filed 8-28-87, effective 9-28-87
- WQCC 88-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 3-24-88, effective
   4-25-88

- WQCC 91-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, filed 5-29-91, effective 1 6-29-91
- 2
- 3 WQCC 91-1, Amendment No. 1, filed 10-11-91, effective 11-12-91
- 4

#### 5 History of the Repealed Material:

- WQC 67-1, Water Quality Standards, Superseded, 10-23-73 6
- WQC 73-1, New Mexico Water Quality Standards, Superseded, 3-11-77 7
- WQC 77-2, Amended Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 8 9 9-28-80
- WOCC 80-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 6-4-81 10
- WQCC 81-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 2-15-85 11
- WQCC 85-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 4-25-88 12
- WQCC 88-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 6-29-91 13
- WQCC 91-1, Water Quality Standards for Interstate and Intrastate Streams in New Mexico, Superseded, 1-23-95 14
- 20 NMAC 6.1, Standards for Interstate and Intrastate Streams, Repealed, 2-23-00 15
- 20 NMAC 6.1, Standards for Interstate and Intrastate Surface Waters, Repealed, 10/12/2000 16

#### 20.6.4 NMAC

.