



MICHELLE LUJAN GRISHAM
GOVERNOR

JAMES C. KENNEY
CABINET SECRETARY

PUBLIC NOTICE

Groundwater Discharge Permits Proposed for Approval

August 31, 2021

Dear Interested Party,

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice that the following Groundwater Discharge Permits have been proposed for approval. NMED will allow 30 days after the date of publication of this notice (or as otherwise provided below) for submittal of written comments and/or a request for a public hearing for a permitting action. Requests for public hearing shall be in writing and shall set forth the reasons why a hearing should be held. A hearing will be held if NMED determines that there is substantial public interest. After the administrative record for a permitting action is complete and all required information is available, NMED will approve, approve with conditions, or disapprove the Permit based on the administrative record.

NMED maintains a Public Involvement Plan (PIP) for each permitting action to plan for providing public participation opportunities and information that may be needed for the community to participate in a permitting process. PIPs may be viewed on-line at <https://www.env.nm.gov/public-notices-2/>, at the NMED field office nearest to the proposed permitted activity, or by contacting the NMED Permit Contact identified below. NMED also maintains facility-specific mailing lists for persons wishing to receive associated notices for a permitting action.

To learn more about a Discharge Permit and the permitting process, to be placed on a facility-specific mailing list, or to obtain a copy of a draft permit or PIP, please contact the NMED Permit Contact at the telephone number or address provided below. Draft permits may be viewed on-line at <https://www.env.nm.gov/public-notices-2/>. Comments or a request for hearing regarding a draft permit should be addressed to the GWQB, PO Box 5469, Santa Fe, NM 87502-5469, or emailed to the NMED Permit Contact.

If you are a non-English speaker, do not speak English well, or if you have a disability, you may contact the NMED Permit Contact to request assistance, an interpreter, or an auxiliary aid in order to learn more about a Discharge Permit or the permitting process, or to participate in activities associated with the permitting process. To the extent possible, NMED will arrange for requested interpretation services and accommodations or services for persons with disabilities. Telephone conversation assistance is available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking


Science | Innovation | Collaboration | Compliance

Ground Water Quality Bureau | 1190 Saint Francis Drive, PO Box 5469, Santa Fe, New Mexico 87502-5469
Telephone (505) 827-2900 | www.env.nm.gov/gwqb/

on the phone, by calling 1-800-659-1779; Spanish: 1-800-327-1857; TTY users: 1-800-659-8331. Telephone interpretation assistance for persons that are a non-English speaker or do not speak English well is available at no charge when calling NMED.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Parts 5 and 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, you may contact: Kathryn Becker, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, nd.coordinator@state.nm.us. If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at <https://www.env.nm.gov/non-employee-discrimination-complaint-page/> to learn how and where to file a complaint of discrimination.

Sincerely,



Lochlin Farrell
Ground Water Quality Bureau

“How can I be of assistance?”

Lochlin is available by telephone during normal business hours at **(505) 660-8061**. Lochlin can help you with questions regarding this public notice or public involvement and can arrange for an interpreter to be on the phone line for the duration of your call at no cost to you.

Enclosure: Groundwater Discharge Permits Proposed for Approval



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|---|--|--|--|
| <p><u>Discharge Permit</u> 68 <u>Closest City</u> Albuquerque <u>County</u> Bernalillo</p> | <p><u>Facility</u> Reeves Generating Station The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Albuquerque, 121 Tijeras Ave. NE, Suite 1000 Albuquerque, NM 87102</p> | <p><u>Applicant</u> John Hale Environmental Manager Public Service Company of New Mexico 414 Silver Ave. SW Albuquerque, NM 87102</p> | <p><u>NMED Permit Contact</u> Melanie Sandoval Geoscientist – Supervisor UIC and Industrial Team Leader Melanie.Sandoval2@state.nm.us Telephone: (505) 660-7892 Written comments or requests for a hearing for DP-68 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|---|--|--|--|

Notice: DP-68, Reeves Generating Station: Public Service Company of New Mexico proposes to renew the Discharge Permit for the discharge of up to 9,500 gallons per day of industrial wastewater to a disposal system. Potential contaminants from this type of discharge include inorganic compounds and dissolved solids. The facility is located at 4400 Paseo del Norte NW in Albuquerque, in Section 23, T11N, R03E, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 130 feet and had a pre-discharge total dissolved solids concentration of 585 milligrams per liter.

| | | | |
|---|--|--|--|
| <p><u>Discharge Permit</u> 1206 <u>Closest City</u> Albuquerque <u>County</u> Bernalillo</p> | <p><u>Facility</u> North I-25 Corridor Reclamation and Reuse System and Bear Canyon Recharge Project The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Albuquerque, 121 Tijeras Ave. NE, Suite 1000 Albuquerque, NM 87102</p> | <p><u>Applicant</u> Mark Kelly, PE Compliance Division Manager Albuquerque Bernalillo County Water Utility Authority PO Box 568 Albuquerque, NM 87103</p> | <p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564 Written comments or requests for a hearing for DP-1206 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|---|--|--|--|

Notice: DP-1206, North I-25 Corridor Reclamation and Reuse System and Bear Canyon Recharge Project: the Albuquerque Bernalillo County Water Utility Authority proposes to renew the Discharge Permit for the discharge of up to 8.861 million gallons per day of industrial wastewater and treated surface water to a reuse system and aquifer recharge project. Potential contaminants from this type of discharge include organic and inorganic compounds. The facility is located at 9200 Jefferson Blvd NE, Albuquerque, and Sections 8, 11, 14, 15, 23, 24, and 25, T11N, R03E; Sections 17, 18, 19, 20, 27, 28, 29, 30, 31, and 33, T11N, R04E; and Section 7, T10N, R04E, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 150 to 450 feet and had a pre-discharge total dissolved solids concentration of 210 to 707 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|---|--|--|---|
| <p>Discharge Permit 1308</p> <p>Closest City Albuquerque</p> <p>County Bernalillo</p> | <p>Facility Southside Water Reclamation Plant Reuse System</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Albuquerque, 121 Tijeras Ave. NE, Suite 1000 Albuquerque, NM 87102</p> | <p>Applicant Charles S. Leder, PE Manager ABCWUA-Plant Operations Div. PO Box 568 Albuquerque, NM 87103</p> | <p>NMED Permit Contact Sandra Gabaldón Environmental Scientist Sandra.Gabaldon@state.nm.us Telephone: 505-660-8164</p> <p>Written comments or requests for a hearing for DP-1308 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|---|--|--|---|

Notice: DP-1308, Southside Water Reclamation Plant Reuse System: Albuquerque Bernalillo County Water Utility Authority (ABCWUA) proposes to renew and modify the Discharge Permit for the discharge of up to 7.5 million gallons per day of reclaimed domestic wastewater and discharged to reuse areas. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 4201 Second Street SW, Albuquerque, in Sections 07, 18, 19, 21, 22, 27, 28, 30, T9N, R3E, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 30 feet and had a pre-discharge total dissolved solids concentration of 305 milligrams per liter.

| | | | |
|---|---|--|---|
| <p>Discharge Permit 1805</p> <p>Closest City Tijeras</p> <p>County Bernalillo</p> | <p>Facility Green Ridge Mutual Domestic Water Consumers Association</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Albuquerque, 121 Tijeras Ave. NE, Suite 1000 Albuquerque, NM 87102</p> | <p>Applicant Shirley A. Hughes Board of Directors Liaison Green Ridge MDWCA, Inc. PO Box 157 Edgewood, NM 87015</p> | <p>NMED Permit Contact Ron Sholdt Geoscientist Ron.Sholdt@state.nm.us Telephone: (505) 660-9662</p> <p>Written comments or requests for a hearing for DP-1805 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|---|---|--|---|

Notice: DP-1805, Green Ridge Mutual Domestic Water Consumers Association proposes to renew the Discharge Permit for the discharge of up to 2,054 gallons per day of reverse osmosis concentrate to a wastewater treatment and disposal system. Potential contaminants from this type of discharge include chloride, metals, and other dissolved solids. The facility is located at 19 Camino Viejo, approximately 9 miles southeast of Tijeras, in Section 23, T9N, R6E, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 200-515 feet and had a pre-discharge total dissolved solids concentration of 930 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|--|--|--|---|
| <p><u>Discharge Permit</u> 163</p> <p><u>Closest City</u> Roswell</p> <p><u>County</u> Chaves</p> | <p><u>Facility</u> P7 Dairy, LLC</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Roswell 1914 W. Second St. Roswell, NM 88201</p> | <p><u>Applicant</u> Paul Pirtle P7, LLC PO Box 3899 Roswell, NM 88202</p> | <p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-163 accepted until 5:00 p.m. MDT, October 8, 2021.</p> |
|--|--|--|---|

Notice: DP-163: P7, LLC Dairy proposes to renew the Discharge Permit for the discharge of up to 99,999 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 3852 Hobson Rd., approximately 6.5 miles southeast of Roswell, in Sections 31 and 32, T11S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 26 feet and had a pre-discharge total dissolved solids concentration of 2,800 milligrams per liter.

| | | | |
|---|---|--|--|
| <p><u>Discharge Permit</u> 689</p> <p><u>Closest City</u> Dexter</p> <p><u>County</u> Chaves</p> | <p><u>Facility</u> Orchard Park Dairy</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Roswell 1914 W. Second St. Roswell, NM 88201</p> | <p><u>Applicant</u> Abel Villalpando c/o Carol Irvin Orchard Park Dairy 304 E. Ojibwa Road Dexter, NM 88230</p> | <p><u>NMED Permit Contact</u> Jaben Richards Agriculture Team Leader Jaben.Richards@state.nm.us Telephone: 505-660-8376</p> <p>Written comments or requests for a hearing for DP-689 accepted until 5:00 p.m. MDT, October 8, 2021.</p> |
|---|---|--|--|

Notice: DP-689: Orchard Park Dairy proposes to renew and modify the Discharge Permit for the discharge of up to 120,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 396 E. Orchard Park Rd., approximately 4 miles north of Dexter, in Section 25, T12S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 62 feet and had a pre-discharge total dissolved solids concentration of 2,400 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|---|--|--|--|
| <p><u>Discharge Permit</u> 1131</p> <p><u>Closest City</u> Dexter</p> <p><u>County</u> Chaves</p> | <p><u>Facility</u> Par 5 Dairy</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Roswell 1914 W. Second St. Roswell, NM 88201</p> | <p><u>Applicant</u> Mitch Visser Par 5 Dairy 6839 Old Chisum Trail Dexter, NM 88230</p> | <p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-1131 accepted until 5:00 p.m. MDT, October 8, 2021.</p> |
|---|--|--|--|

Notice: DP-1131, Par 5 Dairy proposes to renew the Discharge Permit for the discharge of up to 160,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 6839 Old Chisum Trail, approximately 3.5 miles northwest of Dexter, in Sections 35 and 36, T12S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 44 feet and had a pre-discharge total dissolved solids concentration of 1,600 milligrams per liter.

| | | | |
|--|--|--|--|
| <p><u>Discharge Permit</u> 1277</p> <p><u>Closest City</u> Clovis</p> <p><u>County</u> Curry</p> | <p><u>Facility</u> Desert Sun Dairy</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Clovis 100 E. Manana, Unit 3 Clovis, NM 88101</p> | <p><u>Applicant</u> Darren Hanson Owner/Operator 1331 CR 6 Clovis, NM 88101</p> | <p><u>NMED Permit Contact</u> Sarah F. Schnell Geoscientist Sarah.Schnell@state.nm.us Telephone: (505) 660-8368</p> <p>Written comments or requests for a hearing for DP-1277 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|--|--|--|

Notice: DP-1277: Desert Sun Dairy proposes to renew the Discharge Permit for the discharge of up to 95,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 1331 CR 6, approximately 5 miles southwest of Clovis, in Sections 3 and 10, T01N, R35E, Curry County. Groundwater most likely to be affected is at a depth of approximately 317 feet and had a pre-discharge total dissolved solids concentration of 420 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|--|---|---|---|
| <p><u>Discharge Permit</u> 1288</p> <p><u>Closest City</u> Clovis</p> <p><u>County</u> Curry</p> | <p><u>Facility</u> Sunwest Dairy</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Clovis 100 E. Manana, Unit 3 Clovis, NM 88101</p> | <p><u>Applicant</u> Ron Schaap, Owner Sunwest Dairy 1069 Curry Rd. 21 Clovis, NM 88101</p> | <p><u>NMED Permit Contact</u> Jaben Richards Agriculture Team Leader Jaben.Richards@state.nm.us Telephone: 505-660-8376</p> <p>Written comments or requests for a hearing for DP-1288 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|---|---|---|

Notice: DP-1288, Sunwest Dairy proposes to renew the Discharge Permit for the discharge of up to 60,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 671 CR 8, approximately 3.5 miles southeast of Clovis, in Section 26, T02N, R36E, Curry County. Groundwater most likely to be affected is at a depth of approximately 315 feet and had a pre-discharge total dissolved solids concentration of 490 milligrams per liter.

| | | | |
|--|--|---|--|
| <p><u>Discharge Permit</u> 1884</p> <p><u>Closest City</u> Artesia</p> <p><u>County</u> Eddy</p> | <p><u>Facility</u> Seco Spice #2 Artesia</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Roswell 1914 W. Second St. Roswell, NM 88201</p> | <p><u>Applicant</u> Edward Ogaz Manager Seco Spice #2 Artesia 76 E. Cottonwood Rd. Artesia, NM 88211</p> | <p><u>NMED Permit Contact</u> Sarah F. Schnell Geoscientist Sarah.Schnell@state.nm.us Telephone: (505) 660-8368</p> <p>Written comments or requests for a hearing for DP-1884 accepted until 5:00 p.m. MDT, October 8, 2021.</p> |
|--|--|---|--|

Notice: DP-1884: Seco Spice #2 Artesia proposes the Discharge Permit for the discharge of up to 15,000 gallons per day of wastewater from the production area of a chile processing facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 76 E. Cottonwood Rd., approximately 6 miles northwest of Artesia, in Section 7, T16S, R26E, Eddy County. Groundwater most likely to be affected is at a depth of approximately 56 - 117 feet and had a total dissolved solids concentration of 2,220 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|--|--|--|--|
| <p>Discharge Permit 313</p> <p>Closest City Alto</p> <p>County Lincoln</p> | <p>Facility Rancho Ruidoso Valley Estates WWTP</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Ruidoso 1216 E. Mechem, Building 2 Ruidoso, NM 88345</p> | <p>Applicant Ron Booher Director of Facilities CDS Rainmakers Utilities PO Box 1128 Alto, NM 88312</p> | <p>NMED Permit Contact Ron Sholdt Geoscientist Ron.Sholdt@state.nm.us Telephone: (505) 660-9662</p> <p>Written comments or requests for a hearing for DP-313 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|--|--|--|

Notice: DP-313, Rancho Ruidoso Valley Estates WWTP proposes to renew the Discharge Permit for the discharge of up to 40,000 gallons per day of domestic wastewater to a domestic waste treatment and disposal plant. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at the intersection of Little Creek Rd and Custer’s Last Stand Rd, approximately 7 miles NE of Ruidoso, NM in Section 21, T10S, R14E, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 125 feet and had a pre-discharge total dissolved solids concentration of 700 milligrams per liter.

| | | | |
|--|---|---|--|
| <p>Discharge Permit 1514</p> <p>Closest City Ruidoso</p> <p>County Lincoln</p> | <p>Facility Cook Canyon Ranch</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Ruidoso 1216 E. Mechem, Building 2 Ruidoso, NM 88345</p> | <p>Applicant Mike Dickenson President New Mexico District Council Assemblies of God, Inc. 6640 Caminito Coors NW Albuquerque, NM 87120</p> | <p>NMED Permit Contact Andrew Romero Geoscientist AndrewC.Romero@state.nm.us Telephone: (505) 660-8624</p> <p>Written comments or requests for a hearing for DP-1514 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|---|---|--|

Notice: DP-1514, Cook Canyon Ranch: New Mexico District Council Assemblies of God, Inc. proposes to renew the Discharge Permit for the discharge of up to 9,999 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1049 Coe Canyon Road, approximately 4 miles southe ast of Ruidoso, in Section 31, T11S, R15E, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 370 feet and had a pre-discharge total dissolved solids concentration of 880 milligrams per liter.



| | | | |
|--|--|---|---|
| <p><u>Discharge Permit</u> 1924</p> <p><u>Closest City</u> Alto</p> <p><u>County</u> Lincoln</p> | <p><u>Facility</u> Bell Gas #1186 / TR's Market The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Ruidoso 1216 E. Mechem, Building 2 Ruidoso, NM 88345</p> | <p><u>Applicant</u> Gary Harrell Vice President PO Box 490 Roswell, NM 88202</p> | <p><u>NMED Permit Contact</u> Andrew Romero Geoscientist AndrewC.Romero@state.nm.us Telephone: (505) 660-8624</p> <p>Written comments or requests for a hearing for DP-1924 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|--|---|---|

Notice: DP-1924, Bell Gas #1186 / TR's Market: Bell Gas, Inc. proposes to discharge up to 1,500 gallons per day of petroleum contaminated groundwater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds, organic and inorganic compounds and metals. The facility is located at 101 Sun Valley Road, Alto, in Section 34, T10S, R13E, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 45-90 feet and had a pre-discharge total dissolved solids concentration of 1,772 milligrams per liter.

| | | | |
|---|---|--|---|
| <p><u>Discharge Permit</u> 1400</p> <p><u>Closest City</u> Chaparral</p> <p><u>County</u> Otero</p> | <p><u>Facility</u> County of Otero Prison Facility The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Alamogordo 811 E. First Street, Suite D Alamogordo, NM 88310</p> | <p><u>Applicant</u> Pamela S. Heltner County Manager Otero County 1101 New York Ave. Alamogordo, NM 88081</p> | <p><u>NMED Permit Contact</u> Andrew Romero Geoscientist AndrewC.Romero@state.nm.us Telephone: (505) 660-8624</p> <p>Written comments or requests for a hearing for DP-1400 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|---|---|--|---|

Notice: DP-1400, County of Otero Prison Facility: The County of Otero proposes to renew the Discharge Permit for the discharge of up to 330,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at mile post 6 on US Hwy 54, approximately 4 miles northeast of Chaparral, Otero County. Groundwater most likely to be affected is at a depth of approximately 300 feet and had a pre-discharge total dissolved solids concentration of 267 milligrams per liter.



| | | | |
|--|--|--|---|
| <p><u>Discharge Permit</u> 1492</p> <p><u>Closest City</u> Portales</p> <p><u>County</u> Roosevelt</p> | <p><u>Facility</u> New Mexico Christian Children's Home</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Clovis 100 E. Manana, Unit 3 Clovis, NM 88101</p> | <p><u>Applicant</u> Darwin Culpepper Facility Manager New Mexico Christian Children's Home 1356 NM 236 Portales, NM 88130</p> | <p><u>NMED Permit Contact</u> Aracely Tellez Environmental Scientist Aracely.Tellez@state.nm.us Telephone: (505) 629-8864</p> <p>Written comments or requests for a hearing for DP-1492 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|--|--|---|

Notice: DP-1492, New Mexico Christian Children's Home: Aaron Goodman proposes to renew the Discharge Permit for the discharge of up to 9,750 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1356 N.M. 236, approximately 8 miles west of Portales, in Section 13, T1S, R33E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 80 feet and had a pre-discharge total dissolved solids concentration of 1085 milligrams per liter.

| | | | |
|--|---|--|--|
| <p><u>Discharge Permit</u> 1737</p> <p><u>Closest City</u> Portales</p> <p><u>County</u> Roosevelt</p> | <p><u>Facility</u> Village of Floyd Water Treatment System</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Clovis 100 E. Manana, Unit 3 Clovis, NM 88101</p> | <p><u>Applicant</u> Toni Whitecotton Clerk Village of Floyd PO Box 69 Floyd, NM 88118</p> | <p><u>NMED Permit Contact</u> Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-1737 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|---|--|--|

Notice: DP-1737, Village of Floyd Water Treatment System: Village of Floyd proposes to renew the Discharge Permit for the discharge of up to 16,700 gallons per day of industrial wastewater from a treatment system to a disposal system. Potential contaminants from this type of discharge include total dissolved solids and metals. The facility is located at 1564 NM-267, Floyd, in Section 15, T01S, R32E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 80-85 feet and had a pre-discharge total dissolved solids concentration of 789 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|--|--|---|---|
| <p><u>Discharge Permit</u> 1304</p> <p><u>Closest City</u> Aztec</p> <p><u>County</u> San Juan</p> | <p><u>Facility</u> Navajo Lake State Park The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Farmington 3400 Messina Drive, Suite 5000 Farmington, NM 87402</p> | <p><u>Applicant</u> Colleen Baker Bureau Chief New Mexico State Parks 1220 S. St. Francis Drive Santa Fe, NM 87505</p> | <p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: 505-660-7189</p> <p>Written comments or requests for a hearing for DP-1304 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|--|---|---|

Notice: DP-1304, Navajo Lake State Park: New Mexico State Parks proposes to renew and modify the Discharge Permit for the discharge of up to 22,000 gallons per day of domestic wastewater to eight disposal systems. Potential contaminants from this type of discharge include nitrogen compounds. The disposal systems are located within Navajo Lake State Park approximately 17 miles southeast and 22.5 miles east of Aztec, in Sections 7, 8 and 18, T30N, R07W and Sections 13, 15, 16 and 20, T30N, R08W, San Juan and Rio Arriba Counties. Groundwater most likely to be affected is at a depth of approximately 5-250 feet and had a pre-discharge total dissolved solids concentration of 1,794-2,775 milligrams per liter.

| | | | |
|---|---|---|--|
| <p><u>Discharge Permit</u> 78</p> <p><u>Closest City</u> Santa Fe</p> <p><u>County</u> Santa Fe</p> | <p><u>Facility</u> HIPICO Santa Fe The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Santa Fe 2540 Camino Edward Ortiz Santa Fe, NM 87507</p> | <p><u>Applicant</u> Brian K. Gonzales Managing Partner Grand Prix de Santa Fe LLC PO Box 5353 Santa Fe, NM 87502</p> | <p><u>NMED Permit Contact</u> Ron Sholdt Geoscientist Ron.Sholdt@state.nm.us Telephone: (505) 660-9662</p> <p>Written comments or requests for a hearing for DP-78 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|---|---|---|--|

Notice: DP-78, HIPICO Santa Fe proposes to renew the Discharge Permit for the discharge of up to 402,335 gallons per day of domestic wastewater to re-use areas and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 100 S. Polo Drive, approximately 2 miles south of Santa Fe, in Section 17, T16N, R08E, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 52 feet and had a pre-discharge total dissolved solids concentration of 241 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|--|---|--|--|
| <p>Discharge Permit 1592</p> <p>Closest City Santa Fe</p> <p>County Santa Fe</p> | <p>Facility Vistas de Sangre Wastewater Treatment Plant</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Santa Fe 2540 Camino Edward Ortiz Santa Fe, NM 87507</p> | <p>Applicant Katherine Fishman President Vista de Sangre HOA 1302 N. Riverside Dr. Española, NM 87532</p> | <p>NMED Permit Contact Aracely Tellez Environmental Scientist Aracely.Tellez@state.nm.us Telephone: (505) 629-8864</p> <p>Written comments or requests for a hearing for DP-1592 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|---|--|--|

Notice: DP-1592, Vistas de Sangre Wastewater Treatment Plant: Katherine Fishman proposes to renew and modify the Discharge Permit for the discharge of up to 8,625 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds and total dissolved solids. The facility is located at the intersection of Caja del Oro Grant Rd. and NM State Rd 599, approximately 0.8 miles northwest of Agua Fria, in Section 31, T17N, R9E, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 370 feet and had a pre-discharge total dissolved solids concentration of 275 milligrams per liter.

| | | | |
|---|--|---|--|
| <p>Discharge Permit 510</p> <p>Closest City Socorro</p> <p>County Socorro</p> | <p>Facility New Mexico Firefighters Training Academy</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Los Lunas 475 Courthouse Road SE Suite B Los Lunas, New Mexico 87031</p> | <p>Applicant Brad Brunson Deputy State Fire Marshal 600 Aspen Road Socorro, NM 87801</p> | <p>NMED Permit Contact Avery Young Environmental Scientist Avery.Young@state.nm.us Telephone: (505) 699-8564</p> <p>Written comments or requests for a hearing for DP-510 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|---|--|---|--|

Notice: DP-510, New Mexico Firefighters Training Academy proposes to renew the Discharge Permit for the discharge of up to 225,000 gallons per day of industrial wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen and organic compounds. The facility is located at 600 Aspen Road, Socorro, in Section 11, T03S, R01W, Socorro County. Groundwater most likely to be affected is at a depth of approximately 180 feet and had a pre-discharge total dissolved solids concentration of 367 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| | | | |
|--|--|---|--|
| <p><u>Discharge Permit</u> 975</p> <p><u>Closest City</u> Estancia</p> <p><u>County</u> Torrance</p> | <p><u>Facility</u> Estancia Wastewater Treatment Plant</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Albuquerque, 121 Tijeras Ave. NE, Suite 1000 Albuquerque, NM 87102</p> | <p><u>Applicant</u> The Honorable Nathan Dial Mayor Town of Estancia PO Box 166 Estancia, NM 87016</p> | <p><u>NMED Permit Contact</u> Andrew Romero Geoscientist AndrewC.Romero@state.nm.us Telephone: (505) 660-8624</p> <p>Written comments or requests for a hearing for DP-975 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|--|---|--|

Notice: DP-975, Estancia Wastewater Treatment Plant: The Town of Estancia proposes to renew the Discharge Permit for the discharge of up to 117,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located 0.7 mile east of Estancia, in Section 12, T06N, R09E, Torrance County. Groundwater most likely to be affected is at a depth of approximately 28 feet and had a pre-discharge total dissolved solids concentration of 2,140 milligrams per liter.

| | | | |
|--|---|--|--|
| <p><u>Discharge Permit</u> 229</p> <p><u>Closest City</u> Clayton</p> <p><u>County</u> Union</p> | <p><u>Facility</u> Town of Clayton Wastewater Treatment Facility</p> <p>The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED Raton Office, 1277A South Second Street, Raton, NM 87740.</p> | <p><u>Applicant</u> Ferron Lucero Manager Town of Clayton 1 Chestnut Street Clayton, NM 88415</p> | <p><u>NMED Permit Contact</u> Gerald Knutson Environmental Scientist Gerald.Knutson@state.nm.us Telephone: 505-660-7189</p> <p>Written comments or requests for a hearing for DP-229 accepted until 5:00 p.m. MDT, October 1, 2021.</p> |
|--|---|--|--|

Notice: DP-229, Town of Clayton Wastewater Treatment Facility: Ferron Lucero proposes to renew the Discharge Permit for the discharge of up to 250,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at the intersection of Dorsey Rd and Princeton Ave, in Clayton, in Sections 1 and 2, T25N, R35E and the reuse site is located in Section 6, T25N, R36E, Union County. Groundwater most likely to be affected is at a depth of approximately 56 feet and had a pre-discharge total dissolved solids concentration of 362 milligrams per liter.



New Mexico Environment Department Ground Water Quality Bureau
 Public Notices to be published on or before August 31, 2021
 Groundwater Discharge Permits Proposed for Approval

| <u>Discharge Permit</u> | <u>Facility</u> | <u>Applicant</u> | <u>NMED Permit Contact</u> |
|--|--|---|--|
| 1932 <u>Closest City</u> Jarales <u>County</u> Valencia | Midway Grocery The Public Involvement Plan may be viewed online at https://www.env.nm.gov/public-notices-2/ or at the NMED office in Los Lunas 1052 Main NE, Suite C Los Lunas, NM 87031 | Susan von Gonten, Project Manager NMED-PSTB 2905 Rodeo Park Drive East, Building 1 Santa Fe, NM 87505 | Jason Herman Hydrologist – Supervisor Domestic Team Leader Jason.Herman@state.nm.us Telephone: 575-649-3871 Written comments or requests for a hearing for DP-1932 accepted until 5:00 p.m. MDT, October 1, 2021. |

Notice: DP-1932, Midway Grocery: NMED-PSTB proposes to discharge up to 7,861 gallons per day of remediation solution to injection points. Potential contaminants from this type of discharge include sulfate and nitrate. The facility is located at 414A Jarales Road, Belen, in Section 32, T5N, R2E, Valencia County. Groundwater most likely to be affected is at a depth of approximately 4 feet and had a pre-discharge total dissolved solids concentration of 1,600 milligrams per liter.

END OF PUBLIC NOTICE

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:
<https://www.env.nm.gov/public-notices-2/>