

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AOC Inspections	Additional Information	Figure
<i>OU 1289 Mixed Waste Landfill</i>							
76	Mixed Waste Landfill (TA-III)		Industrial		Annual	Controls and other requirements specified in Mixed Waste Landfill Long-Term Monitoring and Maintenance Plan, dated March 2012 (and as the plan may be updated)	3
<i>OU 1295 Septic Tanks and Drainfields</i>							
137	Bldg. 6540/6542 Septic System (TA-III)	Maintained and tracked	Industrial	4 signs on SWMU perimeter, one each at selected corners of the SWMU	Annual		3
<u>154</u>	<u>Bldg. 9960 Septic System and Seepage Pits (Coyote Test Field)</u>	<u>Maintained and tracked</u>	<u>Industrial</u>	<u>4 signs at 2 areas that comprise the SWMU; 2 signs near selected corners of each area</u>	<u>Annual</u>		<u>4</u>

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AOC Inspections	Additional Information	Figure
<i>OU 1302 TA-I</i>							
96	Storm System Drain	Maintained and tracked	Industrial	Not feasible	None	SWMU consists of underground storm drains throughout TA-I. No signs, postings, or inspections are feasible due to SWMU features.	Not shown
98	Building 863 (TCA, Photochemical Releases: Silver Catch Boxes)	Maintained and tracked	Industrial	Not feasible	Annual	SWMU consists of subsurface area located under a building. No signs, postings, or inspections are feasible due to SWMU features.	1
187	Septic Tank Piping for POTW	Maintained and tracked	Industrial	Not feasible	None	SWMU consists of underground sewer lines throughout TA-I. No signs, postings, or inspections are feasible due to SWMU features.	Not shown

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AOC Inspections	Additional Information	Figure
190	Steam Plant Tank Farm	Maintained and tracked	Industrial ^a	4 signs on SWMU perimeter, one in the approximate middle of each side of the SWMU	Annual		1
226	Old Acid Waste Line	Maintained and tracked	Industrial	Not feasible	None	SWMU consists of underground drain line throughout TA-I, II, and IV. No signs, postings, or inspections are feasible due to SWMU features.	1 and 2
<i>OU 1303 TA-II</i>							
1	Radioactive Waste Landfill	Maintained and tracked	Industrial	4 signs on SWMU perimeter, one each in selected corners of the SWMU	Annual		2

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AOC Inspections	Additional Information	Figure
2	Classified Waste Landfill (TA-II)	Maintained and tracked	Industrial	5 signs on SWMU perimeter, one in the approximate middle of each side of the SWMU	Annual		2
3	Chemical Disposal Pit	Maintained and tracked	Industrial	Included with SWMU 1	Annual	Located adjacent to SWMU 1.	2
135	Building 906 Drain System	Maintained and tracked	Industrial	1 sign	Annual		2
<i>OU 1306 TA III and V</i>							
105	Mercury Spill (Bldg. 6536)	Maintained and tracked	Industrial	4 signs on SWMU perimeter, one in the approximate middle of each side of the SWMU	Annual		3
196	Bldg. 6597 Cistern (TA-V)	Maintained and tracked	Industrial	1 sign near the northeast corner of the SWMU	Annual		3

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AOC Inspections	Additional Information	Figure
<i>OU 1307 Liquid Waste Disposal System</i>							
4	LWDS Surface Impoundments	Maintained and tracked	Industrial	4 signs on SWMU perimeter, one in the approximate middle of each side of the SWMU	Annual		3
<i>OU 1309 Tijeras Arroyo</i>							
45	Liquid Discharge (Behind TA-IV)	Maintained and tracked	Industrial	5 signs on SWMU perimeter, one in approximately each corner of the SWMU outside of the TA-IV fence	Annual	Western half of the SWMU is located within the TA-IV fenced boundary	2
46	Old Acid Waste Line Outfall	Maintained and tracked	Industrial	4 signs along the TA-IV fence line and 7 signs posted along the south and west perimeter of the SWMU	Annual		2

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AOC Inspections	Additional Information	Figure
229	Storm Drain System Outfall (for TA-II)	Maintained and tracked	Industrial	1 sign at the top of the outfall	Annual		2
<i>OU 1332 Foothills Test Area</i>							
<u>58FF</u>	<u>Fire Bricks Feature (Coyote Canyon Blast Area)</u>	<u>Maintained and tracked</u>	<u>Industrial</u>	<u>2 signs on perimeter</u>	<u>Annual</u>	<u>Feature within SWMU 58</u>	<u>5</u>
<u>58B/8Y</u>		<u>Maintained and tracked</u>	<u>Industrial</u>	<u>2 Signs on perimeter</u>	<u>Annual</u>	<u>Feature within SWMU 8</u>	<u>5</u>
87	Building 9990 Firing Site	Maintained and tracked	Industrial ^a	4 signs, one at the access road and three on the perimeter of the SWMU	Annual		5

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AOC Inspections	Additional Information	Figure
<i>OU 1334 Central Coyote Test Area</i>							
<u>68</u>	<u>Old Burn Site</u>	<u>Maintained and Tracked</u>	<u>Industrial</u>		<u>Annual</u>		
<i>OU 1335 Southwest Test Area</i>							
91	Lead Firing Site (Thunder Range)	Maintained and tracked	Industrial ^a	4 signs on SWMU perimeter, one in the approximate middle of each side of the SWMU	Annual		4
<i>Miscellaneous Sites</i>							
1029	Building 6584 North Septic System (TA-III)	Maintained and tracked	Industrial	3 signs on SWMU perimeter	Annual		3
1081	Building 6650 Septic System (TA-III)	Maintained and tracked	Industrial	3 signs on SWMU perimeter	Annual		3

Table M-1 Summary of Institutional Controls for Solid Waste Management Units and Areas of Concern Requiring Controls							
SWMU/ AOC Number	Site Name	Site Data	Land Use	Signs and Postings	SWMU/AOC Inspections	Additional Information	Figure
1090	Bldg. 6721 Septic System (TA-III)	Maintained and tracked	Industrial	1 sign, approximately in the middle of the SWMU	Annual		3