

PFAS Water Testing Results, all units nanograms per liter (ng/L) = parts per trillion

Sample Location	Sample Media	Sample Date	Sampling Party	C 4	C 5	C 6	C 7	C 8	C 9	C 10	C 11	C 12	C 13	C 14	Total PFAS	PFOA + PFOS	Lab	EPA Test Method											
Clovis Area				PFBA	PFBS	PFPeA	PFHxA	PFHxS	PFHpA	PFHpS	6:2 FTS	PFOA	PFOS	PFOSA	PFNA	8:2 FTS	PFDA	PFDS	NMeFOSAA	PFUnA	NeFOSAA	PFDoA	PFTrIA	PFTeA					
CAFB Drinking Water																													
CAFB well 3 raw	DW	8/24/2016	USAF	not tested	2.7	not tested	not tested	3.1	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	5.8	0	Eurofins	537
CAFB well 3	DW	3/7/2019	NMED	not tested	9.3	not tested	23	8.4	3.9	ND	not tested	ND	ND	not tested	ND	not tested	ND	not tested	ND	ND	ND	ND	ND	ND	ND	44.6	0	TestAmerica	537 M
CAFB well 4A	DW	8/24/2016	USAF	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	Eurofins	537
CAFB Well 8 raw	DW	8/24/2016	USAF	not tested	ND	not tested	not tested	2.3	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	2.3	0	Eurofins	537
CAFB well 8	DW	3/7/2019	NMED	not tested	ND	not tested	ND	ND	ND	ND	not tested	ND	ND	not tested	ND	not tested	ND	not tested	ND	ND	ND	ND	ND	ND	ND	0	0	TestAmerica	537 M
CAFB Well 9 raw	DW	8/24/2016	USAF	not tested	4.1	not tested	not tested	2.5	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	6.6	0	Eurofins	537
CAFB Well 9 treated	DW	8/24/2016	USAF	not tested	4.1	not tested	not tested	2.6	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	6.7	0	Eurofins	537
CAFB well 9	DW	3/7/2019	NMED	not tested	ND	not tested	ND	ND	ND	ND	not tested	ND	ND	not tested	ND	not tested	ND	not tested	ND	ND	ND	ND	ND	ND	ND	0	0	TestAmerica	537 M
CAFB Well 11 treated	DW	8/24/2016	USAF	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	Eurofins	537
CAFB Well 12 raw	DW	8/24/2016	USAF	not tested	4.6	not tested	not tested	2.6	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	7.2	0	Eurofins	537
CAFB Well 12	DW	3/7/2019	NMED	not tested	6.5	not tested	17	7	3	ND	not tested	ND	ND	not tested	ND	not tested	ND	not tested	ND	ND	ND	ND	ND	ND	ND	33.5	0	TestAmerica	537 M
CAFB Water Plant	DW	8/24/2016	USAF	not tested	5	not tested	not tested	3.1	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	8.1	0	Eurofins	537
CAFB entry point 1	DW	11/6/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
CAFB entry point 4	DW	11/6/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
Melrose Bombing Range Drinking Water																													
Melrose Range Well 11	DW	11/15/2017	USAF	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	Eurofins	537
Other Clovis Area Public Drinking Water Systems																													
Allsup's 45 treat plant 1	DW	11/5/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
Clovis West treat unit 1	DW	11/5/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
Desert Ranch MDWCA SS1	DW	11/5/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR Water NM Inc. Clovis, Entry Points																													
EPCOR 22 EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR Norris & Brady EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR N 40 EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR Thomas & Brady EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR well 13 EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR well 17 EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR well 20 EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR well 205 EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR Mesa EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
EPCOR Sandia EP	DW	11/7/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
Travelers World CG well 1	DW	11/5/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
Turquoise Estates Water Coop (TEWC)																													
TEWC well 1	DW	11/5/2018	NMED	not tested	ND	not tested	not tested	9.21	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	9	0	AnaTek	537
TEWC well 1, retest	DW	11/5/2018	NMED	not tested	ND	not tested	not tested	7.15	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	7	0	AnaTek	537
TEWC distribution	DW	2/27/2019	NM DoH	9.1	5.3	16	21	9.6	2.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	63	0	TestAmerica	537 M-ID
TEWC well 3	DW	11/5/2018	NMED	not tested	ND	not tested	not tested	ND	ND	not tested	not tested	ND	ND	not tested	ND	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	not tested	0	0	AnaTek	537
Private Wells (domestic, irrigation, dairy, industrial)																													
irrigation well W-5	GW	9/21/2018	owner	603	571	2130	3090	8530	845	not tested	not tested	2920	11400	36.9	ND	not tested	ND	ND	not tested	not tested	not tested	ND	not tested	not tested	not tested	30126	14320	GEL	537 M-ID
dairy supply well D-1	GW	9/21/2018	owner	181	208	563	837	1810	190	not tested	not tested	504	1120	ND	3.01	not tested	ND	ND	not tested	not tested	not tested	ND	not tested	not tested	not tested	5416	1624	GEL	537 M-ID
domestic well CL1	GW	2/27/2019	NM DoH	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	0	TestAmerica	537 M-ID
domestic well CL2	GW	2/27/2019	NM DoH	10	14	25	27	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	87	0	TestAmerica	537 M-ID
domestic well CL4	GW	2/27/2019	NM DoH	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	0	TestAmerica	537 M-ID
domestic well CL5	GW	2/27/2019	NM DoH	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	0	TestAmerica	537 M-ID
CAFB Monitoring Wells																													
CAFB MW-CA	GW	12/14/2017	USAF	not tested	840	not tested	4100	12000	1300	not tested	12000	2200	24000	not tested	64	ND	ND	not tested	ND	ND	ND	ND	ND	ND	ND	56504	26200	Maxxam	537 M-ID

DW - drinking water
 GW - groundwater
 M - modified EPA Test Method 537
 M-ID - modified EPA Test Method 537 with isotope dilution
 ND - not detected
 SW - surface water