



**NEW MEXICO  
ENVIRONMENT DEPARTMENT**



**SUSANA MARTINEZ**  
Governor

**JOHN A. SANCHEZ**  
Lieutenant Governor

Harold Runnels Building  
1190 South St. Francis Drive (87505)  
P.O. Box 5469, Santa Fe, NM 87502-5469  
Phone (505) 827-0187 Fax (505) 827-0160  
www.env.nm.gov

**BUTCH TONGATE**  
Cabinet Secretary

**J.C. BORREGO**  
Deputy Secretary

**MEMORANDUM**

**DATE:** January 29, 2018

**TO:** Kris Barrios, MASS Program Manager  
Shelly Lemon, SWQB Bureau Chief

**FROM:** Lynette Guevara, MASS Assessment Coordinator

**RE:** Public Disclosure of Review of Available 20.6.4.114 NMAC Radionuclide Data

Per 20.6.4.114.B NMAC, the following criteria based on a 12-month rolling average are applicable to the public water supply use for monitoring and public disclosure purposes only:

<b>Radionuclide</b>	<b>pCi/L</b>
Americium-241	1.9
Cesium-137	6.4
Plutonium-238	1.5
Plutonium-239/240	1.5
Strontium-90	3.5
Tritium	4,000

Both LANL and DOE OB non-filtered radionuclide data collected from May 1, 2012, to December 31, 2017 were downloaded from Intellus (<http://www.intellusnmdata.com/>). Available validation fields were reviewed, and rejected data were removed from the collated dataset. Results noted as “Not Detected” that were greater than the respective above criterion were removed from the dataset because it is unknown whether or not the applicable criterion was exceeded. Based on this final dataset, 12-month rolling averages were determined. The above criteria were not exceeded for Americium-241, Cesium-137, Plutonium-238, Plutonium-239/240, Strontium-90, or Tritium.