

PED GM Bus No. 234
VIN 1BAKGCKA86F230168

234

234

MANUFACTURED BY

BLUE BIRD BODY COMPANY

DATE OF MFR. 01/05

SUITABLE TIRE - RIM CHOICE

GVWR : 14065 KG (31000 LB)

GAWR : FRONT 4537 KG (10000 LB) WITH 11RX22.5G TIRES

22.5X8.25 RIMS. AT 723 KPA (105 PSI) COLD SINGLE

GAWR : REAR 9528 KG (21000 LB) WITH 11RX22.5G TIRES

22.5X8.25 RIMS. AT 723 KPA (105 PSI) COLD DUAL

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.
FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. 1BAKGCKA86F230168 TYPE CLASSIFICATION SCHOOL BUS





SCREW DRIVER

#18

CELL PHONE STAND

#10

(INSERT CARD)

BOX OPENER

LETTER OPENER

1 INCH RULER

BOTTLE OPENER

#2

SCREW DRIVER

CAN OPENER

SCREW DRIVER





PED GM Bus No. 235 VIN
1BAKGCKA35F227998

235

Manufactured by
BLUE BIRD BODY COMPANY
DATE OF MFR. 6/4/68

EXHIBIT TYPE - VIN CHANGE

FRONT : 12/17/77 1/4 (210000 LB) ;
FRONT : FRONT 12/17/77 1/4 (210000 LB) WITH 11/17/77 5/5 1/4
R 25/177 5 RIMS AT 723 VRR (105 PSI) 5/5 1/4
REAR : REAR 12/17/77 1/4 (210000 LB) WITH 11/17/77 5/5 1/4
R 25/177 5 RIMS AT 723 VRR (105 PSI) 5/5 1/4

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.
FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF MANUFACTURE EXCEPT WHERE SHOWN OTHERWISE

J. J. H. [Signature]

THIS VEHICLE CONFO
FEDERAL MOTOR VEH
EFFECT ON THE DATE O

V.I.N.

1BAKGCKA35F2

BLUE BIRD BODY COMPANY

V.I.N. - IBAKGCKA35F227998



7

MADE IN U.S.A.

6

5

4

Life Guard

3

2

INLNR

10 4



8

P.R. APPT'D
NO. 339 TC

7

MADE IN U.S.A.

6

5

4

3

2

1



235







235

BLUE BIRD









PED GM Bus No. 237 VIN 1BAKGCKA45F227976

GAWR : REAR 9528 KG (21000 LB) WITH

8.25X22.5 RIMS. AT 723 KPA (10

THIS VEHICLE CONFORMS TO ALL APPLICABLE
FEDERAL MOTOR VEHICLE SAFETY STANDARDS
EFFECT ON THE DATE OF MANUFACTURE SHOW

V.I.N. 1BAKGCKA45F227976 TYPE CLASSIFICATION

DATE OF MFR. 08/04

SUITABLE TIRE - RIM CHOICE

GVWR : 13612 KG (30000 LB)

GAWR : FRONT 4537 KG (10000 LB) WITH 11RX22.5G TIRES

8.25X22.5 RIMS. AT 723 KPA (105 PSI) COLD SINGLE

GAWR : REAR 9528 KG (21000 LB) WITH 11RX22.5G TIRES

8.25X22.5 RIMS. AT 723 KPA (105 PSI) COLD DUAL

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.
FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. 1BAKGCKA45F227976 TYPE CLASSIFICATION SCHOOL BUS

J4BC
D50

P.R. APP'D
NO. 339 TC

7

6

5

4

3

2

2511

ft

in

1

1

STANLEY

®

Life Guard

®

D
LNR

L50-4









PED GM Bus No. 238 VIN 1BAKGCKA85F227978

MANUFACTURED BY

BLUE BIRD BODY COMPANY

DATE OF MFR 08/04

SUITABLE TIRE - RIM CHOICE

GVWR : 13612 KG (30000 LB)

GAWR : FRONT 4537 KG (10000 LB) WITH 11RX22.5G TIRES

8.25X22.5 RIMS. AT 723 KPA (105 PSI) COLD SINGLE

GAWR : REAR 9528 KG (21000 LB) WITH 11RX22.5G TIRES

8.25X22.5 RIMS. AT 723 KPA (105 PSI) COLD DUAL

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.
FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. 1BAKGCKA85F227978 TYPE CLASSIFICATION SCHOOL BUS

8.25X22.5 RIMS. AT 723 KPA (105


GAWR : REAR 9528 KG (21000 LB) WITH

8.25X22.5 RIMS. AT 723 KPA (105 PS

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.
FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. 1BAKGCKA85F227978 TYPE CLASSIFICATION SCHC








MONITOR

1985

2 3 4 5 6 7 8 9 10





227978

DI

WILSON

