

265

X
v.w. TOWN

**PED GM Bus No. 265 VIN
1BAKGCKA85F227995**

8.25X22.5 RIMS. AT 723 KPA (105 PS)

REAR 9528 KG (21000 LB) WITH 11

8.25X22.5 RIMS. AT 723 KPA (105 PS)

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.
FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

N. 1BAKGCKA85F227995 TYPE CLASSIFICATION SC









PED GM Bus No. 267 VIN 1BAKGCKA95F227987

283

Tow

SCHOOL BUS

QUALITY
SAFETY GLASS
LAMINATED
GLASS
800-775-4111

THIS VEHICLE CONFORMS TO ALL
FEDERAL MOTOR VEHICLE SAFETY
EFFECT ON THE DATE OF MANUFACT

N. 1BAKGCKA95F227987 TYPE CLASSI

8.25X22.5 R15

THIS VEHICLE CONFORMS TO ALL
FEDERAL MOTOR VEHICLE SAFETY STANDARDS
EFFECT ON THE DATE OF MANUFACTURE SHOWN A

V.I.N. 1BAKGCKA95F227987

TYPE CLASSIFICATION



J56C
D50

MM NR

50044

ft 2 3 4 5 6
in
STANLEY® Life Guard®





271



PED GM Bus No. 271
VIN 4DRBUAAN37B472765

202



GAWR REAR 8,981 KGS (19,800 LBS) WITH
10R22.5 G TIRES 14 PLY AT
723 KPa (105 PSI) COLD
RIMS 22.5X7.50 AXLE DUAL

**THIS VEHICLE CONFORMS TO ALL
APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF
MANUFACTURE SHOWN ABOVE.**

**VEHICLE IDENTIFICATION NO.
4DRBUAAN37B472765
VEHICLE TYPE
SCHOOL BUS # 472765**



STANLEY®
Life Guard®
ft 2
in 2.5





PED GM Bus No. 273
VIN 4DRBUAANX7B472763

273

GM

GAWR FRONT 4,536 KGS (10,000 LBS) WITH
265/75R22.5G TIRES 14 PLY AT
758 KPa (110 PSI) COLD
RIMS 22.5X7.50 AXLE SINGLE

GAWR REAR 8,981 KGS (19,800 LBS) WITH
10R22.5 G TIRES 14 PLY AT
723 KPa (105 PSI) COLD
RIMS 22.5X7.50 AXLE DUAL

**THIS VEHICLE CONFORMS TO ALL
APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF
MANUFACTURE SHOWN ABOVE.**

VEHICLE IDENTIFICATION NO.

4DRBUAANX7B472763

VEHICLE TYPE

SCHOOL BUS # 472763

IN THE EVENT OF AN ACCIDENT, THIS LABEL MAY BE HELD AS EVIDENCE.
 THE OPERATOR IS RESPONSIBLE FOR THE SAFE OPERATION OF THIS VEHICLE.
 LAB-200

**MANUFACTURED BY
 IC CORPORATION**

DATE OF MANUFACTURE 07 MO. 06 YR.

GVWR 13,517 KGS (29,800 LBS)

GAWR FRONT 4,536 KGS (10,000 LBS) WITH

**265/75R22.5G TIRES 14 PLY AT
 758 KPa (110 PSI) COLD
 RIMS 22.5X7.50 AXLE SINGLE**

GAWR REAR 8,981 KGS (19,800 LBS) WITH

**10R22.5 G TIRES 14 PLY AT
 723 KPa (105 PSI) COLD
 RIMS 22.5X7.50 AXLE DUAL**

**THIS VEHICLE CONFORMS TO ALL
 APPLICABLE FEDERAL MOTOR
 VEHICLE SAFETY STANDARDS IN
 EFFECT ON THE DATE OF
 MANUFACTURE SHOWN ABOVE.**

**VEHICLE IDENTIFICATION NO.
 4DRBUAANX7B472763
 VEHICLE TYPE
 SCHOOL BUS # 472763**

GM
**Goodwrench
 Service
 Plus**

DATE 12/16/12

FLUID LEVELS CHECKED

TRANS-MISSION	<u>Next Oil</u>
AXLE	<u>9/16/12 (at)</u>
POWER STEERING	<u>168,000</u>
BRAKE MASTER CYLINDER	
ENGINE COOLANT	
BATTERY	
OIL CHANGED	<u>31 qt</u>
LUBRICATION SERVICES	
OIL FILTER REPLACED	<u>1842639091</u>
AIR CLEANER REPLACED	<u>AF-25707</u>
FUEL FILTER REPLACED	<u>1842638092</u>
P.C.V. SYSTEM SERVICED	
TIRES ROTATED	
WHEEL BEARINGS	
ENGINE TUNE-UP	
AIR CONDITION SERVICE	
WHEEL ALIGNMENT	
TRANS. FLUID CHANGED	

RICO AUTO COMPLEX
 220 S. 5th. St.
 Gallup, NM 87301
 505-722-2271



723 KPa (105 PSI) COLD
RIMS 22.5X7.50 AXLE DUAL

THIS VEHICLE CONFORMS TO ALL
APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF
MANUFACTURE SHOWN ABOVE.

VEHICLE IDENTIFICATION NO.

4DRBUAANX7B472763

VEHICLE TYPE

SCHOOL BUS # 472763

THIS VEHICLE CONFORMS TO ALL
APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF
MANUFACTURE SHOWN ABOVE.

VEHICLE IDENTIFICATION NO.

4DRBUAANX7B472763

VEHICLE TYPE

SCHOOL BUS # 472763



3606N

1 1 2 3 4 5
in ft
STANLEY
LIFE GUARD
A



