

274

PED GM Bus No. 274 VIN 4DRBUAAN67B472761

THIS VEHICLE IS EQUIPPED WITH AN ALARM MUST BE USED
WHEN OPERATING THIS VEHICLE IN REVERSE.
FAILURE TO MAINTAIN A CLEAR VIEW
IN THE DIRECTION OF TRAVEL COULD
RESULT IN SERIOUS INJURY OR DEATH.
THE OPERATOR IS RESPONSIBLE FOR
THE SAFE OPERATION OF THIS VEHICLE.
LAB-200

**MANUFACTURED BY
IC CORPORATION**

DATE OF MANUFACTURE 07 MO. 06 YR.

GVWR 13,517 KGS (29,800 LBS)

GAWR FRONT 4,536 KGS (10,000 LBS) WITH

**265/75R22.5G TIRES 14 PLY AT
758 KPa (110 PSI) COLD
RIMS 22.5X7.50 AXLE SINGLE**

GAWR REAR 8,981 KGS (19,800 LBS) WITH

**10R22.5 G TIRES 14 PLY AT
723 KPa (105 PSI) COLD
RIMS 22.5X7.50 AXLE DUAL**


**THIS VEHICLE CONFORMS TO ALL
APPLICABLE FEDERAL MOTOR
VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF
MANUFACTURE SHOWN ABOVE.**

VEHICLE IDENTIFICATION NO.

4DRBUAAN67B472761

VEHICLE TYPE

SCHOOL BUS # 472761



NO589

LE
10.9

1

2

3

4

5

6

7

8

1/16

1/8

3/16

1/2

5/8

3/4

7/8

1

1 1/8

1 1/4

1 3/8

1 1/2

1 5/8

1 3/4

1 7/8

2

1/32

3/32

1/16

3/16

1/8

3/16

1/4

5/16

3/8

7/16

1/2

5/8

3/4

7/8

1

1 1/8

1 1/16

1 1/8

1 1/4

1 1/2

1 3/4

1 7/8

2

2 1/8

2 1/4

2 3/8

2 1/2

2 5/8

2 3/4

2 7/8

3

3 1/8

3 1/16

3 1/8

3 1/4

3 1/2

3 3/4

3 7/8

4

4 1/8

4 1/4

4 3/8

4 1/2

4 5/8

4 3/4

4 7/8

5

5 1/8

5 1/16

5 1/8

5 1/4

5 1/2

5 3/4

5 7/8

6

6 1/8

6 1/4

6 3/8

6 1/2

6 5/8

6 3/4

6 7/8

7

7 1/8

7 1/16

7 1/8

7 1/4

7 1/2

7 3/4

7 7/8

8

8 1/8

8 1/4

8 3/8

8 1/2

8 5/8

8 3/4

8 7/8

9

9 1/8

MADE IN U.S.A.
P.R. APPT'D
NO. 339 TC



274

STOP



274

CE 300

SCHOOL
EMERGENCY



A close-up photograph of a black plastic bumper on a vehicle. The number '282' is painted in white on the bumper. To the right of the number is a rectangular cutout revealing the suspension components. Above the bumper is a yellow bumper and a tire. In the background, another yellow school bus is visible.

282

PED GM Bus No. 282 VIN 1BAKGCKA36F230174

MANUFACTURED BY

BLUE BIRD BODY COMPANY

DATE OF MFR. 01/05

SUITABLE TIRE - RIM CHOICE

GVWR : 14065 KG (31000 LB)


GAWR : FRONT 4537 KG (10000 LB) WITH 11RX22.5G TIRES
22.5X8.25 RIMS. AT 723 KPA (105 PSI) COLD SINGLE

GAWR : REAR 9528 KG (21000 LB) WITH 11RX22.5G TIRES
22.5X8.25 RIMS. AT 723 KPA (105 PSI) COLD DUAL

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.
FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. 1BAKGCKA36F230174 TYPE CLASSIFICATION SCHOOL BUS







282

STOP






282

BLUE BIRD

BUS

219

234



PED GM Bus No. 284 VIN 1BAKGCKA84F218826

284

284

MANUFACTURED BY
BLUE BIRD BODY COMPANY

DATE OF MFR. 11/03

SUITABLE TIRE - RIM CHOICE

GVWR 30000

GAWR: FRONT 10000 WITH 11R22.5G TIRES

22.5X7.5 RIMS, AT 105 PSI COLD SINGLE

GAWR: REAR 21000 WITH 11R22.5G TIRES

22.5X7.5 RIMS, AT 105 PSI COLD DUAL

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S.
FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN
EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE.

V.I.N. 1BAKGCKA84F218826 CLASSIFICATION SCHOOL BUS

104353

A1BC
C50

P D D
ME NIM







A close-up photograph of a black metal bumper on a yellow vehicle. The bumper has the number '286' painted in large, bold yellow characters. To the right of the number is a rectangular cutout in the bumper. The background shows a gravel surface and parts of other yellow vehicles.

286

PED GM Bus No. 286 VIN 1BAKGCKAX5F227996

MANUFACTURED BY

BLUE BIRD BODY COMPANY

DATE OF MFR. 09/04

SUITABLE TIRE - RIM CHOICE

GVWR : 13612 KG (30000 LB)

GAWR : FRONT 4537 KG (10000 LB) WITH 11RX22.5G TIRES

8.25X22.5 RIMS. AT 723 KPA (105 PSI) COLD SINGLE

GAWR : REAR 9528 KG (21000 LB) WITH 11RX22.5G TIRES

8.25X22.5 RIMS. AT 723 KPA (105 PSI) COLD DUAL

THIS VEHICLE CONFORMS TO ALL APPLICABLE U.S. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT ON THE DATE OF MANUFACTURE SHOWN ABOVE

V.I.N. 1BAKGCKAX5F227996 TYPE CLASSIFICATION SCHOOL BUS



03604

ALE181



1110 TRAMP

4 5 6 7 8 9 10 11 12

2.00





9360

SILVER

227996
D-1

ALLISON



